R 3850-1.3

Length of Stay in PAS Hospitals,

by Diagnosis,

United States, North Central Region,

1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:

. . . by Diagnosis, United States, 1979
. . . by Diagnosis, United States, North Central Region, 1979
. . . by Diagnosis, United States, Northeastern Region, 1979
. . . by Diagnosis, United States, Southern Region, 1979
. . . by Diagnosis, United States, Western Region, 1979
. . . by Diagnosis, Canada, 1979

. . . by Operation, United States, 1979
. . . by Operation, United States, North Central Region, 1979
. . . by Operation, United States, Northeastern Region, 1979
. . . by Operation, United States, Southern Region, 1979
. . . by Operation, United States, Western Region, 1979
. . . by Operation, Canada, 1979

Also included are:

Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data 1
  Data Quality 3
  Coverage 4
  Organization of Length of Stay Tables 7
    ICD-9-CM List A: Hospital Diagnosis Groups 7
    Definition of Multiple Dx Patients 7
    Definition of Operated Patients 8
  Explanation of Statistics 8
  Exclusions 9
  Defining the Extended Stay Case 10
Length of Stay Tables 21
  Summary of All Patients 22
  Summary of All Patients Except Newborn 23
  Diagnosis Groups 1-398 24
Distribution Tables 223
  Table 1: Distribution of U.S. Patients and Days of Care
    by *ICD-9-CM* List A Hospital Diagnosis Groups 225
  Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups
    by Live Discharges 244
  Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups
    by Days of Care 268
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 293
Index to Length of Stay Tables 297

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS

1979 CASE ABSTRACT

1234567890EV

SAMPLE

79

PAS

79

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 4,621,152 patients discharged during 1979 from 642 nonfederal, short-term* hospitals participating in PAS in the North Central Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 4,910,073 discharges.

Characteristics of all hospitals in the North Central Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

FIG. 3. Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Hospital Class (1)	Short-Term Nonfederal Hospitals Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Beds Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Region and Census Division (1)	Hospitals with Residencies Total[2] (2)	Hospitals with Residencies Number in PAS (3)	Hospitals with Residencies Percent in PAS (4)	Hospitals with Medical School Affiliation Total[2] (5)	Hospitals with Medical School Affiliation Number in PAS (6)	Hospitals with Medical School Affiliation Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups,* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.*

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In 1979 PAS hospitals used *ICD-9-CM* to code procedures. An operated patient is a patient who had at least one UHDDS[2] Class 1 procedure. A patient with only Class 2-4 procedures is considered nonoperated.

Explanation of Statistics

The diagnosis group titles heading the tables are followed in parentheses by the diagnosis codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

---

[2] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay tables exclude :

(1) patients who died
(2) patients admitted from other short-term hospitals
(3) patients discharged to other short-term hospitals
(4) patients discharged against medical advice
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] ***Length of Stay in PAS Hospitals, by Diagnosis,*** Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979	*U.S., Western Region, 1979*
U.S., North Central Region, 1979	*Canada, 1979*
U.S., Southern Region, 1979	*United States Geriatric, 1979*
U.S., Northeastern Region, 1979	*United States Pediatric, 1979*

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979	*U.S., Western Region, 1979*
U.S., North Central Region, 1979	*Canada, 1979*
U.S., Southern Region, 1979	*United States Geriatric, 1979*
U.S., Northeastern Region, 1979	*United States Pediatric, 1979*

[3] ***ICD-9-CM List A: Hospital Diagnosis Groups,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] ***Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,*** Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 47-year-old patient is admitted to a hospital in the North Central Region for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) (*see also* Cholecystitis, acute) 575.0
  - gangrenous (*see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current (*see also* Fever, paratyphoid) 002.9
  - suppurative (*see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** (*see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** (*see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** (*see also* Cholera) 001.9
- **Cholestasis** (*see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) (*see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 of *Length of Stay in PAS Hospitals, by Diagnosis, United States, North Central Region, 1979.*



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	3.8	7	1	1	3	4	7	8	15
20-34	925	3.6	6	1	1	3	5	7	8	12
35-49	731	3.9	8	1	1	3	5	7	9	13
50-64	824	4.6	11	1	2	4	6	8	11	16
65+	653	5.7	15	2	2	5	7	11	12	17
B. *Operated*										
0-19 YRS	594	7.9	17	4	5	7	9	12	14	20
20-34	6419	7.9	15	5	5	7	9	11	13	18
35-49	5463	8.4	11	5	5	8	9	12	15	20
50-64	5393	8.9	12	5	6	8	10	13	15	21
65+	2601	11.1	29	6	6	9	13	18	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.1	8	1	2	3	5	8	10	14
20-34	770	4.7	10	1	2	4	6	8	10	15
35-49	952	5.6	23	1	2	5	7	10	12	22
50-64	1807	6.0	18	2	2	5	7	11	13	21
65+	3260	7.8	35	2	3	6	10	14	18	28
B. *Operated*										
0-19 YRS	292	9.7	24	4	5	9	11	15	19	28
20-34	4153	9.7	25	5	6	8	11	15	18	26
35-49	4940	10.6	31	5	6	9	13	17	20	31
50-64	7420	12.0	42	6	6	10	14	20	24	37
65+	6931	15.6	78	7	8	14	19	26	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3243	4.4	10	1	1	4	6	8	10	15
B. *Operated*	20470	8.7	16	5	5	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	6853	6.6	27	2	2	5	8	12	15	25
B. *Operated*	23736	12.3	52	6	6	10	15	21	25	39
1. SINGLE DX	23713	8.1	17	3	4	7	9	13	15	22
2. MULTIPLE DX	30589	11.0	52	3	5	9	14	19	24	38
A. NOT OPERATED	10096	5.9	23	1	2	5	7	11	14	24
B. OPERATED	44206	10.6	39	5	6	9	12	18	22	35
TOTAL 0-19 YRS	1060	7.8	21	2	3	7	10	13	15	21
20-34	12267	8.0	21	3	4	7	9	13	15	22
35-49	12086	8.8	23	3	5	8	10	14	17	26
50-64	15444	9.8	33	3	5	8	12	16	20	31
65+	13445	12.4	68	3	5	10	15	22	27	43
GRAND TOTAL	54302	9.8	39	3	4	8	12	17	21	33

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).



642 PAS Hospitals, North Central Region, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILE 5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	110	3.8	7	1	1	3	4	7
20-34	925	3.6	6	1	1	3	5	7
35-49	731	3.9	8	1	1	3	5	7
50-64	824	4.6	11	1	2	4	6	
65+	653	5.7	15	2	2	5	7	
B. *Operated*								
0-19 YRS	594	7.9	17	4	5	7	9	
20-34	6419	7.9	15	5	5	7		
35-49	5463	8.4	11	5	5	6		
50-64	5393	8.9	12	5	6	6		
65+	[illegible]	11.1	29	6	6			
...LE DX	64	4.1						

131

Step 4. Since surgery is scheduled, one is restricted to the second five lines of the table (Section 1.B.).



642 PAS Hospitals, North Central Region, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILE 5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	110	3.8	7	1	1	3	4	7
20-34	925	3.6	6	1	1	3	5	7
35-49	731	3.9	8	1	1	3	5	7
50-64	824	4.6	11	1	2	4	6	
65+	653	5.7	15	2	2	5	7	
B. *Operated*								
0-19 YRS	594	7.9	17	4	5	7	9	
20-34	6419	7.9	15	5	5	7		
35-49	5463	8.4	11	5	5	6		
50-64	5393	8.9	12	5	6	6		
65+	[illegible]	11.1	[illegible]	6	6			
...LE DX	64	4.1						

131

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



642 PAS Hospitals, North Central Region, January–December 1979

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	110	3.8	7	1	1	3	4	7
20-34	925	3.6	6	1	1	3	5	7
35-49	731	3.9	8	1	1	3	5	7
50-64	824	4.6	11	1	2	4	6	
65+	653	5.7	15	2	2	5	7	
B. *Operated*								
0-19 YRS	594	7.9	17	4	5	7	9	
20-34	6419	7.9	15	5	5	7		
35-49	5463	8.4	11	5	5	8		
50-64	5393	8.9	12	5	6	8		
65+	2601	11.1	29	6	6			
LE DX								
	64	4.1						

131

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



642 PAS Hospitals, North Central Region, January–December 1979

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	110	3.8	7	1	1	3	4	7
20-34	925	3.6	6	1	1	3	5	7
35-49	731	3.9	8	1	1	3	5	7
50-64	824	4.6	11	1	2	4	6	
65+	653	5.7	15	2	2	5	7	
B. *Operated*								
0-19 YRS	594	7.9	17	4	5	7	9	
20-34	6419	7.9	15	5	5	7	9	
35-49	5463	8.4	11	5	5	8		
50-64	5393	8.9	12	5	6	8		
65+	2601	11.1	29	6	6			
LE DX								
	64	4.1						

131

The patient was admitted on 3 November; therefore the eighth day will fall on 11 November. Prior to or on 11 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

642 PAS Hospitals, North Central Region, January–December 1979

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	500329	3.8	14	1	2	3	4	6	7	16
20-34	298637	4.5	30	<1	1	3	5	8	13	30
35-49	105504	6.6	49	1	1	4	8	14	20	35
50-64	89345	7.2	49	1	2	5	9	15	20	35
65+	74363	7.9	54	1	2	6	10	16	21	38
B. *Operated*										
0-19 YRS	204424	3.3	14	1	1	2	4	6	8	19
20-34	356515	4.1	15	1	1	3	5	7	10	19
35-49	154587	5.5	29	1	1	4	7	11	15	26
50-64	140430	6.7	42	1	2	5	9	14	18	31
65+	109436	8.3	64	2	2	6	11	18	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302433	5.2	34	1	2	4	6	9	13	31
20-34	196359	6.4	49	1	1	4	7	13	19	36
35-49	187796	7.7	50	1	2	6	9	15	21	36
50-64	294163	8.6	54	2	2	7	11	17	22	38
65+	484845	10.1	68	2	3	8	13	20	25	43
B. *Operated*										
0-19 YRS	123171	5.3	62	1	1	3	6	11	17	49
20-34	296115	6.2	43	1	2	5	7	11	16	36
35-49	204865	8.2	66	2	2	6	10	16	22	44
50-64	236282	10.6	103	2	2	8	14	22	30	56
65+	261553	14.1	147	2	3	11	19	29	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1068178	4.9	29	1	1	3	5	9	13	29
B. *Operated*	965392	5.0	29	1	1	3	6	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	1465596	8.0	57	2	2	6	10	16	22	39
B. *Operated*	1121986	9.2	97	1	2	6	11	20	28	53
1. SINGLE DX	2033570	4.9	29	1	1	3	5	10	14	28
2. MULTIPLE DX	2587582	8.5	74	1	2	6	10	18	25	46
A. NOT OPERATED	2533774	6.7	48	1	2	4	8	14	19	35
B. OPERATED	2087378	7.3	70	1	2	5	9	16	23	44
TOTAL 0-19 YRS	1130357	4.3	25	1	1	3	5	7	10	26
20-34	1147626	5.1	33	1	1	4	6	9	14	30
35-49	652752	7.2	51	1	2	5	9	14	20	37
50-64	760220	8.7	69	2	2	6	11	18	24	43
65+	930197	10.9	94	2	3	8	14	22	29	51
GRAND TOTAL	**4621152**	**7.0**	**58**	**1**	**2**	**4**	**8**	**15**	**21**	**39**

642 PAS Hospitals, North Central Region, January–December 1979

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208427	4.2	29	1	1	3	5	7	10	29
20-34	298637	4.5	30	<1	1	3	5	8	13	30
35-49	105504	6.6	49	1	1	4	8	14	20	35
50-64	89345	7.2	49	1	2	5	9	15	20	35
65+	74363	7.9	54	1	2	6	10	16	21	38
B. *Operated*										
0-19 YRS	204201	3.3	14	1	1	2	4	6	8	19
20-34	356515	4.1	15	1	1	3	5	7	10	19
35-49	154587	5.5	29	1	1	4	7	11	15	26
50-64	140430	6.7	42	1	2	5	9	14	18	31
65+	109436	8.3	64	2	2	6	11	18	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173539	5.2	39	1	1	4	6	9	14	34
20-34	196359	6.4	49	1	1	4	7	13	19	36
35-49	187796	7.7	50	1	2	6	9	15	21	36
50-64	294163	8.6	54	2	2	7	11	17	22	38
65+	484845	10.1	68	2	3	8	13	20	25	43
B. *Operated*										
0-19 YRS	119562	5.0	49	1	1	3	5	10	15	41
20-34	296115	6.2	43	1	2	5	7	11	16	36
35-49	204865	8.2	66	2	2	6	10	16	22	44
50-64	236282	10.6	103	2	2	8	14	22	30	56
65+	261553	14.1	147	2	3	11	19	29	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	776276	5.4	39	1	1	4	6	11	16	32
B. *Operated*	965169	5.0	29	1	1	3	6	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	1336702	8.3	59	1	2	6	10	17	22	39
B. *Operated*	1118377	9.2	96	1	2	6	11	20	28	53
1. SINGLE DX	1741445	5.2	33	1	1	3	6	11	15	29
2. MULTIPLE DX	2455079	8.7	76	1	2	6	11	18	25	46
A. NOT OPERATED	2112978	7.2	54	1	2	5	9	15	21	37
B. OPERATED	2083546	7.3	69	1	2	5	9	16	23	44
TOTAL 0-19 YRS	705729	4.3	31	1	1	3	5	8	11	30
20-34	1147626	5.1	33	1	1	4	6	9	14	30
35-49	652752	7.2	51	1	2	5	9	14	20	37
50-64	760220	8.7	69	2	2	6	11	18	24	43
65+	930197	10.9	94	2	3	8	14	22	29	51
GRAND TOTAL	**4196524**	**7.2**	**61**	**1**	**2**	**5**	**9**	**15**	**22**	**41**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4054	3.7	8	1	1	3	4	7	8	14
20-34	1510	3.7	9	1	1	3	5	7	9	15
35-49	548	4.2	9	1	2	3	5	8	10	17
50-64	434	4.4	12	1	2	4	5	8	10	20
65+	286	4.8	13	1	2	4	6	8	12	21
B. *Operated*										
0-19 YRS	58	5.5	6	2	3	5	7	8	10	14
20-34	72	6.1	16	2	3	5	7	10	14	24
35-49	30	8.8	41	2	3	7	10	15	20	35
50-64	16	8.6	33	1	2	7	12	17	19	20
65+	13	10.3	82	4	4	8	11	18	35	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3987	4.5	10	1	2	4	5	8	10	17
20-34	1457	4.3	11	1	2	3	5	8	9	17
35-49	862	5.3	22	2	2	4	6	9	13	22
50-64	949	5.8	19	2	2	5	7	11	14	21
65+	1589	7.3	35	2	2	6	9	14	17	30
B. *Operated*										
0-19 YRS	79	8.1	49	2	3	6	11	15	21	42
20-34	106	9.4	51	2	3	8	11	17	22	42
35-49	85	11.2	40	4	4	10	14	21	22	33
50-64	77	11.2	79	2	3	9	15	28	37	99+
65+	105	16.2	143	4	5	13	20	30	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6832	3.8	9	1	1	3	5	7	9	15
B. *Operated*	189	6.8	24	2	3	6	8	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	8844	5.2	18	1	2	4	6	9	12	21
B. *Operated*	452	11.4	82	3	3	9	14	22	31	55
1. SINGLE DX	7021	3.9	9	1	1	3	5	7	9	16
2. MULTIPLE DX	9296	5.5	23	1	2	4	7	10	14	24
A. NOT OPERATED	15676	4.6	14	1	2	4	6	8	11	19
B. OPERATED	641	10.1	70	2	3	8	12	20	26	45
TOTAL 0-19 YRS	8178	4.1	10	1	2	3	5	7	10	16
20-34	3145	4.2	13	1	1	3	5	8	10	18
35-49	1525	5.3	21	1	2	4	6	10	13	22
50-64	1476	5.7	22	1	2	4	7	11	14	24
65+	1993	7.4	43	2	2	6	9	14	19	36
GRAND TOTAL	**16317**	**4.8**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	10.5	94	2	2	9	15	19	22	56
20-34	89	16.0	156	3	4	15	20	28	39	71
35-49	67	17.7	337	3	4	13	19	35	60	97
50-64	78	17.1	277	2	3	13	20	40	54	81
65+	58	13.2	130	2	3	10	17	25	30	61
B. *Operated*										
0-19 YRS	7	9.0	47	1	1	10	13	19	20	20
20-34	32	13.9	58	2	5	12	20	27	27	29
35-49	33	15.2	114	2	4	14	18	27	31	57
50-64	61	12.6	153	2	3	9	16	22	36	76
65+	37	17.6	153	3	7	14	23	34	36	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	13.4	98	2	4	11	18	26	36	42
20-34	74	16.1	123	3	6	13	21	29	36	59
35-49	116	19.9	301	3	4	14	24	46	63	79
50-64	181	19.0	257	3	4	15	26	39	52	90
65+	219	19.1	214	3	5	15	25	37	50	85
B. *Operated*										
0-19 YRS	14	18.6	72	5	7	19	27	28	29	29
20-34	40	13.3	90	3	3	12	17	23	36	42
35-49	76	21.3	395	3	6	15	25	51	82	97
50-64	126	21.6	369	3	5	16	28	52	79	99+
65+	154	20.8	225	3	5	16	28	45	53	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	15.4	212	2	3	13	18	29	47	78
B. *Operated*	170	14.3	126	2	3	12	18	27	35	67
2. MULTIPLE DX										
A. *Not Operated*	611	18.7	229	3	5	14	24	38	51	85
B. *Operated*	410	20.3	286	3	5	16	25	45	60	96
1. SINGLE DX	503	15.1	183	2	3	12	18	28	40	74
2. MULTIPLE DX	1021	19.3	252	3	5	15	25	40	53	90
A. NOT OPERATED	944	17.5	225	3	4	14	22	36	49	82
B. OPERATED	580	18.6	246	3	4	15	24	37	53	89
TOTAL 0-19 YRS	83	12.5	94	2	3	11	17	24	29	51
20-34	235	15.3	121	3	4	13	20	28	35	62
35-49	292	19.2	313	3	4	14	23	41	63	93
50-64	446	18.5	284	3	4	14	24	40	55	90
65+	468	18.8	206	3	5	15	25	37	51	80
GRAND TOTAL	**1524**	**17.9**	**233**	**3**	**4**	**14**	**23**	**36**	**51**	**87**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.0	33	3	3	5	9	17	17	17
20-34	8	14.4	136	6	6	9	17	35	40	40
35-49	6	12.3	49	3	3	12	16	22	23	23
50-64	4	7.3	11	4	4	7	10	11	11	11
65+	5	9.8	44	1	1	10	14	19	19	19
B. *Operated*										
0-19 YRS	12	6.6	50	1	2	4	6	17	26	27
20-34	26	8.8	79	1	2	6	10	23	31	33
35-49	14	13.4	138	2	2	11	17	29	39	42
50-64	13	11.4	103	2	3	10	19	43	87	99+
65+	9	16.2	202	1	2	13	25	39	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	22.3	271	5	5	22	36	40	40	40
20-34	8	5.6	32	1	1	3	9	15	16	16
35-49	17	11.5	69	2	3	10	19	28	72	99+
50-64	21	13.9	105	2	3	12	22	35	61	99+
65+	30	13.5	83	3	5	11	16	30	35	35
B. *Operated*										
0-19 YRS	3	7.0	31	2	2	6	11	13	13	13
20-34	32	12.8	77	3	4	11	19	28	28	30
35-49	16	19.6	184	3	4	21	30	48	83	99+
50-64	22	20.2	307	2	3	15	27	45	58	75
65+	26	30.0	580	6	7	20	36	84	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	10.8	66	3	3	9	13	22	25	40
B. *Operated*	74	10.6	108	1	2	7	14	28	36	86
2. MULTIPLE DX										
A. *Not Operated*	80	12.8	95	2	3	11	17	32	35	99+
B. *Operated*	99	19.9	316	3	4	16	26	45	77	99+
1. SINGLE DX	102	10.7	95	1	2	8	14	26	35	70
2. MULTIPLE DX	179	16.7	228	2	4	13	23	35	56	99+
A. NOT OPERATED	108	12.3	87	2	3	10	17	29	35	99+
B. OPERATED	173	15.9	247	2	2	12	23	36	50	99+
TOTAL 0-19 YRS	24	9.3	103	2	2	5	12	27	34	40
20-34	74	10.8	83	1	2	8	15	26	30	38
35-49	53	14.5	125	2	3	12	23	33	49	99+
50-64	60	15.2	184	2	3	12	23	36	58	99+
65+	70	19.7	337	3	5	15	25	39	78	98
GRAND TOTAL	**281**	**14.5**	**188**	**2**	**3**	**11**	**20**	**33**	**43**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	647	3.2	3	1	1	3	4	5	6	11
20-34	200	3.7	6	1	2	3	4	6	7	12
35-49	45	3.5	2	1	2	3	4	5	6	7
50-64	20	4.3	4	2	2	4	5	8	50	99+
65+	8	4.4	3	2	2	4	5	7	8	8
B. *Operated*										
0-19 YRS	64	2.2	1	1	2	2	2	3	4	8
20-34	15	3.3	5	2	2	3	3	5	9	11
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1025	3.7	5	1	2	3	5	6	7	12
20-34	291	4.3	9	2	2	4	5	7	9	16
35-49	115	5.3	11	2	2	4	6	10	13	18
50-64	66	5.1	7	2	3	5	6	7	11	15
65+	25	6.0	9	2	3	6	8	10	11	13
B. *Operated*										
0-19 YRS	43	4.3	20	1	2	2	5	9	12	25
20-34	11	5.6	4	2	3	6	7	8	9	9
35-49	7	7.0	7	3	3	6	10	10	10	10
50-64	3	11.0	73	2	2	12	17	19	19	19
65+	1	24.0		24	24	24	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	920	3.4	4	1	2	3	4	5	7	11
B. *Operated*	80	2.4	2	1	2	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	1522	4.0	7	1	2	3	5	7	8	14
B. *Operated*	65	5.4	25	1	2	3	7	10	16	25
1. SINGLE DX	1000	3.3	4	1	2	3	4	5	7	11
2. MULTIPLE DX	1587	4.1	8	1	2	3	5	7	9	15
A. NOT OPERATED	2442	3.8	6	1	2	3	5	6	8	13
B. OPERATED	145	3.8	14	1	2	2	4	8	10	24
TOTAL 0-19 YRS	1779	3.5	5	1	2	3	4	6	7	11
20-34	517	4.1	8	1	2	3	5	7	8	14
35-49	167	4.9	9	2	2	4	6	9	11	17
50-64	90	5.1	9	2	3	4	6	9	13	67
65+	34	6.1	17	2	3	5	7	10	13	24
GRAND TOTAL	**2587**	**3.8**	**6**	**1**	**2**	**3**	**5**	**6**	**8**	**13**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	6.8	17	2	2	6	9	12	14	20
20-34	53	8.2	76	2	3	5	9	16	29	45
35-49	26	8.9	28	2	3	8	12	17	19	21
50-64	42	8.7	33	2	3	7	13	17	20	25
65+	75	12.1	79	3	4	10	15	21	28	54
B. *Operated*										
0-19 YRS	8	7.9	10	3	4	8	10	12	12	12
20-34	2	21.0	162	12	12	21	30	30	30	30
35-49	4	8.8	23	3	3	9	12	14	14	14
50-64	6	17.3	137	4	4	17	24	33	34	34
65+	5	30.4	247	12	12	27	45	49	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	407	7.9	32	2	3	7	10	14	16	26
20-34	175	10.9	82	3	3	8	13	20	31	50
35-49	157	12.5	82	3	4	11	15	21	34	49
50-64	363	14.3	109	4	5	11	17	28	36	57
65+	1169	14.9	86	5	6	13	18	28	35	52
B. *Operated*										
0-19 YRS	53	15.3	106	6	7	12	18	27	31	60
20-34	51	16.5	149	3	5	12	25	38	52	99+
35-49	58	21.8	419	4	5	15	27	47	70	96
50-64	135	21.6	267	5	6	17	30	40	65	90
65+	289	26.3	255	8	10	22	35	49	57	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	8.0	38	2	3	7	10	15	19	31
B. *Operated*	25	15.8	159	3	4	12	24	34	45	49
2. MULTIPLE DX										
A. *Not Operated*	2271	13.1	86	3	4	11	16	24	33	50
B. *Operated*	586	23.0	265	6	8	18	31	45	57	94
1. SINGLE DX	504	8.4	47	2	3	7	11	16	20	40
2. MULTIPLE DX	2857	15.1	139	4	5	12	19	30	39	67
A. NOT OPERATED	2750	12.2	82	3	4	10	15	23	30	48
B. OPERATED	611	22.7	262	5	8	18	31	44	56	93
TOTAL 0-19 YRS	751	8.0	35	2	3	7	10	14	18	27
20-34	281	11.5	100	3	3	8	13	26	37	54
35-49	245	14.3	173	3	4	11	17	27	42	73
50-64	546	15.7	156	4	5	12	19	33	39	68
65+	1538	17.0	139	5	7	14	21	33	42	65
GRAND TOTAL	**3361**	**14.1**	**131**	**3**	**4**	**11**	**17**	**28**	**38**	**63**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	320	7.5	28	1	2	6	11	14	16	27
20-34	92	7.0	33	2	3	5	8	13	18	33
35-49	41	7.4	24	3	3	5	9	14	18	25
50-64	44	6.3	31	1	2	5	7	11	15	34
65+	39	7.5	13	3	3	7	9	13	15	15
B. *Operated*										
0-19 YRS	19	10.1	33	1	2	10	13	15	21	26
20-34	19	9.8	77	1	2	6	13	22	30	35
35-49	15	11.4	128	1	2	8	15	27	39	43
50-64	15	10.1	44	2	2	9	13	19	24	26
65+	11	14.3	194	1	1	11	22	36	44	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	7.8	36	2	2	6	11	14	17	33
20-34	94	8.2	40	2	2	7	10	18	24	29
35-49	74	8.9	74	2	3	7	11	15	19	59
50-64	128	9.1	56	3	4	7	11	18	25	40
65+	200	11.1	52	3	4	9	14	21	26	34
B. *Operated*										
0-19 YRS	36	14.3	96	3	4	12	18	24	31	54
20-34	30	12.4	100	2	3	8	18	26	27	42
35-49	25	17.2	232	4	5	11	22	45	67	99+
50-64	49	18.4	226	3	5	11	27	37	50	73
65+	45	22.4	173	8	9	19	29	45	50	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	536	7.3	28	2	2	6	10	14	16	30
B. *Operated*	79	10.8	83	1	2	9	14	25	29	44
2. MULTIPLE DX										
A. *Not Operated*	733	9.1	50	2	3	7	12	17	23	34
B. *Operated*	185	17.4	177	3	5	13	25	37	48	68
1. SINGLE DX	615	7.8	36	2	2	6	11	15	17	34
2. MULTIPLE DX	918	10.8	86	2	3	8	13	23	29	50
A. NOT OPERATED	1269	8.3	41	2	3	7	11	15	20	34
B. OPERATED	264	15.5	158	2	3	11	22	33	45	58
TOTAL 0-19 YRS	612	8.1	38	2	2	7	11	15	17	33
20-34	235	8.4	50	2	2	6	11	18	25	35
35-49	155	10.1	100	2	3	7	12	20	34	70
50-64	236	10.6	102	2	3	7	12	25	32	50
65+	295	12.4	90	3	4	10	15	26	32	48
GRAND TOTAL	**1533**	**9.6**	**68**	**2**	**3**	**7**	**12**	**19**	**26**	**44**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1171	4.2	7	1	2	4	5	8	9	13
20-34	584	5.2	11	2	2	4	6	9	11	17
35-49	101	6.4	13	2	2	5	8	12	14	16
50-64	22	8.3	23	2	3	8	11	13	17	22
65+	8	8.8	22	2	3	9	11	15	17	17
B. *Operated*										
0-19 YRS	18	5.6	7	2	3	5	7	10	11	11
20-34	14	6.9	27	2	3	5	11	14	19	20
35-49	3	15.0	57	8	8	14	21	23	23	23
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	366	5.4	16	2	2	4	7	10	12	18
20-34	231	6.6	23	2	2	5	8	12	16	36
35-49	68	7.2	30	2	3	6	9	13	14	36
50-64	37	9.3	52	1	2	7	12	15	20	41
65+	13	10.6	34	4	5	9	14	18	24	25
B. *Operated*										
0-19 YRS	17	10.4	94	2	3	9	11	14	34	45
20-34	19	11.0	29	3	4	10	14	18	21	23
35-49	5	8.2	23	3	3	7	12	15	15	15
50-64	7	21.3	354	7	7	16	25	54	61	61
65+	2	24.0	162	15	15	24	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1886	4.7	9	2	2	4	6	9	10	15
B. *Operated*	36	7.1	25	2	3	6	9	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	715	6.3	23	2	2	5	8	11	14	29
B. *Operated*	50	12.5	111	3	3	10	15	21	33	61
1. SINGLE DX	1922	4.8	10	2	2	4	6	9	11	15
2. MULTIPLE DX	765	6.7	31	2	2	5	8	12	15	35
A. NOT OPERATED	2601	5.1	13	2	2	4	6	10	12	17
B. OPERATED	86	10.2	81	3	3	8	13	18	24	55
TOTAL 0-19 YRS	1572	4.6	11	2	2	4	6	8	11	15
20-34	848	5.8	16	2	2	5	7	10	13	20
35-49	177	6.9	21	2	3	6	9	13	15	23
50-64	67	10.3	83	2	3	9	13	17	23	58
65+	23	11.1	50	3	4	10	14	19	28	33
GRAND TOTAL	**2687**	**5.3**	**16**	**2**	**2**	**4**	**6**	**10**	**12**	**19**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	964	3.5	4	1	2	3	4	6	7	11
20-34	189	4.8	9	1	2	4	6	9	11	15
35-49	81	5.1	10	1	2	4	6	9	12	16
50-64	132	6.9	19	2	2	6	9	13	17	20
65+	341	7.9	29	2	3	6	11	15	18	25
B. *Operated*										
0-19 YRS	14	4.9	7	2	3	4	7	9	11	11
20-34	11	3.6	12	1	1	3	4	8	13	13
35-49	10	4.2	10	<1	<1	4	7	9	10	10
50-64	8	7.1	64	2	2	5	15	70	99+	99+
65+	14	12.3	82	3	3	10	15	25	34	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1236	4.2	11	1	2	4	5	7	9	13
20-34	228	5.4	10	2	2	5	7	9	11	17
35-49	112	7.3	30	2	3	6	8	14	21	57
50-64	407	9.0	50	2	3	7	11	18	26	36
65+	1286	10.9	64	3	4	9	14	21	27	41
B. *Operated*										
0-19 YRS	30	7.6	44	2	2	5	10	21	28	99+
20-34	22	10.9	88	1	2	9	14	20	34	42
35-49	13	14.0	306	1	2	9	18	31	61	68
50-64	62	17.4	254	4	5	11	20	35	51	85
65+	136	18.2	170	4	4	15	24	37	44	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1707	4.9	15	1	2	4	6	10	13	20
B. *Operated*	57	6.6	44	1	2	4	9	14	25	95
2. MULTIPLE DX										
A. *Not Operated*	3269	7.6	47	2	2	6	9	16	21	36
B. *Operated*	263	16.0	186	3	4	12	21	33	43	80
1. SINGLE DX	1764	4.9	16	1	2	4	6	10	13	21
2. MULTIPLE DX	3532	8.2	62	2	2	6	10	17	24	41
A. NOT OPERATED	4976	6.7	37	2	2	5	8	13	18	33
B. OPERATED	320	14.3	173	2	3	11	19	30	42	83
TOTAL 0-19 YRS	2244	3.9	9	1	2	3	5	7	8	13
20-34	450	5.4	15	1	2	4	7	10	13	16
35-49	216	6.7	41	1	2	5	8	12	18	44
50-64	609	9.4	72	2	3	7	11	19	26	46
65+	1777	10.9	71	3	3	9	14	22	28	43
GRAND TOTAL	**5296**	**7.1**	**49**	**2**	**2**	**5**	**9**	**15**	**21**	**37**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	533	7.1	23	2	3	6	9	12	16	29
20-34	1018	8.3	24	3	3	7	11	14	17	25
35-49	287	9.1	33	3	4	7	11	17	21	30
50-64	147	10.4	47	4	4	9	12	18	22	39
65+	57	10.6	44	3	4	8	14	19	25	30
B. *Operated*										
0-19 YRS	14	11.5	116	2	2	9	14	27	38	41
20-34	59	9.3	31	2	2	9	12	16	20	28
35-49	44	10.9	41	3	4	10	15	21	24	26
50-64	22	11.4	65	2	2	9	19	21	26	33
65+	10	11.9	27	3	4	12	15	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	8.3	24	3	3	7	11	14	18	26
20-34	450	9.0	33	3	4	8	11	17	20	29
35-49	176	9.9	32	3	4	8	13	17	[illegible]	31
50-64	159	11.3	73	3	5	9	14	18	23	45
65+	114	11.9	97	3	4	9	15	22	31	55
B. *Operated*										
0-19 YRS	13	9.9	48	2	3	8	12	21	25	26
20-34	70	12.9	99	2	2	11	16	22	33	48
35-49	32	13.8	109	2	2	14	21	23	31	46
50-64	62	16.4	75	5	6	15	22	26	32	45
65+	30	18.1	77	4	8	17	23	31	35	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2042	8.3	28	2	3	7	10	15	18	28
B. *Operated*	149	10.4	46	2	3	10	14	20	22	33
2. MULTIPLE DX										
A. *Not Operated*	1063	9.7	46	3	4	8	12	17	21	33
B. *Operated*	207	14.7	91	2	4	13	20	26	33	45
1. SINGLE DX	2191	8.5	30	2	3	7	11	15	19	29
2. MULTIPLE DX	1270	10.5	56	3	4	8	14	20	23	37
A. NOT OPERATED	3105	8.8	35	3	3	7	11	16	20	30
B. OPERATED	356	12.9	76	2	3	11	17	23	30	44
TOTAL 0-19 YRS	724	7.5	26	2	3	6	9	13	18	28
20-34	1597	8.7	31	2	3	8	11	15	19	30
35-49	539	9.8	39	3	4	8	12	19	22	32
50-64	390	11.8	67	4	5	10	15	21	25	44
65+	211	12.4	82	3	4	10	16	23	30	43
GRAND TOTAL	**3461**	**9.2**	**40**	**3**	**3**	**8**	**12**	**17**	**21**	**33**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1580	4.9	15	2	2	4	6	8	10	15
20-34	569	5.6	11	2	2	5	7	10	12	17
35-49	79	6.1	13	2	2	5	8	11	14	18
50-64	12	7.9	39	2	2	5	12	17	20	21
65+	5	9.6	11	6	6	9	12	14	14	14
B. *Operated*										
0-19 YRS	26	6.0	10	2	2	6	8	11	12	12
20-34	16	6.0	15	1	1	5	9	11	13	14
35-49	4	4.8	5	2	2	5	6	7	7	7
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1337	5.5	12	2	2	5	7	10	12	18
20-34	482	5.9	11	2	2	5	8	11	12	16
35-49	90	7.3	18	2	3	7	10	12	13	24
50-64	39	9.9	44	2	3	9	12	17	21	38
65+	14	8.3	16	2	3	8	13	14	14	14
B. *Operated*										
0-19 YRS	43	8.5	20	2	3	7	13	14	17	18
20-34	37	11.2	53	4	4	8	14	23	28	29
35-49	10	10.4	31	4	4	12	12	18	22	22
50-64	4	11.8	42	6	6	10	16	21	21	21
65+	5	15.2	120	6	6	11	22	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2245	5.1	14	2	2	4	6	9	11	16
B. *Operated*	47	6.0	11	2	2	6	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*	1962	5.8	13	2	2	5	7	10	12	18
B. *Operated*	99	10.2	40	3	4	8	13	18	23	31
1. SINGLE DX	2292	5.2	14	2	2	4	6	9	11	16
2. MULTIPLE DX	2061	6.0	15	2	2	5	7	11	13	21
A. NOT OPERATED	4207	5.4	14	2	2	5	7	10	12	17
B. OPERATED	146	8.8	34	2	3	7	12	15	22	29
TOTAL 0-19 YRS	2986	5.2	14	2	2	4	6	9	11	17
20-34	1104	6.0	13	2	2	5	8	11	12	19
35-49	183	6.9	17	2	3	6	9	12	14	21
50-64	56	9.6	41	2	3	9	12	18	21	37
65+	24	10.0	39	3	4	8	13	15	22	33
GRAND TOTAL	**4353**	**5.6**	**15**	**2**	**2**	**5**	**7**	**10**	**12**	**18**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	3	<1	1	1	2	3	7	8
20-34	32	2.4	3	<1	1	2	3	5	6	8
35-49	6	2.2	1	<1	<1	2	3	4	4	4
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	872	2.1	4	<1	1	2	2	3	4	9
20-34	1510	2.5	8	<1	1	2	3	4	5	9
35-49	325	2.9	6	<1	1	2	3	5	7	11
50-64	115	3.1	4	<1	1	2	4	6	8	11
65+	26	4.5	11	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.5	35	1	1	3	5	6	20	25
20-34	24	3.1	4	<1	1	3	4	6	7	8
35-49	11	4.6	57	<1	<1	2	3	16	25	26
50-64	6	5.5	11	<1	<1	5	9	9	9	9
65+	5	5.4	7	3	3	5	7	9	9	9
B. *Operated*										
0-19 YRS	165	3.1	6	1	1	2	4	6	9	13
20-34	539	3.7	13	1	1	3	4	7	10	17
35-49	184	3.8	7	1	1	3	5	7	9	14
50-64	82	4.5	14	1	1	3	6	10	12	19
65+	40	6.7	25	2	2	5	8	14	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.4	4	<1	1	2	3	5	7	9
B. *Operated*	2848	2.5	6	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	61	4.1	21	<1	1	3	5	8	10	26
B. *Operated*	1010	3.8	12	1	1	3	5	7	10	17
1. SINGLE DX	2904	2.5	6	<1	1	2	3	4	5	10
2. MULTIPLE DX	1071	3.8	12	1	1	3	5	7	10	18
A. NOT OPERATED	117	3.3	14	<1	1	2	4	7	9	25
B. OPERATED	3858	2.8	8	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	1067	2.3	5	<1	1	2	3	4	5	11
20-34	2105	2.8	9	1	1	2	3	5	6	11
35-49	526	3.3	8	1	1	3	4	6	8	14
50-64	205	3.7	9	1	1	3	5	8	10	14
65+	72	5.8	19	2	2	5	7	11	16	21
GRAND TOTAL	**3975**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2308	3.3	6	1	1	3	4	5	7	12
20-34	730	4.2	9	1	2	3	5	8	10	14
35-49	253	5.0	13	1	2	4	6	10	11	23
50-64	149	4.6	12	1	2	4	6	7	11	22
65+	104	6.1	34	2	2	5	7	11	13	71
B. *Operated*										
0-19 YRS	66	5.1	24	1	1	4	7	11	12	29
20-34	30	6.0	23	<1	1	5	8	14	14	20
35-49	12	7.7	28	2	3	6	12	15	18	19
50-64	11	11.5	222	1	1	8	13	30	52	54
65+	2	15.5	313	3	3	15	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2192	3.9	12	1	2	3	5	7	9	16
20-34	920	4.9	20	1	2	4	6	9	11	18
35-49	428	5.7	37	2	2	4	7	10	12	24
50-64	460	6.1	24	2	2	5	7	10	14	28
65+	634	7.2	30	2	3	6	9	14	17	30
B. *Operated*										
0-19 YRS	80	7.4	47	1	2	5	9	17	25	32
20-34	86	9.2	63	1	2	8	12	15	21	50
35-49	57	11.9	195	3	4	7	14	21	36	85
50-64	54	15.6	222	4	4	11	15	35	47	80
65+	46	15.9	116	3	5	14	23	31	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3544	3.8	9	1	1	3	5	6	8	14
B. *Operated*	121	6.3	47	1	1	5	8	13	14	38
2. MULTIPLE DX										
A. *Not Operated*	4634	4.9	21	1	2	4	6	9	12	22
B. *Operated*	323	11.2	126	2	3	8	14	23	32	58
1. SINGLE DX	3665	3.8	10	1	1	3	5	7	9	14
2. MULTIPLE DX	4957	5.3	30	1	2	4	6	10	13	28
A. NOT OPERATED	8178	4.4	16	1	2	3	5	8	10	19
B. OPERATED	444	9.9	109	1	2	7	12	21	30	54
TOTAL 0-19 YRS	4646	3.7	10	1	1	3	4	6	8	14
20-34	1766	4.8	18	1	2	4	6	9	11	19
35-49	750	6.0	44	2	2	4	7	10	14	30
50-64	674	6.6	48	2	2	5	7	12	17	41
65+	786	7.6	40	2	3	6	9	15	20	36
GRAND TOTAL	**8622**	**4.7**	**22**	**1**	**2**	**4**	**5**	**9**	**11**	**24**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	5.4	8	2	2	5	6	9	11	16
20-34	48	5.2	19	1	2	4	6	11	11	26
35-49	14	8.1	108	1	1	5	6	23	35	39
50-64	5	4.8	7	2	2	4	7	8	8	8
65+	6	8.0	14	4	4	7	12	13	13	13
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	5.8	15	2	2	5	9	10	10	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	15.0	392	1	1	15	29	29	29	29
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.4	16	2	3	6	9	10	10	23
20-34	28	5.9	16	1	2	4	9	12	13	14
35-49	11	8.7	23	3	4	8	10	16	21	21
50-64	4	6.0	18	2	2	5	9	12	12	12
65+	8	12.5	76	5	5	10	17	26	30	30
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34										
35-49	5	5.4	7	2	2	6	7	9	9	9
50-64	4	6.3	8	3	3	6	8	9	9	9
65+	4	14.0	152	6	6	9	22	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	5.7	23	2	2	5	7	11	13	28
B. *Operated*	9	6.9	78	1	1	3	8	21	29	29
2. MULTIPLE DX										
A. *Not Operated*	83	7.1	25	2	2	6	9	13	17	28
B. *Operated*	14	8.8	57	2	3	6	9	17	29	32
1. SINGLE DX	143	5.8	26	1	2	5	7	11	13	30
2. MULTIPLE DX	97	7.4	30	2	2	6	9	13	17	31
A. NOT OPERATED	217	6.2	24	2	2	5	8	11	13	27
B. OPERATED	23	8.0	63	1	2	6	9	18	30	32
TOTAL 0-19 YRS	96	5.8	12	2	3	5	7	10	12	20
20-34	80	5.5	17	1	2	4	8	11	12	22
35-49	31	7.8	57	1	2	5	9	16	21	39
50-64	15	6.9	47	1	2	5	8	12	25	29
65+	18	11.3	68	4	5	7	13	26	31	32
GRAND TOTAL	**240**	**6.4**	**28**	**2**	**2**	**5**	**8**	**12**	**14**	**30**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	5.7	14	2	2	5	7	10	12	21
20-34	309	5.4	12	2	2	4	7	9	11	16
35-49	48	7.3	33	1	2	5	10	17	19	24
50-64	18	4.8	24	<1	1	4	7	8	16	22
65+	14	6.2	13	1	2	7	9	11	12	13
B. *Operated*										
0-19 YRS	49	4.5	28	<1	1	2	5	11	16	27
20-34	172	3.1	8	1	1	2	3	6	8	18
35-49	41	5.2	67	1	1	3	6	11	13	52
50-64	14	5.3	21	<1	1	4	7	14	16	16
65+	8	6.8	24	2	2	5	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	6.3	19	2	3	5	7	11	15	25
20-34	276	6.6	26	2	3	5	8	12	15	28
35-49	62	6.7	25	2	2	6	9	11	16	29
50-64	41	11.4	62	1	2	9	15	23	29	30
65+	55	9.9	71	1	2	7	14	21	29	40
B. *Operated*										
0-19 YRS	32	6.9	22	2	2	7	9	14	15	22
20-34	98	5.9	26	1	2	4	8	14	15	24
35-49	53	8.1	66	1	2	6	10	17	27	42
50-64	41	9.9	88	2	2	7	14	19	25	50
65+	29	13.6	130	2	3	10	20	32	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	5.7	15	2	2	5	7	10	13	21
B. *Operated*	284	3.9	22	1	1	2	4	8	12	20
2. MULTIPLE DX										
A. *Not Operated*	605	7.2	32	2	3	6	9	14	18	30
B. *Operated*	253	8.0	61	1	2	5	11	17	22	42
1. SINGLE DX	876	5.1	18	1	2	4	6	10	13	21
2. MULTIPLE DX	858	7.4	41	2	2	5	9	15	20	32
A. NOT OPERATED	1197	6.4	24	2	2	5	8	12	16	28
B. OPERATED	537	5.8	44	1	1	3	7	13	18	32
TOTAL 0-19 YRS	455	5.9	18	2	2	5	7	11	15	24
20-34	855	5.4	19	1	2	4	7	10	13	23
35-49	204	6.9	46	1	2	5	9	14	18	37
50-64	114	9.1	66	1	2	7	13	20	24	37
65+	106	10.2	80	2	2	7	13	22	31	44
GRAND TOTAL	**1734**	**6.3**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	5.5	21	1	2	4	7	11	13	28
20-34	51	8.7	52	2	3	7	11	18	28	99
35-49	31	10.5	95	2	3	6	14	21	36	42
50-64	26	9.7	112	2	3	6	9	18	41	44
65+	13	9.2	63	2	3	6	11	24	26	26
B. *Operated*										
0-19 YRS	9	5.3	20	<1	<1	5	8	12	14	14
20-34	62	10.2	213	1	2	5	11	26	42	86
35-49	74	10.7	198	2	2	6	12	27	39	79
50-64	64	10.5	235	1	2	6	10	27	55	96
65+	43	7.5	47	1	2	4	11	19	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	5.5	27	1	2	4	6	10	15	32
20-34	93	7.3	73	2	2	5	8	12	18	58
35-49	64	9.6	96	2	3	7	12	18	36	94
50-64	90	10.0	94	3	3	7	12	18	26	58
65+	121	11.2	69	3	3	9	14	22	32	38
B. *Operated*										
0-19 YRS	13	19.2	328	2	2	11	41	47	49	49
20-34	68	14.3	250	2	2	10	17	31	45	90
35-49	92	13.8	281	2	2	9	15	47	58	99+
50-64	125	17.2	340	2	2	11	24	45	58	98
65+	93	19.1	370	2	3	13	28	61	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	7.8	56	2	2	5	9	17	22	43
B. *Operated*	252	9.8	179	1	2	5	11	23	41	88
2. MULTIPLE DX										
A. *Not Operated*	515	8.5	70	2	2	6	10	17	23	51
B. *Operated*	391	16.4	319	2	2	11	21	46	61	99+
1. SINGLE DX	459	8.9	124	1	2	5	10	19	32	75
2. MULTIPLE DX	906	11.9	192	2	2	7	13	29	46	92
A. NOT OPERATED	722	8.3	66	2	2	6	10	17	23	45
B. OPERATED	643	13.8	274	2	2	8	17	38	55	99+
TOTAL 0-19 YRS	255	6.2	47	1	2	4	7	12	15	42
20-34	274	10.0	150	2	2	6	11	21	32	83
35-49	261	11.5	191	2	2	7	13	28	48	98
50-64	305	13.1	236	2	2	8	15	36	51	93
65+	270	13.2	187	2	3	9	17	31	49	95
GRAND TOTAL	**1365**	**10.9**	**171**	**2**	**2**	**7**	**12**	**26**	**41**	**89**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	3	1	1	3	4	6	7	7
20-34	20	5.1	10	1	1	5	6	9	12	14
35-49	13	4.2	7	1	2	3	5	8	10	11
50-64	8	5.1	30	1	1	3	7	15	17	17
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	18	7.4	202	2	2	4	5	8	42	64
20-34	27	4.6	39	1	1	2	5	10	16	32
35-49	7	7.0	14	<1	1	9	10	11	11	11
50-64	6	8.3	57	<1	<1	6	16	19	19	19
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.7	49	<1	1	4	7	20	24	27
20-34	20	6.8	9	2	3	7	9	11	12	12
35-49	16	9.3	37	3	3	7	13	19	20	21
50-64	7	7.0	14	2	2	8	10	11	11	11
65+	19	9.4	87	3	4	5	11	18	33	43
B. *Operated*										
0-19 YRS	18	4.1	4	1	2	4	5	7	8	9
20-34	17	8.1	80	2	2	4	10	20	29	34
35-49	10	17.0	54	5	8	15	24	26	27	27
50-64	6	17.2	42	6	7	17	23	24	24	24
65+	2	22.5	925	1	1	22	44	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	4.2	9	1	1	3	5	7	10	16
B. *Operated*	59	6.2	85	<1	1	4	6	11	18	61
2. MULTIPLE DX										
A. *Not Operated*	95	7.7	44	1	2	6	10	17	21	36
B. *Operated*	53	10.0	92	2	2	5	16	24	27	44
1. SINGLE DX	127	5.1	45	1	1	4	6	9	13	39
2. MULTIPLE DX	148	8.5	61	1	2	6	11	20	24	43
A. NOT OPERATED	163	6.2	32	1	2	5	8	12	19	27
B. OPERATED	112	8.0	91	1	2	4	9	19	24	52
TOTAL 0-19 YRS	94	5.4	58	1	1	4	5	8	19	48
20-34	84	5.9	34	1	2	5	7	11	17	33
35-49	46	9.2	48	2	3	7	12	21	24	27
50-64	27	9.0	51	1	1	8	16	19	23	24
65+	24	9.9	127	2	2	5	11	23	43	44
GRAND TOTAL	**275**	**7.0**	**57**	**1**	**2**	**5**	**8**	**16**	**21**	**41**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	5.1	13	2	2	4	6	8	10	22
20-34	104	5.5	17	2	2	4	7	10	14	22
35-49	54	7.1	28	2	2	5	9	17	18	23
50-64	23	7.3	15	2	2	7	11	13	14	14
65+	6	9.5	66	5	5	6	7	24	26	26
B. *Operated*										
0-19 YRS	21	5.5	31	<1	1	5	7	10	18	26
20-34	317	7.7	52	2	2	6	10	15	20	30
35-49	156	6.7	26	2	2	6	9	14	16	24
50-64	60	11.6	127	2	2	8	14	25	38	50
65+	22	11.5	48	2	3	11	15	21	27	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	5.8	15	2	2	5	8	10	14	20
20-34	191	6.7	31	1	2	5	8	12	17	31
35-49	162	8.0	34	2	3	6	10	15	19	33
50-64	99	8.7	36	2	3	8	11	17	21	30
65+	66	11.3	53	3	4	9	14	21	30	34
B. *Operated*										
0-19 YRS	17	8.0	35	1	2	7	14	21	69	99+
20-34	251	9.6	45	2	3	9	12	18	23	37
35-49	157	10.0	41	2	3	8	13	18	22	33
50-64	102	11.6	68	2	3	9	15	24	27	40
65+	39	15.2	201	2	2	13	21	29	52	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	6.0	20	2	2	5	7	12	16	23
B. *Operated*	576	7.9	54	2	2	6	10	16	22	34
2. MULTIPLE DX										
A. *Not Operated*	635	7.7	34	2	3	6	9	15	20	32
B. *Operated*	566	10.4	61	2	3	9	13	21	25	45
1. SINGLE DX	828	7.3	44	2	2	6	9	15	19	30
2. MULTIPLE DX	1201	9.0	48	2	3	7	11	18	23	36
A. NOT OPERATED	887	7.2	31	2	2	6	9	14	18	30
B. OPERATED	1142	9.1	59	2	2	7	12	18	24	37
TOTAL 0-19 YRS	220	5.7	18	1	2	5	7	10	15	24
20-34	863	7.8	43	2	2	6	10	15	20	35
35-49	529	8.1	35	2	2	6	10	16	20	31
50-64	284	10.2	67	2	3	8	12	22	26	44
65+	133	12.4	98	2	3	9	16	25	30	59
GRAND TOTAL	**2029**	**8.3**	**47**	**2**	**2**	**6**	**10**	**17**	**22**	**35**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	4	8.0	5	5	5	8	9	10	10	10
35-49	2	15.5	181	6	6	15	25	25	25	25
50-64	1	16.0		16	16	16	16	16	16	16
65+	2	11.5	13	9	9	14	78	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	4	11.3	82	2	2	12	19	19	19	19
35-49	4	7.8	35	3	3	6	12	16	16	16
50-64	1	10.0		10	10	10	10	10	10	10
65+	4	5.5	7	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	30	2	2	4	9	14	14	14
20-34	5	6.2	11	1	1	6	8	10	10	10
35-49	8	7.3	42	1	1	5	11	18	19	19
50-64	17	7.9	98	<1	1	4	12	18	33	41
65+	26	10.9	120	2	3	8	13	22	32	56
B. *Operated*										
0-19 YRS	7	9.0	36	3	3	8	12	18	20	20
20-34	11	5.9	3	3	4	5	7	9	9	9
35-49	15	13.3	237	2	2	8	15	33	54	61
50-64	11	15.9	304	2	3	9	18	48	54	55
65+	6	21.2	203	3	4	18	26	44	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	10.0	40	2	4	9	15	47	92	99+
B. *Operated*	13	8.3	37	2	2	7	11	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	60	8.9	88	1	2	6	11	19	24	54
B. *Operated*	50	12.6	179	2	3	8	15	29	46	61
1. SINGLE DX	24	9.1	37	2	2	8	14	19	44	99+
2. MULTIPLE DX	110	10.6	132	2	2	7	13	20	41	58
A. NOT OPERATED	71	9.0	80	1	2	6	12	19	26	90
B. OPERATED	63	11.7	152	2	3	8	15	21	45	60
TOTAL 0-19 YRS	13	7.3	30	2	2	6	11	15	19	20
20-34	24	7.2	19	2	3	6	9	11	19	19
35-49	29	11.0	149	1	2	7	15	23	34	61
50-64	30	11.2	174	1	2	6	12	30	44	55
65+	38	12.0	128	2	3	9	16	26	51	99+
GRAND TOTAL	**134**	**10.3**	**115**	**2**	**2**	**7**	**13**	**20**	**39**	**67**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	9	8.4	151	<1	<1	2	11	28	39	39
35-49	34	9.1	134	1	2	5	9	23	38	50
50-64	130	8.0	128	2	2	5	8	17	26	61
65+	98	5.8	22	1	2	4	7	11	13	26
B. *Operated*										
0-19 YRS	7	4.4	10	2	2	3	6	9	10	10
20-34	47	5.5	25	1	2	4	7	11	19	99+
35-49	128	6.7	40	2	2	4	9	15	16	29
50-64	472	6.9	64	1	2	4	9	15	22	41
65+	424	8.4	101	1	2	5	10	19	31	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.7	36	1	2	7	10	18	19	19
20-34	12	6.8	37	2	3	5	6	17	22	23
35-49	94	9.1	106	1	2	6	11	20	26	60
50-64	322	8.6	57	2	2	7	10	20	28	59
65+	306	10.4	115	2	2	8	13	22	30	56
B. *Operated*										
0-19 YRS	4	7.0	2	5	5	7	8	8	8	8
20-34	23	13.3	166	1	2	10	16	28	42	58
35-49	128	14.7	265	2	2	9	19	34	64	86
50-64	693	13.2	155	2	2	10	18	29	41	66
65+	755	14.7	244	2	2	10	19	34	49	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	7.3	91	1	2	5	8	15	23	52
B. *Operated*	1078	7.4	74	1	2	4	9	16	25	48
2. MULTIPLE DX										
A. *Not Operated*	745	9.4	87	2	2	7	11	21	29	47
B. *Operated*	1603	14.0	205	2	2	10	18	32	45	83
1. SINGLE DX	1351	7.4	77	1	2	4	9	16	24	49
2. MULTIPLE DX	2348	12.5	173	2	2	8	16	28	40	81
A. NOT OPERATED	1018	8.8	89	2	2	6	11	19	28	51
B. OPERATED	2681	11.3	163	2	2	7	15	26	38	75
TOTAL 0-19 YRS	24	6.5	21	1	2	6	8	12	18	19
20-34	91	7.9	82	1	2	5	10	18	28	82
35-49	384	10.1	150	1	2	6	13	22	35	71
50-64	1617	10.0	114	2	2	6	13	24	31	61
65+	1583	11.6	176	2	2	7	15	27	38	80
GRAND TOTAL	**3699**	**10.7**	**144**	**2**	**2**	**7**	**13**	**24**	**35**	**70**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	15.8	423	1	2	9	17	51	64	64
50-64	60	9.5	108	2	3	7	10	18	26	61
65+	63	8.9	72	2	2	6	10	24	31	37
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	5.0		5	5	5	5	5	5	5
35-49	20	18.7	343	2	3	13	26	41	61	78
50-64	110	17.7	225	2	4	13	22	42	52	70
65+	125	15.7	255	2	3	10	21	37	54	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	9.3	113	2	2	5	15	25	25	25
35-49	32	8.4	66	1	2	6	9	20	30	35
50-64	125	11.5	132	2	2	7	16	24	31	61
65+	220	10.3	81	2	2	8	13	21	26	41
B. *Operated*										
0-19 YRS										
20-34										
35-49	53	23.2	250	4	7	19	30	42	55	72
50-64	222	21.5	298	3	5	18	29	43	59	96
65+	315	20.6	256	3	5	16	28	43	55	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	9.6	109	2	2	6	11	21	31	62
B. *Operated*	257	16.7	247	2	3	12	22	39	53	77
2. MULTIPLE DX										
A. *Not Operated*	382	10.5	96	2	2	7	14	22	30	46
B. *Operated*	590	21.1	271	3	5	17	29	43	55	90
1. SINGLE DX	388	14.3	211	2	3	9	19	31	48	74
2. MULTIPLE DX	972	17.0	229	2	3	12	23	37	46	77
A. NOT OPERATED	513	10.3	100	2	2	7	13	22	30	51
B. OPERATED	847	19.8	267	3	4	15	27	42	55	81
TOTAL 0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	5	8.4	88	2	2	5	11	25	25	25
35-49	113	17.7	258	2	3	12	25	38	53	74
50-64	517	16.9	242	2	3	12	22	37	47	89
65+	723	15.6	209	2	3	11	20	36	45	72
GRAND TOTAL	**1360**	**16.2**	**225**	**2**	**3**	**11**	**22**	**36**	**46**	**76**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.4	4	3	3	4	5	8	8	8
35-49	12	7.9	72	2	2	5	10	21	29	30
50-64	52	7.6	80	1	2	5	9	14	20	54
65+	79	9.1	75	1	2	6	13	18	26	44
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	15.3	140	8	8	9	24	29	29	29
35-49	31	19.6	87	8	9	17	28	32	33	45
50-64	133	15.6	97	2	3	14	20	30	35	44
65+	166	18.4	98	3	7	17	25	29	36	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	9	7.7	21	1	2	6	11	14	15	15
35-49	41	8.0	63	<1	1	5	10	19	28	33
50-64	224	8.8	47	2	2	7	12	18	21	29
65+	442	10.6	86	2	3	8	14	22	28	48
B. *Operated*										
0-19 YRS	1	66.0		66	66	66	66	66	66	66
20-34	18	19.7	172	4	5	14	33	41	43	44
35-49	72	17.1	110	5	7	15	21	30	35	61
50-64	387	22.0	207	5	8	19	28	39	49	90
65+	857	23.6	201	6	9	21	30	41	51	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	8.3	74	1	2	5	11	17	22	44
B. *Operated*	334	17.3	99	2	5	16	24	31	35	46
2. MULTIPLE DX										
A. *Not Operated*	717	9.9	73	2	3	7	13	21	26	45
B. *Operated*	1335	22.8	201	5	8	20	29	40	50	85
1. SINGLE DX	482	14.6	108	2	3	13	20	29	34	45
2. MULTIPLE DX	2052	18.3	194	3	4	16	25	36	44	70
A. NOT OPERATED	865	9.6	73	2	2	7	12	20	25	45
B. OPERATED	1669	21.7	185	5	8	19	28	38	48	75
TOTAL 0-19 YRS	3	33.0	1027	2	2	31	57	66	66	66
20-34	35	14.1	141	3	3	10	18	33	41	44
35-49	156	14.5	112	2	3	13	19	30	33	53
50-64	796	16.3	172	2	3	13	22	32	40	70
65+	1544	18.6	187	3	4	16	25	37	44	69
GRAND TOTAL	**2534**	**17.6**	**180**	**2**	**4**	**15**	**24**	**35**	**43**	**67**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	10.5	158	1	1	6	18	29	29	29
65+	3	5.7	4	4	4	5	7	8	8	8
B. *Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49	7	29.6	918	8	8	17	39	82	92	92
50-64	17	24.7	273	6	7	23	30	54	62	64
65+	7	15.3	40	7	8	15	20	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.3	10	3	3	4	8	9	9	9
50-64	23	7.7	22	2	2	6	10	13	16	21
65+	26	8.9	39	2	2	7	14	17	19	27
B. *Operated*										
0-19 YRS										
20-34	8	15.8	79	10	10	13	15	31	37	37
35-49	25	19.2	110	5	9	17	21	39	40	41
50-64	79	20.4	174	7	8	16	26	39	50	91
65+	112	22.6	152	9	10	20	29	38	46	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	8.0	66	1	2	6	7	21	29	29
B. *Operated*	32	23.7	351	7	8	19	27	47	63	92
2. MULTIPLE DX										
A. *Not Operated*	52	8.2	30	2	2	6	11	16	17	27
B. *Operated*	224	21.2	153	7	9	17	28	39	45	70
1. SINGLE DX	41	20.2	328	4	6	15	26	41	61	92
2. MULTIPLE DX	276	18.7	156	4	6	15	25	37	43	69
A. NOT OPERATED	61	8.1	34	2	2	6	10	16	19	29
B. OPERATED	256	21.5	177	7	9	18	28	39	46	71
TOTAL 0-19 YRS										
20-34	10	15.7	77	7	8	13	16	30	37	37
35-49	36	19.7	276	3	6	16	21	40	42	92
50-64	123	18.3	186	4	6	14	25	38	49	79
65+	148	19.5	155	4	5	16	26	35	42	65
GRAND TOTAL	**317**	**18.9**	**177**	**4**	**6**	**15**	**25**	**37**	**44**	**70**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	5.0	9	1	1	5	7	9	10	10
35-49	29	5.3	13	2	2	5	7	11	12	16
50-64	149	6.1	31	1	2	5	7	12	14	32
65+	202	7.8	52	1	2	6	10	16	24	38
B. *Operated*										
0-19 YRS										
20-34	22	13.6	47	6	8	12	15	21	28	37
35-49	171	13.5	61	2	5	12	16	22	26	48
50-64	601	14.5	47	6	8	13	17	22	26	41
65+	1057	16.9	77	6	10	15	20	26	32	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	29	8.4	50	1	2	5	14	17	26	26
35-49	130	7.7	39	2	3	6	9	16	21	31
50-64	666	9.0	68	2	3	6	11	18	26	41
65+	1387	10.4	90	2	3	7	13	22	29	49
B. *Operated*										
0-19 YRS	14	21.8	62	7	10	22	28	32	33	33
20-34	57	18.8	133	6	8	16	24	36	43	57
35-49	367	18.2	111	6	9	16	22	31	41	62
50-64	1840	18.5	116	7	9	16	22	31	38	74
65+	4557	21.7	140	9	11	19	26	37	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	6.9	41	1	2	5	8	14	18	34
B. *Operated*	1851	15.8	67	5	9	14	19	25	29	47
2. MULTIPLE DX										
A. *Not Operated*	2214	9.8	81	2	3	7	12	20	28	47
B. *Operated*	6835	20.6	134	8	10	18	25	35	43	69
1. SINGLE DX	2240	14.2	74	2	4	13	18	24	28	47
2. MULTIPLE DX	9049	18.0	143	3	5	16	23	32	41	65
A. NOT OPERATED	2603	9.4	76	2	3	7	12	19	27	45
B. OPERATED	8686	19.6	124	7	10	17	24	33	42	65
TOTAL 0-19	17	18.8	96	3	6	20	27	31	33	33
20-34	116	14.3	111	2	4	12	19	26	37	53
35-49	697	14.6	101	3	4	13	18	26	35	50
50-64	3256	15.2	107	3	4	13	19	27	33	55
65+	7203	18.4	142	3	5	16	23	33	41	63
GRAND TOTAL	**11289**	**17.2**	**131**	**3**	**5**	**15**	**22**	**31**	**39**	**62**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	4.0	27	1	1	1	8	10	10	10
35-49	24	5.5	13	1	2	5	7	12	14	15
50-64	83	6.5	34	1	2	4	9	14	19	30
65+	141	8.7	76	1	2	6	10	22	30	44
B. *Operated*										
0-19 YRS	2	11.5	181	2	2	11	21	21	21	21
20-34	16	14.1	63	4	5	14	18	24	31	33
35-49	127	13.9	65	2	3	14	18	22	26	43
50-64	562	15.9	86	2	4	15	20	27	30	45
65+	787	16.7	113	2	4	16	22	30	35	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	16	8.7	109	1	1	4	11	20	35	42
35-49	71	6.6	20	2	2	5	8	14	17	20
50-64	366	10.8	132	2	3	7	14	23	33	65
65+	790	11.3	122	2	3	8	14	23	34	58
B. *Operated*										
0-19 YRS	4	24.5	767	4	4	14	42	65	65	65
20-34	38	17.6	129	4	5	15	24	34	42	47
35-49	217	18.0	150	3	6	16	22	33	42	74
50-64	1066	19.5	130	4	7	18	25	32	40	61
65+	2202	22.4	175	5	8	20	28	39	49	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	7.6	57	1	2	5	9	16	24	37
B. *Operated*	1494	16.1	99	2	4	15	21	28	33	50
2. MULTIPLE DX										
A. *Not Operated*	1245	10.8	120	2	3	7	14	22	32	59
B. *Operated*	3527	21.2	162	5	7	19	27	37	45	69
1. SINGLE DX	1746	14.9	101	2	3	14	20	27	32	49
2. MULTIPLE DX	4772	18.5	172	3	4	16	24	35	43	68
A. NOT OPERATED	1497	10.3	111	2	3	7	13	22	30	54
B. OPERATED	5021	19.7	149	4	6	18	25	34	43	65
TOTAL 0-19 YRS	9	15.0	399	2	3	6	19	47	65	65
20-34	73	14.3	120	1	3	12	20	30	37	47
35-49	439	14.3	117	2	3	13	18	26	34	54
50-64	2077	16.5	129	3	4	15	21	30	37	60
65+	3920	18.5	172	3	4	16	24	35	44	66
GRAND TOTAL	**6518**	**17.5**	**156**	**3**	**4**	**16**	**23**	**33**	**41**	**64**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.8	76	1	1	5	10	23	23	23
20-34	15	6.3	39	1	2	5	7	10	23	27
35-49	17	6.8	27	2	2	5	8	13	20	23
50-64	73	5.5	16	2	2	5	6	10	13	22
65+	68	10.3	119	1	2	6	13	24	36	52
B. *Operated*										
0-19 YRS	7	12.1	103	2	3	10	14	29	33	33
20-34	11	14.6	78	6	7	12	21	28	33	34
35-49	24	15.3	37	6	8	15	18	24	27	27
50-64	87	16.9	116	6	7	15	19	28	40	62
65+	113	18.8	124	5	7	17	23	32	37	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.7	29	1	1	6	10	15	16	16
20-34	29	8.8	70	2	2	5	12	21	26	34
35-49	67	9.2	56	1	2	7	10	22	27	31
50-64	186	10.2	80	2	3	7	13	21	32	41
65+	319	11.9	130	2	3	8	14	26	36	63
B. *Operated*										
0-19 YRS	4	21.3	361	4	4	16	34	48	48	48
20-34	18	22.8	186	4	6	25	31	37	49	56
35-49	69	18.7	178	4	6	16	21	36	53	67
50-64	273	21.9	191	5	8	20	28	38	55	98
65+	523	22.4	168	8	9	20	28	38	47	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	7.6	63	1	2	5	9	16	23	44
B. *Operated*	242	17.4	111	5	7	15	22	28	37	53
2. MULTIPLE DX										
A. *Not Operated*	608	10.9	104	2	3	8	14	23	33	45
B. *Operated*	887	21.9	177	7	8	19	28	38	48	76
1. SINGLE DX	420	13.2	114	2	3	11	18	26	33	51
2. MULTIPLE DX	1495	17.4	177	3	4	15	23	35	41	69
A. NOT OPERATED	786	10.1	96	2	2	7	13	22	31	44
B. OPERATED	1129	21.0	166	6	8	18	26	37	46	71
TOTAL 0-19 YRS	23	11.1	127	1	2	8	14	25	38	48
20-34	73	12.6	130	2	3	8	20	30	34	52
35-49	177	13.5	119	2	4	10	18	26	33	55
50-64	619	15.8	165	2	3	13	22	32	40	69
65+	1023	17.9	173	3	5	15	23	35	42	68
GRAND TOTAL	**1915**	**16.5**	**166**	**2**	**4**	**14**	**22**	**33**	**40**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49	15	13.5	157	2	2	12	16	26	45	51
50-64	62	8.0	35	2	3	6	11	16	19	29
65+	119	10.7	91	1	2	8	14	24	30	46
B. *Operated*										
0-19 YRS										
20-34	3	13.0	157	1	1	12	22	26	26	26
35-49	17	17.9	111	2	5	18	24	40	77	99+
50-64	89	21.1	110	8	10	18	27	36	39	57
65+	118	23.7	208	9	10	20	28	40	54	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	6	10.2	47	1	1	10	16	19	19	19
35-49	77	9.0	44	2	3	6	11	20	23	27
50-64	304	9.4	82	2	3	7	11	20	25	57
65+	446	12.3	130	3	3	9	15	24	32	62
B. *Operated*										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	2	17.5	145	9	9	17	26	26	26	26
35-49	78	22.5	156	6	9	20	31	40	46	92
50-64	439	24.6	234	8	10	21	30	44	53	88
65+	741	24.0	162	9	11	21	30	41	50	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	10.0	79	2	2	7	13	21	27	47
B. *Operated*	227	22.1	164	8	10	19	27	38	49	77
2. MULTIPLE DX										
A. *Not Operated*	835	10.9	106	2	3	8	14	21	29	57
B. *Operated*	1261	24.1	187	9	11	21	30	41	51	85
1. SINGLE DX	425	16.5	161	2	4	14	22	32	40	63
2. MULTIPLE DX	2096	18.9	196	3	5	16	25	36	46	73
A. NOT OPERATED	1033	10.8	101	2	3	8	14	21	29	56
B. OPERATED	1488	23.8	184	9	10	21	29	41	51	85
TOTAL 0-19 YRS	4	12.0	178	5	5	6	19	32	32	32
20-34	12	11.9	72	1	1	10	17	26	26	26
35-49	187	15.8	142	2	4	13	22	34	43	89
50-64	894	17.9	210	3	4	15	24	36	46	80
65+	1424	19.2	184	3	5	17	25	36	45	67
GRAND TOTAL	**2521**	**18.5**	**191**	**3**	**4**	**16**	**25**	**36**	**45**	**72**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	12	14.5	175	2	2	11	18	35	44	46
35-49	179	5.8	40	<1	1	4	8	12	14	39
50-64	633	6.7	58	1	1	4	8	15	20	42
65+	609	9.0	70	1	2	6	12	19	26	42
B. *Operated*										
0-19 YRS										
20-34	25	10.4	38	3	4	10	14	20	22	24
35-49	291	13.4	87	3	3	11	17	24	30	49
50-64	1445	13.4	84	2	4	12	18	24	29	44
65+	1196	13.7	97	2	3	12	18	26	31	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	9.7	65	1	1	10	14	17	27	30
20-34	30	10.1	111	2	2	6	12	28	31	43
35-49	614	9.4	77	1	2	7	13	20	26	43
50-64	2835	9.9	88	1	2	7	13	22	29	47
65+	3240	11.4	92	2	3	9	15	24	31	47
B. *Operated*										
0-19 YRS	9	12.4	48	5	5	10	16	23	26	26
20-34	28	13.4	57	3	6	12	17	22	26	40
35-49	686	16.0	131	3	5	14	20	30	39	62
50-64	3667	17.4	148	4	5	15	22	32	40	69
65+	3781	17.7	147	4	5	15	23	33	42	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1434	7.6	63	1	1	5	10	16	23	42
B. *Operated*	2957	13.5	89	2	4	12	18	25	30	49
2. MULTIPLE DX										
A. *Not Operated*	6733	10.6	89	2	2	8	14	23	30	47
B. *Operated*	8171	17.4	146	4	5	15	22	33	41	65
1. SINGLE DX	4391	11.6	88	2	2	10	16	23	29	45
2. MULTIPLE DX	14904	14.3	132	2	3	11	19	29	37	58
A. NOT OPERATED	8167	10.1	86	1	2	7	13	22	29	46
B. OPERATED	11128	16.4	134	3	5	14	21	31	38	60
TOTAL 0-19 YRS	24	10.6	56	1	1	10	15	19	27	30
20-34	95	11.7	84	2	3	10	17	23	30	45
35-49	1770	12.2	109	2	2	10	16	25	32	51
50-64	8580	13.5	125	2	3	11	18	27	35	56
65+	8826	14.2	124	2	3	11	19	29	36	56
GRAND TOTAL	**19295**	**13.7**	**123**	**2**	**3**	**11**	**18**	**28**	**35**	**55**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	11	<1	<1	5	7	8	8	8
20-34	19	7.1	37	1	2	5	8	17	20	23
35-49	27	4.9	22	1	1	3	6	12	15	22
50-64	59	6.4	72	1	1	3	7	16	29	38
65+	54	8.4	113	1	2	4	9	23	34	48
B. *Operated*										
0-19 YRS	8	21.0	799	2	2	15	21	69	88	88
20-34	29	11.2	63	2	2	12	19	22	23	27
35-49	112	9.2	101	1	2	5	13	21	32	48
50-64	494	8.8	99	1	1	4	13	22	28	43
65+	357	8.3	108	1	2	3	12	21	30	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	9	1	1	5	6	9	9	9
20-34	24	7.5	36	1	2	6	10	16	22	23
35-49	40	6.4	62	1	2	4	7	16	22	42
50-64	128	8.5	81	2	2	5	11	19	27	68
65+	187	12.3	224	2	2	7	15	27	43	80
B. *Operated*										
0-19 YRS	10	13.7	120	1	2	11	18	31	35	35
20-34	23	16.4	181	5	7	13	20	31	48	64
35-49	87	13.8	142	2	2	11	24	32	36	79
50-64	456	14.6	189	2	2	12	20	30	41	78
65+	463	14.9	231	2	2	11	19	34	48	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	6.9	72	1	1	4	7	16	25	43
B. *Operated*	1000	8.9	108	1	2	4	13	22	29	47
2. MULTIPLE DX										
A. *Not Operated*	388	10.0	148	2	2	6	12	21	32	76
B. *Operated*	1039	14.7	203	2	2	11	20	33	43	81
1. SINGLE DX	1163	8.6	103	1	2	4	12	21	29	47
2. MULTIPLE DX	1427	13.4	192	2	2	9	18	30	41	80
A. NOT OPERATED	551	9.1	128	1	2	5	11	20	32	68
B. OPERATED	2039	11.8	165	1	2	8	17	27	37	69
TOTAL 0-19 YRS	31	11.7	273	1	1	7	15	26	35	88
20-34	95	10.7	90	2	2	8	15	22	25	53
35-49	266	9.9	109	1	2	5	15	26	33	46
50-64	1137	11.0	140	1	2	7	16	25	34	60
65+	1061	11.9	191	2	2	7	16	29	40	78
GRAND TOTAL	**2590**	**11.2**	**158**	**1**	**2**	**7**	**16**	**26**	**36**	**68**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	5.9	49	1	1	4	6	12	20	44
20-34	35	4.6	10	1	1	4	8	9	9	13
35-49	38	5.8	27	1	2	4	8	13	19	23
50-64	71	6.2	44	1	1	4	7	12	16	39
65+	44	10.3	113	2	2	6	12	26	36	47
B. *Operated*										
0-19 YRS	73	9.2	104	1	2	6	12	23	26	90
20-34	95	7.7	55	2	2	6	10	15	20	44
35-49	96	10.3	92	2	2	8	13	24	26	54
50-64	142	10.7	154	2	2	6	14	26	39	99+
65+	189	10.7	152	2	2	7	13	23	37	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.9	27	1	1	4	5	11	14	30
20-34	79	6.4	55	1	1	4	7	14	26	37
35-49	59	10.1	178	1	2	7	10	18	40	75
50-64	135	8.7	94	1	2	6	10	17	25	60
65+	160	10.6	87	2	3	7	13	23	33	44
B. *Operated*										
0-19 YRS	43	14.7	192	1	2	11	21	29	42	72
20-34	55	15.4	261	1	2	10	20	35	63	99
35-49	71	15.4	215	3	4	12	17	31	44	89
50-64	181	15.6	213	2	3	12	22	38	53	99+
65+	257	17.6	219	2	3	14	25	37	47	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	6.6	53	1	2	4	7	13	22	41
B. *Operated*	595	10.0	122	2	2	7	12	23	30	70
2. MULTIPLE DX										
A. *Not Operated*	554	8.2	85	1	2	5	10	17	26	45
B. *Operated*	607	16.3	218	2	3	12	22	37	48	95
1. SINGLE DX	835	9.0	104	1	2	5	11	21	28	58
2. MULTIPLE DX	1161	12.5	171	1	2	8	16	30	39	72
A. NOT OPERATED	794	7.7	76	1	2	5	9	16	25	44
B. OPERATED	1202	13.2	180	2	2	9	17	30	41	83
TOTAL 0-19 YRS	289	7.6	86	1	1	4	9	20	26	54
20-34	264	8.5	104	1	2	6	10	18	28	64
35-49	264	11.0	143	2	2	8	13	23	31	63
50-64	529	11.3	155	1	2	7	14	27	40	95
65+	650	13.4	171	2	2	9	18	31	40	65
GRAND TOTAL	**1996**	**11.0**	**146**	**1**	**2**	**7**	**14**	**26**	**37**	**67**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	7.0	51	3	3	4	6	20	23	23
35-49	30	3.8	9	1	1	3	5	8	10	14
50-64	48	5.1	42	1	1	3	5	8	17	40
65+	52	5.6	11	2	2	5	7	11	12	16
B. *Operated*										
0-19 YRS	13	6.0	10	3	3	5	9	11	12	12
20-34	115	7.2	24	1	2	6	9	13	16	25
35-49	205	7.9	32	2	2	7	11	15	19	28
50-64	211	9.3	70	2	2	8	13	17	20	53
65+	184	7.8	51	2	2	6	10	17	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	24	4.3	6	1	2	4	5	7	10	11
35-49	75	6.9	28	1	2	6	8	14	18	30
50-64	78	7.7	77	2	2	5	7	19	24	47
65+	118	9.7	100	2	3	6	10	22	35	49
B. *Operated*										
0-19 YRS	4	9.3	56	1	1	8	14	19	19	19
20-34	56	9.6	37	2	2	9	14	17	24	95
35-49	119	10.3	54	2	3	8	13	22	24	32
50-64	159	12.8	120	2	3	9	17	28	34	53
65+	181	12.1	123	2	3	9	15	24	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	5.1	23	1	2	4	6	9	13	25
B. *Operated*	728	8.2	46	2	2	6	11	15	20	33
2. MULTIPLE DX										
A. *Not Operated*	297	8.0	70	2	2	5	8	16	25	46
B. *Operated*	519	11.6	97	2	3	9	15	24	30	51
1. SINGLE DX	866	7.7	44	2	2	6	10	15	19	33
2. MULTIPLE DX	816	10.3	90	2	3	7	13	23	29	49
A. NOT OPERATED	435	7.1	57	2	2	5	8	14	23	41
B. OPERATED	1247	9.6	70	2	2	8	12	19	25	45
TOTAL 0-19 YRS	20	6.4	18	2	3	5	9	11	15	19
20-34	202	7.5	28	1	2	6	10	14	18	27
35-49	429	8.1	39	1	2	6	10	16	22	29
50-64	496	9.8	89	2	2	7	13	21	28	51
65+	535	9.5	86	2	2	6	12	20	28	47
GRAND TOTAL	**1682**	**8.9**	**68**	**2**	**2**	**6**	**11**	**18**	**24**	**44**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	12	6.1	86	<1	<1	2	8	18	31	33
65+	40	7.1	51	1	1	4	9	21	24	25
B. *Operated*										
0-19 YRS	13	2.1	1	<1	<1	2	3	3	4	4
20-34	63	4.5	19	<1	1	3	5	10	15	21
35-49	156	3.4	15	<1	1	2	4	7	9	19
50-64	452	3.9	27	<1	1	2	4	8	12	25
65+	825	4.6	27	1	1	3	5	10	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	7	4.7	8	1	1	4	7	9	9	9
50-64	33	7.0	73	<1	2	5	8	12	19	49
65+	88	10.9	182	1	2	7	12	24	36	80
B. *Operated*										
0-19 YRS	4	3.8	12	1	1	3	6	8	8	8
20-34	24	6.9	51	1	2	5	8	13	20	35
35-49	117	7.1	118	1	1	3	8	16	28	62
50-64	412	6.2	83	1	1	3	7	12	21	56
65+	1032	8.2	74	2	2	5	10	19	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	6.4	53	<1	1	4	8	18	24	32
B. *Operated*	1509	4.2	25	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	131	9.5	145	1	2	6	10	17	34	75
B. *Operated*	1589	7.6	80	1	2	4	9	17	24	47
1. SINGLE DX	1568	4.3	27	1	1	3	5	9	13	24
2. MULTIPLE DX	1720	7.7	85	1	2	5	9	17	25	48
A. NOT OPERATED	190	8.6	118	1	1	5	10	17	28	63
B. OPERATED	3098	5.9	56	1	1	3	7	13	19	40
TOTAL 0-19 YRS	21	2.9	5	<1	<1	2	3	7	8	8
20-34	91	5.1	28	1	1	3	6	12	14	29
35-49	282	5.0	60	1	1	2	5	10	16	38
50-64	909	5.1	56	1	1	3	5	10	14	39
65+	1985	6.8	62	1	2	4	8	15	21	43
GRAND TOTAL	**3288**	**6.1**	**60**	**1**	**1**	**3**	**7**	**14**	**19**	**41**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	17	5.6	55	<1	1	3	6	14	24	30
35-49	104	6.8	75	1	1	5	8	12	21	53
50-64	253	6.1	54	1	1	4	8	12	22	40
65+	153	8.1	48	1	2	6	11	18	22	35
B. *Operated*										
0-19 YRS	12	4.3	14	1	1	3	6	10	13	14
20-34	281	7.4	16	2	2	8	10	12	14	18
35-49	1262	8.3	18	2	3	8	10	13	15	22
50-64	1966	9.1	23	2	4	8	11	14	16	26
65+	1945	9.7	25	3	5	9	12	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	58	8.8	77	1	2	6	13	22	42	99+
35-49	392	8.9	79	1	2	7	11	18	25	43
50-64	1212	10.2	119	1	1	7	13	24	31	61
65+	1278	12.3	123	2	3	9	16	26	34	55
B. *Operated*										
0-19 YRS	8	9.0	23	<1	1	9	12	15	16	16
20-34	222	10.0	47	2	4	8	12	17	23	36
35-49	1357	10.7	44	4	5	9	12	18	23	37
50-64	2677	12.3	78	4	6	10	14	21	29	53
65+	3480	13.5	81	4	6	11	16	23	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	6.8	57	1	1	4	9	14	22	40
B. *Operated*	5466	9.0	23	2	4	8	11	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	2941	10.9	116	1	2	8	14	24	32	55
B. *Operated*	7744	12.5	74	4	5	10	15	21	29	49
1. SINGLE DX	5994	8.8	26	2	3	8	11	14	17	27
2. MULTIPLE DX	10685	12.0	86	2	4	10	14	22	29	51
A. NOT OPERATED	3469	10.3	109	1	2	7	13	23	30	52
B. OPERATED	13210	11.0	56	3	5	9	13	18	24	43
TOTAL 0-19 YRS	22	6.3	22	<1	1	5	10	13	15	16
20-34	578	8.5	36	2	2	8	11	14	19	39
35-49	3115	9.3	40	2	3	8	11	15	20	36
50-64	6108	10.6	70	2	3	9	12	19	25	48
65+	6856	12.1	75	3	4	10	14	21	29	47
GRAND TOTAL	**16679**	**10.9**	**67**	**2**	**4**	**9**	**13**	**19**	**26**	**45**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	66	4.4	6	2	2	4	5	9	10	14
35-49	243	4.3	14	1	2	4	5	7	9	29
50-64	249	5.0	39	1	2	4	5	8	12	37
65+	183	5.1	10	2	3	4	6	9	12	18
B. *Operated*										
0-19 YRS	6	5.5	21	2	2	4	6	13	14	14
20-34	354	5.6	19	2	2	4	8	12	15	27
35-49	371	6.8	43	2	2	5	8	13	16	27
50-64	340	6.7	32	2	2	5	8	13	19	27
65+	207	7.7	50	2	2	5	9	16	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	70	6.4	36	1	1	4	8	14	17	33
35-49	172	8.5	92	1	2	5	10	19	27	44
50-64	281	7.4	50	1	2	5	10	16	22	31
65+	253	8.8	76	2	2	6	10	19	26	53
B. *Operated*										
0-19 YRS	3	12.0	124	2	2	10	20	24	24	24
20-34	276	8.2	42	2	2	7	10	17	21	33
35-49	372	10.6	92	2	3	8	14	22	30	64
50-64	424	13.2	196	2	3	9	15	28	41	76
65+	323	13.9	190	3	3	10	17	30	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	4.7	21	1	2	4	5	8	11	24
B. *Operated*	1278	6.6	35	2	2	5	8	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	777	8.0	67	1	2	5	10	18	24	41
B. *Operated*	1398	11.7	141	2	3	8	14	24	33	74
1. SINGLE DX	2019	5.9	30	2	2	4	7	11	15	28
2. MULTIPLE DX	2175	10.4	117	2	2	7	13	22	30	65
A. NOT OPERATED	1518	6.4	47	1	2	4	7	13	19	36
B. OPERATED	2676	9.2	96	2	2	6	11	19	27	60
TOTAL 0-19 YRS	10	7.3	50	2	2	5	10	19	24	24
20-34	766	6.5	30	2	2	5	8	13	17	29
35-49	1158	7.7	65	2	2	5	9	16	22	43
50-64	1294	8.7	101	2	2	5	10	19	26	61
65+	966	9.6	107	2	3	6	11	21	29	61
GRAND TOTAL	**4194**	**8.2**	**80**	**2**	**2**	**5**	**10**	**17**	**24**	**52**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	10	4.3	1	3	3	4	5	6	6	6
35-49	58	3.8	3	1	1	4	5	5	7	10
50-64	265	4.2	6	1	2	4	5	6	8	14
65+	194	5.7	25	1	2	4	6	10	15	28
B. *Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	43	6.5	17	1	2	7	8	10	12	24
35-49	209	6.7	22	2	2	7	9	11	16	24
50-64	1015	6.8	21	1	2	7	9	11	15	23
65+	714	8.0	38	2	2	8	10	13	17	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	12.4	176	<1	2	9	16	31	46	46
35-49	50	7.1	57	2	2	4	7	17	30	33
50-64	241	6.6	42	1	2	4	8	15	21	35
65+	391	9.5	93	2	3	6	12	21	30	48
B. *Operated*										
0-19 YRS	5	9.2	35	3	3	8	11	19	19	19
20-34	55	10.4	68	2	3	8	13	22	26	49
35-49	323	8.9	34	2	2	8	11	15	19	32
50-64	1403	9.4	53	2	2	8	11	16	21	35
65+	1363	12.0	92	2	3	10	15	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	4.7	13	1	2	4	5	8	10	22
B. *Operated*	1985	7.2	28	1	2	7	9	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	693	8.4	76	2	2	5	10	19	27	45
B. *Operated*	3149	10.5	70	2	2	9	13	19	25	45
1. SINGLE DX	2513	6.7	26	1	2	6	9	12	15	26
2. MULTIPLE DX	3842	10.1	72	2	2	8	12	19	25	45
A. NOT OPERATED	1221	6.8	52	2	2	4	7	14	21	39
B. OPERATED	5134	9.2	56	2	2	8	11	17	22	39
TOTAL 0-19 YRS	11	6.4	27	1	1	6	9	13	19	19
20-34	118	8.6	57	2	2	7	9	16	24	47
35-49	640	7.6	31	2	2	7	9	14	19	31
50-64	2924	7.8	40	2	2	7	10	14	18	30
65+	2662	10.1	77	2	2	6	12	19	26	46
GRAND TOTAL	**6355**	**8.7**	**56**	**2**	**2**	**8**	**11**	**16**	**22**	**39**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	29	3.8	10	1	1	3	5	7	11	16
35-49	115	3.3	13	1	1	2	4	6	8	25
50-64	383	3.3	11	1	1	2	4	7	10	18
65+	180	4.9	21	1	1	3	6	11	15	27
B. *Operated*										
0-19 YRS	24	9.2	5	6	7	9	10	13	13	14
20-34	76	9.4	26	5	6	8	10	13	18	37
35-49	96	10.7	26	5	6	10	12	17	19	31
50-64	186	11.8	29	5	7	10	14	20	23	28
65+	116	14.6	47	7	8	13	18	23	28	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.8	15	2	2	4	8	12	14	14
20-34	24	5.9	114	<1	1	3	5	7	27	54
35-49	197	6.2	41	1	1	4	8	16	21	35
50-64	572	6.6	65	1	1	4	8	14	22	41
65+	530	8.9	98	1	2	5	11	21	30	53
B. *Operated*										
0-19 YRS	10	12.1	13	6	7	12	15	17	18	18
20-34	79	10.4	28	4	6	9	13	17	22	28
35-49	226	14.5	151	5	6	11	17	23	34	84
50-64	599	16.0	91	6	8	14	19	26	37	63
65+	589	19.9	163	7	8	17	24	35	44	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	708	3.7	14	1	1	3	4	8	12	22
B. *Operated*	498	11.8	34	5	6	10	14	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	1332	7.4	76	1	1	4	9	17	25	49
B. *Operated*	1503	17.0	131	6	7	14	21	30	39	71
1. SINGLE DX	1206	7.0	38	1	1	5	10	15	19	28
2. MULTIPLE DX	2835	12.5	128	1	2	10	17	25	34	61
A. NOT OPERATED	2040	6.1	58	1	1	4	7	14	21	41
B. OPERATED	2001	15.7	112	6	7	13	19	26	36	64
TOTAL 0-19 YRS	44	9.0	13	3	4	9	11	14	15	18
20-34	208	8.6	40	1	3	8	10	15	20	34
35-49	634	9.3	92	1	1	8	12	18	24	41
50-64	1740	9.7	84	1	1	8	14	20	25	47
65+	1415	13.4	146	1	2	11	18	29	37	62
GRAND TOTAL	**4041**	**10.9**	**108**	**1**	**2**	**8**	**15**	**23**	**30**	**54**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	14	1	1	3	6	10	10	10
20-34	13	8.3	77	4	4	6	7	15	33	37
35-49	7	3.9	7	2	2	3	5	8	9	9
50-64	26	5.6	42	1	1	3	6	16	20	29
65+	35	6.9	32	2	3	5	8	16	19	28
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	25	7.8	72	2	2	4	11	20	28	36
35-49	41	9.2	71	1	2	4	15	20	26	33
50-64	58	10.2	83	2	3	7	15	21	25	54
65+	127	9.5	74	2	2	8	13	20	26	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	1	3	3	5	5	5	5	5
20-34	8	4.3	7	1	1	4	5	8	9	9
35-49	17	6.5	32	2	3	5	8	11	21	26
50-64	32	6.8	48	1	1	5	8	17	20	33
65+	76	10.4	82	2	3	7	15	20	34	41
B. *Operated*										
0-19 YRS	6	16.3	309	2	2	9	35	40	41	41
20-34	13	9.0	30	2	2	8	13	16	20	21
35-49	33	11.7	109	2	2	8	15	27	34	44
50-64	99	15.1	151	2	3	11	22	34	44	78
65+	221	17.0	177	2	3	13	24	38	46	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	6.3	39	1	2	5	8	11	18	34
B. *Operated*	252	9.5	75	2	2	7	14	20	26	44
2. MULTIPLE DX										
A. *Not Operated*	137	8.6	65	1	2	6	11	19	25	40
B. *Operated*	372	15.7	164	2	3	12	23	35	44	55
1. SINGLE DX	338	8.7	67	1	2	6	12	19	25	38
2. MULTIPLE DX	509	13.8	147	2	3	10	19	33	41	54
A. NOT OPERATED	223	7.7	56	1	2	5	9	18	22	38
B. OPERATED	624	13.2	137	2	2	10	18	30	39	53
TOTAL 0-19 YRS	16	9.5	145	1	1	5	12	33	39	41
20-34	59	7.7	55	2	2	5	9	16	23	37
35-49	98	9.2	76	2	2	5	14	23	27	40
50-64	215	11.4	117	1	2	8	16	26	34	57
65+	459	13.1	136	2	3	9	18	30	39	51
GRAND TOTAL	**847**	**11.8**	**122**	**2**	**2**	**8**	**16**	**27**	**35**	**51**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	7.2	37	2	2	5	11	16	16	16
50-64	105	4.4	19	1	1	2	5	11	13	23
65+	291	7.3	49	1	2	5	10	15	20	33
B. *Operated*										
0-19 YRS	2	10.5	25	7	7	10	14	14	14	14
20-34	1	10.0		10	10	10	10	10	10	10
35-49	30	7.9	21	2	3	7	10	14	15	23
50-64	664	8.7	37	2	2	8	12	18	20	28
65+	2127	9.1	42	2	3	8	12	16	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	11.3	75	5	5	8	16	24	24	24
20-34	2	10.0		10	10	10	10	10	10	10
35-49	24	7.0	86	1	2	4	7	17	28	44
50-64	365	8.9	74	1	2	6	11	20	25	41
65+	2180	10.6	87	2	3	8	13	22	28	48
B. *Operated*										
0-19 YRS	2	13.5	25	10	10	13	17	17	17	17
20-34										
35-49	30	10.4	44	2	3	9	12	18	26	30
50-64	1070	12.1	75	2	4	10	16	23	28	44
65+	5442	13.1	88	3	5	11	16	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	6.6	43	1	1	4	9	14	18	30
B. *Operated*	2824	9.0	40	2	2	8	12	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	2575	10.3	85	2	2	8	13	21	28	48
B. *Operated*	6544	12.9	86	3	4	11	16	24	30	49
1. SINGLE DX	3224	8.7	41	2	2	8	11	16	20	31
2. MULTIPLE DX	9119	12.2	87	2	4	10	16	23	30	49
A. NOT OPERATED	2975	9.8	81	2	2	7	13	21	27	47
B. OPERATED	9368	11.7	75	2	4	10	15	22	28	47
TOTAL 0-19 YRS	8	11.6	41	5	6	9	15	22	24	24
20-34	3	10.0		10	10	10	10	10	10	10
35-49	88	8.5	48	2	2	7	11	17	21	39
50-64	2204	10.2	65	2	2	8	14	20	25	39
65+	10040	11.6	80	2	3	9	15	22	28	48
GRAND TOTAL	**12343**	**11.3**	**78**	**2**	**3**	**9**	**14**	**22**	**28**	**47**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.8	10	1	1	4	8	9	9	9
20-34	49	5.6	12	1	2	5	7	10	11	20
35-49	25	4.4	8	<1	1	5	6	7	10	12
50-64	7	3.3	10	1	1	3	4	9	10	10
65+	19	4.5	61	<1	1	2	4	9	25	35
B. *Operated*										
0-19 YRS	23	9.7	66	2	3	6	12	24	27	31
20-34	216	7.0	28	2	3	6	8	14	19	28
35-49	99	7.1	27	2	3	6	8	14	17	29
50-64	35	6.9	32	2	3	6	8	12	13	35
65+	26	9.7	94	2	2	7	11	19	27	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	6.4	24	1	1	5	7	16	16	16
20-34	90	6.4	46	1	2	5	7	11	16	45
35-49	41	5.3	26	1	1	3	7	11	17	25
50-64	22	5.9	17	2	3	4	6	12	16	18
65+	15	8.2	28	1	3	8	14	14	15	15
B. *Operated*										
0-19 YRS	11	15.5	247	5	6	11	15	36	59	61
20-34	102	13.3	149	3	4	11	16	23	34	71
35-49	43	10.5	56	2	4	9	12	20	28	32
50-64	63	12.5	98	2	4	8	21	26	30	45
65+	61	12.9	51	3	4	13	17	22	25	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	4.9	19	1	1	4	6	9	11	26
B. *Operated*	399	7.4	35	2	3	6	9	14	19	31
2. MULTIPLE DX										
A. *Not Operated*	185	6.2	35	1	2	5	7	13	16	31
B. *Operated*	280	12.7	105	3	4	10	17	23	28	61
1. SINGLE DX	511	6.8	32	1	2	5	8	13	18	30
2. MULTIPLE DX	465	10.1	87	2	2	7	14	20	25	50
A. NOT OPERATED	297	5.7	29	1	1	5	7	11	15	30
B. OPERATED	679	9.6	71	2	3	7	12	19	25	43
TOTAL 0-19 YRS	63	8.8	84	1	2	6	11	17	24	57
20-34	457	8.2	64	2	3	6	10	16	21	43
35-49	208	7.1	34	1	2	5	9	16	19	30
50-64	127	9.3	71	2	2	6	11	22	27	38
65+	121	10.3	66	1	2	8	15	19	24	39
GRAND TOTAL	**976**	**8.4**	**61**	**1**	**2**	**6**	**10**	**18**	**23**	**35**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	3.6	7	1	1	2	5	8	9	9
50-64	70	5.6	42	1	2	4	7	11	18	39
65+	174	7.3	64	2	2	4	9	17	24	45
B. *Operated*										
0-19 YRS	12	5.4	21	1	1	4	7	12	16	17
20-34	39	4.9	22	1	2	3	5	11	14	25
35-49	299	5.6	33	1	1	4	6	13	16	30
50-64	1444	5.6	31	1	2	4	6	12	17	27
65+	2866	6.7	38	2	2	5	8	14	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	4	4.3	21	1	1	2	7	11	11	11
35-49	19	6.4	20	1	2	5	9	14	15	15
50-64	212	7.0	71	1	1	4	8	15	24	58
65+	607	9.8	85	2	2	7	12	22	29	48
B. *Operated*										
0-19 YRS	11	5.5	36	1	1	3	6	17	19	19
20-34	24	5.8	20	1	2	5	8	11	17	18
35-49	164	9.4	124	1	1	5	12	22	37	53
50-64	1290	9.9	101	2	2	6	13	22	29	49
65+	4032	10.8	106	2	2	8	14	23	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	6.7	56	1	2	4	8	15	21	41
B. *Operated*	4660	6.3	36	1	2	4	8	14	19	30
2. MULTIPLE DX										
A. *Not Operated*	844	9.0	81	1	2	6	11	21	28	49
B. *Operated*	5521	10.5	105	2	2	7	14	23	30	52
1. SINGLE DX	4915	6.3	37	1	2	4	8	14	19	31
2. MULTIPLE DX	6365	10.3	102	2	2	7	13	23	30	52
A. NOT OPERATED	1099	8.5	76	1	2	5	10	20	27	47
B. OPERATED	10181	8.6	78	2	2	6	11	19	26	44
TOTAL 0-19 YRS	25	5.4	25	1	1	4	7	15	17	19
20-34	67	5.2	21	1	2	4	6	11	15	24
35-49	493	6.8	65	1	1	4	8	16	22	42
50-64	3016	7.6	68	1	2	5	9	17	24	39
65+	7679	9.1	82	2	2	6	11	20	27	46
GRAND TOTAL	**11280**	**8.6**	**78**	**2**	**2**	**6**	**11**	**19**	**26**	**45**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.1	11	<1	1	4	4	10	12	13
20-34	9	4.4	2	2	2	4	6	6	6	6
35-49	8	7.6	61	1	2	6	8	21	26	26
50-64	41	7.0	38	1	2	5	8	18	21	26
65+	40	7.7	62	1	2	5	10	16	25	39
B. *Operated*										
0-19 YRS	18	9.8	24	2	4	9	12	15	20	23
20-34	27	13.6	93	1	4	13	16	21	27	53
35-49	101	12.4	45	2	3	12	16	20	25	34
50-64	247	13.3	57	3	4	13	17	21	27	42
65+	250	14.5	71	2	4	13	19	25	29	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	10.3	401	<1	1	4	9	19	57	92
20-34	17	4.8	33	1	1	3	5	16	20	21
35-49	71	8.6	73	1	1	6	11	18	33	38
50-64	212	11.0	137	2	2	7	14	24	34	66
65+	285	12.5	124	3	4	9	17	27	37	70
B. *Operated*										
0-19 YRS	21	18.2	270	3	3	14	21	49	57	58
20-34	22	13.9	31	7	8	13	18	20	24	29
35-49	125	16.3	136	4	7	13	21	28	44	78
50-64	473	18.5	145	4	7	16	23	32	42	60
65+	738	19.0	127	4	7	18	25	33	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	6.7	42	1	2	4	8	14	19	35
B. *Operated*	643	13.6	62	2	4	13	17	23	28	42
2. MULTIPLE DX										
A. *Not Operated*	605	11.2	131	2	3	8	15	24	34	67
B. *Operated*	1379	18.5	135	4	7	16	24	33	42	59
1. SINGLE DX	756	12.5	65	2	3	12	16	22	26	41
2. MULTIPLE DX	1984	16.3	145	3	4	14	22	31	39	60
A. NOT OPERATED	718	10.5	119	1	2	7	13	23	33	60
B. OPERATED	2022	16.9	117	3	6	15	21	30	37	58
TOTAL 0-19 YRS	74	11.2	212	1	2	7	13	23	42	84
20-34	75	10.6	68	1	2	10	14	20	21	47
35-49	305	13.0	99	1	3	11	17	25	32	58
50-64	973	15.1	129	2	3	13	19	28	35	60
65+	1313	16.4	124	3	4	15	22	31	37	56
GRAND TOTAL	**2740**	**15.3**	**126**	**2**	**4**	**13**	**20**	**29**	**36**	**58**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.1	3	<1	<1	1	3	5	6	6
20-34										
35-49	3	7.3	24	4	4	5	11	13	13	13
50-64	4	8.8	104	3	3	4	14	24	24	24
65+	2	12.0	8	10	10	12	14	14	14	14
B. *Operated*										
0-19 YRS	6	4.2	6	1	1	4	5	8	8	8
20-34	8	4.6	7	2	2	4	5	9	10	10
35-49	10	5.1	10	1	2	4	7	10	12	12
50-64	42	6.3	43	2	3	4	5	13	23	34
65+	40	7.4	102	1	2	5	9	13	16	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	4	<1	<1	2	5	5	5	5
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	11	7.0	27	2	2	7	10	14	19	19
65+	17	7.2	53	2	3	5	8	12	26	33
B. *Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	8	8.6	73	2	2	6	10	23	28	28
50-64	29	6.8	31	2	2	5	8	16	19	24
65+	46	9.7	100	2	2	6	13	24	35	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.2	26	<1	<1	3	5	11	14	24
B. *Operated*	106	6.3	57	1	2	4	7	12	18	47
2. MULTIPLE DX										
A. *Not Operated*	41	5.8	33	<1	1	4	7	10	15	33
B. *Operated*	85	8.5	72	2	2	6	10	17	28	44
1. SINGLE DX	136	5.9	51	<1	1	4	6	12	17	38
2. MULTIPLE DX	126	7.6	31	1	2	5	9	16	26	41
A. NOT OPERATED	71	5.1	30	<1	<1	4	6	10	14	31
B. OPERATED	191	7.3	65	2	2	5	8	15	24	43
TOTAL 0-19 YRS	39	2.7	4	<1	<1	1	5	5	6	8
20-34	10	4.5	5	2	2	4	5	8	10	10
35-49	22	6.6	34	2	2	5	8	12	19	28
50-64	86	6.7	38	2	2	4	7	16	22	31
65+	105	8.5	91	2	2	6	10	16	29	54
GRAND TOTAL	**262**	**6.7**	**56**	**1**	**2**	**4**	**7**	**13**	**20**	**38**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	6.4	76	1	1	3	7	15	24	44
20-34	42	6.7	60	<1	1	4	7	17	28	34
35-49	75	9.9	108	1	2	6	12	23	36	51
50-64	141	11.9	180	2	3	7	14	24	37	77
65+	80	13.3	130	3	3	10	17	30	37	58
B. *Operated*										
0-19 YRS	71	16.5	154	3	5	15	20	32	45	94
20-34	90	15.3	141	4	5	13	17	29	44	86
35-49	146	18.8	153	3	6	16	23	33	45	67
50-64	192	22.6	205	6	9	20	27	41	59	70
65+	124	27.1	281	7	10	24	33	48	66	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	9.5	119	1	2	6	11	21	35	51
20-34	65	9.8	109	1	2	5	11	23	39	44
35-49	109	12.4	107	3	3	10	16	30	40	70
50-64	174	12.9	178	2	2	9	16	33	43	86
65+	149	14.0	143	3	4	12	18	29	45	99+
B. *Operated*										
0-19 YRS	65	26.1	284	7	8	23	34	60	80	99+
20-34	53	19.7	209	5	8	16	27	54	93	99+
35-49	94	24.9	314	8	11	18	31	52	66	87
50-64	144	27.9	362	9	10	22	37	63	76	99+
65+	137	32.7	406	9	12	27	48	68	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	10.7	136	1	2	7	13	24	34	62
B. *Operated*	623	20.9	208	4	7	17	26	40	55	74
2. MULTIPLE DX										
A. *Not Operated*	562	12.4	142	2	3	9	16	29	41	84
B. *Operated*	493	27.5	357	8	10	22	36	63	78	99+
1. SINGLE DX	994	17.1	205	2	3	14	23	35	45	72
2. MULTIPLE DX	1055	19.5	300	2	4	15	26	48	64	99+
A. NOT OPERATED	933	11.7	140	2	2	8	15	26	40	69
B. OPERATED	1116	23.8	284	5	8	19	30	52	67	99+
TOTAL 0-19 YRS	234	15.8	221	1	2	12	21	37	53	99+
20-34	250	13.4	153	2	2	11	18	30	44	99+
35-49	424	16.9	197	3	3	14	22	36	46	70
50-64	651	18.8	272	2	4	14	24	43	61	90
65+	490	22.4	318	3	5	18	30	50	67	99+
GRAND TOTAL	**2049**	**18.3**	**255**	**2**	**3**	**14**	**24**	**41**	**58**	**91**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	4	13.5	27	6	6	15	17	18	18	18
65+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	5	9.0	44	2	2	8	11	20	20	20
20-34	13	18.8	133	4	6	16	24	37	43	45
35-49	7	12.9	59	2	3	12	17	24	26	26
50-64	9	28.8	513	5	8	25	36	67	78	78
65+	8	34.5	765	4	5	32	55	73	77	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.4	86	2	2	4	19	20	20	20
20-34	2	26.0	648	8	8	26	44	44	44	44
35-49	5	14.6	99	5	5	11	20	31	31	31
50-64	10	18.9	275	3	4	13	24	47	52	52
65+	10	9.6	45	1	2	9	12	19	25	25
B. *Operated*										
0-19 YRS	4	24.0	227	5	5	25	35	40	40	40
20-34	8	25.8	272	10	11	19	40	51	52	52
35-49	6	22.7	239	8	8	20	30	47	49	49
50-64	18	27.2	280	6	9	25	52	99+	99+	99+
65+	17	41.2	583	12	17	47	62	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	10.7	28	4	4	9	15	17	18	18
B. *Operated*	42	21.8	361	3	5	16	26	49	69	78
2. MULTIPLE DX										
A. *Not Operated*	32	14.3	164	2	3	10	19	35	44	52
B. *Operated*	53	30.7	399	8	9	26	51	88	99+	99+
1. SINGLE DX	49	20.2	327	4	5	15	25	47	64	78
2. MULTIPLE DX	85	24.5	371	3	5	20	43	61	99+	99+
A. NOT OPERATED	39	13.6	140	2	3	10	17	29	44	52
B. OPERATED	95	26.7	398	5	8	22	45	63	98	99+
TOTAL 0-19 YRS	14	13.4	141	2	2	8	20	32	38	40
20-34	24	21.3	199	6	8	17	29	45	49	52
35-49	18	16.6	135	3	6	14	24	31	42	49
50-64	41	24.2	313	5	6	21	40	64	99+	99+
65+	37	29.3	630	3	5	22	56	75	98	99+
GRAND TOTAL	**134**	**22.9**	**357**	**3**	**5**	**18**	**32**	**59**	**78**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	3	<1	<1	4	5	5	5	5
20-34	36	3.7	3	1	2	4	5	6	7	7
35-49	35	3.7	4	1	2	3	4	6	8	11
50-64	27	4.5	47	1	1	2	5	8	14	37
65+	18	5.9	18	2	2	5	8	11	15	18
B. *Operated*										
0-19 YRS	26	6.0	18	2	3	5	6	9	16	23
20-34	158	5.9	17	3	3	5	6	10	13	27
35-49	115	6.1	14	3	3	5	7	11	14	52
50-64	100	6.9	22	3	3	5	7	14	18	23
65+	53	10.4	60	4	4	8	12	22	25	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.6	16	1	1	3	5	10	16	17
20-34	33	4.6	9	1	1	4	7	9	11	11
35-49	55	4.6	13	1	1	4	5	8	12	21
50-64	53	6.9	67	1	1	4	8	15	26	38
65+	64	13.6	191	2	2	8	17	37	45	58
B. *Operated*										
0-19 YRS	33	9.2	71	3	4	6	9	19	33	39
20-34	145	7.2	26	2	3	6	9	14	17	37
35-49	145	7.9	54	3	3	6	9	13	16	48
50-64	144	11.7	122	4	4	8	13	23	38	56
65+	133	15.3	165	4	5	12	18	31	46	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	4.1	15	1	2	3	5	7	9	22
B. *Operated*	452	6.7	24	3	3	5	7	12	18	27
2. MULTIPLE DX										
A. *Not Operated*	234	7.6	87	1	1	5	8	17	30	46
B. *Operated*	600	10.3	99	3	3	7	12	19	31	53
1. SINGLE DX	579	6.2	23	2	3	5	7	11	16	27
2. MULTIPLE DX	834	9.6	97	2	3	6	11	18	31	51
A. NOT OPERATED	361	6.4	65	1	1	4	7	12	23	45
B. OPERATED	1052	8.8	70	3	3	6	10	17	24	48
TOTAL 0-19 YRS	99	6.3	37	1	2	5	6	12	18	37
20-34	372	6.1	20	2	3	5	7	11	15	27
35-49	350	6.4	31	2	3	5	8	11	14	39
50-64	324	8.8	83	2	2	6	10	17	25	47
65+	268	13.3	147	3	4	10	16	28	42	58
GRAND TOTAL	**1413**	**8.2**	**69**	**2**	**3**	**5**	**9**	**16**	**24**	**47**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.0	3	1	1	3	5	6	6	6
20-34	44	6.1	35	1	1	5	8	12	18	32
35-49	151	9.3	157	1	2	5	11	20	28	90
50-64	494	6.7	55	1	1	4	8	14	20	43
65+	506	9.0	82	1	2	6	12	20	24	44
B. *Operated*										
0-19 YRS	21	5.8	20	1	1	5	8	13	16	17
20-34	74	8.1	90	1	2	6	11	16	20	63
35-49	206	10.5	86	2	2	8	15	22	30	49
50-64	499	11.2	103	2	2	8	15	24	32	49
65+	574	11.4	130	2	2	8	15	24	36	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	5.2	36	1	1	4	5	10	17	33
20-34	359	7.3	69	1	2	5	9	16	21	41
35-49	1515	8.7	74	1	2	6	10	18	26	44
50-64	4538	9.8	94	1	2	7	12	22	29	48
65+	5956	11.5	99	2	3	9	15	25	31	48
B. *Operated*										
0-19 YRS	48	14.6	156	2	3	11	17	29	43	62
20-34	259	12.8	128	2	3	10	16	27	39	74
35-49	1153	13.8	146	2	3	10	18	29	38	63
50-64	3442	15.8	176	2	3	12	21	33	43	72
65+	4278	16.9	168	3	4	14	22	34	44	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1206	7.9	80	1	1	5	9	16	23	44
B. *Operated*	1374	10.9	110	2	2	8	14	23	33	54
2. MULTIPLE DX										
A. *Not Operated*	12443	10.4	94	2	2	7	13	23	30	48
B. *Operated*	9180	16.0	168	2	4	13	21	33	43	68
1. SINGLE DX	2580	9.5	98	1	2	6	12	21	28	51
2. MULTIPLE DX	21623	12.8	133	2	3	9	17	27	36	58
A. NOT OPERATED	13649	10.2	93	2	2	7	13	22	29	48
B. OPERATED	10554	15.3	164	2	3	12	20	32	41	67
TOTAL 0-19 YRS	155	8.1	87	1	1	5	10	18	28	47
20-34	736	9.3	97	1	2	6	12	19	27	58
35-49	3025	10.8	112	2	2	8	14	23	32	54
50-64	8973	12.0	133	2	2	8	16	26	35	60
65+	11314	13.4	133	2	3	10	18	28	37	57
GRAND TOTAL	**24203**	**12.4**	**131**	**2**	**3**	**9**	**16**	**27**	**36**	**57**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.5	7	1	1	1	2	7	8	14
20-34	139	4.6	30	<1	1	3	5	10	14	33
35-49	55	4.6	19	1	1	4	6	12	15	20
50-64	70	4.7	36	1	1	3	5	12	19	86
65+	31	6.6	43	1	1	4	8	16	23	28
B. *Operated*										
0-19 YRS	129	8.5	34	1	2	8	12	17	19	24
20-34	378	9.8	54	2	2	8	14	20	23	33
35-49	135	11.7	113	2	3	9	16	23	28	94
50-64	118	10.5	66	2	2	8	14	21	25	44
65+	51	13.2	170	2	4	10	19	24	28	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	5.4	41	1	1	4	7	9	14	42
20-34	148	5.7	31	1	1	4	6	14	17	28
35-49	98	7.4	49	1	1	5	10	16	24	33
50-64	97	7.2	34	1	1	6	10	15	17	27
65+	86	10.3	69	1	2	8	14	23	28	37
B. *Operated*										
0-19 YRS	38	16.0	206	3	4	13	20	26	49	76
20-34	161	13.2	94	2	3	11	17	26	33	47
35-49	89	15.3	177	2	4	11	18	32	40	71
50-64	112	15.8	254	2	3	10	19	38	50	76
65+	115	18.9	162	2	6	17	25	34	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	4.5	28	1	1	3	5	10	14	32
B. *Operated*	811	10.2	71	2	2	8	14	20	24	38
2. MULTIPLE DX										
A. *Not Operated*	476	7.2	45	1	1	5	9	15	21	33
B. *Operated*	515	15.6	169	2	4	12	20	32	40	67
1. SINGLE DX	1156	8.5	65	1	1	6	12	19	23	36
2. MULTIPLE DX	991	11.5	128	1	2	8	15	25	34	58
A. NOT OPERATED	821	6.0	40	1	1	4	8	14	18	33
B. OPERATED	1326	12.3	116	2	2	10	16	23	32	57
TOTAL 0-19 YRS	264	7.9	70	1	1	5	11	17	20	41
20-34	826	8.9	62	1	1	7	12	20	23	37
35-49	377	10.4	111	1	2	7	14	23	28	59
50-64	397	10.2	121	1	2	7	13	22	34	63
65+	283	13.9	141	1	2	11	19	28	34	63
GRAND TOTAL	**2147**	**9.9**	**96**	**1**	**1**	**7**	**14**	**21**	**28**	**47**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.4	20	<1	1	3	7	10	14	23
20-34	16	5.1	12	1	1	4	6	11	12	12
35-49	11	5.0	19	1	1	4	6	13	15	15
50-64	40	7.6	51	1	1	5	9	17	22	32
65+	99	8.1	33	2	2	7	11	16	18	29
B. *Operated*										
0-19 YRS	70	11.3	149	1	1	7	16	29	41	49
20-34	23	16.3	162	1	2	13	22	38	43	49
35-49	15	5.7	13	1	1	5	10	10	11	11
50-64	49	8.4	76	2	2	6	9	18	30	46
65+	78	12.4	135	2	3	10	15	25	35	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	6.1	44	<1	1	4	9	13	17	38
20-34	23	7.4	13	3	4	6	10	13	15	15
35-49	24	13.0	144	3	3	8	19	30	43	44
50-64	186	9.3	97	1	2	7	11	19	26	52
65+	488	10.1	91	1	2	8	13	20	25	51
B. *Operated*										
0-19 YRS	49	17.7	238	2	3	13	23	41	61	99+
20-34	23	17.9	314	1	2	17	27	59	78	99+
35-49	32	14.8	292	2	3	9	17	31	60	80
50-64	159	12.9	190	2	3	9	15	30	45	98
65+	364	15.0	155	3	4	12	19	31	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	6.6	33	1	1	5	9	15	18	28
B. *Operated*	235	11.2	126	1	2	7	14	25	37	51
2. MULTIPLE DX										
A. *Not Operated*	815	9.5	88	1	2	7	12	19	25	50
B. *Operated*	627	14.8	184	3	4	11	19	32	45	85
1. SINGLE DX	470	8.9	85	1	1	6	11	19	28	47
2. MULTIPLE DX	1442	11.8	136	1	2	8	15	24	35	68
A. NOT OPERATED	1050	8.8	77	1	2	7	11	18	24	48
B. OPERATED	862	13.8	171	2	3	10	18	30	42	81
TOTAL 0-19 YRS	282	9.0	119	1	1	5	12	23	32	57
20-34	85	12.2	160	1	2	8	18	29	42	88
35-49	82	11.3	174	1	2	7	12	25	38	75
50-64	434	10.4	128	2	2	7	12	21	32	81
65+	1029	11.8	118	2	3	9	15	23	34	55
GRAND TOTAL	**1912**	**11.1**	**125**	**1**	**2**	**8**	**14**	**23**	**34**	**61**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	4.8	47	<1	<1	3	5	9	16	40
20-34	83	6.0	50	1	1	4	6	9	21	43
35-49	87	7.3	64	1	1	5	8	22	26	36
50-64	133	7.4	88	1	1	5	8	20	26	48
65+	190	6.1	42	1	1	4	8	14	18	30
B. *Operated*										
0-19 YRS	41	12.4	159	1	2	8	17	31	39	55
20-34	61	20.7	450	2	3	10	31	54	64	84
35-49	83	16.3	334	2	3	8	23	41	57	88
50-64	101	13.8	234	2	3	8	16	31	41	82
65+	123	12.3	171	2	2	8	14	32	44	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	6.2	31	1	1	5	8	13	16	31
20-34	83	8.1	60	1	1	6	11	20	24	35
35-49	123	8.1	123	<1	1	5	8	18	31	72
50-64	262	9.1	102	1	1	6	11	20	30	48
65+	599	8.7	100	1	1	6	11	20	28	47
B. *Operated*										
0-19 YRS	40	22.2	332	2	4	15	34	50	59	68
20-34	75	25.6	401	3	5	21	32	60	71	99
35-49	114	22.4	424	3	4	13	37	54	66	99+
50-64	192	19.7	352	2	3	12	29	51	62	98
65+	413	18.0	246	3	4	13	24	39	51	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	6.4	59	1	1	4	7	14	23	37
B. *Operated*	409	14.8	266	2	2	8	20	38	52	84
2. MULTIPLE DX										
A. *Not Operated*	1121	8.6	97	1	1	6	11	19	28	47
B. *Operated*	834	19.9	317	3	4	14	27	48	60	95
1. SINGLE DX	973	9.9	163	1	1	6	10	26	37	66
2. MULTIPLE DX	1955	13.4	222	1	2	8	17	34	47	74
A. NOT OPERATED	1685	7.8	85	1	1	5	9	18	26	44
B. OPERATED	1243	18.2	305	2	3	11	25	45	59	90
TOTAL 0-19 YRS	206	10.1	162	<1	1	5	11	28	40	59
20-34	302	14.4	288	1	2	7	20	36	56	82
35-49	407	13.6	277	1	1	7	17	37	52	87
50-64	688	12.4	212	1	2	7	15	31	43	76
65+	1325	11.6	164	1	2	7	14	27	39	64
GRAND TOTAL	**2928**	**12.2**	**205**	**1**	**2**	**7**	**15**	**31**	**44**	**71**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.6	10	1	1	2	5	8	10	15
20-34	60	5.8	50	1	1	4	6	12	19	37
35-49	186	5.6	34	1	1	4	7	13	16	29
50-64	421	6.9	76	1	1	4	9	15	24	38
65+	455	8.2	73	1	1	6	11	19	24	44
B. *Operated*										
0-19 YRS	44	7.1	70	1	2	4	10	14	23	46
20-34	133	7.7	34	2	2	6	10	16	21	39
35-49	278	9.6	96	2	2	7	11	19	28	51
50-64	581	10.5	83	2	3	8	14	21	27	43
65+	598	11.2	92	2	3	9	14	22	28	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	5.2	23	<1	1	3	8	10	14	22
20-34	70	8.3	54	1	2	6	10	20	24	35
35-49	226	9.4	94	1	2	7	12	20	28	53
50-64	811	9.5	96	1	1	7	12	20	28	51
65+	1486	10.9	113	1	2	8	14	23	32	55
B. *Operated*										
0-19 YRS	34	11.3	95	1	2	8	14	22	37	42
20-34	98	14.8	151	2	3	12	21	31	37	84
35-49	213	15.2	207	2	3	11	20	32	39	89
50-64	848	15.6	173	2	4	12	22	31	44	69
65+	1519	18.5	210	3	5	14	24	38	50	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1168	7.0	65	1	1	4	9	16	23	38
B. *Operated*	1634	10.3	85	2	2	8	13	21	27	46
2. MULTIPLE DX										
A. *Not Operated*	2635	10.2	104	1	2	7	13	22	29	51
B. *Operated*	2712	17.1	197	3	4	13	23	35	47	76
1. SINGLE DX	2802	8.9	80	1	2	6	12	19	26	44
2. MULTIPLE DX	5347	13.7	163	2	3	10	18	29	40	68
A. NOT OPERATED	3803	9.2	95	1	1	6	12	20	28	50
B. OPERATED	4346	14.5	166	2	3	11	19	30	41	72
TOTAL 0-19 YRS	166	6.5	53	1	1	4	9	14	20	42
20-34	361	9.4	83	1	2	7	12	22	28	62
35-49	903	10.0	119	1	2	7	12	21	31	61
50-64	2661	11.3	125	1	2	8	14	25	32	57
65+	4058	13.5	157	2	2	10	18	28	40	67
GRAND TOTAL	**8149**	**12.1**	**140**	**1**	**2**	**9**	**16**	**26**	**36**	**63**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	5	3.4	1	2	2	4	4	4	4	4
50-64	4	4.8	1	4	4	5	5	6	6	6
65+	5	5.2	12	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	104	3.2	9	1	1	2	4	6	8	17
20-34	236	3.4	3	1	2	3	4	5	6	9
35-49	281	3.7	4	1	2	3	5	6	8	11
50-64	347	4.4	19	1	2	4	5	8	10	17
65+	226	4.1	4	1	2	4	5	7	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	9	8.0	69	2	2	5	10	22	28	28
B. *Operated*										
0-19 YRS	18	4.8	19	<1	1	3	7	12	14	16
20-34	55	4.5	26	1	2	3	5	8	16	30
35-49	108	4.5	32	2	2	3	5	7	10	31
50-64	156	5.2	19	2	2	4	6	10	15	30
65+	151	7.4	37	2	2	5	9	17	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.9	5	1	1	4	5	7	9	10
B. *Operated*	1194	3.9	9	1	2	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	18	5.2	42	<1	<1	3	5	12	22	28
B. *Operated*	488	5.6	30	2	2	4	7	12	17	31
1. SINGLE DX	1211	3.9	9	1	2	3	5	6	8	12
2. MULTIPLE DX	506	5.6	30	1	2	4	6	12	17	30
A. NOT OPERATED	35	4.6	24	<1	1	4	5	9	12	28
B. OPERATED	1682	4.4	16	1	2	4	5	7	10	19
TOTAL 0-19 YRS	124	3.4	10	1	1	2	4	7	9	18
20-34	297	3.6	8	1	2	3	4	6	8	17
35-49	396	3.9	12	1	2	3	5	6	8	12
50-64	509	4.6	19	1	2	4	5	8	11	22
65+	391	5.5	21	2	2	4	6	10	15	27
GRAND TOTAL	**1717**	**4.4**	**16**	**1**	**2**	**4**	**5**	**7**	**10**	**20**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.7	5	<1	1	2	4	5	8	9
20-34	29	3.1	4	<1	<1	3	4	6	7	9
35-49	71	3.3	10	1	1	2	4	6	11	18
50-64	140	3.2	22	1	1	2	3	5	9	21
65+	142	3.5	10	1	1	3	5	7	8	20
B. *Operated*										
0-19 YRS	84	4.5	15	1	2	3	6	10	12	20
20-34	135	7.1	34	1	1	6	11	15	20	23
35-49	345	5.1	22	1	1	3	8	12	14	21
50-64	798	4.8	27	1	1	3	6	12	16	25
65+	691	5.6	33	1	1	3	8	14	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.5	4	1	1	3	5	7	7	8
20-34	43	5.2	16	1	1	4	6	12	14	19
35-49	79	5.9	15	1	1	5	8	11	15	18
50-64	220	5.2	29	1	1	4	6	10	14	31
65+	350	6.6	33	1	2	5	9	14	16	26
B. *Operated*										
0-19 YRS	44	8.0	53	1	2	6	9	18	29	30
20-34	131	8.3	69	1	2	6	11	18	22	45
35-49	353	7.8	36	1	2	7	11	15	20	28
50-64	1140	8.5	70	1	2	6	12	17	23	39
65+	1512	9.7	73	1	2	7	13	21	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	3.3	13	1	1	2	4	6	9	18
B. *Operated*	2053	5.3	28	1	1	3	7	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	717	5.9	28	1	1	4	8	12	16	27
B. *Operated*	3180	9.0	68	1	2	7	12	19	25	39
1. SINGLE DX	2453	4.9	26	1	1	3	6	12	15	24
2. MULTIPLE DX	3897	8.4	62	1	2	6	11	18	23	37
A. NOT OPERATED	1117	5.0	25	1	1	3	6	10	14	23
B. OPERATED	5233	7.5	56	1	2	5	11	17	22	34
TOTAL 0-19 YRS	171	5.1	25	1	1	3	6	10	16	29
20-34	338	7.0	45	1	1	5	10	15	19	32
35-49	848	6.1	28	1	1	4	9	13	17	26
50-64	2298	6.6	52	1	1	4	9	15	19	33
65+	2695	7.9	59	1	2	5	11	18	23	36
GRAND TOTAL	**6350**	**7.1**	**51**	**1**	**1**	**4**	**10**	**16**	**21**	**33**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	1	2	4	4	4
20-34	5	2.0	2	<1	<1	2	3	4	4	4
35-49	12	2.6	2	<1	1	2	3	5	6	6
50-64	5	6.2	78	2	2	2	8	22	22	22
65+	5	2.4	1	2	2	2	3	4	4	4
B. *Operated*										
0-19 YRS	109	2.4	12	1	1	2	2	4	7	23
20-34	121	4.1	17	1	1	2	5	9	13	19
35-49	118	4.0	13	1	1	2	5	9	12	18
50-64	151	5.8	36	1	1	2	9	15	19	33
65+	91	4.8	26	1	2	2	5	12	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	4	5.3	10	1	1	6	7	8	8	8
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64	7	9.1	75	2	2	6	17	22	23	23
65+	15	12.6	98	1	3	10	16	29	35	37
B. *Operated*										
0-19 YRS	22	5.4	32	1	2	3	5	16	19	20
20-34	46	5.8	25	1	2	4	9	12	15	24
35-49	67	8.6	134	1	2	5	12	21	22	75
50-64	117	7.9	69	1	2	5	11	20	26	41
65+	79	9.8	60	2	2	8	14	21	25	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.9	13	<1	1	2	3	4	6	22
B. *Operated*	590	4.3	23	1	1	2	5	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	31	9.7	74	1	2	7	12	21	29	37
B. *Operated*	331	8.1	73	2	2	5	11	19	24	37
1. SINGLE DX	623	4.2	22	1	1	2	5	11	15	23
2. MULTIPLE DX	362	8.2	73	1	2	5	11	19	24	37
A. NOT OPERATED	64	6.2	54	<1	1	3	7	17	22	36
B. OPERATED	921	5.6	44	1	1	2	8	14	19	27
TOTAL 0-19 YRS	140	2.9	15	1	1	2	2	5	12	22
20-34	176	4.5	19	1	1	2	7	10	13	21
35-49	199	5.5	58	1	1	2	7	12	18	25
50-64	280	6.8	52	1	2	3	10	16	23	36
65+	190	7.4	53	2	2	4	11	18	24	34
GRAND TOTAL	**985**	**5.7**	**44**	**1**	**1**	**2**	**8**	**14**	**19**	**27**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.9	7	<1	1	2	3	5	6	17
20-34	40	3.3	8	<1	<1	2	4	7	10	12
35-49	43	3.2	6	<1	1	2	4	7	9	10
50-64	44	4.2	11	1	1	3	5	8	12	16
65+	19	4.3	11	<1	1	3	6	10	12	13
B. *Operated*										
0-19 YRS	1225	3.3	5	1	1	3	4	6	8	12
20-34	1608	3.2	7	1	1	2	4	6	8	15
35-49	1533	3.3	8	1	1	2	4	6	8	20
50-64	1495	3.2	7	1	1	2	4	6	8	13
65+	498	4.2	19	1	2	3	5	9	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.5	3	<1	<1	2	4	5	5	5
20-34	36	4.1	11	<1	1	3	6	8	10	17
35-49	46	4.2	8	<1	1	4	6	7	9	14
50-64	55	4.5	10	<1	1	3	6	9	12	14
65+	38	6.2	19	1	2	6	8	11	16	20
B. *Operated*										
0-19 YRS	201	4.1	18	1	2	3	5	8	11	24
20-34	583	4.6	19	1	2	3	5	9	12	23
35-49	913	5.1	23	1	2	3	6	11	14	24
50-64	1163	5.5	29	1	2	4	7	11	16	26
65+	571	6.8	53	2	2	4	8	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	3.5	9	<1	1	3	4	7	10	16
B. *Operated*	6359	3.3	8	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	195	4.4	12	<1	1	3	6	9	11	18
B. *Operated*	3431	5.4	30	1	2	4	7	11	15	26
1. SINGLE DX	6542	3.3	8	1	1	3	4	6	8	15
2. MULTIPLE DX	3626	5.3	29	1	2	4	6	11	15	26
A. NOT OPERATED	378	4.0	10	<1	1	3	5	8	10	17
B. OPERATED	9790	4.1	17	1	2	3	4	8	11	22
TOTAL 0-19 YRS	1483	3.4	7	1	1	3	4	6	8	14
20-34	2267	3.6	11	1	1	3	4	7	9	17
35-49	2535	3.9	14	1	1	3	4	8	11	21
50-64	2757	4.2	18	1	2	3	5	8	12	22
65+	1126	5.6	38	1	2	3	7	12	17	33
GRAND TOTAL	**10168**	**4.1**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.8	9	1	1	2	3	7	10	15
20-34	26	2.9	7	1	1	2	3	4	10	13
35-49	13	5.8	86	1	1	3	5	14	32	36
50-64	11	3.1	12	1	1	2	3	8	13	13
65+	9	9.3	48	1	2	6	14	20	20	20
B. *Operated*										
0-19 YRS	1190	2.6	8	<1	1	2	3	5	7	14
20-34	463	3.1	7	1	1	2	4	6	8	14
35-49	380	3.5	12	1	1	2	4	7	10	21
50-64	350	4.1	22	1	1	3	4	8	11	28
65+	156	4.6	25	1	1	3	5	11	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.9	8	<1	<1	1	4	7	10	11
20-34	14	10.0	220	1	1	6	11	21	51	59
35-49	20	5.5	22	<1	1	3	8	12	15	17
50-64	16	4.9	10	1	2	4	7	9	12	13
65+	29	8.6	46	2	2	7	13	17	19	32
B. *Operated*										
0-19 YRS	253	4.0	26	<1	1	2	4	8	14	34
20-34	281	4.4	49	<1	1	3	5	10	13	56
35-49	322	4.8	20	1	1	3	6	10	14	22
50-64	301	5.9	66	1	2	3	7	13	20	44
65+	229	8.9	119	2	2	5	12	20	24	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.8	25	1	1	2	4	9	13	28
B. *Operated*	2539	3.1	12	<1	1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	118	5.8	50	<1	1	4	8	13	17	41
B. *Operated*	1386	5.5	56	1	1	3	6	12	18	35
1. SINGLE DX	2639	3.2	12	<1	1	2	3	6	9	20
2. MULTIPLE DX	1504	5.5	55	1	1	3	6	12	18	34
A. NOT OPERATED	218	4.9	39	1	1	3	6	12	15	33
B. OPERATED	3925	4.0	29	<1	1	2	4	8	12	25
TOTAL 0-19 YRS	1523	2.8	11	<1	1	2	3	6	8	20
20-34	784	3.7	27	1	1	2	4	7	11	20
35-49	735	4.2	17	1	1	3	5	9	13	22
50-64	678	4.9	42	1	1	3	5	10	15	30
65+	423	7.3	81	1	2	4	9	16	23	37
GRAND TOTAL	**4143**	**4.0**	**29**	**<1**	**1**	**2**	**4**	**9**	**13**	**25**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	18	2.4	1	1	1	2	3	3	4	4
35-49	7	4.7	53	1	1	2	4	18	21	21
50-64	4	2.5	2	1	1	2	3	4	4	4
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	748	2.2	2	1	1	2	2	3	4	8
20-34	1482	2.3	5	<1	1	2	2	3	4	10
35-49	841	2.5	7	1	1	2	3	3	5	10
50-64	323	2.9	4	2	2	2	3	4	6	14
65+	156	3.6	30	1	2	2	3	5	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.7	2	<1	<1	2	4	5	5	5
35-49	13	2.7	1	<1	1	3	3	4	5	5
50-64	10	3.4	3	1	1	3	5	6	7	7
65+	6	6.3	19	2	2	5	11	12	12	12
B. *Operated*										
0-19 YRS	98	2.7	3	1	1	2	3	4	7	10
20-34	477	3.1	7	1	2	2	3	6	8	13
35-49	610	3.3	6	1	2	3	4	6	9	14
50-64	327	3.9	9	2	2	3	4	8	10	16
65+	221	5.4	22	2	2	4	6	10	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.7	10	<1	1	2	3	4	4	21
B. *Operated*	3550	2.4	6	1	1	2	3	3	4	12
2. MULTIPLE DX										
A. *Not Operated*	37	3.5	6	<1	1	3	4	6	10	12
B. *Operated*	1733	3.6	9	1	2	3	4	7	9	17
1. SINGLE DX	3589	2.5	6	1	1	2	3	3	4	12
2. MULTIPLE DX	1770	3.6	9	1	2	3	4	7	9	17
A. NOT OPERATED	76	3.1	8	<1	1	2	3	5	7	19
B. OPERATED	5283	2.8	7	1	1	2	3	4	7	14
TOTAL 0-19 YRS	855	2.3	2	1	1	2	2	3	4	8
20-34	1984	2.5	6	1	1	2	3	4	5	12
35-49	1471	2.9	7	1	1	2	3	5	7	12
50-64	664	3.4	7	2	2	3	3	6	9	15
65+	385	4.7	26	2	2	3	5	9	13	24
GRAND TOTAL	**5359**	**2.8**	**7**	**1**	**1**	**2**	**3**	**4**	**7**	**14**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	48	3.0	6	<1	1	2	4	7	8	11
35-49	75	4.0	9	1	1	3	7	8	9	14
50-64	14	3.1	7	1	1	2	3	6	10	11
65+	5	7.8	46	2	2	4	14	17	17	17
B. *Operated*										
0-19 YRS	10	4.2	9	2	2	3	6	9	10	10
20-34	893	6.2	9	1	2	7	8	9	10	14
35-49	2643	6.8	10	2	2	7	8	10	11	17
50-64	513	7.1	14	1	2	7	9	10	12	21
65+	44	9.9	108	1	2	8	11	15	19	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	119	5.0	16	1	1	4	6	9	12	22
35-49	284	4.7	12	1	1	4	7	9	11	16
50-64	68	4.5	9	1	1	4	7	9	10	12
65+	32	6.4	23	1	1	6	11	14	15	16
B. *Operated*										
0-19 YRS	20	7.0	25	<1	1	7	8	11	18	24
20-34	2528	7.2	15	2	2	7	9	11	13	20
35-49	10917	8.0	15	2	3	8	9	12	14	22
50-64	2501	8.4	19	2	3	8	10	13	16	27
65+	288	11.6	49	2	5	10	14	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	3.7	10	<1	1	3	4	8	10	16
B. *Operated*	4103	6.7	12	2	2	7	8	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	506	4.8	13	1	1	4	7	10	11	17
B. *Operated*	16254	8.0	16	2	3	8	9	12	15	23
1. SINGLE DX	4245	6.6	12	1	2	7	8	10	11	17
2. MULTIPLE DX	16760	7.9	17	2	2	8	9	12	15	23
A. NOT OPERATED	648	4.6	13	1	1	4	7	9	11	16
B. OPERATED	20357	7.7	16	2	2	8	9	11	14	22
TOTAL 0-19 YRS	33	5.8	20	1	2	5	8	10	12	24
20-34	3588	6.8	14	1	2	7	8	10	12	19
35-49	13919	7.7	14	2	2	8	9	11	14	21
50-64	3096	8.1	19	2	2	8	9	12	15	26
65+	369	10.9	55	2	3	10	14	18	23	42
GRAND TOTAL	**21005**	**7.6**	**16**	**2**	**2**	**7**	**9**	**11**	**14**	**22**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	32	3.7	9	1	2	2	4	7	12	13
35-49	71	4.4	11	1	1	3	8	9	10	14
50-64	37	3.6	35	1	1	2	3	6	8	37
65+	18	4.1	14	1	2	3	4	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	6.6	22	1	1	5	11	12	12	12
50-64	2	7.0	8	5	5	7	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	93	6.3	29	1	2	6	8	12	14	31
35-49	244	7.1	15	1	2	7	9	11	12	15
50-64	115	5.9	16	1	2	6	8	10	12	19
65+	32	6.6	45	2	2	4	8	18	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	161	4.0	16	1	1	2	5	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	7	6.7	16	1	2	5	10	12	12	12
B. *Operated*	485	6.6	20	1	2	7	9	11	13	24
1. SINGLE DX	164	3.9	16	1	1	2	5	9	10	14
2. MULTIPLE DX	492	6.6	20	1	2	7	9	11	13	24
A. NOT OPERATED	10	5.1	18	1	1	4	9	11	12	12
B. OPERATED	646	5.9	20	1	2	6	8	11	13	23
TOTAL 0-19 YRS	5	1.6		1	1	2	2	2	2	2
20-34	126	5.6	25	1	2	4	8	12	13	24
35-49	321	6.4	16	1	2	7	9	11	12	14
50-64	154	5.4	21	1	1	4	8	9	12	26
65+	50	5.7	35	2	2	3	6	15	19	24
GRAND TOTAL	**656**	**5.9**	**20**	**1**	**2**	**6**	**8**	**11**	**13**	**23**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	8	3.6	3	2	2	3	5	6	6	6
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	2	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	222	6.3	4	4	4	6	7	9	10	13
20-34	709	6.4	4	4	4	6	7	8	9	14
35-49	210	7.2	7	4	5	7	8	10	11	15
50-64	132	8.8	11	5	6	8	10	13	16	20
65+	83	11.0	36	6	7	9	12	18	20	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	22	3	3	5	10	12	12	12
20-34	7	4.4	6	1	1	4	6	8	8	8
35-49	4	5.0	9	2	2	5	7	8	8	8
50-64	1	13.0		13	13	13	13	13	13	13
65+	4	5.8	2	4	4	6	7	7	7	7
B. *Operated*										
0-19 YRS	163	7.0	5	4	5	6	8	10	12	16
20-34	716	7.2	14	4	5	7	8	10	12	20
35-49	550	8.4	14	5	5	8	9	12	15	27
50-64	369	10.5	26	6	6	9	12	16	21	33
65+	227	14.0	63	7	7	11	18	24	29	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.5	7	<1	1	3	5	8	9	9
B. *Operated*	1356	7.0	9	4	5	6	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	19	5.6	10	1	2	5	7	10	13	13
B. *Operated*	2025	8.9	26	5	5	8	10	14	18	31
1. SINGLE DX	1372	7.0	9	4	5	6	8	10	12	19
2. MULTIPLE DX	2044	8.9	26	5	5	8	10	14	18	31
A. NOT OPERATED	35	4.7	10	1	1	4	7	9	11	13
B. OPERATED	3381	8.1	20	4	5	7	9	12	16	28
TOTAL 0-19 YRS	392	6.5	5	4	4	6	7	9	11	14
20-34	1440	6.8	9	4	5	6	8	9	11	18
35-49	766	8.0	13	5	5	7	9	11	14	25
50-64	504	10.1	22	6	6	9	11	15	19	31
65+	314	13.1	57	6	7	11	16	22	28	38
GRAND TOTAL	**3416**	**8.1**	**20**	**4**	**5**	**7**	**9**	**12**	**16**	**28**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64										
65+	2	8.0	32	4	4	8	12	12	12	12
B. *Operated*										
0-19 YRS	19	2.8	3	<1	1	2	4	6	7	7
20-34	41	4.0	7	<1	<1	3	6	8	9	9
35-49	49	3.2	5	1	1	2	4	7	7	10
50-64	34	4.6	22	<1	1	3	6	12	15	21
65+	7	2.6	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	4.3	1	3	3	5	5	5	5	5
50-64	3	5.7	22	2	2	4	9	11	11	11
65+	2	8.0	50	3	3	8	13	13	13	13
B. *Operated*										
0-19 YRS	9	4.7	16	<1	1	2	7	11	13	13
20-34	39	5.5	11	1	2	5	7	10	12	17
35-49	51	5.6	20	1	1	5	8	11	13	98
50-64	34	6.2	28	1	2	4	8	13	19	20
65+	25	6.2	31	2	2	4	8	11	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.9	13	<1	<1	3	5	10	12	12
B. *Operated*	150	3.7	9	<1	1	2	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	9	5.6	15	2	2	4	7	12	13	13
B. *Operated*	158	5.8	21	1	2	5	8	11	15	26
1. SINGLE DX	158	3.7	10	<1	1	2	5	8	9	15
2. MULTIPLE DX	167	5.7	20	1	2	5	8	11	14	26
A. NOT OPERATED	17	4.8	14	<1	1	4	5	12	13	13
B. OPERATED	308	4.7	16	1	1	3	7	10	12	23
TOTAL 0-19 YRS	28	3.4	8	<1	1	2	5	7	8	13
20-34	84	4.6	9	<1	1	5	6	8	10	16
35-49	106	4.4	13	1	1	3	7	9	11	58
50-64	71	5.4	25	1	1	3	8	13	17	21
65+	36	5.7	26	2	2	4	7	12	16	25
GRAND TOTAL	**325**	**4.7**	**16**	**1**	**1**	**3**	**7**	**10**	**12**	**22**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	7.0		7	7	7	7	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	11	4.9	44	1	1	2	4	14	23	24
20-34	40	3.1	2	1	2	3	4	5	6	7
35-49	30	3.9	12	1	2	3	4	8	11	18
50-64	20	4.8	21	1	1	3	5	12	16	19
65+	18	4.0	12	1	1	3	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	9.5	1	9	9	9	10	10	10	10
B. *Operated*										
0-19 YRS	7	2.6	3	1	1	2	3	5	6	6
20-34	23	3.2	3	1	1	3	4	5	7	9
35-49	15	6.0	22	2	2	5	6	11	18	21
50-64	25	5.6	14	2	2	4	7	11	14	15
65+	27	6.7	24	1	2	6	10	15	17	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.0	8	1	1	4	7	7	7	7
B. *Operated*	119	3.9	13	1	1	3	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	4	8.0	11	3	3	9	10	10	10	10
B. *Operated*	97	5.2	17	1	2	4	6	11	15	20
1. SINGLE DX	125	3.9	13	1	1	3	4	7	11	20
2. MULTIPLE DX	101	5.3	16	1	2	4	7	10	14	20
A. NOT OPERATED	10	5.6	12	1	1	6	9	10	10	10
B. OPERATED	216	4.5	15	1	2	3	5	9	11	20
TOTAL 0-19 YRS	20	3.9	26	1	1	2	4	7	16	24
20-34	64	3.1	3	1	2	3	4	5	6	9
35-49	48	4.8	16	2	2	4	6	9	12	21
50-64	47	5.1	17	2	2	3	6	11	14	19
65+	47	5.8	20	1	1	4	9	11	16	19
GRAND TOTAL	**226**	**4.5**	**15**	**1**	**2**	**3**	**6**	**10**	**11**	**20**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0		2	2	2	2	2	2	2
65+	4	4.3	7	2	2	3	6	8	8	8
B. *Operated*										
0-19 YRS	3	4.7	5	2	2	6	6	6	6	6
20-34	29	3.4	8	1	1	2	4	8	10	12
35-49	31	3.0	5	1	1	2	4	6	9	11
50-64	79	3.4	9	1	1	2	3	6	10	17
65+	93	4.3	20	1	2	3	4	8	16	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	5.6	3	4	4	5	7	8	8	8
65+	4	10.0	149	1	1	5	17	28	28	28
B. *Operated*										
0-19 YRS	8	6.6	42	2	2	4	10	17	19	19
20-34	34	5.8	35	1	2	3	6	15	20	24
35-49	34	6.8	48	1	2	4	10	13	17	38
50-64	68	6.1	47	1	1	4	9	14	18	40
65+	130	5.8	28	1	2	4	8	13	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.1	36	1	1	3	6	16	19	19
B. *Operated*	235	3.7	13	1	1	3	4	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	12	7.1	47	1	3	5	7	14	26	28
B. *Operated*	274	6.0	36	1	2	4	8	14	17	26
1. SINGLE DX	243	3.8	13	1	1	3	4	8	11	22
2. MULTIPLE DX	286	6.1	36	1	2	4	8	14	18	28
A. NOT OPERATED	20	6.3	42	1	1	5	7	14	23	28
B. OPERATED	509	5.0	26	1	1	3	5	11	16	25
TOTAL 0-19 YRS	11	6.1	31	2	2	5	7	16	19	19
20-34	66	5.0	26	1	1	3	6	12	17	24
35-49	67	4.9	30	1	1	3	5	11	13	34
50-64	154	4.7	27	1	1	3	5	10	16	24
65+	231	5.2	26	1	2	3	6	12	17	28
GRAND TOTAL	**529**	**5.0**	**27**	**1**	**1**	**3**	**6**	**11**	**17**	**27**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	58	1.7		<1	1	2	2	2	2	4
20-34	15	4.7	79	1	1	2	3	9	29	36
35-49	11	3.3	21	<1	<1	2	3	9	16	17
50-64	8	2.6	1	2	2	2	3	4	5	5
65+	7	2.1		1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	2	8.5	25	5	5	8	12	12	12	12
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	15	2.4	2	<1	1	2	2	6	6	6
20-34	9	3.9	16	1	1	3	4	10	14	14
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	6.0	64	2	2	2	10	18	18	18
65+	8	5.1	53	1	1	3	7	19	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	99	2.4	15	<1	1	2	2	3	4	27
2. MULTIPLE DX										
A. *Not Operated*	8	6.[illegible]	22	1	1	5	9	13	14	14
B. *Operated*	37	4.0	23	1	1	2	4	8	17	23
1. SINGLE DX	101	2.4	15	<1	1	2	2	3	4	26
2. MULTIPLE DX	45	4.4	23	1	1	2	5	12	15	23
A. NOT OPERATED	10	5.4	20	<1	<1	4	7	13	14	14
B. OPERATED	136	2.8	17	1	1	2	2	4	8	25
TOTAL 0-19 YRS	76	1.9	1	<1	1	2	2	2	4	7
20-34	27	4.7	50	1	1	2	4	11	17	36
35-49	13	3.5	18	<1	1	2	3	8	15	17
50-64	14	3.6	18	2	2	2	3	6	15	18
65+	16	4.9	35	1	1	3	4	13	20	23
GRAND TOTAL	**146**	**3.0**	**18**	**<1**	**1**	**2**	**3**	**8**	**10**	**24**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.4	12	1	1	2	4	10	11	11
35-49	9	4.3	15	2	2	3	4	11	14	14
50-64	28	5.0	12	1	1	4	8	9	12	13
65+	23	6.0	16	1	2	5	9	11	13	17
B. *Operated*										
0-19 YRS	19	12.9	114	2	3	11	14	22	39	51
20-34	69	13.4	72	1	2	12	17	25	29	40
35-49	111	14.4	144	2	2	12	19	25	38	67
50-64	210	14.2	89	2	3	13	18	28	39	72
65+	80	17.9	156	2	4	15	21	34	42	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	13	6.4	25	1	1	4	10	13	16	17
35-49	7	7.6	19	2	2	8	11	13	13	13
50-64	21	10.0	48	<1	1	10	13	21	24	27
65+	66	10.0	54	3	3	7	13	22	28	88
B. *Operated*										
0-19 YRS	12	21.7	270	3	6	18	25	44	63	66
20-34	39	19.1	157	2	7	16	26	45	51	99+
35-49	64	26.3	323	7	9	22	36	62	75	99+
50-64	150	24.3	452	3	6	18	28	62	94	99+
65+	144	28.9	332	7	10	24	38	61	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	5.1	14	1	1	4	8	11	12	16
B. *Operated*	489	14.7	112	2	3	13	18	28	38	56
2. MULTIPLE DX										
A. *Not Operated*	111	9.2	47	1	2	7	12	20	26	58
B. *Operated*	409	25.7	363	5	8	20	34	58	82	99+
1. SINGLE DX	556	13.5	110	1	2	12	17	26	37	55
2. MULTIPLE DX	520	22.2	341	3	5	17	29	51	70	99+
A. NOT OPERATED	178	7.7	39	1	2	6	11	17	21	31
B. OPERATED	898	19.7	256	2	4	16	25	41	58	99+
TOTAL 0-19 YRS	35	14.9	180	2	3	12	18	30	47	66
20-34	128	13.9	109	1	2	12	18	27	38	63
35-49	191	17.7	235	2	3	14	22	39	56	96
50-64	409	17.1	250	2	3	14	21	36	56	99+
65+	313	20.4	277	3	4	17	28	46	62	99+
GRAND TOTAL	**1076**	**17.7**	**240**	**2**	**3**	**14**	**22**	**38**	**55**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	7	3.6	7	1	1	3	4	8	9	9
50-64	5	5.2	5	3	3	5	6	9	9	9
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	97	4.2	3	2	3	4	5	6	7	12
20-34	558	4.6	9	3	3	4	5	6	8	12
35-49	539	4.7	3	3	3	4	5	7	8	12
50-64	379	5.1	4	3	3	5	6	7	9	13
65+	141	5.7	10	3	3	5	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	11	7.1	64	1	2	4	8	18	29	30
50-64	12	7.3	36	2	2	6	10	16	21	22
65+	15	8.9	57	3	3	6	9	22	28	30
B. *Operated*										
0-19 YRS	24	4.5	5	2	3	4	5	7	9	12
20-34	189	5.0	5	3	3	4	6	8	8	13
35-49	279	5.9	17	3	3	5	6	9	15	24
50-64	312	6.4	17	3	3	5	7	11	13	25
65+	161	9.3	80	3	4	6	11	18	22	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.3	5	1	2	4	5	9	9	9
B. *Operated*	1714	4.8	6	3	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	43	7.4	46	2	2	5	8	16	25	30
B. *Operated*	965	6.4	27	3	3	5	7	11	15	25
1. SINGLE DX	1731	4.8	6	3	3	4	5	7	8	13
2. MULTIPLE DX	1008	6.5	27	3	3	5	7	11	15	26
A. NOT OPERATED	60	6.5	36	2	2	5	7	12	22	30
B. OPERATED	2679	5.4	14	3	3	5	6	8	11	21
TOTAL 0-19 YRS	123	4.3	3	2	3	4	5	6	7	13
20-34	753	4.7	8	3	3	4	5	6	8	12
35-49	836	5.1	9	3	3	5	6	7	10	19
50-64	708	5.7	10	3	3	5	6	9	12	22
65+	319	7.7	50	3	3	6	8	14	19	38
GRAND TOTAL	**2739**	**5.4**	**15**	**3**	**3**	**5**	**6**	**8**	**11**	**21**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	4.2	8	1	1	3	6	9	9	10
35-49	9	5.4	6	3	3	4	8	9	9	9
50-64	8	7.0	17	3	3	6	8	14	16	16
65+	5	4.8	10	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	12	10.6	29	3	4	10	12	18	23	24
20-34	62	11.2	40	3	4	9	13	21	22	34
35-49	48	10.4	68	4	4	9	14	16	19	57
50-64	56	9.8	25	4	4	9	13	16	20	24
65+	26	12.5	191	4	5	8	16	23	34	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	28	5.6	19	1	1	5	6	11	12	23
35-49	24	5.7	14	1	1	6	8	9	12	16
50-64	26	6.4	36	2	3	5	6	13	18	32
65+	20	13.2	100	4	5	10	13	28	37	43
B. *Operated*										
0-19 YRS	6	7.7	3	5	5	8	9	10	10	10
20-34	46	14.2	205	4	5	11	16	23	28	96
35-49	70	12.5	89	4	4	10	14	24	33	53
50-64	102	14.6	142	4	4	12	17	31	43	83
65+	74	19.3	302	5	6	14	23	39	65	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	5.0	10	1	1	4	8	9	10	16
B. *Operated*	204	10.8	61	4	4	9	13	19	22	45
2. MULTIPLE DX										
A. *Not Operated*	100	7.4	46	1	2	6	9	12	23	38
B. *Operated*	298	15.1	182	4	5	11	18	30	41	87
1. SINGLE DX	248	9.7	56	3	4	8	12	18	22	35
2. MULTIPLE DX	398	13.1	158	3	4	10	15	28	37	77
A. NOT OPERATED	144	6.7	36	1	2	5	8	11	16	33
B. OPERATED	502	13.3	137	4	4	10	15	25	34	71
TOTAL 0-19 YRS	21	9.0	22	3	4	9	10	14	19	24
20-34	157	10.1	93	2	3	9	12	20	23	42
35-49	151	10.3	72	3	4	9	13	18	27	57
50-64	192	11.8	98	3	4	9	14	27	34	59
65+	125	16.4	247	4	5	11	21	32	45	86
GRAND TOTAL	**646**	**11.8**	**122**	**3**	**4**	**9**	**14**	**23**	**32**	**69**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	4.0	7	<1	1	3	6	8	9	9
35-49	9	8.0	22	1	2	10	11	14	14	14
50-64	5	5.8	5	4	4	5	7	9	9	9
65+	3	7.0	91	<1	<1	2	14	18	18	18
B. *Operated*										
0-19 YRS	32	3.5	7	1	1	3	3	7	11	12
20-34	1705	4.5	8	1	2	4	6	8	9	12
35-49	642	5.5	13	2	2	6	7	9	10	16
50-64	157	5.8	62	2	2	5	7	9	12	17
65+	63	5.6	13	2	2	4	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	26	2.8	11	<1	1	1	3	8	11	13
35-49	11	6.4	22	<1	1	7	10	13	14	14
50-64	7	6.4	16	1	2	5	10	12	12	12
65+	3	6.3	5	5	5	5	8	9	9	9
B. *Operated*										
0-19 YRS	19	3.1	4	<1	1	2	4	7	8	8
20-34	1232	6.0	28	2	2	6	8	10	12	22
35-49	746	7.4	22	2	2	7	9	11	14	25
50-64	220	8.5	28	2	2	8	10	14	17	26
65+	115	8.5	31	2	3	8	11	15	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	5.3	17	<1	1	5	8	10	14	18
B. *Operated*	2599	4.9	13	1	2	4	7	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	48	4.4	16	1	1	3	7	11	12	14
B. *Operated*	2332	6.8	27	2	2	7	8	11	14	25
1. SINGLE DX	2638	4.9	13	1	2	4	7	8	9	14
2. MULTIPLE DX	2380	6.7	27	2	2	7	8	11	14	25
A. NOT OPERATED	87	4.8	16	<1	1	3	8	11	13	17
B. OPERATED	4931	5.8	20	2	2	6	8	10	12	20
TOTAL 0-19 YRS	53	3.2	6	1	1	3	3	7	8	12
20-34	2984	5.1	17	1	2	5	7	9	10	16
35-49	1408	6.5	19	2	2	7	8	10	13	20
50-64	389	7.3	43	2	2	7	9	13	16	23
65+	184	7.5	27	2	2	7	9	13	17	28
GRAND TOTAL	**5018**	**5.8**	**20**	**2**	**2**	**6**	**8**	**10**	**12**	**20**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	5	3.0	2	2	2	2	4	5	5	5
50-64	14	3.4	7	1	1	3	5	7	9	10
65+	11	8.5	119	2	2	4	8	24	39	40
B. *Operated*										
0-19 YRS	10	4.3	7	<1	1	4	6	8	8	8
20-34	70	4.4	8	1	2	3	7	8	9	13
35-49	119	5.4	18	1	2	4	7	11	14	21
50-64	217	6.5	32	1	2	5	8	14	18	26
65+	219	7.1	53	1	2	4	9	17	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	3.0	6	<1	<1	3	4	7	7	7
35-49	7	9.0	43	2	2	9	15	18	18	18
50-64	23	8.7	54	1	1	7	15	20	24	24
65+	38	9.3	49	1	2	7	13	20	22	30
B. *Operated*										
0-19 YRS	5	7.2	27	1	1	5	12	14	14	14
20-34	56	6.8	20	1	2	6	9	14	15	21
35-49	143	7.6	31	2	2	7	10	14	18	30
50-64	321	9.7	76	1	2	8	12	20	26	42
65+	379	10.6	91	2	2	8	14	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.1	48	1	1	4	5	9	13	40
B. *Operated*	635	6.2	35	1	2	4	8	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	74	8.7	47	1	1	7	13	19	23	29
B. *Operated*	904	9.5	73	2	2	8	12	20	26	40
1. SINGLE DX	667	6.2	35	1	2	4	8	14	18	33
2. MULTIPLE DX	978	9.5	71	2	2	8	12	20	25	39
A. NOT OPERATED	106	7.6	50	1	1	5	10	17	21	34
B. OPERATED	1539	8.2	59	1	2	6	11	17	22	37
TOTAL 0-19 YRS	16	5.6	15	<1	1	5	8	11	13	14
20-34	133	5.3	14	1	2	5	7	10	13	19
35-49	274	6.6	26	1	2	5	9	13	16	27
50-64	575	8.3	59	1	2	6	10	17	23	36
65+	647	9.3	79	2	2	6	13	20	27	40
GRAND TOTAL	**1645**	**8.1**	**59**	**1**	**2**	**6**	**11**	**17**	**22**	**37**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	3.6	13	<1	1	3	5	8	9	21
20-34	147	4.7	16	1	1	4	6	9	13	21
35-49	131	5.0	19	1	1	4	7	10	14	23
50-64	194	5.9	44	1	1	4	7	11	15	26
65+	237	7.4	47	1	1	5	10	17	21	34
B. *Operated*										
0-19 YRS	292	5.2	60	1	1	3	6	10	15	37
20-34	565	5.2	22	1	2	4	7	10	14	20
35-49	465	5.9	39	1	1	4	7	13	18	34
50-64	670	6.2	48	1	2	4	8	14	18	29
65+	648	6.7	57	1	2	4	9	15	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.9	100	1	1	4	7	10	14	71
20-34	121	5.6	22	<1	1	4	8	12	16	20
35-49	183	6.5	33	1	2	5	9	12	17	28
50-64	360	6.8	39	1	2	5	8	14	18	32
65+	774	8.9	57	1	2	7	12	19	25	39
B. *Operated*										
0-19 YRS	109	8.7	93	2	2	5	10	21	29	50
20-34	414	7.0	42	1	2	5	8	14	21	47
35-49	494	8.8	90	1	2	7	11	17	29	54
50-64	817	9.9	89	2	2	7	13	21	27	53
65+	1168	11.6	106	2	2	9	16	24	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	5.7	34	1	1	4	7	12	16	28
B. *Operated*	2640	5.9	45	1	2	4	7	13	18	31
2. MULTIPLE DX										
A. *Not Operated*	1496	7.7	50	1	2	6	10	16	22	36
B. *Operated*	3002	10.0	92	2	2	7	13	22	29	55
1. SINGLE DX	3423	5.9	42	1	1	4	7	13	17	30
2. MULTIPLE DX	4498	9.2	79	1	2	7	12	20	26	48
A. NOT OPERATED	2279	7.1	45	1	1	5	9	14	20	32
B. OPERATED	5642	8.1	74	1	2	5	10	18	24	45
TOTAL 0-19 YRS	533	5.8	67	1	1	3	6	11	19	44
20-34	1247	5.8	29	1	2	4	8	12	15	27
35-49	1273	7.0	58	1	2	5	9	14	20	40
50-64	2041	7.8	65	1	2	5	10	17	23	40
65+	2827	9.4	81	1	2	7	13	20	27	45
GRAND TOTAL	**7921**	**7.8**	**66**	**1**	**2**	**5**	**10**	**17**	**23**	**40**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.5	6	1	2	3	4	7	9	11
20-34	64	4.3	13	<1	1	3	6	9	11	18
35-49	47	4.0	7	1	2	3	5	7	8	16
50-64	38	5.0	29	<1	1	4	7	8	11	33
65+	25	5.1	7	1	2	5	8	8	9	10
B. *Operated*										
0-19 YRS	47	4.5	3	3	3	4	5	6	7	12
20-34	348	4.7	4	3	3	4	5	7	8	13
35-49	481	5.0	6	3	3	4	6	8	9	14
50-64	493	5.5	6	3	4	5	6	8	10	15
65+	150	5.6	6	3	3	5	7	9	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.2	5	1	2	4	5	7	9	10
20-34	81	5.3	20	1	1	5	6	9	12	27
35-49	131	5.6	16	2	2	5	7	9	10	28
50-64	158	6.3	13	2	3	6	8	11	14	19
65+	154	6.8	23	2	2	6	8	13	16	25
B. *Operated*										
0-19 YRS	18	6.0	16	2	3	4	7	14	15	15
20-34	145	6.2	26	3	3	5	6	9	15	34
35-49	265	6.1	10	3	3	5	7	10	13	19
50-64	375	7.7	43	3	3	6	9	14	18	42
65+	255	10.0	58	4	4	8	12	19	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	4.3	13	1	1	3	6	8	10	17
B. *Operated*	1519	5.1	5	3	3	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	546	6.0	18	2	2	5	7	10	14	25
B. *Operated*	1058	7.6	38	3	4	6	9	14	18	35
1. SINGLE DX	1720	5.1	6	2	3	5	6	8	9	14
2. MULTIPLE DX	1604	7.1	31	2	3	5	8	13	17	30
A. NOT OPERATED	747	5.6	17	1	2	5	7	10	13	22
B. OPERATED	2577	6.2	20	3	3	5	7	10	14	24
TOTAL 0-19 YRS	114	4.5	6	2	2	4	5	7	10	14
20-34	638	5.1	12	2	3	4	6	8	10	20
35-49	924	5.4	9	3	3	5	6	9	10	17
50-64	1064	6.4	22	3	3	5	7	10	14	23
65+	584	7.8	37	3	3	6	9	14	19	34
GRAND TOTAL	**3324**	**6.0**	**19**	**2**	**3**	**5**	**7**	**10**	**13**	**24**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	5.2	13	1	2	4	6	9	12	19
20-34	370	5.8	15	2	2	5	7	11	13	21
35-49	311	6.1	17	2	2	5	8	11	13	22
50-64	232	6.7	15	2	3	6	8	11	14	20
65+	146	7.2	18	2	3	6	10	13	14	23
B. *Operated*										
0-19 YRS	107	6.3	14	3	3	5	7	11	15	21
20-34	397	5.8	12	3	3	5	6	8	13	23
35-49	312	5.4	7	3	3	5	6	7	10	17
50-64	264	6.1	12	3	3	5	7	9	13	21
65+	67	7.0	24	3	4	5	8	12	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	6.0	22	2	2	5	7	10	15	32
20-34	503	6.6	23	2	2	5	8	12	15	23
35-49	658	7.8	30	2	3	7	10	14	18	27
50-64	805	8.7	44	3	3	7	10	15	20	35
65+	908	11.4	67	3	4	9	15	21	26	40
B. *Operated*										
0-19 YRS	42	7.5	25	2	3	6	9	13	17	28
20-34	204	7.3	35	3	3	5	8	12	18	34
35-49	296	7.7	25	3	3	6	10	15	19	26
50-64	343	10.1	59	3	4	8	13	18	28	38
65+	215	13.5	93	4	5	11	17	28	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1194	6.2	16	2	2	5	8	11	13	21
B. *Operated*	1147	5.9	12	3	3	5	6	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	3019	8.8	47	2	3	7	11	17	21	35
B. *Operated*	1100	9.5	56	3	4	7	12	18	26	37
1. SINGLE DX	2341	6.0	14	2	3	5	7	10	13	21
2. MULTIPLE DX	4119	9.0	49	3	3	7	11	17	22	36
A. NOT OPERATED	4213	8.1	39	2	3	6	10	15	20	31
B. OPERATED	2247	7.6	37	3	3	6	9	14	19	33
TOTAL 0-19 YRS	429	6.0	18	2	2	5	7	10	15	28
20-34	1474	6.2	20	2	3	5	7	11	14	25
35-49	1577	7.0	23	2	3	6	8	13	16	25
50-64	1644	8.3	40	3	3	7	10	15	19	34
65+	1336	11.0	67	3	4	9	14	21	27	42
GRAND TOTAL	**6460**	**7.9**	**38**	**2**	**3**	**6**	**10**	**15**	**19**	**32**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1074	7.1	15	2	3	7	9	12	14	21
20-34	1001	6.4	15	2	2	6	8	11	14	22
35-49	1194	7.1	16	2	3	6	9	12	14	21
50-64	1714	7.3	18	3	3	7	9	12	14	22
65+	1284	8.2	25	3	4	7	10	14	17	25
B. *Operated*										
0-19 YRS	9	7.3	8	4	4	7	8	12	14	14
20-34	13	10.6	120	2	3	6	11	28	39	42
35-49	24	13.6	119	2	4	11	16	23	34	55
50-64	45	10.2	38	3	3	9	12	16	21	36
65+	27	14.2	147	2	5	12	18	23	39	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	781	6.3	22	1	2	5	8	12	15	24
20-34	1921	7.3	25	2	3	6	9	13	16	24
35-49	4432	8.2	27	3	3	7	10	14	17	28
50-64	8722	8.9	33	3	4	8	11	15	19	30
65+	9973	10.0	49	3	4	8	12	18	23	38
B. *Operated*										
0-19 YRS	47	9.4	38	2	3	9	12	18	22	29
20-34	251	11.6	83	2	3	10	15	22	29	53
35-49	685	13.0	94	3	4	10	16	24	31	50
50-64	1405	14.6	135	4	5	12	18	28	36	68
65+	1376	17.3	168	4	6	14	22	34	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6267	7.3	18	2	3	7	9	12	15	23
B. *Operated*	118	11.6	88	2	4	9	14	21	26	57
2. MULTIPLE DX										
A. *Not Operated*	25829	9.0	38	3	4	8	11	16	20	32
B. *Operated*	3764	15.0	139	4	5	12	18	29	38	63
1. SINGLE DX	6385	7.4	20	2	3	7	9	12	15	24
2. MULTIPLE DX	29593	9.8	55	3	4	8	12	17	23	40
A. NOT OPERATED	32096	8.7	35	3	3	7	11	15	19	30
B. OPERATED	3882	14.9	137	4	5	12	18	29	38	62
TOTAL 0-19 YRS	1911	6.8	19	2	2	6	9	12	15	23
20-34	3186	7.4	29	2	3	6	9	14	17	29
35-49	6335	8.5	35	3	3	7	10	15	19	32
50-64	11886	9.3	47	3	4	8	11	16	21	36
65+	12660	10.7	66	3	4	9	13	19	25	44
GRAND TOTAL	**35978**	**9.4**	**50**	**3**	**4**	**8**	**11**	**17**	**22**	**38**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1099	6.1	21	2	2	5	8	11	14	24
20-34	727	5.7	14	2	2	5	7	11	13	19
35-49	218	7.5	24	2	3	7	10	13	17	26
50-64	194	8.2	22	2	3	8	10	14	17	27
65+	150	8.8	23	3	4	8	11	15	19	25
B. *Operated*										
0-19 YRS	4	18.0	405	6	6	9	29	48	48	48
20-34	3	18.3	234	9	9	10	29	36	36	36
35-49	1	13.0		13	13	13	13	13	13	13
50-64	4	19.8	231	4	4	19	32	36	36	36
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	858	6.1	24	2	2	5	8	11	14	24
20-34	965	7.2	27	2	2	6	9	14	17	27
35-49	580	9.9	53	2	3	8	12	18	24	42
50-64	760	10.8	53	3	4	9	14	20	25	39
65+	826	12.5	59	3	4	11	16	21	28	39
B. *Operated*										
0-19 YRS	34	10.1	55	2	3	8	13	24	25	27
20-34	113	14.9	178	5	6	11	17	28	34	80
35-49	70	14.9	91	5	7	13	17	29	42	89
50-64	90	25.7	380	7	9	18	37	57	75	94
65+	110	22.0	245	7	9	19	27	38	57	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2388	6.5	21	2	2	5	8	12	15	23
B. *Operated*	12	18.3	219	4	5	11	32	40	47	48
2. MULTIPLE DX										
A. *Not Operated*	3989	9.2	48	2	3	8	12	17	22	35
B. *Operated*	417	18.7	239	4	6	14	23	38	53	90
1. SINGLE DX	2400	6.5	22	2	2	5	8	12	15	24
2. MULTIPLE DX	4406	10.1	73	2	3	8	13	19	25	44
A. NOT OPERATED	6377	8.1	39	2	2	7	10	16	20	32
B. OPERATED	429	18.7	238	4	6	14	23	38	53	89
TOTAL 0-19 YRS	1995	6.2	24	2	2	5	8	12	15	25
20-34	1808	7.1	36	2	2	6	9	13	17	30
35-49	869	9.7	52	2	3	8	12	17	24	42
50-64	1048	11.7	95	3	4	9	[illegible]	22	29	61
65+	1086	12.9	84	3	4	11	16	23	29	48
GRAND TOTAL	**6806**	**8.8**	**58**	**2**	**3**	**7**	**11**	**17**	**22**	**39**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	358	6.9	21	2	3	6	8	12	15	25
20-34	503	6.8	21	2	2	6	8	12	14	22
35-49	621	7.5	29	2	3	7	9	12	15	35
50-64	924	7.9	19	3	3	7	10	13	16	24
65+	609	8.8	39	3	4	8	11	15	18	26
B. *Operated*										
0-19 YRS	5	4.6	6	2	2	5	7	7	7	7
20-34	42	7.8	66	<1	1	5	12	16	21	43
35-49	52	10.3	172	2	2	7	13	19	31	82
50-64	103	8.9	75	1	2	6	11	18	29	43
65+	113	7.6	65	1	2	5	9	16	30	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	6.4	22	1	2	5	8	11	14	26
20-34	1277	7.9	33	2	3	7	10	14	17	29
35-49	2429	9.2	36	3	4	8	11	16	20	32
50-64	5120	9.8	42	3	4	8	12	17	22	35
65+	5395	10.8	56	3	4	9	13	19	24	40
B. *Operated*										
0-19 YRS	26	13.8	81	2	2	11	18	26	29	35
20-34	335	14.1	162	2	3	10	18	33	42	69
35-49	659	16.2	180	3	4	12	20	33	46	83
50-64	1543	19.4	266	4	5	15	25	42	58	98
65+	1688	23.4	292	4	7	19	31	49	63	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3015	7.7	26	2	3	7	10	13	16	25
B. *Operated*	315	8.5	85	1	2	5	11	17	28	43
2. MULTIPLE DX										
A. *Not Operated*	14517	9.9	46	3	4	8	12	17	22	36
B. *Operated*	4251	20.1	263	4	5	15	26	43	58	92
1. SINGLE DX	3330	7.8	32	2	3	7	10	14	16	30
2. MULTIPLE DX	18768	12.2	114	3	4	9	14	24	33	63
A. NOT OPERATED	17532	9.5	43	3	4	8	12	17	21	35
B. OPERATED	4566	19.3	260	3	4	15	26	42	56	90
TOTAL 0-19 YRS	685	6.9	26	2	2	6	9	12	16	27
20-34	2157	8.6	57	2	3	7	10	15	22	43
35-49	3761	10.1	70	3	4	8	12	18	25	47
50-64	7690	11.5	101	3	4	9	13	22	30	62
65+	7805	13.4	134	3	4	10	16	26	37	66
GRAND TOTAL	**22098**	**11.5**	**104**	**3**	**4**	**9**	**14**	**22**	**31**	**60**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	4	1	1	3	4	6	7	8
20-34	53	3.4	4	1	1	3	5	6	7	9
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	107	4.3	8	1	2	4	6	8	10	11
20-34	447	4.1	7	1	1	4	6	7	8	12
35-49	17	3.7	7	1	1	2	7	7	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.0	7	2	2	4	7	9	9	9
20-34	67	5.5	18	1	1	5	7	9	11	25
35-49	15	4.7	10	2	2	3	6	8	12	14
50-64	1	27.0		27	27	27	27	27	27	27
65+										
B. *Operated*										
0-19 YRS	81	5.7	16	1	2	5	8	11	14	75
20-34	660	4.8	13	1	1	4	7	8	11	17
35-49	51	6.0	16	2	2	6	8	10	13	21
50-64	6	3.2	3	1	1	3	4	6	6	6
65+	3	2.0	1	1	1	2	51	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.3	4	1	1	3	5	6	7	9
B. *Operated*	573	4.1	7	1	1	3	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	92	5.5	21	1	2	4	7	9	13	26
B. *Operated*	801	4.9	13	1	1	4	7	9	11	20
1. SINGLE DX	645	4.0	7	1	1	3	6	7	8	12
2. MULTIPLE DX	893	5.0	14	1	1	4	7	9	11	22
A. NOT OPERATED	164	4.5	14	1	1	4	6	8	9	25
B. OPERATED	1374	4.6	11	1	1	4	6	8	10	17
TOTAL 0-19 YRS	213	4.8	11	1	2	4	7	9	11	19
20-34	1227	4.5	11	1	1	4	6	8	9	16
35-49	86	5.2	14	1	2	5	7	9	12	19
50-64	9	5.4	68	1	1	3	4	19	27	27
65+	3	2.0	1	1	1	2	51	99+	99+	99+
GRAND TOTAL	**1538**	**4.6**	**11**	**1**	**1**	**4**	**6**	**8**	**10**	**18**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	303	4.1	13	1	1	3	5	8	10	18
20-34	391	4.7	10	1	2	4	6	8	10	16
35-49	287	5.3	22	1	2	4	7	10	13	25
50-64	213	4.9	15	1	1	4	6	10	12	17
65+	159	5.5	23	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS	33	6.8	34	1	2	6	8	17	19	24
20-34	74	8.5	42	2	2	7	12	18	23	28
35-49	63	7.5	44	2	2	6	9	14	19	39
50-64	68	7.7	35	2	2	6	9	15	22	30
65+	33	10.9	48	4	5	9	12	20	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	424	5.1	27	1	1	4	6	9	14	31
20-34	943	5.8	26	1	2	5	7	10	15	25
35-49	869	6.3	20	2	2	5	8	11	15	24
50-64	1067	7.4	36	1	2	6	9	14	17	31
65+	1654	8.6	49	2	3	7	11	17	21	38
B. *Operated*										
0-19 YRS	49	7.5	42	2	2	5	11	16	22	27
20-34	153	8.5	87	1	2	6	10	17	21	46
35-49	194	12.0	125	1	3	9	16	24	32	57
50-64	238	13.7	148	3	4	10	17	29	38	89
65+	182	16.5	169	4	5	13	21	32	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1353	4.8	16	1	1	4	6	9	12	20
B. *Operated*	271	8.2	41	2	2	7	10	17	22	31
2. MULTIPLE DX										
A. *Not Operated*	4957	7.1	36	1	2	6	9	14	18	32
B. *Operated*	816	12.6	137	2	3	9	16	26	35	69
1. SINGLE DX	1624	5.4	21	1	1	4	7	10	14	24
2. MULTIPLE DX	5773	7.9	54	1	2	6	10	16	21	39
A. NOT OPERATED	6310	6.6	33	1	2	5	8	13	17	30
B. OPERATED	1087	11.5	117	2	2	8	15	24	32	57
TOTAL 0-19 YRS	809	4.9	24	1	1	4	6	9	13	27
20-34	1561	6.0	30	1	2	5	7	11	16	27
35-49	1413	7.0	40	1	2	5	8	14	18	33
50-64	1586	8.0	56	1	2	6	10	15	20	40
65+	2028	9.1	64	2	2	7	11	18	23	41
GRAND TOTAL	**7397**	**7.4**	**48**	**1**	**2**	**5**	**9**	**15**	**20**	**36**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	7.2	52	1	1	4	9	21	25	27
20-34	9	6.9	25	2	2	5	10	15	17	17
35-49	11	6.8	20	2	3	5	8	13	18	19
50-64	14	9.4	90	1	2	6	10	29	31	31
65+	30	9.4	59	1	2	7	11	24	26	29
B. *Operated*										
0-19 YRS	4	7.5	35	3	3	5	11	16	16	16
20-34	4	8.0	77	2	2	4	13	21	21	21
35-49	4	4.3	15	2	2	3	6	10	10	10
50-64	7	5.3	22	<1	<1	4	9	12	13	13
65+	6	11.5	109	1	1	11	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	11.0	80	3	3	7	15	26	30	39
20-34	53	8.3	29	3	3	7	11	17	19	28
35-49	59	10.3	68	2	3	8	13	21	25	49
50-64	167	12.1	98	3	4	9	16	23	29	52
65+	572	12.8	84	4	4	10	16	23	31	45
B. *Operated*										
0-19 YRS	7	8.3	23	3	3	8	13	15	15	15
20-34	16	10.0	64	2	2	9	13	25	27	28
35-49	22	19.9	224	3	6	15	30	46	77	99+
50-64	53	16.5	90	5	7	14	21	32	35	46
65+	101	21.2	193	5	7	18	28	43	51	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	8.2	53	1	2	6	9	20	26	30
B. *Operated*	25	7.4	51	1	1	4	11	21	21	22
2. MULTIPLE DX										
A. *Not Operated*	935	12.1	83	3	4	10	15	23	29	45
B. *Operated*	199	18.4	165	3	6	15	25	37	45	86
1. SINGLE DX	112	8.0	52	1	2	5	10	20	26	30
2. MULTIPLE DX	1134	13.2	103	3	4	10	16	26	33	53
A. NOT OPERATED	1022	11.8	81	3	4	9	15	23	29	45
B. OPERATED	224	17.2	164	2	3	14	23	35	44	79
TOTAL 0-19 YRS	118	10.0	71	2	3	7	14	23	28	38
20-34	82	8.5	37	2	2	7	11	17	20	28
35-49	96	11.9	115	2	3	9	14	27	37	84
50-64	241	12.7	99	3	4	10	16	25	32	47
65+	709	13.8	107	3	4	11	17	27	34	55
GRAND TOTAL	**1246**	**12.7**	**101**	**3**	**4**	**10**	**16**	**26**	**32**	**51**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	10.8	18	3	5	11	14	15	17	45
20-34	28	11.5	34	5	6	10	14	16	21	35
35-49										
B. *Operated*										
0-19 YRS										
20-34	5	9.4	80	3	3	7	12	25	25	25
35-49	8	2.8	4	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	221	11.1	52	2	3	10	14	19	26	39
20-34	63	12.3	84	3	4	11	15	21	25	52
35-49	7	12.7	22	8	8	13	15	20	21	21
B. *Operated*										
0-19 YRS	14	19.1	163	5	7	16	40	94	99+	99+
20-34	9	17.0	188	2	2	15	22	38	48	48
35-49	6	2.5	2	2	2	2	2	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	10.9	21	3	5	11	14	15	17	36
B. *Operated*	13	5.3	40	<1	<1	3	7	11	22	25
2. MULTIPLE DX										
A. *Not Operated*	291	11.4	58	2	3	10	14	20	26	42
B. *Operated*	29	15.0	173	2	2	15	21	45	97	99+
1. SINGLE DX	160	10.5	24	2	4	10	14	15	18	34
2. MULTIPLE DX	320	11.7	69	2	3	10	15	21	29	51
A. NOT OPERATED	438	11.2	46	2	4	10	14	18	22	40
B. OPERATED	42	12.0	150	1	2	8	17	42	63	99+
TOTAL 0-19 YRS	354	11.3	47	2	3	10	14	17	26	44
20-34	105	12.4	79	3	4	11	15	21	26	51
35-49	21	6.0	32	<1	1	3	9	14	18	21
GRAND TOTAL	**480**	**11.3**	**55**	**2**	**3**	**10**	**14**	**19**	**25**	**49**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	4.9	29	1	2	3	6	9	10	38
20-34	52	4.7	43	<1	1	3	5	7	8	36
35-49	30	4.1	8	<1	1	3	6	8	11	11
50-64	18	6.9	22	2	2	5	10	13	17	19
65+	3	6.3	4	4	4	7	8	8	8	8
B. *Operated*										
0-19 YRS	46	9.1	9	6	6	9	10	13	15	21
20-34	637	9.4	15	5	6	9	11	13	16	24
35-49	405	10.0	18	6	6	9	11	14	16	28
50-64	52	9.5	11	5	6	9	12	14	14	19
65+	7	9.9	30	2	3	9	11	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	5.9	49	1	2	4	6	12	15	47
20-34	195	6.1	22	1	2	5	8	12	16	29
35-49	280	7.1	42	1	2	5	9	14	18	35
50-64	234	8.0	37	2	3	6	10	15	19	33
65+	103	8.9	44	2	3	7	12	17	20	34
B. *Operated*										
0-19 YRS	36	9.4	17	4	4	9	12	15	16	20
20-34	905	10.4	39	4	5	9	12	16	20	37
35-49	975	11.1	54	4	5	10	13	18	23	46
50-64	265	12.1	71	4	5	10	14	20	26	66
65+	17	12.1	115	1	2	9	16	29	37	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	4.9	28	1	1	3	6	8	11	36
B. *Operated*	1147	9.6	15	5	6	9	11	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	911	7.2	38	2	2	5	9	14	18	33
B. *Operated*	2198	11.0	50	4	5	9	12	17	22	41
1. SINGLE DX	1314	9.0	19	3	5	8	11	13	16	28
2. MULTIPLE DX	3109	9.8	49	3	4	9	12	17	21	39
A. NOT OPERATED	1078	6.8	37	1	2	5	8	14	18	34
B. OPERATED	3345	10.5	39	4	5	9	12	16	20	36
TOTAL 0-19 YRS	245	6.8	35	2	2	5	9	13	15	42
20-34	1789	9.4	31	3	4	9	11	14	18	35
35-49	1690	10.1	45	3	4	9	12	16	21	37
50-64	569	10.0	54	3	3	9	12	18	21	36
65+	130	9.3	52	2	3	7	12	17	22	39
GRAND TOTAL	**4423**	**9.6**	**41**	**3**	**4**	**9**	**11**	**15**	**20**	**36**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	4.3	12	1	1	3	5	8	11	18
20-34	121	5.8	75	1	1	4	6	10	15	48
35-49	101	5.8	14	2	2	5	8	11	13	60
50-64	86	7.3	47	2	2	5	9	14	16	42
65+	55	8.0	35	2	2	7	10	15	22	28
B. *Operated*										
0-19 YRS	66	5.3	18	1	1	4	8	11	13	22
20-34	126	6.3	24	1	2	5	8	14	15	22
35-49	124	5.2	16	1	1	4	6	10	14	20
50-64	110	6.6	64	1	2	3	7	17	22	48
65+	41	7.2	34	2	2	6	9	17	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	6.1	36	1	1	4	7	13	17	43
20-34	285	6.7	30	2	2	5	8	14	17	31
35-49	392	7.2	36	2	3	6	9	14	17	31
50-64	457	7.9	38	2	3	6	10	15	21	32
65+	441	9.3	58	2	3	7	12	17	23	51
B. *Operated*										
0-19 YRS	67	8.7	47	2	2	7	12	16	20	38
20-34	239	10.8	60	2	3	9	15	18	22	35
35-49	351	10.2	50	2	3	9	14	18	23	34
50-64	301	10.5	91	2	2	8	13	21	31	54
65+	183	14.3	112	3	4	12	18	30	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	5.9	38	1	2	4	7	11	14	33
B. *Operated*	467	6.0	32	1	2	4	7	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	1772	7.7	42	2	2	6	10	15	20	35
B. *Operated*	1141	11.0	75	2	3	9	15	20	27	47
1. SINGLE DX	971	5.9	35	1	2	4	7	12	16	28
2. MULTIPLE DX	2913	9.0	57	2	3	7	12	17	22	41
A. NOT OPERATED	2276	7.3	42	2	2	6	9	15	19	34
B. OPERATED	1608	9.5	67	2	2	7	14	18	24	44
TOTAL 0-19 YRS	471	5.8	30	1	2	4	7	12	16	26
20-34	771	7.8	49	2	2	6	10	16	19	33
35-49	968	7.9	40	2	2	6	10	15	19	31
50-64	954	8.5	60	2	2	6	11	17	22	44
65+	720	10.4	74	2	3	8	13	20	28	50
GRAND TOTAL	**3884**	**8.2**	**53**	**2**	**2**	**6**	**11**	**16**	**21**	**40**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	4.4	7	1	2	4	5	8	11	12
35-49	87	5.6	20	2	2	5	6	9	14	29
50-64	109	6.5	21	1	2	6	8	12	15	25
65+	96	6.0	16	1	2	5	7	12	15	63
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	8	8.3	52	2	2	5	14	19	21	21
35-49	19	6.3	87	2	2	4	6	8	28	44
50-64	33	6.6	39	2	2	5	8	13	16	34
65+	22	8.5	36	1	2	8	12	17	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	14	1	1	3	7	11	11	11
20-34	46	6.1	12	2	3	6	7	9	12	19
35-49	179	7.1	32	2	3	5	9	12	16	37
50-64	399	6.9	22	2	3	6	8	12	17	23
65+	618	8.5	31	3	3	7	11	15	20	29
B. *Operated*										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	11	7.3	21	1	2	6	11	14	16	16
35-49	30	11.8	93	2	3	10	14	22	36	44
50-64	84	12.9	112	3	5	9	14	25	36	55
65+	92	15.9	141	3	5	13	20	31	41	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	5.9	18	1	2	5	7	11	14	24
B. *Operated*	84	7.1	49	2	2	5	10	15	19	41
2. MULTIPLE DX										
A. *Not Operated*	1248	7.7	28	2	3	6	9	14	18	28
B. *Operated*	222	13.5	121	3	4	10	17	28	37	57
1. SINGLE DX	404	6.2	25	2	2	5	7	12	15	30
2. MULTIPLE DX	1470	8.6	46	2	3	7	11	16	21	39
A. NOT OPERATED	1568	7.3	27	2	3	6	9	13	18	28
B. OPERATED	306	11.7	109	2	3	9	15	23	35	54
TOTAL 0-19 YRS	13	3.5	7	1	1	3	4	8	10	11
20-34	93	5.9	16	2	2	5	7	11	15	20
35-49	315	7.1	40	2	2	5	9	13	18	40
50-64	625	7.6	39	2	3	6	9	14	19	35
65+	828	9.0	48	2	3	7	11	17	22	39
GRAND TOTAL	**1874**	**8.0**	**43**	**2**	**3**	**6**	**10**	**15**	**20**	**37**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	3.7	12	1	1	3	5	6	8	24
20-34	75	5.0	14	1	2	4	6	8	11	22
35-49	77	5.6	25	1	2	4	7	12	16	27
50-64	110	5.5	22	1	1	4	8	11	16	57
65+	208	6.9	23	2	2	6	9	12	16	26
B. *Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	1	8.0		8	8	8	8	8	8	8
35-49	4	5.5	14	2	2	5	8	10	10	10
50-64	2	15.5	365	2	2	15	29	29	29	29
65+	8	8.9	86	1	1	4	17	22	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	925	4.6	15	1	2	3	5	8	12	21
20-34	580	5.4	21	1	2	4	7	11	13	24
35-49	769	6.5	27	2	2	5	8	12	15	26
50-64	1417	8.0	36	2	3	7	10	15	20	31
65+	5236	10.5	59	3	4	9	13	19	25	41
B. *Operated*										
0-19 YRS	31	10.7	95	2	3	7	15	22	30	47
20-34	65	11.1	119	1	2	7	15	25	43	92
35-49	103	12.5	86	3	4	10	16	25	32	48
50-64	171	14.3	117	2	4	11	20	30	37	92
65+	426	19.7	186	5	7	16	25	37	45	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	629	5.4	20	1	2	4	7	11	14	26
B. *Operated*	17	8.5	72	1	1	6	12	23	27	29
2. MULTIPLE DX										
A. *Not Operated*	8927	8.8	50	2	3	7	11	17	22	35
B. *Operated*	796	16.6	161	3	5	14	21	33	42	79
1. SINGLE DX	646	5.5	22	1	2	4	7	11	15	27
2. MULTIPLE DX	9723	9.4	64	2	3	7	12	19	24	41
A. NOT OPERATED	9556	8.6	49	2	2	7	11	17	22	35
B. OPERATED	813	16.4	161	3	4	13	21	33	42	79
TOTAL 0-19 YRS	1117	4.6	18	1	2	3	5	8	13	24
20-34	721	5.9	31	1	2	4	7	11	15	28
35-49	953	7.1	37	2	2	5	9	14	18	33
50-64	1700	8.5	47	2	3	7	10	17	23	35
65+	5878	11.0	73	3	4	9	14	21	27	46
GRAND TOTAL	**10369**	**9.2**	**62**	**2**	**2**	**7**	**12**	**18**	**24**	**40**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	4.4	12	1	2	4	5	8	10	19
20-34	67	4.4	8	1	2	3	6	9	11	14
35-49	98	4.9	11	1	2	4	6	9	11	64
50-64	79	6.6	16	1	2	6	9	12	14	19
65+	195	6.1	19	1	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	30	5.3	8	2	2	5	8	9	10	12
20-34	30	7.0	30	2	2	5	9	15	18	25
35-49	46	8.4	38	3	3	6	10	18	24	28
50-64	40	8.6	31	2	3	8	11	17	21	23
65+	69	9.5	22	3	4	8	12	16	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	5.3	12	2	2	5	7	10	12	20
20-34	234	6.2	14	1	2	6	8	11	13	19
35-49	407	7.0	21	2	2	6	9	13	15	24
50-64	573	7.7	31	2	2	6	10	14	17	30
65+	2293	8.4	38	2	3	7	11	15	19	29
B. *Operated*										
0-19 YRS	52	7.9	21	3	3	7	10	13	15	27
20-34	107	8.1	27	2	2	7	10	15	19	25
35-49	275	9.5	33	2	3	8	12	17	20	29
50-64	357	11.7	57	3	4	10	15	21	25	44
65+	869	12.6	72	4	5	10	16	23	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	585	5.4	15	1	2	4	7	10	13	23
B. *Operated*	215	8.2	28	2	3	7	10	15	20	25
2. MULTIPLE DX										
A. *Not Operated*	3750	7.8	32	2	3	7	10	14	18	28
B. *Operated*	1660	11.4	60	3	4	10	14	21	26	41
1. SINGLE DX	800	6.1	20	1	2	5	8	11	15	25
2. MULTIPLE DX	5410	8.9	44	2	3	7	11	17	21	34
A. NOT OPERATED	4335	7.5	31	2	2	6	10	14	17	28
B. OPERATED	1875	11.1	58	3	4	9	14	20	25	40
TOTAL 0-19 YRS	471	5.3	13	2	2	4	7	10	12	21
20-34	438	6.5	19	1	2	6	9	12	14	23
35-49	826	7.6	27	2	2	6	10	14	18	27
50-64	1049	9.0	42	2	3	8	11	17	21	35
65+	3426	9.4	49	2	3	8	12	17	22	36
GRAND TOTAL	**6210**	**8.6**	**42**	**2**	**3**	**7**	**11**	**16**	**20**	**33**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	451	5.0	9	1	2	5	6	9	10	15
20-34	694	6.8	25	2	2	6	8	12	15	28
35-49	119	5.1	17	<1	<1	4	7	10	12	21
50-64	15	6.8	12	3	3	7	9	11	14	15
65+	3	6.7	4	5	5	6	8	9	9	9
B. *Operated*										
0-19 YRS	8	7.9	35	1	2	5	12	17	18	18
20-34	14	9.6	122	1	1	6	9	32	37	38
35-49	13	4.1	29	<1	<1	<1	6	14	16	17
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	449	6.4	27	1	2	5	8	12	15	23
20-34	709	8.7	45	2	3	7	10	16	21	38
35-49	139	8.1	33	1	2	7	10	15	21	28
50-64	29	8.8	35	2	3	8	10	17	22	26
65+	8	6.9	38	1	1	5	11	16	18	18
B. *Operated*										
0-19 YRS	18	14.7	168	1	4	11	18	28	46	57
20-34	75	18.3	176	4	5	14	24	36	51	58
35-49	32	13.6	73	4	6	11	17	25	35	37
50-64	6	15.7	70	8	8	12	23	28	29	29
65+	2	10.0	8	8	8	10	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1282	6.0	19	1	2	5	8	11	14	24
B. *Operated*	36	7.1	68	<1	<1	5	9	17	27	38
2. MULTIPLE DX										
A. *Not Operated*	1334	7.8	38	2	2	6	10	14	19	31
B. *Operated*	133	16.4	145	4	5	13	22	32	40	57
1. SINGLE DX	1318	6.1	20	1	2	5	8	11	14	24
2. MULTIPLE DX	1467	8.6	54	2	2	7	10	16	22	39
A. NOT OPERATED	2616	6.9	30	1	2	6	9	13	16	27
B. OPERATED	169	14.5	143	<1	3	11	19	31	37	56
TOTAL 0-19 YRS	926	5.9	23	1	2	5	7	11	14	22
20-34	1492	8.3	49	2	3	6	10	15	21	38
35-49	303	7.3	37	<1	1	6	9	14	20	29
50-64	51	8.9	37	3	3	8	11	17	23	29
65+	13	7.3	25	1	2	7	10	14	17	18
GRAND TOTAL	**2785**	**7.4**	**40**	**1**	**2**	**6**	**9**	**14**	**19**	**32**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.4	13	<1	<1	2	4	8	11	19
20-34	114	3.3	8	<1	<1	2	5	7	9	14
35-49	103	5.1	18	<1	1	4	7	10	14	21
50-64	155	4.7	19	1	1	3	6	10	15	24
65+	698	5.2	26	1	1	3	7	12	15	25
B. *Operated*										
0-19 YRS	72	6.8	24	1	2	6	8	13	18	25
20-34	54	8.6	45	1	2	7	12	16	22	36
35-49	53	8.9	68	2	2	7	11	19	26	41
50-64	90	9.8	62	1	4	9	13	15	20	52
65+	197	10.4	70	3	3	8	12	18	25	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	312	5.0	20	<1	1	4	7	10	15	24
20-34	272	6.5	57	1	1	5	8	12	15	26
35-49	408	6.3	48	1	1	5	8	13	16	41
50-64	922	6.9	42	1	1	5	9	15	19	30
65+	3709	8.2	54	1	2	6	11	17	21	36
B. *Operated*										
0-19 YRS	69	7.9	59	2	2	6	10	16	20	48
20-34	144	11.1	153	2	2	8	12	20	35	80
35-49	250	11.3	61	2	3	10	15	21	27	42
50-64	467	12.6	81	2	4	11	16	24	30	51
65+	1502	14.4	125	3	4	11	18	28	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1259	4.7	21	<1	1	3	6	11	14	23
B. *Operated*	466	9.4	60	2	3	8	11	17	22	41
2. MULTIPLE DX										
A. *Not Operated*	5623	7.6	51	1	1	6	10	16	20	35
B. *Operated*	2432	13.3	112	3	4	10	17	26	34	56
1. SINGLE DX	1725	6.0	36	<1	1	4	8	13	16	29
2. MULTIPLE DX	8055	9.3	76	1	2	7	12	19	25	45
A. NOT OPERATED	6882	7.1	47	1	1	5	9	15	19	33
B. OPERATED	2898	12.7	105	3	4	10	16	25	33	55
TOTAL 0-19 YRS	642	5.1	24	<1	<1	4	7	11	14	24
20-34	584	7.2	77	1	1	5	9	14	19	57
35-49	814	7.9	55	1	1	6	11	16	21	40
50-64	1634	8.5	60	1	1	7	11	18	22	40
65+	6106	9.4	78	1	2	7	12	20	26	45
GRAND TOTAL	**9780**	**8.7**	**71**	**1**	**2**	**7**	**11**	**18**	**24**	**43**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.7	6	<1	1	3	5	8	8	8
20-34	18	3.6	4	<1	1	3	5	7	7	7
35-49	9	19.3	203	3	3	22	30	38	38	38
50-64										
65+	2	16.5	221	6	6	16	27	27	27	27
B. *Operated*										
0-19 YRS										
20-34	2	16.0		16	16	16	15	16	16	16
35-49	1	42.0		42	42	42	42	42	42	42
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	4.5	16	1	1	3	5	10	15	18
20-34	65	6.1	25	1	2	5	8	11	17	30
35-49	26	8.4	58	1	2	6	9	21	25	25
50-64	12	12.3	368	1	1	6	15	34	65	70
65+	8	10.0	155	3	3	5	10	31	40	40
B. *Operated*										
0-19 YRS	10	13.0	278	3	3	6	16	36	58	58
20-34	6	19.5	238	4	4	23	73	99+	99+	99+
35-49	5	11.4	15	8	8	11	13	18	18	18
50-64	1	24.0		24	24	24	24	24	24	24
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	6.6	75	1	1	4	7	21	28	38
B. *Operated*	4	20.0	237	6	6	16	29	42	42	42
2. MULTIPLE DX										
A. *Not Operated*	200	6.2	53	1	1	4	7	13	18	36
B. *Operated*	23	14.4	190	3	4	11	22	58	99+	99+
1. SINGLE DX	60	7.5	93	1	1	4	7	24	32	42
2. MULTIPLE DX	223	7.0	72	1	1	4	8	17	22	77
A. NOT OPERATED	256	6.3	57	1	1	4	7	13	21	38
B. OPERATED	27	15.3	192	4	4	11	22	53	99+	99+
TOTAL 0-19 YRS	126	5.0	38	1	1	3	6	11	16	28
20-34	91	6.7	46	1	2	5	8	16	24	99+
35-49	41	12.0	122	1	2	8	21	27	37	42
50-64	14	12.7	325	1	1	7	17	29	61	70
65+	11	10.6	142	3	3	6	10	32	39	40
GRAND TOTAL	**283**	**7.1**	**77**	**1**	**1**	**4**	**8**	**17**	**25**	**66**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	423	4.5	12	1	2	3	5	9	12	17
20-34	96	5.5	28	1	2	4	7	11	13	31
35-49	108	3.2	14	1	1	2	4	8	11	20
50-64	92	5.7	31	1	1	4	7	10	15	34
65+	121	6.4	50	1	1	4	8	13	15	40
B. *Operated*										
0-19 YRS	225	7.1	26	2	2	6	8	13	17	28
20-34	148	7.8	17	3	3	7	9	13	17	22
35-49	89	8.6	45	1	2	8	11	15	18	39
50-64	95	11.5	99	2	3	8	15	25	31	49
65+	92	10.8	76	2	4	9	13	23	28	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	343	4.9	14	1	2	4	6	10	12	19
20-34	237	6.6	27	2	2	5	8	12	17	29
35-49	261	7.1	33	2	2	6	9	13	16	32
50-64	511	8.0	42	1	2	6	10	16	21	34
65+	809	8.5	63	1	2	6	11	17	22	39
B. *Operated*										
0-19 YRS	137	9.5	87	2	3	8	11	17	23	57
20-34	213	9.9	71	2	3	8	12	19	26	49
35-49	198	12.3	139	2	3	10	15	22	32	73
50-64	393	13.4	115	3	4	10	18	26	35	56
65+	590	15.2	156	3	5	11	18	29	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	840	4.8	22	1	1	4	6	10	13	20
B. *Operated*	649	8.6	47	2	3	7	10	17	23	34
2. MULTIPLE DX										
A. *Not Operated*	2161	7.4	44	1	2	6	9	14	20	33
B. *Operated*	1531	13.1	130	3	4	10	16	25	35	58
1. SINGLE DX	1489	6.5	37	1	2	5	8	13	17	31
2. MULTIPLE DX	3692	9.8	88	2	2	7	12	20	26	49
A. NOT OPERATED	3001	6.7	39	1	2	5	8	13	18	32
B. OPERATED	2180	11.8	109	2	3	9	14	23	31	55
TOTAL 0-19 YRS	1128	5.7	27	1	2	4	7	11	15	25
20-34	694	7.7	41	2	2	6	9	14	19	36
35-49	656	8.2	73	1	1	6	10	16	21	41
50-64	1091	10.0	80	2	2	7	12	22	27	46
65+	1612	10.9	108	1	2	8	14	22	30	58
GRAND TOTAL	**5181**	**8.8**	**75**	**1**	**2**	**6**	**11**	**18**	**24**	**45**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2201	2.5	4	1	1	2	3	4	5	8
20-34	367	2.8	24	1	1	2	3	4	5	10
35-49	55	3.1	4	1	1	2	4	6	8	10
50-64	25	4.2	16	<1	1	4	4	7	11	21
65+	7	3.7	4	1	1	3	6	6	6	6
B. *Operated*										
0-19 YRS	713	4.4	5	2	3	4	5	6	8	12
20-34	226	4.7	4	2	3	4	5	7	9	11
35-49	19	4.9	12	1	2	4	5	11	14	15
50-64	4	6.3	23	2	2	5	9	13	13	13
65+	4	4.5	10	2	2	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1047	3.1	4	1	1	3	4	5	7	10
20-34	185	3.3	4	1	1	3	4	6	7	10
35-49	37	6.6	117	1	1	4	6	9	22	65
50-64	16	5.2	9	1	2	4	7	10	11	12
65+	12	4.8	7	2	2	4	6	9	10	10
B. *Operated*										
0-19 YRS	332	5.6	9	3	3	5	6	9	11	17
20-34	112	6.3	14	2	3	6	7	11	15	21
35-49	23	8.1	49	3	4	6	8	18	24	34
50-64	5	12.2	56	7	7	10	15	25	25	25
65+	3	14.0	84	6	6	12	21	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2655	2.5	7	1	1	2	3	4	5	8
B. *Operated*	966	4.5	5	2	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	1297	3.2	8	1	1	3	4	6	7	11
B. *Operated*	475	6.0	14	2	3	5	7	10	13	23
1. SINGLE DX	3621	3.1	7	1	1	3	4	5	6	11
2. MULTIPLE DX	1772	4.0	11	1	1	3	5	7	9	16
A. NOT OPERATED	3952	2.8	7	1	1	2	3	5	6	10
B. OPERATED	1441	5.0	9	2	3	4	6	8	10	17
TOTAL 0-19 YRS	4293	3.2	5	1	1	3	4	6	7	11
20-34	890	3.8	15	1	1	3	5	7	8	13
35-49	134	5.2	47	1	1	4	6	8	15	39
50-64	50	5.5	22	1	1	4	7	11	13	25
65+	26	5.5	22	1	2	4	6	10	14	24
GRAND TOTAL	**5393**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	289	4.6	19	1	2	4	5	8	9	15
20-34	35	3.7	5	1	2	3	5	6	8	11
35-49	14	3.4	4	1	1	3	5	8	77	99+
50-64	10	4.3	10	<1	1	3	6	9	11	11
65+	6	4.5	4	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	217	3.6	9	1	1	2	5	9	11	13
20-34	154	3.6	12	1	1	3	4	7	10	19
35-49	73	3.8	8	1	1	3	4	8	10	80
50-64	56	4.8	17	1	1	3	6	12	14	19
65+	20	4.7	12	2	2	3	5	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	5.4	15	1	2	4	7	10	13	23
20-34	64	5.2	9	2	2	4	7	9	12	14
35-49	25	6.3	13	2	3	5	7	10	15	17
50-64	29	7.2	25	2	2	6	9	15	18	22
65+	19	8.3	25	3	4	7	10	17	18	18
B. *Operated*										
0-19 YRS	137	5.2	25	1	1	3	7	12	16	22
20-34	112	5.3	33	1	1	4	6	11	16	34
35-49	61	7.5	40	2	2	6	10	16	24	27
50-64	64	7.6	32	2	2	6	10	14	21	25
65+	45	8.2	94	2	2	6	9	18	22	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	4.5	17	1	2	4	5	8	9	15
B. *Operated*	520	3.8	11	1	1	3	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	320	5.8	16	2	2	5	7	10	14	19
B. *Operated*	419	6.3	39	1	2	4	8	13	20	28
1. SINGLE DX	874	4.1	13	1	1	3	5	8	10	17
2. MULTIPLE DX	739	6.1	29	1	2	4	7	12	17	26
A. NOT OPERATED	674	5.1	17	1	2	4	6	9	12	18
B. OPERATED	939	4.9	25	1	1	3	6	11	14	24
TOTAL 0-19 YRS	826	4.6	17	1	1	4	6	9	11	18
20-34	365	4.4	18	1	2	3	5	9	12	20
35-49	173	5.5	23	1	2	4	7	12	17	81
50-64	159	6.3	25	1	2	5	9	13	18	22
65+	90	7.2	57	2	2	5	8	15	18	46
GRAND TOTAL	**1613**	**5.0**	**21**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	8.9	64	1	1	7	13	20	23	34
20-34	49	12.5	147	1	2	8	19	29	33	55
35-49	8	11.9	98	1	2	9	21	25	26	26
50-64	9	11.8	255	1	1	5	14	38	52	52
65+	17	13.1	159	1	2	8	17	31	43	49
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	18.0	21	13	13	19	21	22	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	12.3	195	1	2	6	16	39	42	45
20-34	43	14.2	170	2	3	11	21	39	49	99+
35-49	36	13.4	221	1	1	9	15	32	45	74
50-64	40	13.3	119	2	4	10	15	31	37	44
65+	149	13.2	126	3	4	10	16	30	40	49
B. *Operated*										
0-19 YRS	3	23.3	54	15	15	26	28	29	29	29
20-34	6	25.3	323	10	10	17	45	50	51	51
35-49	3	17.0	49	9	9	20	21	22	22	22
50-64	9	25.7	203	8	11	27	30	47	57	57
65+	13	15.9	116	4	6	13	20	34	40	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	11.5	129	1	2	8	17	26	32	53
B. *Operated*	3	18.0	21	13	13	19	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	292	13.3	147	2	3	10	17	33	41	57
B. *Operated*	34	20.9	168	7	8	17	28	41	50	57
1. SINGLE DX	116	11.7	127	1	2	8	17	26	32	53
2. MULTIPLE DX	326	14.1	154	2	3	10	19	33	44	58
A. NOT OPERATED	405	12.8	142	1	2	9	17	30	40	53
B. OPERATED	37	20.7	156	7	8	17	27	39	49	57
TOTAL 0-19 YRS	57	11.1	126	1	2	7	16	28	38	45
20-34	98	14.0	172	1	2	10	20	32	50	78
35-49	50	13.7	177	1	2	11	20	26	33	74
50-64	58	15.0	167	2	3	12	19	33	42	57
65+	179	13.4	127	3	4	10	17	31	40	49
GRAND TOTAL	**442**	**13.5**	**148**	**2**	**2**	**10**	**18**	**31**	**41**	**55**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	4.0	47	1	1	2	4	7	11	46
20-34	268	5.3	42	1	1	3	6	11	16	29
35-49	126	8.1	62	1	2	5	11	18	21	45
50-64	227	11.7	168	2	3	8	14	25	37	88
65+	820	10.9	87	2	2	8	15	22	29	49
B. *Operated*										
0-19 YRS	6	5.3	25	2	2	3	9	13	14	14
20-34	11	7.2	29	2	2	6	11	44	92	99+
35-49	8	7.3	11	2	3	7	10	11	12	12
50-64	23	10.3	54	2	2	8	14	21	24	28
65+	32	16.4	177	3	3	13	23	40	42	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	338	7.1	143	1	1	4	6	15	29	73
20-34	608	8.5	82	1	2	6	10	19	25	49
35-49	336	11.0	108	2	3	8	14	26	31	58
50-64	653	14.3	139	3	4	11	19	31	38	61
65+	4495	12.1	96	3	4	9	15	23	31	55
B. *Operated*										
0-19 YRS	20	17.3	651	1	1	5	33	79	96	99+
20-34	41	12.8	120	2	3	11	17	30	45	99+
35-49	42	15.3	138	1	3	13	21	33	38	50
50-64	93	18.4	210	3	5	16	24	37	52	89
65+	366	20.7	216	4	6	17	28	40	53	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1756	8.7	90	1	1	6	11	20	27	52
B. *Operated*	80	11.6	108	2	2	8	16	26	40	84
2. MULTIPLE DX										
A. *Not Operated*	6430	11.6	105	2	3	9	15	24	31	57
B. *Operated*	562	19.2	221	3	5	16	26	40	52	99+
1. SINGLE DX	1836	8.8	92	1	2	6	11	20	28	52
2. MULTIPLE DX	6992	12.3	119	2	3	9	16	25	34	64
A. NOT OPERATED	8186	11.0	103	2	2	8	14	23	31	56
B. OPERATED	642	18.3	213	3	4	15	25	39	50	99+
TOTAL 0-19 YRS	679	5.9	118	1	1	3	5	11	26	72
20-34	928	7.8	74	1	2	5	10	17	25	51
35-49	512	10.6	101	1	2	7	14	23	30	51
50-64	996	14.0	153	2	3	10	18	31	39	76
65+	5713	12.5	108	2	4	10	16	25	34	59
GRAND TOTAL	**8828**	**11.5**	**115**	**2**	**3**	**8**	**15**	**24**	**33**	**62**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated* YRS										
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	12.5	181	3	3	12	22	22	22	22
65+	101	12.4	95	2	3	9	19	28	37	99+
B. *Operated* YRS										
20-34										
35-49										
50-64										
65+	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated* YRS										
20-34										
35-49										
50-64	30	17.3	168	3	4	14	22	30	41	64
65+	733	13.2	110	3	4	10	17	26	35	58
B. *Operated* YRS										
20-34										
35-49	1	76.0		76	76	76	76	76	76	76
50-64	5	14.0	34	9	9	13	18	23	23	23
65+	57	21.2	234	6	7	16	26	44	53	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	12.5	94	2	3	9	19	28	37	99+
B. *Operated*	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	763	13.4	113	3	4	10	17	26	35	60
B. *Operated*	63	21.5	266	7	7	16	26	46	59	76
1. SINGLE DX	106	12.4	92	2	3	9	19	28	36	99+
2. MULTIPLE DX	826	14.0	129	3	4	11	18	27	38	70
A. NOT OPERATED	867	13.3	110	3	4	10	18	26	36	63
B. OPERATED	65	21.1	263	7	7	16	26	45	57	76
TOTAL YRS										
20-34										
35-49	2	45.5	1861	15	15	45	76	76	76	76
50-64	37	16.6	146	3	4	13	22	28	38	64
65+	893	13.6	120	3	4	10	18	27	38	71
GRAND TOTAL	**932**	**13.8**	**125**	**3**	**4**	**11**	**18**	**27**	**38**	**72**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.7	10	<1	1	3	5	8	11	12
20-34	112	5.4	25	1	1	4	6	12	14	26
35-49	159	6.2	36	1	1	4	8	12	20	34
50-64	118	8.1	55	1	2	7	10	16	22	39
65+	40	9.5	71	2	3	7	11	18	24	49
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	5	16.2	141	5	5	9	28	31	31	31
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.7	26	<1	1	4	9	14	15	16
20-34	344	7.2	55	1	2	5	8	15	22	36
35-49	840	7.3	37	2	2	5	9	15	20	33
50-64	727	9.2	66	2	2	7	12	21	25	37
65+	237	11.2	74	3	3	9	15	23	27	44
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	20	10.7	51	<1	1	9	14	21	25	28
35-49	39	14.2	101	3	4	11	18	25	33	55
50-64	47	16.8	109	5	6	14	23	34	38	42
65+	27	24.3	324	7	10	19	29	51	57	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	6.7	42	1	2	5	9	14	20	33
B. *Operated*	7	13.7	112	5	5	9	23	30	31	31
2. MULTIPLE DX										
A. *Not Operated*	2172	8.3	55	2	2	6	11	18	24	36
B. *Operated*	134	16.5	157	3	5	13	21	32	41	60
1. SINGLE DX	450	6.8	44	1	2	5	9	14	21	33
2. MULTIPLE DX	2306	8.8	65	2	2	6	11	19	25	39
A. NOT OPERATED	2615	8.0	53	1	2	6	10	17	23	36
B. OPERATED	141	16.4	154	3	5	13	21	31	40	58
TOTAL 0-19 YRS	39	4.9	20	<1	1	3	7	13	15	16
20-34	476	6.9	49	1	2	5	8	14	22	31
35-49	1040	7.4	41	1	2	5	10	15	21	35
50-64	897	9.5	70	2	2	7	12	22	27	39
65+	304	12.2	109	3	3	9	15	24	31	51
GRAND TOTAL	**2756**	**8.5**	**62**	**1**	**2**	**6**	**11**	**19**	**24**	**38**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	11.1	173	<1	1	6	15	30	46	54
20-34	94	9.9	150	1	2	6	12	22	37	67
35-49	18	5.4	16	<1	1	4	7	13	14	14
50-64	15	9.2	39	1	2	8	13	17	22	24
65+	14	7.6	36	1	2	6	8	19	20	20
B. *Operated*										
0-19 YRS	1	42.0		42	42	42	42	42	42	42
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	11.8	146	2	2	8	14	27	42	55
20-34	216	9.4	80	1	2	6	13	21	26	46
35-49	73	11.6	122	1	2	8	15	27	35	57
50-64	76	11.1	81	2	3	9	14	24	34	40
65+	74	9.5	36	3	4	8	12	20	22	25
B. *Operated*										
0-19 YRS	3	52.3	1070	15	15	66	73	76	76	76
20-34	9	17.6	214	2	4	12	27	42	42	42
35-49	7	11.0	78	4	4	7	12	26	30	30
50-64	8	17.1	129	5	6	13	26	34	35	35
65+	4	21.3	142	6	6	22	29	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	9.7	130	1	1	6	12	21	34	52
B. *Operated*	2	23.5	685	5	5	23	42	42	42	42
2. MULTIPLE DX										
A. *Not Operated*	546	10.4	93	1	2	7	14	22	31	46
B. *Operated*	31	19.8	316	4	5	12	28	41	65	76
1. SINGLE DX	205	9.8	134	1	1	6	12	22	36	52
2. MULTIPLE DX	577	10.9	109	1	2	8	14	23	33	49
A. NOT OPERATED	749	10.2	103	1	2	7	13	22	31	48
B. OPERATED	33	20.0	318	4	5	12	31	42	62	76
TOTAL 0-19 YRS	173	12.4	197	1	2	7	15	31	45	64
20-34	319	9.8	105	1	2	6	12	22	31	46
35-49	98	10.4	104	1	2	7	13	22	32	51
50-64	100	11.3	80	2	3	9	14	24	34	38
65+	92	9.7	46	3	3	8	13	21	23	31
GRAND TOTAL	**782**	**10.6**	**116**	**1**	**2**	**7**	**14**	**23**	**34**	**51**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10).	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	340	24.0	335	4	6	20	33	52	71	99+
20-34	2153	17.5	208	2	3	14	24	37	47	81
35-49	992	17.3	179	2	4	15	23	36	46	80
50-64	419	17.1	169	2	4	14	22	32	43	70
65+	92	18.7	194	3	5	14	27	41	44	65
B. *Operated*										
0-19 YRS	2	68.5	61	63	63	74	93	99+	99+	99+
20-34	15	25.5	255	2	5	26	30	52	54	55
35-49	9	20.8	98	8	8	23	29	69	99+	99+
50-64	5	45.8	545	13	13	62	62	63	63	63
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	25.9	462	4	6	20	41	68	77	99+
20-34	713	18.2	215	2	4	15	24	38	51	80
35-49	446	18.6	199	3	4	15	26	37	46	69
50-64	311	19.4	193	4	5	17	26	37	47	92
65+	93	20.1	153	4	6	19	27	40	47	81
B. *Operated*										
0-19 YRS	11	29.8	457	4	10	25	50	82	97	99+
20-34	42	30.4	482	6	8	26	43	65	86	99+
35-49	52	27.9	271	7	10	27	35	46	52	91
50-64	27	30.2	233	8	12	31	44	99+	99+	99+
65+	11	36.5	270	14	16	33	49	57	66	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3996	18.0	210	2	4	15	24	38	48	84
B. *Operated*	31	30.2	396	5	9	26	53	65	96	99+
2. MULTIPLE DX										
A. *Not Operated*	1669	19.1	222	3	5	16	26	40	52	86
B. *Operated*	143	29.9	335	7	10	28	41	63	91	99+
1. SINGLE DX	4027	18.1	213	2	4	15	24	38	49	85
2. MULTIPLE DX	1812	20.0	239	3	5	16	27	42	55	96
A. NOT OPERATED	5665	18.3	214	2	4	15	25	39	49	84
B. OPERATED	174	29.9	344	7	10	28	42	64	92	99+
TOTAL 0-19 YRS	459	24.8	374	4	6	20	36	57	74	99+
20-34	2923	17.9	216	2	4	14	24	38	49	83
35-49	1499	18.1	191	3	4	15	24	37	46	76
50-64	762	18.7	193	3	5	16	25	37	48	97
65+	196	20.4	193	3	6	18	28	42	47	73
GRAND TOTAL	**5839**	**18.7**	**222**	**2**	**4**	**15**	**25**	**39**	**50**	**88**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	22.9	331	4	5	17	32	55	57	80
20-34	206	18.0	210	2	4	16	22	35	43	75
35-49	67	14.2	107	2	3	12	20	29	32	53
50-64	25	17.3	50	7	8	17	21	26	32	35
65+	3	14.3	16	10	10	15	17	18	18	18
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	77.0		77	77	77	77	77	77	77
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	23.5	336	3	6	19	28	50	70	79
20-34	60	19.7	295	3	5	16	31	52	86	99+
35-49	27	14.4	81	3	5	13	18	29	34	39
50-64	13	14.8	112	1	3	12	20	30	38	40
65+	7	10.4	76	2	2	8	18	23	24	24
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	5	16.4	48	6	6	17	20	25	25	25
35-49	2	10.5	5	9	9	10	12	12	12	12
50-64										
65+	1	51.0		51	51	51	51	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	18.2	208	3	5	15	22	36	47	71
B. *Operated*	1	77.0		77	77	77	77	77	77	77
2. MULTIPLE DX										
A. *Not Operated*	139	18.6	244	3	4	15	24	41	68	99+
B. *Operated*	9	18.4	181	6	7	15	20	41	51	51
1. SINGLE DX	372	18.3	217	3	5	15	22	36	48	76
2. MULTIPLE DX	148	18.6	239	3	5	15	24	41	65	99+
A. NOT OPERATED	510	18.3	217	3	4	15	22	37	52	81
B. OPERATED	10	24.3	503	6	7	16	25	64	77	77
TOTAL 0-19 YRS	103	23.0	327	4	5	17	[illegible]	54	59	81
20-34	271	18.3	226	3	4	16	22	37	52	99+
35-49	97	14.9	137	3	4	12	19	30	34	68
50-64	38	16.4	70	4	7	15	20	27	33	40
65+	11	15.2	193	2	3	10	20	35	50	51
GRAND TOTAL	**520**	**18.4**	**223**	**3**	**5**	**15**	**22**	**37**	**53**	**81**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	761	23.3	387	2	4	18	34	53	73	99+
20-34	3890	18.0	234	2	3	14	24	38	50	84
35-49	1780	17.1	180	2	4	14	23	35	44	70
50-64	866	18.8	200	3	5	15	25	38	47	72
65+	143	20.4	229	3	4	17	29	40	52	88
B. *Operated*										
0-19 YRS	6	25.7	578	1	4	20	61	94	99+	99+
20-34	16	32.0	459	12	15	28	63	99+	99+	99+
35-49	10	21.7	82	10	10	19	29	35	38	38
50-64	7	26.4	92	15	17	29	58	99+	99+	99+
65+	2	13.5	25	10	10	13	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	324	25.2	433	3	4	20	38	63	81	99+
20-34	1688	18.1	224	2	4	14	24	39	52	81
35-49	1166	18.7	209	3	4	15	25	37	47	75
50-64	714	19.9	203	3	6	17	27	41	49	76
65+	262	20.3	232	3	5	16	27	41	52	71
B. *Operated*										
0-19 YRS	15	33.5	477	10	15	40	97	99+	99+	99+
20-34	113	26.8	352	5	7	22	40	55	98	99+
35-49	101	24.5	255	5	9	20	34	54	63	99+
50-64	67	30.8	346	8	10	29	41	57	70	99+
65+	19	19.6	171	2	4	17	31	35	44	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7440	18.5	236	2	4	15	25	39	51	85
B. *Operated*	41	26.7	303	10	12	23	41	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	4154	19.3	236	3	4	15	26	41	52	84
B. *Operated*	315	26.8	321	6	8	23	38	56	95	99+
1. SINGLE DX	7481	18.5	236	2	4	15	25	39	51	88
2. MULTIPLE DX	4469	19.8	246	3	4	16	27	42	54	96
A. NOT OPERATED	11594	18.8	236	2	4	15	25	40	51	85
B. OPERATED	356	26.8	318	6	8	23	39	60	99	99+
TOTAL 0-19 YRS	1106	24.0	403	2	4	19	36	56	79	99+
20-34	5707	18.3	236	2	3	15	25	39	51	88
35-49	3057	17.9	195	2	4	15	24	36	47	74
50-64	1654	19.8	212	3	5	16	27	41	49	75
65+	426	20.3	227	3	5	16	28	40	51	74
GRAND TOTAL	**11950**	**19.0**	**240**	**2**	**4**	**15**	**26**	**40**	**52**	**90**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	8.7	129	<1	1	4	16	42	85	99+
B. *Operated*										
0-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	25.8	468	2	3	26	43	81	98	99+
B. *Operated*										
0-19 YRS	1	97.0		97	97	97	97	97	97	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.7	129	<1	1	4	16	42	85	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	25.8	468	2	3	26	43	81	98	99+
B. *Operated*	1	97.0		97	97	97	97	97	97	97
1. SINGLE DX	14	8.7	129	<1	1	4	16	42	85	99+
2. MULTIPLE DX	11	32.3	882	2	3	32	56	98	99+	99+
A. NOT OPERATED	24	15.8	330	1	1	11	38	66	99+	99+
B. OPERATED	1	97.0		97	97	97	97	97	97	97
TOTAL 0-19 YRS	25	19.1	580	1	1	12	39	91	99+	99+
GRAND TOTAL	**25**	**19.1**	**580**	**1**	**1**	**12**	**39**	**91**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	18.8	336	1	1	13	29	49	60	99+
20-34	907	15.6	204	2	2	12	21	35	44	74
35-49	985	16.6	162	2	4	14	22	34	42	60
50-64	1082	19.4	183	3	5	17	26	36	46	72
65+	628	20.4	200	3	5	18	28	40	49	71
B. *Operated*										
0-19 YRS										
20-34	3	40.0	2701	1	1	20	79	99	99	99+
35-49	6	19.5	156	8	8	15	27	40	41	41
50-64	8	30.3	891	9	10	15	40	81	97	97
65+	10	19.9	59	11	12	17	24	32	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	16.4	259	1	2	10	27	40	51	96
20-34	834	15.0	208	1	2	10	21	35	45	70
35-49	941	16.0	200	2	3	12	22	36	46	70
50-64	1186	18.9	225	3	4	15	26	39	49	79
65+	1133	19.9	241	3	4	16	28	42	51	82
B. *Operated*										
0-19 YRS	10	24.0	403	<1	5	20	48	78	98	99+
20-34	60	21.8	203	6	7	19	28	39	56	64
35-49	95	28.1	290	5	8	28	40	50	55	78
50-64	121	27.6	301	7	9	24	36	55	70	99+
65+	117	29.6	399	9	11	25	37	54	79	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3736	17.9	194	2	4	15	24	37	45	70
B. *Operated*	27	25.1	550	7	9	17	28	43	97	99
2. MULTIPLE DX										
A. *Not Operated*	4257	17.7	225	2	3	14	25	38	49	78
B. *Operated*	403	27.4	318	7	9	23	37	53	64	98
1. SINGLE DX	3763	17.9	197	2	4	15	24	37	45	71
2. MULTIPLE DX	4660	18.5	241	2	4	14	26	40	50	82
A. NOT OPERATED	7993	17.8	211	2	3	14	25	38	47	73
B. OPERATED	430	27.2	332	7	9	23	37	52	64	99
TOTAL 0-19 YRS	307	17.7	298	1	2	12	28	45	57	99+
20-34	1804	15.6	211	2	2	11	21	35	45	74
35-49	2027	16.9	192	2	3	13	23	36	45	66
50-64	2397	19.6	216	3	4	16	27	39	49	79
65+	1888	20.7	241	3	5	17	29	42	51	83
GRAND TOTAL	**8423**	**18.3**	**221**	**2**	**4**	**15**	**26**	**39**	**48**	**78**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	22.8	335	3	5	18	31	47	62	96
20-34	1398	17.6	178	2	4	15	24	35	44	65
35-49	979	17.7	181	3	4	15	24	34	41	69
50-64	680	19.4	164	4	6	17	27	36	45	69
65+	176	21.5	218	4	6	19	28	44	55	94
B. *Operated*										
0-19 YRS										
20-34	4	8.0	117	<1	<1	3	14	24	24	24
35-49	1	23.0		23	23	23	23	23	23	23
50-64	5	29.0	346	12	12	22	40	59	59	59
65+	2	23.5	85	17	17	23	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	22.9	352	2	3	17	34	49	60	81
20-34	671	18.6	188	3	4	16	25	38	45	67
35-49	605	18.9	206	3	4	16	27	38	46	72
50-64	538	19.2	187	3	5	16	25	38	48	74
65+	283	20.9	271	4	6	17	26	42	54	82
B. *Operated*										
0-19 YRS	9	38.7	471	14	17	32	51	71	85	85
20-34	67	25.3	257	4	6	24	36	47	54	96
35-49	68	23.2	196	3	7	22	29	43	61	94
50-64	56	27.9	252	5	9	24	42	53	58	64
65+	30	38.2	461	15	17	34	50	69	91	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3428	18.5	189	3	4	16	25	36	45	70
B. *Operated*	12	20.6	257	<1	1	20	27	41	56	59
2. MULTIPLE DX										
A. *Not Operated*	2201	19.3	212	3	5	16	26	39	48	75
B. *Operated*	230	27.5	294	4	9	25	37	51	62	97
1. SINGLE DX	3440	18.5	189	3	4	16	25	36	45	70
2. MULTIPLE DX	2431	20.1	225	3	5	17	27	41	50	77
A. NOT OPERATED	5629	18.8	198	3	4	16	25	37	46	72
B. OPERATED	242	27.2	293	4	8	24	36	51	62	96
TOTAL 0-19 YRS	308	23.3	349	2	4	18	32	49	62	89
20-34	2140	18.1	186	2	4	15	25	37	45	67
35-49	1653	18.4	192	3	4	16	25	36	44	71
50-64	1279	19.7	181	3	5	17	27	38	47	69
65+	491	22.2	278	4	6	18	29	45	56	90
GRAND TOTAL	**5871**	**19.1**	**205**	**3**	**4**	**16**	**26**	**38**	**47**	**74**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	263	17.6	262	1	2	13	25	42	57	99+
20-34	976	15.1	186	1	2	11	21	32	43	71
35-49	570	15.9	199	1	2	12	22	35	44	71
50-64	455	18.6	196	2	4	15	24	38	48	65
65+	326	18.4	231	2	3	14	27	40	49	86
B. *Operated*										
0-19 YRS	2	21.0	32	17	17	21	25	25	25	25
20-34	2	19.0	2	18	18	19	20	20	20	20
35-49	2	13.5	25	10	10	13	17	17	17	17
50-64	12	17.3	167	2	3	14	27	38	39	39
65+	8	17.8	279	3	3	12	27	45	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	19.4	288	2	2	15	29	42	52	70
20-34	680	16.4	212	2	3	12	22	38	45	68
35-49	525	17.4	228	2	3	14	24	36	49	81
50-64	652	18.8	242	2	4	15	26	40	50	74
65+	905	15.0	170	3	3	11	21	33	46	69
B. *Operated*										
0-19 YRS	10	44.3	606	5	8	54	60	69	72	72
20-34	40	24.1	389	5	6	18	30	61	84	99+
35-49	47	24.3	246	3	5	22	31	46	55	71
50-64	57	20.8	276	4	5	18	26	41	62	99+
65+	99	21.0	283	5	7	17	28	44	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2590	16.6	206	1	2	13	23	36	47	74
B. *Operated*	26	17.6	156	3	3	16	24	37	41	49
2. MULTIPLE DX										
A. *Not Operated*	2958	16.9	216	2	3	13	23	37	48	72
B. *Operated*	253	23.0	319	4	6	19	30	52	70	99+
1. SINGLE DX	2616	16.6	206	1	2	13	23	36	47	74
2. MULTIPLE DX	3211	17.4	227	2	3	13	24	38	49	76
A. NOT OPERATED	5548	16.7	211	2	3	13	23	37	48	73
B. OPERATED	279	22.5	306	4	6	18	30	49	69	99+
TOTAL 0-19 YRS	471	18.9	292	1	2	14	28	45	57	99
20-34	1698	15.8	203	1	2	12	22	35	44	71
35-49	1144	16.9	217	1	3	13	23	36	48	79
50-64	1176	18.8	225	2	4	15	26	40	49	73
65+	1338	16.3	197	2	3	12	23	35	48	83
GRAND TOTAL	**5827**	**17.0**	**217**	**2**	**3**	**13**	**24**	**37**	**49**	**74**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	278	5.9	70	1	1	3	6	13	23	46
20-34	1100	6.5	60	1	1	4	7	15	20	45
35-49	758	6.4	50	1	1	4	8	15	20	35
50-64	442	6.5	41	1	1	4	8	15	21	30
65+	194	6.1	52	1	2	4	7	12	17	45
B. *Operated*										
0-19 YRS	7	9.1	251	2	2	4	4	37	45	45
20-34	19	6.4	17	1	1	6	10	12	12	12
35-49	9	7.2	39	1	1	6	12	17	19	19
50-64	10	6.6	9	3	3	6	8	11	13	13
65+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	446	8.4	168	1	1	4	8	21	41	88
20-34	1781	7.6	71	1	2	5	9	18	25	44
35-49	1704	7.2	56	1	2	5	8	16	21	39
50-64	1368	7.4	60	1	2	5	8	16	22	38
65+	1050	7.2	45	1	2	5	8	14	19	37
B. *Operated*										
0-19 YRS	13	11.6	161	1	2	8	13	29	43	46
20-34	113	9.7	65	1	2	7	13	21	29	33
35-49	104	12.3	111	2	2	9	15	29	34	49
50-64	94	12.1	88	2	3	9	17	27	29	42
65+	33	10.0	65	4	4	8	11	16	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2772	6.4	55	1	1	4	7	14	21	41
B. *Operated*	47	6.9	49	1	1	5	9	12	15	45
2. MULTIPLE DX										
A. *Not Operated*	6349	7.4	67	1	2	5	9	16	22	44
B. *Operated*	357	11.2	88	2	2	9	15	26	32	44
1. SINGLE DX	2819	6.4	55	1	1	4	7	14	21	41
2. MULTIPLE DX	6706	7.6	69	1	2	5	9	17	23	44
A. NOT OPERATED	9121	7.1	64	1	1	5	8	16	22	43
B. OPERATED	404	10.7	85	2	2	8	13	25	31	44
TOTAL 0-19 YRS	744	7.6	133	1	1	4	7	20	33	73
20-34	3013	7.3	67	1	1	4	9	17	23	44
35-49	2575	7.1	58	1	1	5	9	16	21	40
50-64	1914	7.4	58	1	2	5	9	17	22	37
65+	1279	7.1	47	1	2	5	8	14	19	39
GRAND TOTAL	**9525**	**7.3**	**65**	**1**	**2**	**5**	**8**	**16**	**22**	**43**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	964	18.9	330	2	3	13	27	45	60	90
20-34	4370	12.2	127	1	2	9	17	27	34	53
35-49	2820	13.2	134	2	3	10	18	29	37	57
50-64	1312	14.6	128	2	3	11	20	30	36	54
65+	537	14.7	160	2	3	11	20	31	40	58
B. *Operated*										
0-19 YRS	7	28.1	235	6	8	31	45	85	99+	99+
20-34	31	25.7	282	4	5	26	41	45	55	56
35-49	29	25.6	407	4	5	20	34	62	64	78
50-64	14	23.1	192	6	7	20	31	62	90	99+
65+	8	19.4	239	5	5	15	27	45	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1035	19.8	327	2	3	15	29	45	61	99+
20-34	5083	14.0	149	2	3	10	19	30	39	60
35-49	3775	14.2	142	2	3	11	19	30	38	57
50-64	2388	14.6	140	3	4	11	20	30	38	59
65+	1497	14.6	153	3	4	11	19	31	40	67
B. *Operated*										
0-19 YRS	41	32.1	589	4	8	28	52	99	99+	99+
20-34	352	21.2	238	3	5	19	29	41	52	97
35-49	318	23.4	288	5	7	20	29	46	63	95
50-64	220	25.4	291	6	8	21	33	47	60	86
65+	138	24.3	254	4	6	21	35	47	55	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10003	13.6	154	2	3	10	19	30	38	61
B. *Operated*	89	24.9	294	5	6	21	39	52	62	99+
2. MULTIPLE DX										
A. *Not Operated*	13778	14.7	161	2	3	11	20	31	40	65
B. *Operated*	1069	23.5	283	4	6	20	31	47	60	99
1. SINGLE DX	10092	13.7	156	2	3	10	19	30	39	62
2. MULTIPLE DX	14847	15.3	175	2	3	11	21	32	42	71
A. NOT OPERATED	23781	14.2	159	2	3	10	20	31	39	64
B. OPERATED	1158	23.6	284	4	6	20	31	47	61	99+
TOTAL 0-19 YRS	2047	19.6	337	2	3	14	29	46	63	99+
20-34	9836	13.5	146	2	3	10	19	29	38	59
35-49	6942	14.3	151	2	3	11	19	30	39	61
50-64	3934	15.2	151	3	4	12	21	31	39	61
65+	2180	15.3	167	3	4	11	21	33	41	65
GRAND TOTAL	**24939**	**14.6**	**168**	**2**	**3**	**11**	**20**	**31**	**41**	**67**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	655	13.7	347	1	1	6	16	42	62	99
20-34	1285	9.5	115	1	1	6	13	22	30	58
35-49	551	9.4	107	1	1	6	12	22	29	58
50-64	269	9.6	123	1	1	6	11	23	33	53
65+	85	10.3	155	1	2	6	13	22	30	75
B. *Operated*										
0-19 YRS	10	14.7	229	2	2	8	22	41	43	43
20-34	47	8.4	34	2	2	7	12	16	18	30
35-49	31	7.5	29	1	2	6	8	15	18	26
50-64	30	10.5	113	2	3	7	11	23	41	47
65+	9	8.1	125	1	1	4	9	26	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	762	16.1	359	1	2	9	21	45	63	99+
20-34	1982	11.6	154	1	2	7	15	28	38	68
35-49	982	11.1	152	1	2	7	14	26	34	81
50-64	618	10.9	118	1	2	7	14	25	33	54
65+	301	11.2	129	2	2	7	14	27	36	59
B. *Operated*										
0-19 YRS	32	19.3	405	2	3	12	34	55	99	99+
20-34	127	18.8	306	2	4	15	26	46	67	99+
35-49	86	14.9	295	2	3	9	18	36	44	95
50-64	72	13.5	132	1	2	10	18	32	44	88
65+	30	13.3	179	4	4	10	18	22	28	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2845	10.5	172	1	1	6	13	25	37	77
B. *Operated*	127	9.1	74	2	2	7	11	17	27	44
2. MULTIPLE DX										
A. *Not Operated*	4645	12.1	184	1	2	7	15	29	41	80
B. *Operated*	347	16.3	268	2	3	11	21	38	54	99+
1. SINGLE DX	2972	10.4	168	1	1	6	13	25	37	77
2. MULTIPLE DX	4992	12.4	191	1	2	8	16	30	42	85
A. NOT OPERATED	7490	11.5	180	1	2	7	14	28	39	79
B. OPERATED	474	14.4	226	2	3	9	18	35	48	99
TOTAL 0-19 YRS	1459	15.1	355	1	1	8	19	43	63	99+
20-34	3441	11.0	147	1	1	7	15	26	36	68
35-49	1650	10.7	144	1	2	7	14	24	33	71
50-64	989	10.7	121	1	2	7	13	25	34	53
65+	425	11.1	137	2	2	7	14	26	35	63
GRAND TOTAL	**7964**	**11.6**	**183**	**1**	**2**	**7**	**15**	**28**	**40**	**82**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	381	10.7	172	<1	<1	3	22	29	32	56
20-34	3428	14.6	132	1	1	12	25	29	31	39
35-49	3712	13.5	123	1	2	9	24	29	30	37
50-64	2128	13.5	126	1	2	9	24	29	31	39
65+	398	11.3	109	1	2	6	20	28	31	40
B. *Operated*										
0-19 YRS										
20-34	5	21.2	194	1	1	26	33	33	33	33
35-49	9	15.2	53	6	8	14	17	27	32	32
50-64	3	15.0	277	3	3	8	27	34	34	34
65+	3	22.7	160	13	13	18	32	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	764	17.3	257	1	1	14	28	34	42	79
20-34	5543	14.6	143	1	2	11	24	30	34	47
35-49	7441	12.7	119	1	2	8	21	29	32	41
50-64	5943	12.8	122	2	2	8	21	29	33	43
65+	1821	12.4	109	2	3	9	19	28	32	44
B. *Operated*										
0-19 YRS	28	19.5	254	1	1	24	31	35	40	60
20-34	203	21.0	225	1	5	19	29	35	40	95
35-49	404	19.8	177	3	5	17	28	38	43	61
50-64	350	20.3	177	4	6	18	28	36	43	69
65+	128	18.9	185	3	5	16	24	39	46	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10047	13.7	129	1	2	10	24	29	31	39
B. *Operated*	20	17.8	120	2	4	14	29	34	35	37
2. MULTIPLE DX										
A. *Not Operated*	21512	13.4	131	1	2	9	22	29	33	45
B. *Operated*	1113	20.1	188	3	5	18	28	36	43	68
1. SINGLE DX	10067	13.7	129	1	2	10	24	29	31	39
2. MULTIPLE DX	22625	13.7	136	1	2	10	23	30	34	47
A. NOT OPERATED	31559	13.5	130	1	2	9	23	29	32	43
B. OPERATED	1133	20.0	187	3	5	18	28	36	43	67
TOTAL 0-19 YRS	1173	15.2	239	<1	1	9	27	32	39	74
20-34	9179	14.7	141	1	2	12	25	30	33	46
35-49	11566	13.2	124	1	2	9	23	29	32	42
50-64	8424	13.3	127	2	2	9	23	29	33	43
65+	2350	12.6	116	2	2	9	20	29	33	46
GRAND TOTAL	**32692**	**13.7**	**134**	**1**	**2**	**10**	**23**	**29**	**33**	**45**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	19.5	621	2	2	7	30	62	66	66
20-34	76	12.5	125	1	2	8	18	29	37	44
35-49	11	10.4	35	1	3	7	11	28	29	29
50-64	2	18.5	145	10	10	18	27	27	27	27
65+	2	23.0	392	9	9	23	37	37	37	37
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	1	31.0		31	31	31	31	31	31	31
50-64	1	12.0		12	12	12	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	17.8	191	4	4	15	25	37	48	50
20-34	119	13.3	120	1	2	10	19	32	37	42
35-49	37	17.2	145	3	5	12	27	33	37	49
50-64	20	17.2	126	2	3	16	23	32	38	44
65+	9	13.2	68	5	5	11	17	27	29	29
B. *Operated*										
0-19 YRS										
20-34	14	21.1	316	4	5	13	28	52	57	59
35-49	1	23.0		23	23	23	23	23	23	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	13.0	151	1	2	8	19	30	37	56
B. *Operated*	3	18.3	120	12	12	12	26	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	197	14.7	128	2	3	12	21	32	37	47
B. *Operated*	15	21.2	293	4	5	13	27	51	57	59
1. SINGLE DX	100	13.2	150	1	2	9	19	30	37	55
2. MULTIPLE DX	212	15.2	141	2	3	12	22	32	38	50
A. NOT OPERATED	294	14.1	136	1	3	11	21	31	37	47
B. OPERATED	18	20.7	257	4	6	13	28	48	56	59
TOTAL 0-19 YRS	18	18.3	307	3	4	13	28	45	60	66
20-34	210	13.5	136	1	2	10	20	31	38	47
35-49	50	16.1	138	3	4	11	27	31	36	49
50-64	23	17.1	117	2	3	16	24	31	37	44
65+	11	15.0	109	5	5	11	22	32	37	37
GRAND TOTAL	**312**	**14.5**	**144**	**2**	**3**	**11**	**21**	**31**	**38**	**50**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	19.3	323	1	2	15	30	38	61	76
20-34	198	13.1	138	1	1	8	23	30	34	50
35-49	41	12.9	189	1	1	8	20	29	43	58
50-64	24	15.5	159	1	2	11	23	34	40	51
65+	5	17.2	107	5	5	20	23	31	31	31
B. *Operated*										
0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	1	27.0		27	27	27	27	27	27	27
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	23.9	282	2	4	26	30	40	62	91
20-34	385	16.0	159	2	2	12	27	33	39	51
35-49	150	14.5	130	2	3	10	25	31	37	43
50-64	66	13.2	115	3	3	9	19	28	33	51
65+	38	14.0	115	3	4	9	20	33	36	44
B. *Operated*										
0-19 YRS	7	18.6	32	12	12	20	25	78	99+	99+
20-34	18	19.4	183	3	5	17	29	35	46	53
35-49	11	19.2	137	6	6	16	31	33	34	34
50-64	5	10.8	28	3	3	10	15	17	17	17
65+	4	22.5	83	9	9	26	28	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	15.0	200	1	1	10	25	34	37	67
B. *Operated*	5	11.2	134	2	2	5	22	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	896	17.7	200	2	3	14	28	34	40	66
B. *Operated*	45	18.5	123	5	6	17	27	33	39	99+
1. SINGLE DX	372	14.9	199	1	1	9	25	34	37	67
2. MULTIPLE DX	941	17.8	196	2	3	14	28	34	40	67
A. NOT OPERATED	1263	16.9	201	1	2	13	28	34	40	66
B. OPERATED	50	17.8	126	2	5	17	27	33	36	99+
TOTAL 0-19 YRS	363	22.6	291	2	3	23	30	39	64	91
20-34	602	15.2	155	1	2	11	26	32	37	52
35-49	205	14.2	142	2	2	10	24	31	36	52
50-64	96	13.8	122	2	3	11	19	29	34	53
65+	47	15.0	114	3	4	10	21	31	35	44
GRAND TOTAL	**1313**	**17.0**	**198**	**1**	**2**	**13**	**28**	**34**	**40**	**67**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	520	1.7	22	<1	<1	1	1	2	3	16
20-34	289	2.2	12	<1	<1	1	2	5	7	22
35-49	157	3.5	22	<1	<1	2	4	7	11	22
50-64	128	2.9	10	<1	<1	2	3	6	9	18
65+	42	2.2	4	<1	<1	1	2	5	7	10
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	3.8	59	<1	<1	1	3	8	14	39
20-34	527	4.5	51	<1	<1	2	5	12	19	36
35-49	354	5.3	35	<1	1	3	6	13	18	33
50-64	301	5.6	36	1	1	4	6	12	19	30
65+	132	5.2	25	<1	1	4	7	12	15	29
B. *Operated*										
0-19 YRS	15	4.0	28	<1	<1	2	5	5	18	22
20-34	30	4.2	25	<1	<1	2	6	12	16	19
35-49	17	13.5	186	<1	1	7	24	32	41	46
50-64	18	7.8	45	<1	1	6	14	18	20	22
65+	9	6.6	15	<1	1	6	9	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1136	2.3	18	<1	<1	1	2	4	7	20
B. *Operated*	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1662	4.8	45	<1	1	2	5	12	16	33
B. *Operated*	89	6.9	69	<1	<1	4	9	19	23	41
1. SINGLE DX	1137	2.3	18	<1	<1	1	2	4	7	20
2. MULTIPLE DX	1751	4.9	46	<1	<1	3	6	12	18	33
A. NOT OPERATED	2798	3.8	35	<1	<1	2	4	8	14	30
B. OPERATED	90	7.0	68	<1	<1	4	9	18	23	40
TOTAL 0-19 YRS	884	2.6	38	<1	<1	1	2	4	8	29
20-34	846	3.7	38	<1	<1	1	3	8	14	32
35-49	528	5.0	39	<1	1	3	6	12	18	33
50-64	447	4.9	31	<1	1	3	6	11	17	27
65+	183	4.6	22	<1	1	3	6	11	14	25
GRAND TOTAL	**2888**	**3.9**	**37**	**<1**	**<1**	**2**	**4**	**9**	**14**	**31**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	7.9	150	1	1	3	10	18	37	65
20-34	132	6.5	81	<1	<1	3	6	19	30	39
35-49	27	8.4	94	<1	<1	5	11	27	33	36
50-64	6	11.5	172	<1	<1	7	18	33	35	35
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	4.7	16	1	1	4	8	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	11.9	208	1	1	5	16	34	45	69
20-34	313	9.4	112	1	1	5	14	25	31	45
35-49	83	10.7	99	1	1	8	15	25	31	48
50-64	33	11.2	177	2	2	7	12	25	40	66
65+	30	9.9	40	1	3	9	13	19	23	25
B. *Operated*										
0-19 YRS	4	34.0	888	6	6	27	53	76	76	76
20-34	13	20.5	277	2	3	17	30	50	52	53
35-49	6	23.8	153	3	6	28	37	88	99+	99+
50-64	1	9.0		9	9	9	9	9	9	9
65+	3	7.3	2	6	6	7	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	7.3	109	<1	1	3	8	19	32	44
B. *Operated*	4	4.0	13	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	626	10.4	136	1	1	5	14	27	34	51
B. *Operated*	27	21.3	315	3	4	18	29	52	78	99+
1. SINGLE DX	266	7.3	107	<1	1	3	8	19	32	44
2. MULTIPLE DX	653	10.8	148	1	1	6	15	28	36	53
A. NOT OPERATED	888	9.5	130	1	1	5	13	25	34	50
B. OPERATED	31	19.1	309	2	3	16	29	50	74	99+
TOTAL 0-19 YRS	267	10.8	205	1	1	5	14	31	44	72
20-34	461	8.9	112	<1	1	4	12	25	32	46
35-49	117	10.7	109	1	1	7	16	28	33	67
50-64	40	11.2	167	1	2	7	12	27	38	66
65+	34	9.6	36	1	3	8	13	17	23	25
GRAND TOTAL	**919**	**9.8**	**139**	**1**	**1**	**5**	**13**	**28**	**35**	**52**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	4.0	11	1	1	3	5	7	9	21
20-34	400	4.2	19	1	1	3	5	7	10	19
35-49	295	5.1	39	1	1	4	6	9	11	33
50-64	172	4.9	18	1	1	4	6	8	11	22
65+	53	4.9	14	1	1	4	6	10	16	97
B. *Operated*										
0-19 YRS	18	4.8	17	1	1	3	6	12	14	15
20-34	25	6.6	27	1	2	5	9	14	20	20
35-49	23	6.3	21	1	2	5	9	11	16	21
50-64	9	4.3	12	1	1	3	6	10	11	11
65+	5	8.0	25	3	3	8	10	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	347	5.0	44	1	1	4	6	8	12	39
20-34	649	5.9	36	1	2	4	7	11	16	29
35-49	664	6.5	39	2	2	5	7	12	17	37
50-64	532	6.1	37	1	2	5	7	11	14	34
65+	407	7.0	35	2	2	6	9	13	16	31
B. *Operated*										
0-19 YRS	29	8.4	52	1	2	6	10	22	23	27
20-34	87	9.1	51	2	2	7	12	18	23	34
35-49	77	12.7	132	2	2	10	15	29	40	56
50-64	52	9.7	60	2	3	7	13	18	24	44
65+	41	8.6	40	2	3	7	9	17	23	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1235	4.5	22	1	1	3	5	8	10	23
B. *Operated*	80	5.9	21	1	2	5	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	2599	6.1	38	1	2	5	7	11	16	34
B. *Operated*	286	10.0	75	2	2	7	13	21	27	45
1. SINGLE DX	1315	4.6	22	1	1	4	5	8	11	22
2. MULTIPLE DX	2885	6.5	43	1	2	5	8	12	17	37
A. NOT OPERATED	3834	5.6	34	1	2	4	7	10	14	30
B. OPERATED	366	9.1	66	2	2	7	12	19	24	45
TOTAL 0-19 YRS	709	4.7	30	1	1	3	5	8	12	29
20-34	1161	5.6	33	1	1	4	7	11	15	28
35-49	1059	6.5	49	1	2	5	7	12	17	44
50-64	765	6.1	35	1	2	5	7	11	15	33
65+	506	6.9	34	2	2	6	8	13	17	34
GRAND TOTAL	**4200**	**5.9**	**37**	**1**	**2**	**4**	**7**	**11**	**16**	**32**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1447	14.7	252	1	2	8	20	39	50	78
20-34	993	6.2	44	1	1	4	8	13	19	33
35-49	420	6.9	61	1	1	4	8	15	22	38
50-64	150	8.9	103	1	1	5	13	19	25	54
65+	67	7.7	73	1	1	5	9	23	30	90
B. *Operated*										
0-19 YRS	6	7.5	18	2	3	9	57	99+	99+	99+
20-34	5	13.8	232	2	2	4	27	35	35	35
35-49	5	17.0	288	6	6	10	21	47	47	47
50-64	1	29.0		29	29	29	29	29	29	29
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1111	14.4	252	1	2	9	20	36	51	91
20-34	1188	7.8	65	1	1	5	10	19	24	39
35-49	662	8.0	77	1	2	5	10	18	24	48
50-64	386	8.5	87	1	2	5	10	19	26	54
65+	314	9.2	62	1	2	7	12	19	25	38
B. *Operated*										
0-19 YRS	53	19.8	344	1	2	12	31	47	63	73
20-34	46	16.8	253	2	3	14	19	34	51	77
35-49	43	13.5	116	3	4	10	17	29	40	45
50-64	20	20.6	327	3	4	13	34	46	57	67
65+	15	13.7	37	7	7	12	19	21	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3077	10.5	164	1	1	6	13	27	39	65
B. *Operated*	18	13.1	159	2	3	9	27	73	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	3661	10.0	134	1	2	6	13	23	34	67
B. *Operated*	177	17.1	240	2	3	12	21	40	48	72
1. SINGLE DX	3095	10.5	164	1	1	6	13	27	40	66
2. MULTIPLE DX	3838	10.4	141	1	2	6	13	24	35	68
A. NOT OPERATED	6738	10.2	148	1	1	6	13	25	36	66
B. OPERATED	195	16.7	233	2	3	12	21	40	49	89
TOTAL 0-19 YRS	2617	14.7	254	1	2	9	20	38	51	85
20-34	2232	7.3	62	1	1	4	9	17	23	39
35-49	1130	7.8	75	1	1	5	10	18	24	46
50-64	557	9.1	104	1	2	5	11	21	28	55
65+	397	9.2	63	1	2	7	12	20	27	42
GRAND TOTAL	**6933**	**10.4**	**151**	**1**	**1**	**6**	**13**	**25**	**37**	**67**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1326	15.2	426	1	2	6	19	50	71	99+
20-34	1535	8.8	115	1	2	5	11	21	29	57
35-49	814	8.4	68	1	2	5	11	20	27	41
50-64	405	10.3	106	1	2	6	14	26	31	51
65+	253	11.4	147	2	3	7	14	24	31	64
B. *Operated*										
0-19 YRS	35	8.4	283	1	2	3	5	13	61	71
20-34	47	9.1	140	1	2	6	10	15	42	60
35-49	40	8.2	38	2	2	6	11	18	19	29
50-64	9	8.9	9	5	5	8	10	13	15	15
65+	6	8.3	29	4	4	7	8	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1322	15.3	380	2	2	7	20	46	68	99+
20-34	2304	9.1	93	1	2	6	11	20	27	51
35-49	1779	9.4	86	2	2	6	11	21	27	52
50-64	1266	10.2	93	2	3	7	12	22	30	51
65+	1011	11.3	110	2	3	8	14	23	33	55
B. *Operated*										
0-19 YRS	80	21.2	580	2	2	9	39	67	82	99+
20-34	189	14.9	168	2	4	11	20	34	44	94
35-49	165	13.7	134	3	4	10	19	28	33	67
50-64	144	15.5	210	3	4	11	19	33	48	83
65+	88	16.5	155	3	4	12	22	34	46	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4333	11.0	210	1	2	6	13	27	41	89
B. *Operated*	137	8.6	131	2	2	5	10	15	27	67
2. MULTIPLE DX										
A. *Not Operated*	7682	10.7	148	2	2	7	13	23	35	72
B. *Operated*	666	15.7	220	2	4	11	20	35	47	86
1. SINGLE DX	4470	10.9	208	1	2	6	12	27	41	88
2. MULTIPLE DX	8348	11.1	155	2	2	7	13	25	37	74
A. NOT OPERATED	12015	10.8	170	1	2	6	13	25	37	80
B. OPERATED	803	14.5	211	2	3	10	19	33	46	83
TOTAL 0-19 YRS	2763	15.4	408	1	2	6	20	48	70	99+
20-34	4075	9.3	107	1	2	6	11	21	29	56
35-49	2798	9.3	84	2	2	6	11	21	27	49
50-64	1824	10.6	107	2	3	7	13	23	31	55
65+	1358	11.6	121	2	3	8	14	24	33	56
GRAND TOTAL	**12818**	**11.0**	**174**	**2**	**2**	**6**	**13**	**25**	**38**	**80**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	9.1	139	1	2	4	10	24	43	49
20-34	27	8.3	46	1	1	7	13	19	21	26
35-49	12	13.3	290	2	2	7	17	34	59	63
50-64	8	9.6	62	2	2	8	11	23	27	27
65+	3	6.7	80	1	1	2	13	17	17	17
B. *Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	12.9	230	1	2	7	17	30	50	97
20-34	164	12.4	181	1	2	8	17	27	40	81
35-49	70	11.9	162	1	2	7	17	26	33	74
50-64	44	12.5	112	2	3	10	17	22	29	62
65+	15	14.1	393	1	2	8	14	24	67	82
B. *Operated*										
0-19 YRS	20	8.6	224	<1	1	4	7	19	47	67
20-34	14	6.9	43	1	2	5	8	13	23	26
35-49	12	17.7	380	<1	1	15	21	47	66	69
50-64	4	17.8	230	6	6	12	26	40	40	40
65+	4	27.3	1884	2	2	7	52	92	92	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	9.4	119	1	1	6	11	20	28	58
B. *Operated*	8	3.9	7	1	1	4	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	470	12.6	195	1	2	8	17	27	42	89
B. *Operated*	54	12.2	328	1	2	6	12	28	62	91
1. SINGLE DX	94	8.9	111	1	1	5	11	20	27	57
2. MULTIPLE DX	524	12.5	208	1	2	8	17	27	42	91
A. NOT OPERATED	556	12.1	184	1	2	8	16	25	38	84
B. OPERATED	62	11.1	294	1	1	5	12	26	51	89
TOTAL 0-19 YRS	236	11.8	214	1	2	6	16	27	49	92
20-34	206	11.5	156	1	2	8	15	25	34	77
35-49	97	12.5	201	1	2	7	17	27	38	75
50-64	56	12.5	111	2	3	10	15	25	30	61
65+	23	15.0	557	1	2	8	14	36	85	92
GRAND TOTAL	**618**	**12.0**	**195**	**1**	**2**	**7**	**16**	**26**	**39**	**86**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	684	10.6	29	2	3	11	13	17	19	24
20-34	158	8.4	37	1	3	7	12	15	19	25
35-49	78	8.4	52	1	2	6	12	18	23	33
50-64	56	12.6	95	2	3	10	17	24	31	49
65+	12	11.8	50	1	2	11	16	21	25	26
B. *Operated*										
0-19 YRS	116	14.9	116	5	7	13	16	20	26	67
20-34	62	14.4	226	2	3	9	18	33	48	78
35-49	77	12.9	147	2	2	11	16	25	30	71
50-64	43	13.3	187	2	3	8	16	34	47	59
65+	16	13.8	282	2	2	9	15	33	58	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	525	11.7	38	2	3	12	15	18	21	31
20-34	130	10.7	97	2	3	8	13	23	30	79
35-49	120	11.2	72	2	3	10	15	23	28	42
50-64	104	14.8	140	3	4	12	17	32	42	62
65+	84	20.3	259	4	4	17	25	39	45	90
B. *Operated*										
0-19 YRS	157	21.3	223	5	10	16	26	42	60	98
20-34	73	23.3	256	2	5	20	33	48	60	99+
35-49	110	17.6	204	3	4	14	24	38	45	96
50-64	102	25.9	357	5	6	22	37	61	79	99+
65+	53	26.0	305	3	6	24	33	60	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	988	10.2	37	2	3	11	13	17	20	31
B. *Operated*	314	14.0	162	2	3	12	16	24	40	71
2. MULTIPLE DX										
A. *Not Operated*	963	12.6	87	2	3	12	16	21	28	51
B. *Operated*	495	22.2	268	3	6	18	30	51	65	99+
1. SINGLE DX	1302	11.2	70	2	3	11	14	18	22	48
2. MULTIPLE DX	1458	15.9	169	2	4	13	19	32	45	91
A. NOT OPERATED	1951	11.4	63	2	3	11	14	19	23	42
B. OPERATED	809	19.1	242	3	4	15	25	42	58	99+
TOTAL 0-19 YRS	1482	12.5	70	2	3	12	15	19	24	53
20-34	423	12.6	148	2	3	9	16	29	42	76
35-49	385	12.8	131	2	3	10	17	26	33	64
50-64	305	17.9	243	3	4	14	23	43	59	99+
65+	165	20.9	277	3	4	17	27	42	68	99
GRAND TOTAL	**2760**	**13.6**	**128**	**2**	**3**	**12**	**16**	**25**	**36**	**72**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	7.3	3	5	5	7	8	9	9	9
35-49	18	9.8	84	3	3	6	12	18	32	41
50-64	132	8.9	76	2	3	7	11	17	19	34
65+	308	10.1	67	3	3	8	13	21	24	41
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	4	16.3	92	3	3	18	23	25	25	25
65+	10	7.2	19	2	2	6	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.6	147	1	1	6	14	31	34	34
20-34	12	8.7	44	3	3	6	13	19	23	24
35-49	38	12.2	92	3	4	9	18	27	34	37
50-64	397	11.3	91	3	4	9	14	22	26	47
65+	1863	12.4	93	3	4	10	15	23	31	52
B. *Operated*										
0-19 YRS										
20-34	1	41.0		41	41	41	41	41	41	41
35-49	6	20.3	329	3	3	18	25	50	53	53
50-64	49	16.7	147	3	4	14	21	34	37	58
65+	266	19.7	202	4	6	16	25	40	49	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	463	9.7	70	3	3	8	12	18	22	41
B. *Operated*	17	8.6	50	2	2	6	14	20	24	25
2. MULTIPLE DX										
A. *Not Operated*	2317	12.2	93	3	4	10	15	23	30	49
B. *Operated*	322	19.4	196	4	6	16	25	39	49	71
1. SINGLE DX	480	9.6	69	2	3	8	12	18	22	41
2. MULTIPLE DX	2639	13.1	111	3	4	10	16	25	34	56
A. NOT OPERATED	2780	11.8	90	3	4	9	15	22	29	49
B. OPERATED	339	18.8	194	3	5	15	24	38	48	68
TOTAL 0-19 YRS	8	8.6	133	1	1	4	12	29	34	34
20-34	17	10.2	94	3	3	7	12	23	35	41
35-49	65	11.9	113	3	3	8	16	25	37	51
50-64	582	11.2	96	3	3	9	14	21	26	51
65+	2447	12.9	107	3	4	10	16	24	33	56
GRAND TOTAL	**3119**	**12.5**	**106**	**3**	**4**	**10**	**16**	**24**	**32**	**54**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	7.3	37	2	3	5	9	15	19	31
20-34	472	9.8	50	2	2	9	13	18	23	37
35-49	516	11.6	79	2	4	10	14	21	29	48
50-64	165	10.7	55	2	3	10	14	19	24	43
65+	17	8.9	34	1	2	7	14	16	19	21
B. *Operated*										
0-19 YRS	6	13.2	65	1	2	12	18	24	25	25
20-34	99	11.7	129	2	3	8	15	21	35	63
35-49	89	10.2	63	2	3	8	13	20	29	37
50-64	26	9.1	42	2	3	7	13	18	23	26
65+	4	10.0	105	3	3	6	16	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	9.1	67	2	2	5	14	21	27	30
20-34	325	11.4	85	2	3	10	15	22	30	64
35-49	492	12.7	123	3	4	10	16	24	32	64
50-64	370	13.1	110	3	4	10	15	26	34	76
65+	108	12.0	83	3	4	10	15	24	31	47
B. *Operated*										
0-19 YRS	5	15.4	172	5	5	13	38	94	99+	99+
20-34	103	16.0	256	3	4	12	18	30	53	97
35-49	189	18.2	242	2	4	14	24	39	60	93
50-64	132	20.6	319	3	5	16	26	46	69	99+
65+	33	16.1	132	4	6	13	20	36	45	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1202	10.6	64	2	3	9	14	19	24	43
B. *Operated*	224	10.8	90	2	3	8	14	21	29	42
2. MULTIPLE DX										
A. *Not Operated*	1315	12.4	106	3	3	10	15	24	32	63
B. *Operated*	462	18.2	260	3	4	14	23	39	60	99+
1. SINGLE DX	1426	10.6	68	2	3	9	14	20	26	43
2. MULTIPLE DX	1777	13.9	152	3	4	10	17	28	38	84
A. NOT OPERATED	2517	11.5	87	2	3	9	14	21	30	53
B. OPERATED	686	15.8	216	3	3	12	19	35	50	95
TOTAL 0-19 YRS	63	9.0	62	2	2	6	13	20	30	91
20-34	999	11.2	94	2	3	9	14	21	29	63
35-49	1286	12.9	124	3	4	10	16	25	35	64
50-64	693	13.8	146	3	4	11	17	27	38	84
65+	162	12.5	91	3	4	10	15	25	35	47
GRAND TOTAL	**3203**	**12.5**	**117**	**2**	**3**	**10**	**15**	**24**	**34**	**66**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	984	3.8	10	1	1	3	5	7	9	17
20-34	767	4.2	13	1	1	3	5	8	11	20
35-49	398	4.5	15	1	1	3	6	9	12	21
50-64	246	4.7	28	1	1	3	6	8	10	22
65+	120	4.6	12	1	1	4	6	9	10	18
B. *Operated*										
0-19 YRS	17	7.6	53	2	2	4	11	20	25	27
20-34	37	7.0	39	2	2	5	9	12	18	34
35-49	32	8.2	36	1	2	7	11	15	22	25
50-64	19	7.3	24	2	2	6	10	15	18	19
65+	4	3.0	5	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	917	5.1	35	1	1	4	6	9	13	31
20-34	1011	6.5	32	1	2	5	8	13	17	29
35-49	751	6.7	34	1	2	5	9	14	18	34
50-64	810	7.6	49	2	2	6	9	15	20	39
65+	797	7.8	47	2	2	6	10	15	20	42
B. *Operated*										
0-19 YRS	48	12.8	194	2	2	8	16	33	46	55
20-34	84	8.2	66	1	2	6	10	18	27	42
35-49	98	10.1	72	2	3	8	12	18	24	52
50-64	98	12.7	141	2	3	10	15	25	31	71
65+	93	15.0	169	3	4	11	18	36	45	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2515	4.2	14	1	1	3	5	8	10	18
B. *Operated*	109	7.3	36	2	2	5	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	4286	6.7	40	1	2	5	8	13	18	33
B. *Operated*	421	11.7	127	2	3	8	14	25	36	55
1. SINGLE DX	2624	4.3	15	1	1	3	5	8	11	20
2. MULTIPLE DX	4707	7.1	50	1	2	5	9	14	19	38
A. NOT OPERATED	6801	5.8	32	1	1	4	7	11	16	29
B. OPERATED	530	10.8	111	2	2	8	14	22	32	55
TOTAL 0-19 YRS	1966	4.7	28	1	1	3	5	9	12	27
20-34	1899	5.6	28	1	1	4	7	11	16	28
35-49	1279	6.3	33	1	1	5	8	13	17	29
50-64	1173	7.4	56	1	2	5	9	15	20	39
65+	1014	8.1	60	2	2	6	10	16	22	46
GRAND TOTAL	**7331**	**6.1**	**39**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	500	4.8	20	1	1	4	6	10	14	27
20-34	649	6.5	31	1	2	5	8	14	18	30
35-49	489	7.2	34	1	2	5	9	14	18	29
50-64	447	8.4	55	2	2	6	11	18	24	39
65+	466	8.7	56	2	3	7	11	17	24	46
B. *Operated*										
0-19 YRS	377	6.7	40	1	2	5	8	14	19	31
20-34	437	8.1	58	1	2	6	11	17	21	46
35-49	392	7.9	48	2	2	6	11	16	20	31
50-64	396	10.2	116	2	2	7	12	20	30	53
65+	263	11.3	104	2	3	8	16	25	34	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	732	6.6	62	1	1	4	8	14	22	74
20-34	925	9.1	97	2	2	6	11	20	29	85
35-49	819	9.7	102	2	2	7	12	19	28	71
50-64	1359	11.7	115	2	3	9	15	25	36	70
65+	2778	12.8	112	3	4	10	16	26	34	62
B. *Operated*										
0-19 YRS	565	9.6	131	1	2	6	12	24	41	99+
20-34	626	14.9	319	2	2	9	21	62	99+	99+
35-49	641	13.0	169	2	3	10	17	28	47	99+
50-64	974	14.6	177	2	3	11	19	31	47	98
65+	1174	17.4	225	2	3	13	24	38	49	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2551	7.0	40	1	2	5	9	15	19	33
B. *Operated*	1865	8.7	73	2	2	6	11	18	24	45
2. MULTIPLE DX										
A. *Not Operated*	6613	11.0	108	2	3	8	14	23	33	68
B. *Operated*	3980	14.5	212	2	3	10	19	35	54	99+
1. SINGLE DX	4416	7.7	55	1	2	5	10	16	22	40
2. MULTIPLE DX	10593	12.3	150	2	3	9	15	27	40	99+
A. NOT OPERATED	9164	9.9	92	2	2	7	12	21	29	60
B. OPERATED	5845	12.7	175	2	2	9	16	30	44	99+
TOTAL 0-19 YRS	2174	7.0	69	1	2	5	8	15	23	94
20-34	2637	9.7	136	1	2	6	12	22	37	99+
35-49	2341	9.8	102	2	2	7	12	20	28	75
50-64	3176	12.0	130	2	3	9	15	25	36	73
65+	4681	13.4	141	3	3	10	17	28	38	68
GRAND TOTAL	**15009**	**11.0**	**126**	**2**	**2**	**8**	**14**	**24**	**35**	**83**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	528	3.3	5	1	1	3	4	6	7	11
20-34	1153	4.2	10	1	1	3	5	8	10	14
35-49	703	4.6	12	1	2	4	6	8	10	19
50-64	253	4.7	15	1	1	4	6	10	13	22
65+	37	5.3	8	2	3	4	6	10	11	13
B. *Operated*										
0-19 YRS	25	3.7	4	1	2	3	5	7	8	8
20-34	121	5.4	12	2	2	5	7	9	12	19
35-49	99	6.1	28	1	2	4	7	15	18	26
50-64	37	6.5	15	2	3	5	7	14	15	17
65+	4	18.0	345	2	2	13	32	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	4.3	10	1	1	3	5	7	10	17
20-34	1199	5.7	16	1	2	5	7	11	14	21
35-49	1006	6.0	18	2	2	5	8	10	13	23
50-64	585	6.7	19	2	2	6	9	12	15	21
65+	176	6.9	45	2	2	6	8	12	17	37
B. *Operated*										
0-19 YRS	19	5.1	12	2	2	4	8	9	12	15
20-34	148	8.7	32	3	3	7	10	15	22	29
35-49	129	9.2	40	2	3	7	11	18	24	32
50-64	77	9.3	31	2	3	8	13	17	20	23
65+	14	7.9	16	3	4	7	8	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2674	4.2	10	1	1	3	5	8	10	16
B. *Operated*	286	5.8	23	2	2	5	7	11	16	23
2. MULTIPLE DX										
A. *Not Operated*	3269	5.9	19	2	2	5	7	11	14	22
B. *Operated*	387	8.8	33	2	3	7	11	16	21	28
1. SINGLE DX	2960	4.4	12	1	2	4	5	8	10	18
2. MULTIPLE DX	3656	6.2	21	2	2	5	8	11	15	24
A. NOT OPERATED	5943	5.1	16	1	2	4	6	10	12	20
B. OPERATED	673	7.5	31	2	2	6	9	15	19	27
TOTAL 0-19 YRS	875	3.7	7	1	1	3	5	7	8	14
20-34	2621	5.2	16	1	2	4	7	10	12	20
35-49	1937	5.7	19	1	2	5	7	10	13	24
50-64	952	6.4	20	2	2	5	8	12	16	21
65+	231	6.9	43	2	2	6	8	12	17	41
GRAND TOTAL	**6616**	**5.4**	**18**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.9	21	1	1	4	4	13	15	15
20-34	58	2.8	5	1	1	2	3	6	8	12
35-49	52	3.3	5	<1	2	3	4	6	10	12
50-64	61	3.5	5	1	1	3	4	7	8	11
65+	19	4.3	19	1	1	3	6	8	15	20
B. *Operated*										
0-19 YRS	90	3.1	11	1	1	2	3	4	6	22
20-34	2000	2.5	4	1	1	2	3	4	5	10
35-49	2881	2.8	5	1	1	2	3	4	6	12
50-64	2932	2.8	5	1	1	2	3	4	5	12
65+	1144	3.2	8	1	2	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	5	2	2	5	6	8	8	8
20-34	48	5.7	15	1	1	5	8	12	14	15
35-49	119	6.1	17	1	2	5	8	12	13	22
50-64	144	5.9	19	1	1	5	8	12	15	19
65+	64	8.1	30	1	3	7	10	15	19	28
B. *Operated*										
0-19 YRS	31	3.7	28	1	2	2	3	5	9	31
20-34	476	3.8	11	1	2	3	4	7	10	18
35-49	1077	4.8	27	1	2	3	5	10	14	27
50-64	1534	4.5	16	2	2	3	5	9	13	22
65+	889	5.2	24	2	2	4	6	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	3.4	7	1	1	3	4	6	9	14
B. *Operated*	9047	2.8	5	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	381	6.3	20	1	2	5	8	13	15	21
B. *Operated*	4007	4.6	21	1	2	3	5	10	13	24
1. SINGLE DX	9244	2.8	5	1	1	2	3	4	6	12
2. MULTIPLE DX	4388	4.8	21	1	2	3	5	10	14	24
A. NOT OPERATED	578	5.3	18	1	1	4	7	11	14	19
B. OPERATED	13054	3.4	11	1	2	2	3	6	9	18
TOTAL 0-19 YRS	134	3.4	15	1	2	2	4	5	8	24
20-34	2582	2.8	5	1	1	2	3	5	6	13
35-49	4129	3.4	12	1	2	2	3	6	9	17
50-64	4671	3.4	10	1	2	3	4	6	9	18
65+	2116	4.2	17	1	2	3	5	8	12	21
GRAND TOTAL	**13632**	**3.4**	**11**	**1**	**2**	**2**	**4**	**6**	**9**	**18**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	7.1	63	1	2	5	9	14	18	42
20-34	572	6.5	39	1	2	5	8	13	18	30
35-49	640	6.4	40	1	2	5	8	12	15	28
50-64	639	6.7	40	1	2	5	8	13	17	42
65+	350	7.8	40	2	2	6	10	17	20	35
B. *Operated*										
0-19 YRS	257	4.4	19	1	2	3	5	8	11	24
20-34	1448	4.6	18	2	2	3	5	8	12	22
35-49	1748	4.9	21	2	2	3	6	10	13	22
50-64	1657	5.1	36	2	2	3	5	10	14	33
65+	614	5.7	36	2	2	4	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	7.7	70	1	2	5	9	16	28	62
20-34	577	7.4	68	2	2	5	9	14	20	69
35-49	1024	7.8	53	2	2	6	9	15	18	37
50-64	1419	8.7	59	2	3	7	11	16	22	44
65+	1390	10.0	73	3	3	8	12	18	25	46
B. *Operated*										
0-19 YRS	117	8.3	170	1	2	4	8	15	31	70
20-34	696	7.8	90	2	2	5	9	17	25	61
35-49	995	8.3	75	2	2	5	11	17	23	51
50-64	1337	8.2	72	2	2	5	10	18	24	54
65+	694	12.6	158	2	3	9	17	27	39	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2387	6.8	42	1	2	5	8	13	18	33
B. *Operated*	5724	4.9	26	2	2	3	5	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	4535	8.7	64	2	3	7	11	16	22	44
B. *Operated*	3839	9.0	97	2	2	5	11	19	27	61
1. SINGLE DX	8111	5.5	31	2	2	4	6	11	14	28
2. MULTIPLE DX	8374	8.8	80	2	2	6	11	18	24	54
A. NOT OPERATED	6922	8.0	57	2	2	6	10	15	20	42
B. OPERATED	9563	6.5	59	2	2	4	8	14	20	44
TOTAL 0-19 YRS	685	6.4	68	1	2	4	7	12	18	51
20-34	3293	6.1	47	2	2	4	7	12	17	37
35-49	4407	6.5	46	2	2	4	8	13	18	33
50-64	5052	7.1	55	2	2	5	9	14	20	44
65+	3048	9.5	86	2	2	7	12	19	27	53
GRAND TOTAL	**16485**	**7.2**	**59**	**2**	**2**	**5**	**9**	**15**	**20**	**43**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	8	1	1	3	4	8	8	8
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49										
50-64	8	2.3	2	<1	<1	2	3	4	4	4
65+	11	3.5	5	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	122	5.5	14	2	3	5	6	9	11	28
20-34	188	5.2	8	2	2	5	6	9	11	13
35-49	170	5.0	8	2	3	5	6	8	9	18
50-64	611	5.2	11	2	2	5	6	8	10	23
65+	582	5.7	8	2	3	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	4	2.0	4	<1	<1	1	3	5	5	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	7	3.6	5	<1	<1	3	6	6	6	6
65+	11	3.6	4	<1	1	3	5	6	7	7
B. *Operated*										
0-19 YRS	47	5.3	12	2	2	5	7	8	15	18
20-34	69	5.9	13	2	2	5	7	10	13	20
35-49	105	6.7	22	2	2	5	8	13	16	23
50-64	474	5.9	13	2	2	5	7	10	12	20
65+	556	6.5	20	2	3	5	8	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.1	4	<1	1	3	4	6	8	8
B. *Operated*	1673	5.4	10	2	3	5	6	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	27	3.6	8	<1	<1	3	5	6	8	14
B. *Operated*	1251	6.2	17	2	2	5	7	11	14	22
1. SINGLE DX	1699	5.3	10	2	3	5	6	8	10	19
2. MULTIPLE DX	1278	6.1	17	2	2	5	7	11	14	22
A. NOT OPERATED	53	3.3	6	<1	1	3	5	6	8	14
B. OPERATED	2924	5.7	13	2	3	5	7	9	12	21
TOTAL 0-19 YRS	176	5.4	14	2	2	5	6	9	12	25
20-34	263	5.3	9	2	2	5	6	9	11	17
35-49	278	5.6	14	2	2	5	6	9	13	21
50-64	1100	5.5	12	2	2	5	7	9	11	21
65+	1160	6.0	14	2	3	5	7	10	12	22
GRAND TOTAL	**2977**	**5.7**	**13**	**2**	**2**	**5**	**7**	**9**	**12**	**21**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	4	5.0	10	2	2	4	7	9	9	9
35-49	9	3.6	7	1	1	3	4	8	10	10
50-64	26	3.4	22	1	1	2	3	7	11	25
65+	48	3.7	11	1	1	3	5	7	8	21
B. *Operated*										
0-19 YRS	10	3.9	2	2	2	4	5	6	7	7
20-34	15	4.2	4	2	2	4	5	5	9	10
35-49	113	3.7	4	2	2	3	5	6	8	10
50-64	385	4.0	15	1	2	3	5	7	9	16
65+	623	4.2	10	2	2	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.8	4	<1	<1	2	4	6	6	6
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	29	4.5	17	1	1	3	5	11	14	17
65+	74	6.0	37	1	2	4	7	14	18	34
B. *Operated*										
0-19 YRS	5	3.6	3	2	2	3	5	6	6	6
20-34	11	8.6	115	2	2	4	9	25	37	38
35-49	38	5.5	14	2	3	5	6	9	12	23
50-64	214	6.0	23	2	2	5	7	11	16	26
65+	508	5.9	23	2	2	5	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	3.6	14	1	1	3	4	7	9	23
B. *Operated*	1146	4.1	11	2	2	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	110	5.4	30	1	1	3	7	12	17	27
B. *Operated*	776	6.0	24	2	2	5	7	11	14	23
1. SINGLE DX	1236	4.0	11	1	2	3	5	7	9	16
2. MULTIPLE DX	886	5.9	25	2	2	4	7	11	15	23
A. NOT OPERATED	200	4.6	23	1	1	3	6	10	15	23
B. OPERATED	1922	4.8	17	2	2	4	6	9	12	20
TOTAL 0-19 YRS	18	3.3	3	<1	<1	3	5	6	7	7
20-34	35	5.5	42	2	2	4	6	9	15	38
35-49	162	4.1	7	2	2	3	5	7	9	12
50-64	654	4.6	19	1	2	3	6	9	11	19
65+	1253	5.0	17	2	2	4	6	10	12	21
GRAND TOTAL	**2122**	**4.8**	**18**	**2**	**2**	**4**	**6**	**9**	**12**	**20**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	6	3.8	7	2	2	3	4	8	9	9
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	15	2.9	3	<1	1	3	4	6	7	7
65+	27	3.5	3	1	2	3	4	7	8	8
B. *Operated*										
0-19 YRS	15	3.9	16	2	2	3	4	5	15	18
20-34	28	5.7	133	<1	1	3	5	8	22	62
35-49	38	3.6	4	1	2	3	4	7	8	11
50-64	120	4.3	10	2	2	3	5	8	10	20
65+	230	4.2	15	2	2	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	6	1	1	2	6	7	7	7
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	10	4.6	7	1	2	4	5	9	10	10
50-64	33	6.2	24	1	1	5	8	14	15	21
65+	68	7.6	56	2	2	5	8	18	21	41
B. *Operated*										
0-19 YRS	6	3.7	1	3	3	3	4	6	6	6
20-34	29	5.4	14	1	2	4	7	12	14	15
35-49	46	6.3	50	2	2	4	7	12	16	44
50-64	109	4.5	10	1	2	4	5	9	12	16
65+	270	5.7	29	2	2	4	6	11	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.1	4	<1	1	3	4	6	8	9
B. *Operated*	431	4.3	20	2	2	3	5	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	121	6.7	40	1	2	5	8	14	19	37
B. *Operated*	460	5.4	25	2	2	4	6	11	14	24
1. SINGLE DX	488	4.1	18	1	2	3	5	7	10	18
2. MULTIPLE DX	581	5.7	28	1	2	4	7	11	15	25
A. NOT OPERATED	178	5.5	31	1	1	4	7	11	16	31
B. OPERATED	891	4.9	23	2	2	4	5	9	13	23
TOTAL 0-19 YRS	32	3.5	9	<1	1	3	4	6	7	18
20-34	66	5.3	62	1	2	3	5	9	14	55
35-49	99	4.9	27	1	2	4	5	10	12	33
50-64	277	4.5	12	1	2	3	5	9	12	18
65+	595	5.2	26	2	2	4	6	10	15	25
GRAND TOTAL	**1069**	**5.0**	**24**	**1**	**2**	**4**	**6**	**9**	**13**	**24**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
35-49	10	3.7	7	<1	<1	3	6	8	9	9
50-64	65	2.8	3	<1	<1	3	3	4	6	9
65+	200	3.1	4	<1	1	3	4	4	5	12
B. *Operated*										
YRS										
35-49	957	3.4	8	2	2	3	4	5	7	12
50-64	6052	3.5	4	2	2	3	4	5	6	11
65+	18677	3.8	6	2	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
35-49	25	2.8	12	<1	1	2	3	10	33	99+
50-64	147	3.8	18	<1	1	3	4	8	11	23
65+	476	3.7	17	1	1	3	4	8	12	30
B. *Operated*										
YRS										
35-49	463	4.4	14	2	2	3	5	8	11	24
50-64	3881	4.4	11	2	2	3	5	8	10	18
65+	14493	4.8	17	2	2	4	5	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	3.1	4	<1	1	3	4	4	6	11
B. *Operated*	25686	3.7	5	2	2	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	648	3.7	17	1	1	3	4	8	11	28
B. *Operated*	18837	4.7	16	2	2	4	5	8	11	21
1. SINGLE DX	25961	3.7	5	2	2	3	4	5	7	12
2. MULTIPLE DX	19485	4.7	16	2	2	4	5	8	11	21
A. NOT OPERATED	923	3.5	13	<1	1	3	4	7	10	23
B. OPERATED	44523	4.1	10	2	2	3	4	6	9	16
TOTAL YRS										
35-49	1455	3.7	10	2	2	3	4	6	8	17
50-64	10145	3.8	7	2	2	3	4	6	8	14
65+	33846	4.2	11	2	2	3	5	7	9	16
GRAND TOTAL	**45446**	**4.1**	**10**	**2**	**2**	**3**	**4**	**6**	**9**	**16**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34										
35-49	3	4.7	8	3	3	3	7	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	179	3.2	7	1	2	3	3	5	7	20
20-34	134	2.9	2	1	2	3	3	5	5	8
35-49	144	3.1	3	1	2	3	4	5	6	12
50-64	241	3.3	4	1	2	3	4	5	7	13
65+	232	3.4	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	10	2.9	1	1	1	3	4	4	4	4
65+	11	3.5	8	1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	76	3.8	6	2	2	3	4	7	9	13
20-34	75	3.6	5	2	2	3	4	7	8	12
35-49	97	4.3	10	2	2	3	5	8	10	19
50-64	254	4.5	12	2	2	3	5	8	11	18
65+	278	4.7	16	2	2	4	5	9	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.2	4	1	1	3	4	6	8	8
B. *Operated*	930	3.2	4	1	2	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	27	3.4	5	1	1	3	4	7	8	8
B. *Operated*	780	4.4	12	2	2	3	5	8	11	19
1. SINGLE DX	940	3.2	4	1	2	3	4	5	7	12
2. MULTIPLE DX	807	4.4	12	2	2	3	5	8	11	19
A. NOT OPERATED	37	3.4	4	1	1	3	4	7	8	8
B. OPERATED	1710	3.8	8	1	2	3	4	7	8	16
TOTAL 0-19 YRS	259	3.4	7	1	2	3	4	6	8	14
20-34	211	3.1	3	1	2	3	4	5	7	10
35-49	247	3.6	6	1	2	3	4	6	8	12
50-64	506	3.9	8	1	2	3	4	7	9	17
65+	524	4.1	10	1	2	3	5	7	9	19
GRAND TOTAL	**1747**	**3.7**	**8**	**1**	**2**	**3**	**4**	**7**	**8**	**16**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	1.8	4	<1	<1	1	2	4	6	12
20-34	30	3.2	8	<1	1	3	3	5	8	16
35-49	16	6.4	12	1	2	7	9	11	12	12
50-64	25	4.6	10	1	2	4	5	8	12	15
65+	18	5.9	12	2	2	5	8	11	13	14
B. *Operated*										
0-19 YRS	4309	1.9	4	1	1	2	2	2	2	4
20-34	698	2.1	2	1	1	2	2	3	3	6
35-49	311	2.4	2	1	1	2	2	3	4	10
50-64	151	2.5	3	1	2	2	2	4	5	8
65+	71	2.7	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	2.2	8	<1	<1	1	2	5	9	16
20-34	30	3.3	4	1	1	3	5	6	7	7
35-49	37	6.3	30	1	1	5	7	13	17	29
50-64	68	6.6	15	2	2	6	9	13	15	17
65+	85	6.9	19	2	3	6	9	13	16	21
B. *Operated*										
0-19 YRS	771	2.0	3	1	1	2	2	3	3	7
20-34	201	2.5	2	1	1	2	3	3	5	10
35-49	133	3.3	10	1	2	2	3	6	11	18
50-64	125	3.9	17	1	2	2	4	9	13	22
65+	94	5.9	55	2	2	3	7	13	16	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	3.4	10	<1	<1	2	4	8	11	15
B. *Operated*	5540	2.0	4	1	1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	346	4.7	18	<1	1	4	7	10	14	18
B. *Operated*	1324	2.7	10	1	1	2	2	4	7	17
1. SINGLE DX	5702	2.0	4	1	1	2	2	2	3	8
2. MULTIPLE DX	1670	3.1	12	1	1	2	3	6	10	18
A. NOT OPERATED	508	4.3	16	<1	<1	3	6	10	13	17
B. OPERATED	6864	2.1	5	1	1	2	2	2	3	10
TOTAL 0-19 YRS	5279	1.9	4	1	1	2	2	2	3	6
20-34	959	2.3	2	1	1	2	2	3	4	8
35-49	497	3.0	8	1	2	2	3	6	9	15
50-64	369	3.9	13	1	2	2	4	8	11	19
65+	268	5.4	29	1	2	4	7	11	14	22
GRAND TOTAL	**7372**	**2.3**	**6**	**1**	**1**	**2**	**2**	**3**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	417	2.1	5	<1	<1	1	2	4	6	12
20-34	87	3.8	10	1	1	3	5	8	9	19
35-49	74	4.5	12	1	1	3	6	10	12	14
50-64	62	5.1	35	<1	1	3	5	14	16	31
65+	98	4.2	20	1	1	3	5	10	15	66
B. *Operated*										
0-19 YRS	477	1.9	2	<1	1	2	2	3	4	7
20-34	469	2.8	4	1	1	2	3	5	6	12
35-49	554	2.6	4	1	1	2	3	4	6	12
50-64	845	2.5	3	1	1	2	3	4	5	10
65+	1087	2.8	7	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	3.5	8	1	1	3	5	6	8	14
20-34	91	5.9	76	1	1	4	6	11	19	54
35-49	85	5.3	22	1	1	4	7	12	15	74
50-64	115	6.5	25	1	2	5	9	13	15	27
65+	192	6.6	22	1	2	6	9	13	15	22
B. *Operated*										
0-19 YRS	133	3.7	34	1	1	2	4	8	10	25
20-34	166	4.2	39	1	2	3	4	8	10	29
35-49	441	3.6	19	1	1	3	4	6	8	35
50-64	894	3.7	15	1	1	3	4	6	9	23
65+	1125	4.3	21	1	2	3	5	8	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	3.1	12	<1	<1	2	4	7	10	18
B. *Operated*	3432	2.6	5	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	778	5.2	25	1	1	4	7	11	14	28
B. *Operated*	2759	4.0	21	1	1	3	4	7	10	27
1. SINGLE DX	4170	2.7	6	<1	1	2	3	5	6	12
2. MULTIPLE DX	3537	4.3	22	1	1	3	5	8	11	27
A. NOT OPERATED	1516	4.2	20	<1	1	3	5	9	12	23
B. OPERATED	6191	3.2	12	1	1	2	3	6	8	18
TOTAL 0-19 YRS	1322	2.5	8	<1	<1	2	3	5	7	12
20-34	813	3.5	21	1	1	2	4	6	9	19
35-49	1154	3.3	12	1	1	2	3	6	9	21
50-64	1916	3.4	12	1	1	2	4	6	9	19
65+	2502	3.9	16	1	1	3	4	7	10	21
GRAND TOTAL	**7707**	**3.4**	**14**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	405	4.0	7	1	1	4	5	6	8	13
20-34	221	4.3	8	1	1	4	5	8	10	12
35-49	113	4.8	11	1	1	4	6	9	11	17
50-64	130	5.3	27	1	2	4	6	10	13	31
65+	136	5.0	10	1	2	5	7	9	11	15
B. *Operated*										
0-19 YRS	122	3.5	7	1	1	3	4	7	10	14
20-34	130	4.4	11	1	2	3	5	9	11	19
35-49	131	4.2	10	2	2	3	4	7	11	17
50-64	307	4.2	12	1	2	3	5	8	11	18
65+	545	4.2	27	1	2	3	5	7	10	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	5.1	21	1	2	4	6	9	11	15
20-34	208	6.2	24	2	2	5	8	12	16	33
35-49	172	6.1	17	1	2	5	9	11	14	20
50-64	252	6.1	17	2	2	5	8	11	14	24
65+	359	7.1	24	1	2	6	9	14	17	25
B. *Operated*										
0-19 YRS	110	5.6	28	2	2	4	6	10	16	33
20-34	196	5.9	34	1	2	5	7	10	15	30
35-49	204	5.5	17	2	2	4	7	11	14	19
50-64	511	6.3	47	2	2	4	7	12	16	40
65+	818	6.2	40	2	2	4	7	12	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1005	4.4	11	1	1	4	5	8	10	16
B. *Operated*	1235	4.2	18	1	2	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	1333	6.1	21	1	2	5	8	11	14	22
B. *Operated*	1839	6.1	38	2	2	4	7	11	16	32
1. SINGLE DX	2240	4.3	15	1	2	3	5	8	10	17
2. MULTIPLE DX	3172	6.1	31	2	2	5	8	11	15	28
A. NOT OPERATED	2338	5.4	18	1	2	4	7	10	13	20
B. OPERATED	3074	5.3	31	2	2	4	6	10	14	27
TOTAL 0-19 YRS	979	4.5	15	1	2	4	5	8	10	16
20-34	755	5.2	21	1	2	4	6	10	13	24
35-49	620	5.3	15	1	2	4	7	10	13	19
50-64	1200	5.6	30	2	2	4	7	10	14	27
65+	1858	5.7	32	2	2	4	7	11	15	28
GRAND TOTAL	**5412**	**5.3**	**25**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	9	1	1	2	4	6	7	18
20-34	39	4.6	12	1	1	3	7	10	12	15
35-49	41	3.7	7	<1	1	3	5	6	10	14
50-64	32	4.0	5	1	2	4	5	7	8	12
65+	16	3.3	2	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	27	2.2	2	<1	<1	2	2	3	5	8
20-34	71	2.5	1	1	2	2	3	4	5	7
35-49	45	2.8	3	1	1	2	3	5	7	8
50-64	35	3.4	4	2	2	3	4	6	8	10
65+	19	3.7	8	2	2	2	4	7	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.6	32	<1	1	3	5	9	17	32
20-34	91	4.6	14	1	1	3	6	9	13	21
35-49	67	4.6	10	1	2	4	6	9	12	15
50-64	136	5.9	14	1	2	5	8	11	12	20
65+	125	6.7	22	2	3	6	9	12	15	26
B. *Operated*										
0-19 YRS	37	3.8	8	1	2	3	4	8	10	14
20-34	53	4.9	17	2	2	4	6	9	11	23
35-49	41	6.0	21	2	2	5	7	11	16	23
50-64	76	7.0	26	2	2	6	9	15	18	24
65+	101	6.9	30	2	2	5	9	14	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	3.7	8	1	1	3	5	7	10	15
B. *Operated*	197	2.8	3	1	2	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	477	5.5	19	1	2	4	7	11	13	23
B. *Operated*	308	6.1	24	2	2	4	8	13	17	23
1. SINGLE DX	369	3.2	6	1	1	2	4	6	8	13
2. MULTIPLE DX	785	5.8	21	1	2	4	7	11	15	23
A. NOT OPERATED	649	5.1	17	1	1	4	6	10	12	23
B. OPERATED	505	4.8	18	2	2	3	6	10	14	23
TOTAL 0-19 YRS	166	3.6	16	1	1	3	4	6	10	22
20-34	254	4.1	12	1	2	3	5	8	11	21
35-49	194	4.3	11	1	2	3	5	9	12	17
50-64	279	5.7	17	2	2	4	7	11	13	22
65+	261	6.3	24	2	2	5	8	12	16	25
GRAND TOTAL	**1154**	**4.9**	**17**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1411	2.9	4	1	1	3	4	5	6	10
20-34	63	4.2	6	1	1	4	5	8	9	13
35-49	29	3.5	3	1	1	3	4	6	7	8
50-64	27	4.6	9	1	1	4	7	9	10	11
65+	11	4.5	12	1	1	4	7	10	12	12
B. *Operated*										
0-19 YRS	6855	1.4	2	<1	<1	1	2	2	3	6
20-34	661	2.4	3	1	1	2	3	3	4	8
35-49	596	2.5	2	1	1	2	3	3	4	7
50-64	552	2.5	1	1	1	2	3	3	4	5
65+	168	2.6	12	1	1	2	3	3	4	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4041	3.8	11	1	1	3	5	7	8	13
20-34	163	4.7	12	1	1	4	6	8	12	17
35-49	99	6.6	22	1	2	6	8	12	14	29
50-64	114	6.0	24	1	2	5	8	11	15	58
65+	108	7.8	39	2	3	6	9	15	17	37
B. *Operated*										
0-19 YRS	6327	1.9	3	<1	1	2	2	3	3	9
20-34	793	2.8	4	1	2	2	3	4	6	12
35-49	583	3.2	8	2	2	3	3	5	6	16
50-64	669	3.6	20	1	2	3	4	6	9	17
65+	215	4.0	25	2	2	3	4	7	10	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1541	3.0	5	1	1	3	4	5	7	11
B. *Operated*	8832	1.7	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	4525	4.0	12	1	1	3	5	7	9	14
B. *Operated*	8687	2.3	6	<1	1	2	2	3	5	11
1. SINGLE DX	10373	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	13212	2.9	9	1	1	2	3	5	7	13
A. NOT OPERATED	6066	3.8	11	1	1	3	5	7	8	14
B. OPERATED	17519	2.0	4	<1	<1	2	2	3	4	10
TOTAL 0-19 YRS	18634	2.2	5	<1	<1	2	2	4	6	10
20-34	1680	2.9	5	1	1	2	3	5	7	13
35-49	1407	3.1	8	1	2	2	3	5	7	15
50-64	1362	3.3	14	1	2	3	3	5	9	15
65+	502	4.3	27	1	1	3	4	8	13	31
GRAND TOTAL	**23585**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	3.8	10	1	1	3	5	6	9	23
20-34	88	3.6	4	1	1	3	5	6	8	11
35-49	47	4.5	12	1	2	3	5	11	12	15
50-64	27	5.3	13	2	2	3	7	11	13	15
65+	14	7.5	11	3	3	8	9	11	14	15
B. *Operated*										
0-19 YRS	1031	1.5	10	<1	<1	1	2	2	3	7
20-34	114	2.8	9	1	1	2	3	5	7	99+
35-49	90	2.5	2	1	1	2	3	4	5	10
50-64	97	2.6	3	1	1	2	3	5	6	11
65+	50	4.4	16	1	1	3	5	12	15	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	454	4.2	12	1	1	3	5	8	10	15
20-34	136	4.8	7	1	2	4	6	8	9	14
35-49	99	6.3	16	2	3	6	8	9	12	26
50-64	95	8.0	114	2	3	6	9	12	16	73
65+	91	7.9	31	2	3	6	10	16	19	28
B. *Operated*										
0-19 YRS	1068	2.3	13	1	1	2	2	3	5	13
20-34	176	4.3	66	2	2	3	4	6	9	36
35-49	144	3.8	14	2	2	3	4	7	11	21
50-64	141	5.4	43	2	2	3	5	11	16	44
65+	84	9.1	127	1	2	4	11	21	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	4.1	10	1	1	3	5	8	10	15
B. *Operated*	1382	1.9	10	<1	<1	1	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	875	5.3	27	1	2	4	6	9	12	24
B. *Operated*	1613	3.3	30	1	1	2	3	6	9	26
1. SINGLE DX	1760	2.4	10	<1	1	1	3	5	6	13
2. MULTIPLE DX	2488	4.0	30	1	1	2	5	8	11	25
A. NOT OPERATED	1253	5.0	22	1	2	4	6	9	12	22
B. OPERATED	2995	2.6	21	<1	1	2	2	5	7	20
TOTAL 0-19 YRS	2755	2.5	12	<1	1	2	3	5	7	13
20-34	514	4.0	28	1	1	3	5	7	8	30
35-49	380	4.2	13	1	2	3	5	8	11	18
50-64	360	5.3	52	1	2	3	6	10	14	42
65+	239	7.6	63	1	2	5	9	16	21	50
GRAND TOTAL	**4248**	**3.3**	**22**	**<1**	**1**	**2**	**4**	**7**	**9**	**21**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	4.3	7	1	2	4	5	7	10	14
20-34	451	4.4	11	1	1	4	6	8	9	17
35-49	534	4.1	6	1	2	4	5	8	9	15
50-64	736	4.4	9	1	2	4	6	8	10	15
65+	538	4.7	11	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	12	4.3	9	2	2	3	6	10	11	11
20-34	48	4.0	5	2	2	4	5	8	8	11
35-49	92	4.5	11	2	2	3	5	9	11	18
50-64	148	5.4	20	2	2	4	7	10	12	24
65+	43	7.1	28	2	2	6	9	14	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	4.9	9	1	2	4	6	10	11	14
20-34	441	5.3	12	2	2	4	7	9	12	19
35-49	800	5.8	16	2	2	5	7	11	13	21
50-64	1474	6.0	23	2	2	5	7	11	14	22
65+	2185	6.4	23	2	2	5	8	11	14	26
B. *Operated*										
0-19 YRS	7	4.9	6	2	2	5	6	8	9	9
20-34	47	7.8	27	2	2	7	10	16	20	21
35-49	91	8.6	26	3	3	8	12	15	18	27
50-64	179	9.1	36	2	3	8	12	16	21	32
65+	145	10.9	69	3	4	9	12	19	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2357	4.4	9	1	2	4	6	8	10	16
B. *Operated*	343	5.1	16	2	2	4	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	4986	6.0	21	2	2	5	7	11	14	22
B. *Operated*	469	9.4	44	2	3	8	12	17	21	35
1. SINGLE DX	2700	4.5	10	1	2	4	6	8	10	17
2. MULTIPLE DX	5455	6.3	23	2	2	5	8	12	14	26
A. NOT OPERATED	7343	5.5	17	1	2	4	7	10	13	21
B. OPERATED	812	7.6	37	2	2	6	10	14	18	31
TOTAL 0-19 YRS	203	4.6	8	1	2	4	6	9	11	14
20-34	987	4.9	13	1	2	4	6	9	11	20
35-49	1517	5.3	14	2	2	4	7	10	12	19
50-64	2537	5.7	21	2	2	5	7	11	14	22
65+	2911	6.3	24	2	2	5	8	11	14	27
GRAND TOTAL	**8155**	**5.7**	**20**	**2**	**2**	**5**	**7**	**11**	**13**	**22**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7	1	<1	<1	<1	2	3	3	3
35-49	4	2.0	1	<1	<1	2	3	3	3	3
50-64	5	2.2		2	2	2	3	3	3	3
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	62	2.5	1	1	2	2	3	3	4	8
20-34	477	2.7	1	2	2	3	3	4	4	5
35-49	605	2.8	1	2	2	3	3	4	4	6
50-64	696	2.8	2	2	2	3	3	4	4	7
65+	267	3.0	4	2	2	3	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	16.5	145	8	8	16	25	25	25	25
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	7	4.4	17	<1	<1	4	8	11	11	11
50-64	7	6.1	24	2	2	5	10	14	14	14
65+	10	6.4	27	1	1	5	10	14	17	17
B. *Operated*										
0-19 YRS	11	2.9	3	<1	1	2	3	6	8	8
20-34	88	3.0	2	2	2	3	3	4	4	10
35-49	155	3.1	3	2	2	3	3	5	7	11
50-64	190	3.4	7	2	2	3	4	5	7	19
65+	81	3.3	5	2	2	3	4	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	2107	2.8	2	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	29	6.1	33	1	1	5	9	13	17	25
B. *Operated*	525	3.2	5	2	2	3	3	5	7	13
1. SINGLE DX	2121	2.8	2	2	2	3	3	4	4	6
2. MULTIPLE DX	554	3.4	6	2	2	3	4	5	7	17
A. NOT OPERATED	43	4.8	26	<1	1	3	6	11	15	25
B. OPERATED	2632	2.9	2	2	2	3	3	4	5	8
TOTAL 0-19 YRS	75	2.9	8	1	2	2	3	3	7	21
20-34	571	2.7	1	2	2	3	3	4	4	6
35-49	771	2.8	2	2	2	3	3	4	5	9
50-64	898	3.0	3	2	2	3	3	4	5	10
65+	360	3.2	5	2	2	3	3	4	6	12
GRAND TOTAL	**2675**	**2.9**	**3**	**2**	**2**	**3**	**3**	**4**	**5**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.3	3	<1	<1	2	3	5	6	10
20-34	72	3.7	4	1	1	3	5	6	8	10
35-49	75	3.4	3	1	1	3	4	5	7	9
50-64	93	4.3	9	1	2	4	5	8	10	18
65+	45	4.4	7	2	2	4	5	8	11	13
B. *Operated*										
0-19 YRS	1234	2.1	2	1	1	2	2	3	3	6
20-34	774	2.4	1	1	1	2	3	3	4	8
35-49	617	2.5	3	1	1	2	3	4	4	7
50-64	495	2.6	4	1	1	2	3	4	5	11
65+	176	3.1	15	1	2	2	3	4	6	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	4.4	49	<1	1	3	4	7	17	42
20-34	73	6.8	145	1	1	4	7	13	21	81
35-49	109	5.3	38	1	1	4	6	10	13	37
50-64	115	5.5	20	1	1	4	6	11	14	23
65+	133	6.4	19	1	2	5	8	13	15	20
B. *Operated*										
0-19 YRS	1077	2.3	6	<1	1	2	2	3	4	10
20-34	644	2.6	3	1	2	2	3	4	5	9
35-49	554	3.1	7	1	2	2	3	5	7	17
50-64	518	3.2	8	2	2	3	3	5	8	18
65+	195	4.1	34	2	2	3	4	7	11	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	3.6	6	1	1	3	5	6	8	12
B. *Operated*	3296	2.3	3	1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	505	5.7	46	1	1	4	7	11	15	30
B. *Operated*	2988	2.8	8	1	1	2	3	4	6	16
1. SINGLE DX	3648	2.5	4	1	1	2	3	4	5	9
2. MULTIPLE DX	3493	3.2	15	1	1	2	3	5	8	19
A. NOT OPERATED	857	4.9	31	1	1	4	6	9	13	24
B. OPERATED	6284	2.6	6	1	1	2	3	4	5	12
TOTAL 0-19 YRS	2453	2.2	6	1	1	2	2	3	4	9
20-34	1563	2.8	10	1	1	2	3	4	5	11
35-49	1355	3.0	8	1	2	2	3	5	7	13
50-64	1221	3.3	8	1	2	2	3	6	8	17
65+	549	4.3	24	1	2	3	5	8	12	24
GRAND TOTAL	**7141**	**2.8**	**9**	**1**	**1**	**2**	**3**	**4**	**6**	**15**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	8.0	30	2	3	7	10	15	18	32
20-34	81	8.6	28	3	4	7	10	17	20	24
35-49	20	7.2	15	2	3	6	9	13	14	15
50-64	16	11.8	58	2	2	10	16	24	27	28
65+	10	7.6	35	<1	<1	7	9	17	18	18
B. *Operated*										
0-19 YRS	3	6.7	66	1	1	3	13	16	16	16
20-34	4	13.0	153	4	4	8	21	31	31	31
35-49	4	5.3	21	2	2	3	8	12	12	12
50-64	3	10.7	20	6	6	11	14	15	15	15
65+	2	38.5	181	29	29	38	48	48	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	8.6	39	2	3	7	12	17	23	28
20-34	78	6.9	16	2	3	6	8	13	15	20
35-49	66	7.8	27	3	3	6	10	14	17	28
50-64	86	9.3	44	2	2	8	11	19	24	32
65+	96	10.7	58	3	3	8	14	21	27	39
B. *Operated*										
0-19 YRS	4	14.3	131	6	6	10	21	31	31	31
20-34	17	10.2	84	1	2	6	17	21	31	36
35-49	40	12.4	110	2	2	8	18	29	36	38
50-64	40	13.6	203	1	2	9	18	33	44	66
65+	32	19.8	286	3	4	15	29	41	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	8.2	31	2	3	7	10	16	19	28
B. *Operated*	16	12.6	170	1	2	8	15	31	43	48
2. MULTIPLE DX										
A. *Not Operated*	453	8.8	40	2	3	7	11	16	22	32
B. *Operated*	133	14.3	184	2	2	9	20	36	40	69
1. SINGLE DX	384	8.4	37	2	3	7	11	16	20	31
2. MULTIPLE DX	586	10.0	77	2	3	7	13	21	28	41
A. NOT OPERATED	821	8.5	36	2	3	7	11	16	21	31
B. OPERATED	149	14.1	181	2	2	9	19	35	40	66
TOTAL 0-19 YRS	375	8.3	34	2	3	7	10	16	21	32
20-34	180	8.1	31	2	3	7	10	16	19	29
35-49	130	9.0	55	2	3	7	12	18	25	37
50-64	145	10.8	91	2	2	9	14	23	29	49
65+	140	13.0	133	2	3	9	16	29	37	51
GRAND TOTAL	**970**	**9.4**	**62**	**2**	**3**	**7**	**12**	**18**	**24**	**38**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.8	17	2	2	4	6	12	16	17
20-34	49	3.9	2	2	2	4	5	6	6	9
35-49	58	5.5	15	1	2	5	7	9	12	23
50-64	47	5.2	16	1	2	4	7	9	14	22
65+	38	10.8	62	1	3	9	17	21	22	40
B. *Operated*										
0-19 YRS	10	4.4	26	1	1	2	3	14	14	14
20-34	79	8.2	60	2	2	4	11	21	26	31
35-49	208	8.1	53	2	2	5	12	17	23	33
50-64	244	8.8	67	2	2	5	14	20	26	38
65+	58	13.3	117	2	2	12	20	27	33	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	9.3	187	1	2	5	9	15	41	70
20-34	173	5.8	29	2	2	5	6	11	13	32
35-49	396	7.3	54	2	2	6	9	13	16	38
50-64	724	8.6	57	2	3	7	10	16	22	42
65+	867	10.7	73	3	4	9	13	20	27	40
B. *Operated*										
0-19 YRS	34	6.9	34	2	2	4	12	15	19	22
20-34	140	10.0	96	2	2	8	13	21	30	51
35-49	420	10.7	112	2	2	9	15	23	30	55
50-64	748	12.8	141	2	2	10	17	27	38	63
65+	435	15.3	191	2	2	13	20	32	46	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	6.1	26	1	2	5	7	12	17	23
B. *Operated*	599	8.8	67	2	2	5	13	20	26	35
2. MULTIPLE DX										
A. *Not Operated*	2189	9.0	64	2	3	7	11	17	23	41
B. *Operated*	1777	12.6	145	2	2	10	17	27	37	67
1. SINGLE DX	805	8.1	58	2	2	5	12	18	24	34
2. MULTIPLE DX	3966	10.6	104	2	2	8	14	22	30	54
A. NOT OPERATED	2395	8.7	62	2	3	7	11	17	22	40
B. OPERATED	2376	11.6	128	2	2	9	16	25	33	60
TOTAL 0-19 YRS	87	7.2	82	1	2	4	10	14	17	58
20-34	441	7.4	57	2	2	5	10	14	23	39
35-49	1082	8.7	77	2	2	6	11	17	24	45
50-64	1763	10.3	98	2	2	7	14	22	30	50
65+	1398	12.2	116	2	3	9	16	24	33	57
GRAND TOTAL	**4771**	**10.2**	**97**	**2**	**2**	**7**	**13**	**21**	**28**	**51**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	4.3	8	1	1	4	6	8	9	14
20-34	582	4.6	7	2	2	4	6	8	9	14
35-49	1108	5.1	13	1	2	4	6	9	11	19
50-64	1184	5.4	13	2	2	4	7	10	12	19
65+	613	5.9	24	2	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	30	4.8	11	1	2	4	7	10	12	12
20-34	103	4.5	14	1	2	3	6	9	12	20
35-49	112	5.6	22	2	2	4	7	11	12	29
50-64	103	5.9	20	1	2	5	8	14	15	19
65+	41	7.6	29	2	2	6	10	16	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	6.4	59	2	2	5	8	13	14	21
20-34	1501	6.0	19	2	2	5	7	10	13	24
35-49	4446	6.6	19	2	3	6	8	11	14	21
50-64	7000	7.2	28	2	3	6	9	13	16	26
65+	6567	8.1	41	2	3	7	10	15	19	34
B. *Operated*										
0-19 YRS	31	8.8	46	2	2	8	12	16	22	33
20-34	323	7.9	55	1	2	6	10	16	18	27
35-49	795	9.7	53	2	3	8	13	18	22	35
50-64	1155	10.8	76	2	3	9	14	20	26	50
65+	833	13.3	100	3	4	11	17	26	32	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3612	5.2	14	2	2	4	6	9	12	19
B. *Operated*	389	5.6	20	2	2	4	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	19700	7.3	30	2	3	6	9	13	17	28
B. *Operated*	3137	10.9	77	2	3	9	14	21	27	43
1. SINGLE DX	4001	5.3	14	2	2	4	7	9	12	20
2. MULTIPLE DX	22837	7.8	38	2	3	6	10	14	18	32
A. NOT OPERATED	23312	6.9	28	2	3	6	9	13	16	27
B. OPERATED	3526	10.3	73	2	2	8	13	20	26	42
TOTAL 0-19 YRS	372	5.8	38	1	2	4	7	11	14	22
20-34	2509	5.9	22	2	2	5	7	10	14	23
35-49	6461	6.7	24	2	2	5	8	12	15	24
50-64	9442	7.4	33	2	3	6	9	14	17	29
65+	8054	8.5	49	2	3	7	11	16	21	36
GRAND TOTAL	**26838**	**7.4**	**36**	**2**	**3**	**6**	**9**	**14**	**18**	**30**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	9	2	2	6	8	10	10	10
20-34	26	5.4	9	1	1	5	7	10	11	12
35-49	127	7.5	40	3	3	6	8	13	16	31
50-64	299	6.8	14	2	2	6	9	12	15	18
65+	372	7.6	36	2	3	6	9	13	16	38
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	3	4.7	9	2	2	4	7	8	8	8
35-49	18	7.4	44	2	2	4	13	18	20	20
50-64	43	7.9	39	2	2	7	12	17	19	28
65+	20	10.0	72	2	2	7	19	21	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.2	17	2	2	7	10	13	14	14
20-34	94	8.7	47	3	4	7	10	15	22	42
35-49	904	8.6	30	3	3	7	11	15	19	28
50-64	2754	9.0	37	3	3	8	11	17	20	32
65+	5701	10.5	64	3	4	8	13	19	25	41
B. *Operated*										
0-19 YRS	2	11.0	200	1	1	11	21	21	21	21
20-34	26	10.9	91	1	2	6	20	24	28	33
35-49	187	11.8	75	2	3	10	16	22	30	48
50-64	524	13.1	108	2	3	11	17	25	30	59
65+	748	17.2	140	4	5	15	23	32	40	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	7.2	28	2	3	6	9	13	15	25
B. *Operated*	86	8.1	46	2	2	5	12	19	20	28
2. MULTIPLE DX										
A. *Not Operated*	9463	9.9	54	3	4	8	12	18	23	37
B. *Operated*	1487	15.0	125	2	3	12	20	29	36	58
1. SINGLE DX	915	7.3	30	2	2	6	9	13	16	27
2. MULTIPLE DX	10950	10.6	66	3	4	8	13	20	26	43
A. NOT OPERATED	10292	9.7	52	3	4	8	12	18	22	37
B. OPERATED	1573	14.6	123	2	3	12	20	28	36	58
TOTAL 0-19 YRS	19	6.9	25	1	2	6	10	13	18	21
20-34	149	8.4	50	2	2	7	10	17	23	36
35-49	1236	9.0	39	2	3	7	11	16	20	33
50-64	3620	9.4	48	2	3	8	12	18	22	35
65+	6841	11.1	76	3	4	9	14	21	27	46
GRAND TOTAL	**11865**	**10.3**	**64**	**3**	**3**	**8**	**13**	**20**	**25**	**42**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	14	1	1	3	7	11	11	11
20-34	24	6.2	26	1	1	4	9	14	17	21
35-49	37	6.8	24	2	2	6	9	13	19	21
50-64	59	6.0	28	1	1	5	8	10	13	34
65+	47	8.2	38	2	3	7	11	13	14	41
B. *Operated*										
0-19 YRS	9	4.6	15	1	1	3	7	11	12	12
20-34	28	8.3	42	1	2	7	11	16	22	29
35-49	59	8.2	50	1	2	6	11	19	25	28
50-64	53	7.8	91	<1	<1	5	8	19	28	52
65+	30	12.4	229	1	2	9	14	23	26	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.8	20	1	2	5	9	10	15	20
20-34	88	6.7	38	1	1	5	8	15	19	34
35-49	138	7.5	45	1	2	6	9	16	20	47
50-64	402	7.7	71	1	1	5	11	16	21	44
65+	764	9.9	66	1	1	8	14	21	27	37
B. *Operated*										
0-19 YRS	30	9.3	132	1	2	6	15	39	95	99+
20-34	115	10.7	71	1	2	9	14	23	32	57
35-49	182	11.4	96	1	2	9	15	22	28	41
50-64	312	13.1	142	2	3	10	16	25	37	61
65+	243	17.0	153	3	4	13	24	34	42	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	6.8	29	1	2	5	9	12	16	33
B. *Operated*	179	8.6	91	1	2	6	11	19	26	46
2. MULTIPLE DX										
A. *Not Operated*	1415	8.8	65	1	1	7	12	19	25	40
B. *Operated*	882	13.4	131	2	3	10	17	28	36	61
1. SINGLE DX	352	7.7	61	1	2	6	10	15	21	36
2. MULTIPLE DX	2297	10.6	95	1	2	8	14	23	30	52
A. NOT OPERATED	1588	8.6	61	1	1	7	11	19	23	40
B. OPERATED	1061	12.6	128	1	2	10	16	26	34	60
TOTAL 0-19 YRS	68	7.1	71	1	1	5	9	17	32	99+
20-34	255	8.7	55	1	2	6	11	19	25	35
35-49	416	9.3	69	1	2	7	12	20	24	40
50-64	826	9.6	103	1	1	7	13	20	28	54
65+	1084	11.5	98	1	2	9	15	25	32	50
GRAND TOTAL	**2649**	**10.2**	**92**	**1**	**2**	**8**	**13**	**22**	**29**	**51**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	13.7	57	7	8	10	16	27	30	30
20-34	156	11.6	32	2	4	11	14	18	21	32
35-49	1730	12.9	24	4	7	13	15	19	21	28
50-64	3747	13.7	27	6	8	13	16	20	22	29
65+	2844	14.3	36	6	8	14	17	21	24	33
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	11.1	50	2	2	12	17	20	21	21
35-49	119	11.5	53	2	2	11	16	21	24	31
50-64	234	13.7	66	2	2	14	18	22	27	38
65+	113	18.0	61	5	9	18	21	28	33	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	13.9	39	3	7	13	17	21	25	30
20-34	256	12.9	53	3	5	13	16	20	23	37
35-49	3398	13.7	34	5	7	13	17	20	23	34
50-64	10803	14.7	41	6	8	14	18	22	25	36
65+	14717	16.3	60	7	9	15	20	25	30	43
B. *Operated*										
0-19 YRS	6	16.2	91	2	3	14	23	29	30	30
20-34	59	12.6	94	2	2	13	18	25	34	39
35-49	510	15.3	117	2	2	14	20	28	33	48
50-64	1582	18.1	130	2	5	17	22	32	39	62
65+	1547	22.7	149	8	11	20	28	38	46	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8486	13.7	30	6	8	13	16	20	22	31
B. *Operated*	482	14.1	67	2	2	14	19	22	28	39
2. MULTIPLE DX										
A. *Not Operated*	29196	15.4	51	6	8	14	18	23	28	40
B. *Operated*	3704	19.6	144	3	7	18	25	34	41	65
1. SINGLE DX	8968	13.7	32	5	7	13	16	20	23	31
2. MULTIPLE DX	32900	15.9	63	6	8	15	19	25	30	44
A. NOT OPERATED	37682	15.0	46	6	8	14	18	22	27	38
B. OPERATED	4186	18.9	138	2	6	17	24	33	40	63
TOTAL 0-19 YRS	38	13.9	50	2	5	13	17	23	30	30
20-34	486	12.4	51	2	3	12	15	20	23	36
35-49	5757	13.5	39	4	6	13	16	20	24	35
50-64	16366	14.8	48	5	8	14	18	22	26	39
65+	19221	16.6	67	7	9	15	20	26	31	45
GRAND TOTAL	**41868**	**15.4**	**57**	**6**	**8**	**14**	**18**	**24**	**29**	**42**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	6	1	1	3	5	8	9	9
20-34	104	4.1	5	2	2	3	5	7	9	11
35-49	653	4.6	9	1	2	4	6	8	10	15
50-64	1088	4.7	13	1	2	4	6	9	11	15
65+	759	5.4	17	1	2	4	7	9	12	22
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	11	5.5	12	2	2	4	8	10	12	12
35-49	158	4.9	22	2	2	3	6	12	14	22
50-64	292	5.5	29	2	2	3	7	13	17	26
65+	69	6.3	42	1	2	3	9	15	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.9	13	2	2	5	7	9	13	19
20-34	313	5.5	13	1	2	5	7	10	13	20
35-49	2680	5.8	17	2	2	5	7	11	13	20
50-64	7256	6.3	19	2	2	5	8	11	14	21
65+	9085	7.2	25	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	6	4.8	5	2	2	5	7	7	7	7
20-34	89	6.6	41	2	2	4	9	14	17	34
35-49	1450	7.9	50	2	2	6	12	16	20	31
50-64	3805	8.6	57	2	2	6	13	18	23	35
65+	1535	11.2	86	2	2	9	15	23	29	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2615	4.9	13	1	2	4	6	9	11	17
B. *Operated*	532	5.4	28	2	2	3	7	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	19367	6.6	22	2	2	5	8	12	15	24
B. *Operated*	6885	9.0	63	2	2	7	13	19	23	37
1. SINGLE DX	3147	5.0	15	1	2	4	6	9	12	20
2. MULTIPLE DX	26252	7.2	34	2	2	6	9	14	18	29
A. NOT OPERATED	21982	6.4	21	2	2	5	8	12	14	23
B. OPERATED	7417	8.7	61	2	2	6	13	18	23	36
TOTAL 0-19 YRS	52	5.3	10	2	2	5	7	8	10	19
20-34	517	5.4	17	1	2	4	7	10	13	21
35-49	4941	6.2	27	2	2	5	8	12	15	24
50-64	12441	6.8	32	2	2	5	9	14	17	27
65+	11448	7.6	35	2	2	6	10	14	19	31
GRAND TOTAL	**29399**	**7.0**	**32**	**2**	**2**	**5**	**9**	**14**	**17**	**28**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	6	3	3	6	7	8	8	8
20-34	34	5.5	19	1	2	4	6	14	15	17
35-49	398	5.9	16	1	2	5	7	11	14	23
50-64	770	6.1	17	2	2	5	8	11	13	21
65+	617	6.8	31	2	2	6	9	12	15	24
B. *Operated*										
0-19 YRS										
20-34	7	7.7	33	2	2	7	11	17	18	18
35-49	74	9.8	43	2	2	10	12	16	20	38
50-64	177	8.6	34	2	2	8	12	15	20	24
65+	36	12.6	41	3	4	12	17	22	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.7	37	3	3	6	12	18	21	22
20-34	107	7.0	24	2	3	5	8	14	16	27
35-49	1433	6.9	24	2	3	6	9	12	15	24
50-64	4341	7.6	23	2	3	6	10	13	17	24
65+	5542	8.8	39	3	3	7	11	16	20	31
B. *Operated*										
0-19 YRS	3	5.0	3	3	3	6	6	6	6	6
20-34	13	11.5	77	1	2	12	16	24	29	30
35-49	330	9.9	49	2	2	9	13	19	23	34
50-64	1098	11.5	75	2	2	10	16	21	26	38
65+	624	14.5	120	2	3	12	19	26	33	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1822	6.3	22	2	2	5	8	11	14	23
B. *Operated*	294	9.4	39	2	2	9	12	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	11435	8.1	31	2	3	7	10	14	18	27
B. *Operated*	2068	12.1	87	2	2	11	16	22	28	44
1. SINGLE DX	2116	6.7	25	2	2	6	9	12	15	24
2. MULTIPLE DX	13503	8.7	42	2	3	7	11	16	20	31
A. NOT OPERATED	13257	7.8	30	2	3	7	10	14	17	27
B. OPERATED	2362	11.8	82	2	2	10	16	22	27	40
TOTAL 0-19 YRS	18	7.6	28	3	3	6	9	16	20	22
20-34	161	7.1	29	2	2	5	9	15	18	29
35-49	2235	7.3	28	2	2	6	9	13	16	27
50-64	6386	8.1	34	2	3	7	10	15	19	28
65+	6819	9.2	49	3	3	8	11	17	21	35
GRAND TOTAL	**15619**	**8.4**	**40**	**2**	**3**	**7**	**11**	**16**	**20**	**31**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	9	2	2	5	7	9	10	10
20-34	49	6.4	57	2	2	4	8	13	15	50
35-49	401	5.0	12	1	2	4	6	10	12	16
50-64	964	5.9	21	1	2	5	8	11	15	26
65+	1016	7.5	27	2	3	6	10	14	17	27
B. *Operated*										
0-19 YRS	33	3.3	13	1	1	2	3	11	13	99+
20-34	95	6.0	46	2	2	3	10	14	19	35
35-49	1842	7.1	43	2	2	3	12	16	19	27
50-64	4429	8.1	56	2	2	4	13	17	21	30
65+	1047	10.4	85	2	2	9	16	21	25	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	9.2	35	2	3	9	11	17	21	29
20-34	186	6.9	33	2	2	5	8	11	19	35
35-49	2673	6.9	27	2	2	6	9	13	16	24
50-64	9527	7.9	35	2	3	6	10	15	19	31
65+	20871	9.8	55	3	3	8	12	18	23	39
B. *Operated*										
0-19 YRS	25	7.2	60	1	1	3	9	23	24	25
20-34	168	7.4	84	2	2	3	11	16	19	30
35-49	3411	7.6	54	2	2	4	11	17	21	33
50-64	9325	9.2	75	2	2	7	13	20	25	41
65+	4636	14.0	130	2	2	12	19	28	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2437	6.5	24	1	2	5	8	13	15	25
B. *Operated*	7446	8.1	58	2	2	4	13	18	21	31
2. MULTIPLE DX										
A. *Not Operated*	33306	9.0	48	2	3	7	11	17	22	36
B. *Operated*	17565	10.1	91	2	2	8	14	21	28	47
1. SINGLE DX	9883	7.7	50	2	2	5	12	17	20	30
2. MULTIPLE DX	50871	9.4	63	2	2	7	12	19	24	40
A. NOT OPERATED	35743	8.8	46	2	3	7	11	17	21	36
B. OPERATED	25011	9.5	82	2	2	8	14	20	26	43
TOTAL 0-19 YRS	114	6.8	38	1	1	5	10	15	22	54
20-34	498	6.9	55	2	2	4	10	14	19	34
35-49	8327	7.1	41	2	2	5	10	15	19	29
50-64	24245	8.4	54	2	2	6	12	17	22	35
65+	27570	10.4	70	2	3	8	13	20	26	44
GRAND TOTAL	**60754**	**9.1**	**61**	**2**	**2**	**7**	**12**	**18**	**23**	**39**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	11.4	16	6	6	12	13	18	19	19
20-34	309	9.8	21	2	4	10	12	15	18	25
35-49	407	10.3	19	4	5	10	13	16	19	22
50-64	416	11.2	26	4	6	11	14	18	20	31
65+	299	11.6	26	5	6	11	14	18	22	29
B. *Operated*										
0-19 YRS	6	12.3	14	8	8	12	15	18	18	18
20-34	40	12.0	38	4	6	11	14	17	19	41
35-49	56	14.2	62	5	8	13	17	20	30	50
50-64	60	14.7	68	4	7	13	18	26	33	39
65+	35	16.3	76	4	7	14	20	30	36	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	12.3	55	4	5	10	17	22	26	36
20-34	366	11.5	45	4	5	11	14	18	22	32
35-49	731	12.2	41	5	6	11	15	19	23	35
50-64	1303	13.1	46	5	6	12	16	21	25	41
65+	1815	15.1	67	6	7	13	18	25	30	44
B. *Operated*										
0-19 YRS	14	16.9	54	8	9	16	22	26	33	35
20-34	113	16.9	124	6	8	14	20	30	36	67
35-49	183	17.4	150	6	8	15	20	29	40	84
50-64	314	18.3	140	6	8	15	22	31	44	71
65+	354	20.9	149	8	10	17	25	40	47	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1452	10.7	23	4	5	10	13	17	19	27
B. *Operated*	197	14.2	61	4	7	12	17	24	32	40
2. MULTIPLE DX										
A. *Not Operated*	4252	13.7	56	5	6	12	16	22	27	42
B. *Operated*	978	18.9	144	7	9	16	23	33	44	69
1. SINGLE DX	1649	11.2	29	4	5	10	13	18	20	31
2. MULTIPLE DX	5230	14.6	76	5	7	13	17	24	30	49
A. NOT OPERATED	5704	12.9	49	5	6	12	16	21	25	38
B. OPERATED	1175	18.1	133	6	8	15	21	32	42	63
TOTAL 0-19 YRS	78	12.9	44	5	6	12	17	22	24	36
20-34	828	11.7	51	3	5	10	14	19	24	38
35-49	1377	12.4	54	4	6	11	15	19	25	41
50-64	2093	13.6	62	5	6	12	16	22	27	46
65+	2503	15.5	80	6	7	14	19	26	32	48
GRAND TOTAL	**6879**	**13.8**	**67**	**5**	**6**	**12**	**16**	**23**	**28**	**46**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	20.6	146	4	4	21	29	36	37	37
20-34	17	21.0	128	3	5	22	29	36	38	38
35-49	3	14.3	290	4	4	5	27	34	34	34
50-64	13	21.2	181	6	7	16	32	41	43	44
65+	9	17.3	202	2	2	17	30	37	40	40
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	2	29.5	685	11	11	29	48	48	48	48
35-49	1	13.0		13	13	13	13	13	13	13
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	31.5	84	21	21	32	39	41	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	25.2	201	3	5	24	40	44	45	45
20-34	65	26.5	214	4	7	28	33	47	53	62
35-49	55	23.8	189	4	5	24	32	39	49	63
50-64	61	28.3	160	4	7	30	35	43	47	58
65+	86	31.9	212	7	12	32	41	50	55	74
B. *Operated*										
0-19 YRS	3	47.0	37	40	40	50	51	51	51	51
20-34	22	35.9	377	8	11	39	48	71	92	99+
35-49	18	45.6	302	21	23	44	63	70	71	71
50-64	38	39.2	398	12	15	36	53	72	81	99+
65+	32	44.3	274	19	24	44	55	63	77	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	19.9	156	3	4	21	31	37	40	44
B. *Operated*	9	24.2	226	4	7	21	38	45	48	48
2. MULTIPLE DX										
A. *Not Operated*	284	27.9	203	4	7	29	36	46	52	64
B. *Operated*	113	41.2	338	13	19	42	52	70	78	99+
1. SINGLE DX	58	20.6	166	3	4	21	31	38	41	48
2. MULTIPLE DX	397	31.7	277	5	10	31	42	53	64	86
A. NOT OPERATED	333	26.8	204	4	6	28	35	45	50	63
B. OPERATED	122	40.0	348	11	16	40	51	70	77	99+
TOTAL 0-19 YRS	28	26.0	215	4	5	24	39	45	50	51
20-34	106	27.6	254	4	8	28	38	49	55	93
35-49	77	28.4	306	4	5	28	36	52	66	71
50-64	113	30.9	281	5	8	30	40	54	69	91
65+	131	33.9	267	7	12	33	44	54	62	80
GRAND TOTAL	**455**	**30.3**	**276**	**4**	**7**	**30**	**41**	**51**	**62**	**85**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.5	3	<1	1	2	3	4	5	10
20-34	167	2.8	5	1	1	2	4	5	8	12
35-49	301	2.7	4	<1	1	2	4	5	7	9
50-64	355	3.3	7	1	1	3	4	6	8	14
65+	215	4.0	12	1	1	3	5	7	9	21
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	7	5.6	28	2	2	3	8	15	16	16
50-64	13	8.0	84	2	2	6	7	23	32	34
65+	7	7.4	50	2	2	4	13	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.0	8	1	1	4	5	7	11	15
20-34	184	3.8	7	1	1	3	5	7	9	18
35-49	408	4.7	14	1	1	4	6	9	12	19
50-64	915	5.4	29	1	1	4	7	11	13	22
65+	973	6.9	29	1	2	5	9	13	17	26
B. *Operated*										
0-19 YRS	6	6.0	16	2	2	5	9	12	12	12
20-34	11	7.4	14	2	2	8	8	12	16	16
35-49	44	10.3	75	2	2	8	14	19	28	45
50-64	63	11.0	63	2	2	10	14	24	29	33
65+	59	13.8	71	2	3	14	19	23	31	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1101	3.2	7	1	1	3	4	6	8	13
B. *Operated*	30	6.7	54	2	2	4	7	18	20	34
2. MULTIPLE DX										
A. *Not Operated*	2531	5.7	26	1	2	4	7	11	14	24
B. *Operated*	183	11.4	67	2	2	9	17	21	28	43
1. SINGLE DX	1131	3.3	8	1	1	3	4	6	8	15
2. MULTIPLE DX	2714	6.1	31	1	2	5	8	12	16	27
A. NOT OPERATED	3632	4.9	21	1	1	4	6	10	13	21
B. OPERATED	213	10.7	68	2	2	8	16	21	28	42
TOTAL 0-19 YRS	121	3.3	6	<1	1	3	4	6	9	13
20-34	364	3.5	7	1	1	3	4	7	8	14
35-49	760	4.3	17	1	1	3	5	9	12	20
50-64	1346	5.2	28	1	1	4	6	10	13	24
65+	1254	6.7	32	1	2	5	8	14	18	28
GRAND TOTAL	**3845**	**5.3**	**26**	**1**	**1**	**4**	**7**	**11**	**14**	**24**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.8	6	<1	<1	2	3	6	9	10
20-34	189	2.7	4	1	1	2	3	5	7	10
35-49	297	3.3	5	1	1	3	4	7	8	11
50-64	547	3.7	10	1	1	3	5	8	10	15
65+	514	5.0	13	1	1	4	7	9	11	19
B. *Operated*										
0-19 YRS										
20-34	5	5.6	15	2	2	5	9	11	11	11
35-49	16	3.6	4	1	2	3	5	7	8	8
50-64	33	8.7	96	2	2	5	10	21	35	40
65+	19	10.1	58	2	2	9	12	21	27	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.2	16	1	1	4	7	10	12	20
20-34	165	4.3	13	1	1	4	6	8	11	16
35-49	558	4.8	14	1	1	4	6	10	12	18
50-64	2424	6.5	29	1	2	5	8	13	16	27
65+	6026	8.3	40	2	3	7	11	16	20	31
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	8	10.3	37	4	5	9	12	20	23	23
35-49	57	9.6	35	2	3	9	14	17	19	29
50-64	272	10.9	79	2	3	9	14	21	31	44
65+	601	16.3	123	4	6	14	20	30	38	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1567	3.9	10	1	1	3	5	8	10	15
B. *Operated*	73	7.7	65	2	2	5	10	16	29	39
2. MULTIPLE DX										
A. *Not Operated*	9203	7.5	36	2	2	6	10	15	19	30
B. *Operated*	939	14.3	112	3	4	12	19	28	35	55
1. SINGLE DX	1640	4.1	13	1	1	3	5	8	10	18
2. MULTIPLE DX	10142	8.2	47	2	2	6	10	16	21	34
A. NOT OPERATED	10770	7.0	34	1	2	6	9	14	18	29
B. OPERATED	1012	13.8	111	2	4	11	18	27	34	55
TOTAL 0-19 YRS	51	4.5	18	1	1	3	6	10	12	20
20-34	367	3.6	10	1	1	3	5	7	10	14
35-49	928	4.6	14	1	1	3	6	9	12	18
50-64	3276	6.4	33	1	2	5	8	13	17	31
65+	7160	8.7	51	2	2	7	11	17	22	36
GRAND TOTAL	**11782**	**7.6**	**44**	**1**	**2**	**6**	**10**	**15**	**20**	**33**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	3.7	13	1	1	3	4	7	9	21
20-34	370	4.1	30	1	1	3	5	8	9	17
35-49	555	4.2	13	1	1	3	5	8	10	22
50-64	675	4.8	16	1	1	4	6	9	11	19
65+	686	5.3	15	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	22	5.0	22	1	2	3	7	8	14	23
20-34	30	7.1	36	2	2	5	11	17	21	22
35-49	93	6.3	23	2	2	6	9	13	17	20
50-64	255	7.1	44	2	2	6	9	13	17	25
65+	590	9.2	36	2	3	8	11	17	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	208	4.7	13	1	1	4	6	9	12	20
20-34	765	5.0	15	1	1	4	6	9	11	20
35-49	1726	5.9	25	1	2	5	7	11	14	22
50-64	3983	7.0	29	2	2	6	9	13	17	27
65+	6925	8.3	41	2	3	7	10	16	20	33
B. *Operated*										
0-19 YRS	37	8.7	125	1	2	5	9	17	31	61
20-34	109	11.1	119	2	3	8	13	24	28	67
35-49	344	9.8	92	2	2	7	12	22	31	52
50-64	1209	11.4	87	2	3	9	15	22	29	50
65+	3827	13.9	90	4	5	12	17	26	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2397	4.7	17	1	1	4	6	9	11	19
B. *Operated*	990	8.2	38	2	2	7	10	15	20	29
2. MULTIPLE DX										
A. *Not Operated*	13607	7.4	35	2	2	6	9	14	18	29
B. *Operated*	5526	13.0	92	3	4	11	17	25	31	50
1. SINGLE DX	3387	5.7	26	1	2	4	7	11	15	24
2. MULTIPLE DX	19133	9.0	58	2	3	7	11	18	23	38
A. NOT OPERATED	16004	7.0	33	1	2	6	9	13	17	28
B. OPERATED	6516	12.3	86	2	3	10	16	24	30	48
TOTAL 0-19 YRS	378	4.8	26	1	1	3	6	9	13	23
20-34	1274	5.3	32	1	1	4	6	10	14	25
35-49	2718	6.1	33	1	2	5	7	12	15	28
50-64	6122	7.6	44	2	2	6	10	15	20	33
65+	12028	9.9	63	2	3	8	13	19	25	40
GRAND TOTAL	**22520**	**8.5**	**54**	**2**	**2**	**7**	**11**	**17**	**22**	**37**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.8	8	2	2	4	5	9	11	12
20-34	23	6.4	16	1	2	5	9	13	14	15
35-49	119	7.2	29	2	2	6	9	15	18	26
50-64	579	7.6	30	2	3	6	10	14	17	27
65+	2395	8.3	32	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	5.0		5	5	5	5	5	5	5
35-49	9	9.0	65	3	3	6	12	22	28	28
50-64	26	11.3	65	2	3	10	15	20	25	39
65+	55	13.3	84	2	4	11	17	29	30	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	9.0	58	2	3	7	12	19	23	43
20-34	180	8.7	41	2	3	8	11	17	21	34
35-49	1313	9.5	45	3	3	8	12	18	22	34
50-64	8233	9.9	48	3	4	8	12	18	22	36
65+	34792	11.1	62	3	4	9	14	20	26	41
B. *Operated*										
0-19 YRS	22	10.5	47	2	3	9	13	20	27	29
20-34	50	9.1	66	2	2	5	15	23	26	29
35-49	171	14.6	124	2	2	13	19	28	32	53
50-64	942	16.6	178	3	5	13	21	31	39	77
65+	2994	19.7	170	6	7	17	25	36	44	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3131	8.1	31	2	3	7	10	15	19	29
B. *Operated*	92	12.2	76	2	3	10	15	24	29	44
2. MULTIPLE DX										
A. *Not Operated*	44670	10.8	59	3	4	9	14	20	25	40
B. *Operated*	4179	18.6	172	4	6	15	24	35	43	71
1. SINGLE DX	3223	8.2	33	2	3	7	10	15	19	30
2. MULTIPLE DX	48849	11.5	73	3	4	9	14	21	28	45
A. NOT OPERATED	47801	10.6	58	3	4	9	13	20	25	40
B. OPERATED	4271	18.5	171	4	6	15	24	35	43	70
TOTAL 0-19 YRS	190	8.8	54	2	3	7	12	18	23	42
20-34	254	8.5	44	2	2	7	11	18	23	29
35-49	1612	9.8	55	2	3	8	12	19	23	38
50-64	9780	10.4	64	3	4	8	13	19	24	42
65+	40236	11.6	74	3	4	9	14	22	28	45
GRAND TOTAL	**52072**	**11.3**	**72**	**3**	**4**	**9**	**14**	**21**	**27**	**44**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	5.2	14	1	2	4	7	10	13	18
20-34	431	5.4	15	1	2	4	7	10	12	20
35-49	445	5.9	18	2	2	5	7	11	14	24
50-64	448	6.5	21	2	2	5	8	12	14	22
65+	269	8.7	53	2	3	7	11	17	21	40
B. *Operated*										
0-19 YRS	119	4.3	28	2	2	2	3	11	14	33
20-34	190	5.9	48	2	2	3	7	13	17	26
35-49	371	6.0	35	2	2	3	10	14	17	27
50-64	596	6.7	41	2	2	3	11	16	20	29
65+	231	9.1	58	2	2	6	15	19	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	6.4	23	2	2	5	8	13	16	23
20-34	653	6.9	32	2	2	5	9	13	16	24
35-49	1313	7.8	39	2	3	6	10	14	18	35
50-64	2767	9.3	52	2	3	7	11	18	23	37
65+	4214	10.6	63	3	4	8	13	20	25	42
B. *Operated*										
0-19 YRS	117	7.4	85	2	2	3	11	17	21	50
20-34	288	9.9	90	2	2	7	13	20	31	54
35-49	804	9.7	87	2	2	7	13	20	27	42
50-64	1870	11.0	105	2	2	8	15	24	30	57
65+	1419	15.1	168	2	2	12	20	30	41	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1736	6.3	24	2	2	5	8	12	15	24
B. *Operated*	1507	6.6	43	2	2	3	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	9129	9.5	55	2	3	8	12	18	23	39
B. *Operated*	4498	11.9	125	2	2	9	16	25	33	61
1. SINGLE DX	3243	6.4	33	2	2	4	9	14	17	28
2. MULTIPLE DX	13627	10.3	79	2	3	8	13	20	27	46
A. NOT OPERATED	10865	9.0	51	2	3	7	11	17	22	38
B. OPERATED	6005	10.5	110	2	2	8	15	23	30	54
TOTAL 0-19 YRS	561	5.9	36	1	2	4	7	13	16	28
20-34	1562	6.9	42	2	2	5	9	14	18	37
35-49	2933	7.8	50	2	2	6	10	15	20	36
50-64	5681	9.4	68	2	2	7	12	19	25	42
65+	6133	11.5	91	2	3	9	15	22	29	51
GRAND TOTAL	**16870**	**9.5**	**73**	**2**	**2**	**7**	**12**	**19**	**25**	**44**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	4	9.8	42	2	2	10	15	16	16	16
50-64	32	10.6	97	1	2	7	15	27	32	36
65+	101	7.2	37	1	2	5	9	14	18	35
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	11	8.2	44	2	2	5	13	19	21	21
50-64	29	8.6	70	2	2	4	14	20	25	35
65+	15	7.4	27	2	2	7	11	15	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.4	124	4	4	8	14	31	31	31
20-34	12	6.3	14	3	3	6	8	11	15	16
35-49	185	7.5	36	2	2	6	10	14	17	32
50-64	804	8.7	49	2	3	7	11	17	22	37
65+	3033	10.6	65	3	3	8	14	21	26	45
B. *Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	6	5.7	8	2	2	6	8	9	9	9
35-49	85	8.2	39	2	2	7	12	15	19	30
50-64	319	10.5	83	2	2	9	14	21	27	55
65+	444	15.5	120	3	4	14	20	30	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	8.0	52	1	2	6	10	16	23	37
B. *Operated*	57	8.0	51	2	2	5	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*	4039	10.0	61	2	3	8	13	20	25	44
B. *Operated*	856	12.8	106	2	3	11	17	26	32	58
1. SINGLE DX	196	8.0	51	1	2	6	11	17	22	36
2. MULTIPLE DX	4895	10.5	70	2	3	8	14	21	27	48
A. NOT OPERATED	4178	10.0	61	2	3	8	13	20	25	43
B. OPERATED	913	12.5	103	2	3	11	17	25	32	57
TOTAL 0-19 YRS	8	9.0	85	<1	1	7	8	24	31	31
20-34	21	6.1	10	2	3	7	8	9	12	16
35-49	285	7.7	37	2	2	6	11	15	19	31
50-64	1184	9.2	60	2	2	7	12	19	24	38
65+	3593	11.1	74	3	3	9	14	22	28	51
GRAND TOTAL	**5091**	**10.4**	**69**	**2**	**3**	**8**	**14**	**21**	**27**	**46**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.2	7	3	3	4	6	10	10	10
20-34	10	5.3	60	1	1	2	8	18	25	25
35-49	11	4.5	20	<1	1	2	6	11	16	16
50-64	32	5.4	69	<1	1	3	4	13	23	43
65+	13	14.9	280	<1	<1	8	27	43	48	49
B. *Operated*										
0-19 YRS	7	28.0	250	8	10	24	37	52	55	55
20-34	56	21.6	206	4	7	19	27	38	52	77
35-49	70	20.9	176	3	4	20	28	44	58	99+
50-64	61	21.8	273	2	4	20	30	38	53	86
65+	15	25.7	160	7	12	27	31	44	51	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	14	<1	<1	7	8	8	8	8
20-34	7	7.7	23	1	2	9	11	13	14	14
35-49	18	12.3	152	1	2	10	22	73	99+	99+
50-64	31	10.5	97	<1	1	8	15	20	38	41
65+	47	17.9	167	4	4	15	29	41	61	99+
B. *Operated*										
0-19 YRS	10	22.9	583	1	6	14	28	59	87	87
20-34	41	22.1	221	5	6	19	28	39	50	80
35-49	100	31.4	338	6	10	31	45	62	87	99+
50-64	117	30.8	384	7	11	29	45	87	99+	99+
65+	63	32.4	345	7	13	29	40	63	73	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	7.0	103	<1	1	3	7	19	29	48
B. *Operated*	209	21.9	212	3	5	20	28	40	53	92
2. MULTIPLE DX										
A. *Not Operated*	106	13.8	143	1	2	11	20	36	47	99+
B. *Operated*	331	30.0	355	5	10	27	42	66	89	99+
1. SINGLE DX	281	18.1	227	1	2	17	27	38	51	85
2. MULTIPLE DX	437	26.1	352	3	5	23	38	61	87	99+
A. NOT OPERATED	178	11.0	137	<1	1	8	16	30	43	99+
B. OPERATED	540	26.9	315	4	8	24	36	57	83	99+
TOTAL 0-19 YRS	26	18.2	369	1	3	12	24	38	61	87
20-34	114	19.5	216	1	4	18	26	36	50	79
35-49	199	24.5	309	2	4	22	35	57	83	99+
50-64	241	22.6	366	1	2	20	33	54	87	99+
65+	138	25.1	305	2	5	23	35	55	65	99+
GRAND TOTAL	**718**	**22.9**	**318**	**2**	**3**	**20**	**33**	**53**	**78**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	20.0	450	5	5	20	35	35	35	35
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	1	28.0		28	28	28	28	28	28	28
65+	4	38.5	163	20	20	43	47	47	47	47
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	47.8	625	15	18	48	85	98	99+	99+
35-49	8	38.1	430	17	20	34	60	93	99+	99+
50-64	12	42.8	561	7	16	41	56	71	94	98
65+	2	27.0	8	25	25	29	82	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	25.8	319	1	3	28	42	47	47	47
B. *Operated*	28	40.0	497	9	16	40	57	99	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	37	36.5	482	5	9	36	51	91	99+	99+
A. NOT OPERATED	9	25.8	319	1	3	28	42	47	47	47
B. OPERATED	28	40.0	497	9	16	40	57	99	99+	99+
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	39.9	675	5	8	44	67	95	99+	99+
35-49	10	31.5	533	1	6	31	49	89	99	99+
50-64	13	41.6	531	8	18	40	56	68	92	98
65+	6	34.7	135	20	21	40	47	89	99+	99+
GRAND TOTAL	**37**	**36.5**	**482**	**5**	**9**	**36**	**51**	**91**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	10.6	154	<1	<1	7	16	29	42	42
20-34	10	7.1	90	<1	<1	4	5	23	32	32
35-49	4	16.8	344	1	1	11	29	43	43	43
50-64	28	11.5	184	<1	1	6	15	40	58	99+
65+	69	13.5	111	<1	1	13	20	29	35	43
B. *Operated*										
0-19 YRS	15	12.7	166	2	2	8	19	34	43	46
20-34	20	11.3	45	2	4	10	14	22	25	27
35-49	26	16.7	137	5	6	13	19	37	40	51
50-64	46	18.0	115	7	7	16	24	38	43	99+
65+	101	17.5	153	5	8	14	21	32	39	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.7	48	1	2	4	7	17	23	27
20-34	9	12.7	116	1	2	12	17	28	36	36
35-49	27	15.7	100	3	5	12	20	34	36	39
50-64	118	16.4	144	1	4	14	23	33	41	53
65+	330	17.5	141	3	5	14	23	35	[illegible]	55
B. *Operated*										
0-19 YRS	16	22.7	371	6	7	14	31	49	66	73
20-34	34	23.4	387	2	3	17	36	59	67	71
35-49	55	24.1	283	7	7	19	39	56	60	98
50-64	134	25.3	335	7	8	20	34	60	64	99+
65+	215	24.0	205	7	9	21	30	44	53	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	12.4	135	<1	1	9	17	31	39	68
B. *Operated*	208	16.6	136	4	6	13	21	32	40	69
2. MULTIPLE DX										
A. *Not Operated*	503	16.7	139	2	4	14	22	34	41	55
B. *Operated*	454	24.3	270	7	8	20	33	51	62	92
1. SINGLE DX	329	15.0	139	1	3	13	21	31	40	63
2. MULTIPLE DX	957	20.3	216	3	6	17	27	42	53	73
A. NOT OPERATED	624	15.8	141	1	3	14	21	33	41	55
B. OPERATED	662	21.9	241	6	7	18	28	44	58	90
TOTAL 0-19 YRS	60	13.1	211	1	2	8	16	38	45	71
20-34	73	16.5	258	2	2	13	19	37	57	70
35-49	112	20.1	217	4	7	17	27	43	56	80
50-64	326	19.8	244	3	5	15	28	42	59	99+
65+	715	19.1	170	3	5	16	25	37	45	68
GRAND TOTAL	**1286**	**18.9**	**201**	**2**	**5**	**16**	**25**	**39**	**49**	**73**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	10	29.8	439	4	5	25	52	59	65	65
50-64	39	33.2	636	6	9	26	47	81	97	99+
65+	123	25.3	280	7	8	23	32	52	61	99+
B. *Operated*										
0-19 YRS										
20-34	2	47.0	2	46	46	47	48	48	48	48
35-49	14	40.1	434	9	15	37	54	72	74	75
50-64	12	43.5	1006	9	12	45	98	99+	99+	99+
65+	42	33.9	420	8	11	32	45	67	79	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	173	27.2	375	6	8	23	35	55	80	99+
B. *Operated*	70	37.2	510	8	12	35	48	80	98	99+
1. SINGLE DX										
2. MULTIPLE DX	243	30.1	432	7	8	26	42	66	84	99+
A. NOT OPERATED	173	27.2	375	6	8	23	35	55	80	99+
B. OPERATED	70	37.2	510	8	12	35	48	80	98	99+
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	47.0	2	46	46	47	48	48	48	48
35-49	24	35.8	444	5	7	32	52	69	73	75
50-64	51	35.6	724	8	10	28	54	98	99+	99+
65+	165	27.5	327	7	9	24	38	54	72	98
GRAND TOTAL	**243**	**30.1**	**432**	**7**	**8**	**26**	**42**	**66**	**84**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.0	12	2	2	8	8	8	8	8
35-49	7	16.3	515	2	2	9	17	57	66	66
50-64	38	5.8	30	2	2	4	7	14	16	28
65+	68	9.2	113	2	2	5	11	21	26	63
B. *Operated*										
0-19 YRS	5	10.0	32	4	4	9	14	18	18	18
20-34	10	10.5	249	2	2	5	10	34	54	54
35-49	86	7.5	26	2	2	6	9	15	17	27
50-64	787	8.5	44	2	2	7	10	16	20	40
65+	905	9.2	45	2	3	8	12	17	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.7	12	7	7	11	13	14	14	14
20-34	2	10.0		10	10	10	10	10	10	10
35-49	32	9.3	92	1	2	6	9	25	32	39
50-64	153	8.2	60	2	2	6	9	17	25	39
65+	440	10.2	70	2	3	8	13	20	23	42
B. *Operated*										
0-19 YRS	6	13.0	57	5	5	12	20	22	22	22
20-34	14	17.5	282	2	3	16	22	32	59	67
35-49	182	11.2	99	2	3	9	14	21	28	79
50-64	1429	11.2	71	2	3	9	14	22	27	44
65+	1940	13.1	115	2	3	11	16	25	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	8.4	109	2	2	5	10	16	26	66
B. *Operated*	1793	8.8	45	2	3	7	11	17	20	35
2. MULTIPLE DX										
A. *Not Operated*	630	9.6	69	2	3	8	12	20	24	40
B. *Operated*	3571	12.2	98	2	3	10	16	23	30	54
1. SINGLE DX	1909	8.8	49	2	3	7	11	17	21	36
2. MULTIPLE DX	4201	11.9	94	2	3	9	15	23	29	52
A. NOT OPERATED	746	9.4	75	2	2	7	12	20	24	43
B. OPERATED	5364	11.1	83	2	3	9	14	21	27	49
TOTAL 0-19 YRS	14	11.4	35	4	5	10	17	20	22	22
20-34	29	13.4	230	2	2	8	18	26	55	67
35-49	307	10.1	89	2	2	8	12	20	27	51
50-64	2407	10.0	63	2	3	8	13	19	25	42
65+	3353	11.6	93	2	3	9	15	22	28	53
GRAND TOTAL	**6110**	**10.9**	**82**	**2**	**3**	**9**	**14**	**21**	**27**	**48**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49	3	26.0	733	7	7	35	78	99+	99+	99+
50-64	26	24.2	380	4	5	22	31	43	69	87
65+	59	20.1	189	4	5	17	26	39	48	61
B. *Operated*										
0-19 YRS										
20-34	4	29.8	1384	4	4	15	50	85	85	85
35-49	13	20.7	347	1	3	14	30	48	60	63
50-64	88	21.3	249	5	6	17	27	44	52	81
65+	118	23.6	298	5	7	20	30	47	56	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	89	21.6	253	4	5	19	29	43	59	95
B. *Operated*	223	22.6	295	4	6	19	29	46	55	92
1. SINGLE DX										
2. MULTIPLE DX	312	22.3	282	4	6	19	29	45	58	92
A. NOT OPERATED	89	21.6	253	4	5	19	29	43	59	95
B. OPERATED	223	22.6	295	4	6	19	29	46	55	92
TOTAL 0-19 YRS										
20-34	5	29.0	1041	4	4	16	41	85	85	85
35-49	16	21.7	380	2	3	14	36	62	87	99+
50-64	114	22.0	278	4	6	18	29	44	53	86
65+	177	22.4	263	5	6	19	28	45	54	93
GRAND TOTAL	**312**	**22.3**	**282**	**4**	**6**	**19**	**29**	**45**	**58**	**92**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	13.8	62	7	7	13	20	22	22	22
20-34	10	7.3	12	3	3	7	9	12	14	14
35-49	31	11.3	91	1	1	10	13	25	32	42
50-64	175	11.3	116	2	3	8	15	26	30	78
65+	424	12.8	95	3	4	10	17	26	32	51
B. *Operated*										
0-19 YRS	4	13.0	5	11	11	12	14	16	16	16
20-34	14	17.9	393	1	3	12	16	59	65	67
35-49	34	9.7	182	2	2	7	10	18	26	79
50-64	92	9.5	117	2	3	7	10	20	32	92
65+	86	10.4	51	3	4	8	14	20	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	12.7	232	1	1	10	14	29	53	59
20-34	28	12.1	174	2	4	11	13	17	25	75
35-49	150	13.4	168	3	4	9	16	27	44	90
50-64	871	14.0	145	3	4	10	17	28	36	70
65+	3493	15.5	135	4	5	12	20	30	39	62
B. *Operated*										
0-19 YRS	3	13.0	7	10	10	14	15	15	15	15
20-34	20	17.8	273	3	4	12	19	47	60	63
35-49	90	14.7	159	3	4	11	19	29	47	88
50-64	346	15.5	162	3	4	12	19	35	48	99+
65+	504	20.4	239	4	6	16	26	41	55	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	12.3	100	2	3	9	16	26	31	52
B. *Operated*	230	10.5	118	2	3	7	12	20	28	79
2. MULTIPLE DX										
A. *Not Operated*	4555	15.1	138	4	5	12	19	30	39	65
B. *Operated*	963	18.0	209	4	5	14	23	38	51	85
1. SINGLE DX	874	11.8	105	2	3	9	15	24	31	57
2. MULTIPLE DX	5518	15.6	152	4	5	12	20	31	41	70
A. NOT OPERATED	5199	14.7	134	3	4	11	19	29	38	62
B. OPERATED	1193	16.6	201	3	4	12	21	36	49	83
TOTAL 0-19 YRS	24	13.0	131	1	3	11	15	21	33	59
20-34	72	14.2	227	2	4	11	15	23	58	73
35-49	305	13.1	160	2	3	10	16	28	42	84
50-64	1484	13.8	146	3	4	10	17	29	38	76
65+	4507	15.7	145	4	5	12	20	31	40	64
GRAND TOTAL	**6392**	**15.1**	**147**	**3**	**4**	**12**	**19**	**30**	**40**	**69**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	19.0	226	5	5	19	32	32	32	32
20-34	11	13.1	52	3	5	11	16	25	26	26
35-49	41	15.2	120	2	5	11	20	36	42	99+
50-64	370	19.7	213	4	6	15	25	41	51	71
65+	1728	20.3	185	5	7	17	26	39	48	68
B. *Operated*										
0-19 YRS	1	59.0		59	59	79	99+	99+	99+	99+
20-34	6	21.3	64	16	16	19	21	35	37	37
35-49	26	18.6	108	7	7	17	21	37	39	44
50-64	105	22.8	252	6	8	18	30	48	52	93
65+	192	28.1	315	7	9	26	40	65	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2154	20.0	188	5	7	17	26	39	49	69
B. *Operated*	330	25.6	285	7	9	21	36	56	72	99+
1. SINGLE DX										
2. MULTIPLE DX	2484	20.8	205	5	7	17	27	41	51	79
A. NOT OPERATED	2154	20.0	188	5	7	17	26	39	49	69
B. OPERATED	330	25.6	285	7	9	21	36	56	72	99+
TOTAL 0-19 YRS	5	27.0	490	5	5	32	59	96	99+	99+
20-34	17	16.0	69	4	7	16	21	26	33	37
35-49	67	16.5	117	4	6	13	21	36	41	90
50-64	475	20.3	223	4	6	16	26	42	51	85
65+	1920	21.1	203	5	7	17	27	41	52	77
GRAND TOTAL	**2484**	**20.8**	**205**	**5**	**7**	**17**	**27**	**41**	**51**	**79**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.0	2	2	2	3	3	5	6	6
20-34	49	4.3	13	1	1	4	5	6	8	26
35-49	186	4.7	7	1	2	4	6	8	9	13
50-64	586	4.7	11	1	2	4	6	8	10	17
65+	1605	5.6	28	1	2	4	7	10	14	25
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	19	4.7	8	2	2	4	6	9	10	11
35-49	120	6.7	22	2	2	6	8	13	16	23
50-64	375	6.6	21	2	2	6	9	12	15	21
65+	287	7.1	26	2	2	6	9	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.9	13	1	2	4	6	12	12	13
20-34	85	5.4	13	1	2	5	7	10	11	21
35-49	450	6.4	16	2	2	5	8	12	14	18
50-64	2473	6.8	26	2	2	6	8	12	15	24
65+	10864	7.9	35	2	3	6	10	14	19	31
B. *Operated*										
0-19 YRS	3	10.0	97	2	2	7	17	21	21	21
20-34	18	8.3	34	3	3	5	13	18	19	19
35-49	212	8.9	52	2	3	7	11	16	21	42
50-64	1104	9.8	49	2	3	8	12	18	23	36
65+	1657	12.3	94	3	4	10	15	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2435	5.2	22	1	2	4	6	9	12	23
B. *Operated*	802	6.8	23	2	2	6	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	13900	7.6	33	2	3	6	9	14	18	30
B. *Operated*	2994	11.1	76	2	3	9	14	21	27	47
1. SINGLE DX	3237	5.6	23	1	2	4	7	10	14	23
2. MULTIPLE DX	16894	8.2	42	2	3	7	10	15	20	34
A. NOT OPERATED	16335	7.3	32	2	2	6	9	13	17	29
B. OPERATED	3796	10.2	68	2	3	8	13	19	25	43
TOTAL 0-19 YRS	41	4.8	17	1	2	3	6	12	13	21
20-34	171	5.3	16	1	2	4	6	10	13	23
35-49	968	6.7	25	2	2	5	8	12	15	25
50-64	4538	7.2	32	2	2	6	9	13	17	30
65+	14413	8.1	44	2	3	6	10	15	20	35
GRAND TOTAL	**20131**	**7.8**	**40**	**2**	**2**	**6**	**10**	**15**	**19**	**32**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.0	43	2	2	3	5	6	22	30
20-34	23	8.4	110	1	1	3	10	31	32	32
35-49	76	10.4	140	1	3	8	11	19	28	75
50-64	374	10.7	99	2	3	8	13	23	31	52
65+	1654	12.9	114	2	3	10	17	26	34	54
B. *Operated*										
0-19 YRS	6	8.2	103	1	1	4	9	26	28	28
20-34	15	11.1	27	4	4	10	15	21	76	99+
35-49	40	10.0	63	2	3	8	12	21	24	40
50-64	91	11.8	120	2	3	9	14	26	32	58
65+	120	15.5	201	2	3	11	21	35	44	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	12.6	123	2	2	8	17	32	37	39
20-34	42	11.5	88	2	2	8	17	26	31	35
35-49	252	12.0	119	3	4	9	14	25	33	63
50-64	1737	13.3	131	3	4	10	17	26	37	64
65+	8885	15.2	129	4	5	12	19	29	38	63
B. *Operated*										
0-19 YRS	5	8.8	267	1	1	2	11	38	38	38
20-34	18	14.2	109	3	4	12	19	30	38	41
35-49	104	15.1	171	4	6	12	17	29	36	78
50-64	452	20.0	286	4	6	15	25	46	63	91
65+	996	23.9	281	6	8	20	32	48	60	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2144	12.3	113	2	3	9	16	25	33	54
B. *Operated*	272	13.0	145	2	3	10	16	29	40	80
2. MULTIPLE DX										
A. *Not Operated*	10936	14.8	129	3	5	12	19	29	38	63
B. *Operated*	1575	22.1	281	5	7	17	29	46	59	93
1. SINGLE DX	2416	12.4	116	2	3	9	16	26	34	55
2. MULTIPLE DX	12511	15.7	154	3	5	12	20	31	41	70
A. NOT OPERATED	13080	14.4	128	3	4	11	19	29	37	62
B. OPERATED	1847	20.7	271	4	6	16	27	44	58	92
TOTAL 0-19 YRS	48	9.0	109	1	2	4	10	29	35	39
20-34	98	11.2	89	2	2	8	16	27	33	71
35-49	472	12.3	131	3	3	9	14	25	31	68
50-64	2654	14.0	161	3	4	10	17	29	41	73
65+	11655	15.6	147	3	5	12	20	31	40	66
GRAND TOTAL	**14927**	**15.2**	**150**	**3**	**4**	**12**	**19**	**31**	**40**	**68**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	12.6	59	4	4	11	17	25	27	27
20-34	8	19.6	484	4	4	12	21	58	71	71
35-49	71	17.2	259	3	5	13	19	47	58	70
50-64	683	19.2	233	4	5	15	25	41	54	93
65+	3230	19.5	179	5	6	16	25	38	46	73
B. *Operated*										
0-19 YRS	4	12.5	4	10	10	13	14	14	14	14
20-34	4	11.8	38	3	3	15	38	99+	99+	99+
35-49	36	30.2	559	5	7	22	53	78	97	99+
50-64	161	28.1	481	5	7	22	41	72	89	99+
65+	369	29.3	356	6	9	26	39	55	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4000	19.4	190	4	6	16	25	38	47	75
B. *Operated*	574	28.8	401	6	8	24	39	64	83	99+
1. SINGLE DX										
2. MULTIPLE DX	4574	20.6	226	5	6	17	27	41	52	90
A. NOT OPERATED	4000	19.4	190	4	6	16	25	38	47	75
B. OPERATED	574	28.8	401	6	8	24	39	64	83	99+
TOTAL 0-19 YRS	12	12.6	38	4	5	12	15	21	26	27
20-34	12	17.0	334	3	4	12	20	77	96	99+
35-49	107	21.6	393	4	5	14	28	58	71	99+
50-64	844	20.9	292	4	5	16	27	46	63	99+
65+	3599	20.5	205	5	6	17	27	40	49	83
GRAND TOTAL	**4574**	**20.6**	**226**	**5**	**6**	**17**	**27**	**41**	**52**	**90**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.7	18	1	1	3	10	11	12	12
20-34	25	4.9	14	1	1	4	7	9	12	17
35-49	128	5.1	12	1	2	4	7	9	10	17
50-64	236	5.9	18	1	2	5	7	11	14	24
65+	789	7.6	49	2	2	6	9	14	18	39
B. *Operated*										
0-19 YRS	6	7.3	57	1	1	4	11	20	21	21
20-34	48	12.0	84	2	2	10	16	24	27	41
35-49	92	9.4	76	2	2	6	14	23	28	39
50-64	258	8.8	72	2	2	6	10	18	26	38
65+	236	8.1	47	2	2	6	11	16	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	8.9	99	1	2	5	10	17	36	46
20-34	82	7.9	74	2	3	5	8	16	29	83
35-49	385	8.2	52	2	2	7	10	15	20	40
50-64	1589	9.9	87	2	3	7	11	19	28	59
65+	8692	10.5	75	3	3	8	13	20	27	50
B. *Operated*										
0-19 YRS	14	9.8	36	1	2	10	13	16	21	23
20-34	50	14.1	134	2	3	12	17	38	44	99
35-49	170	15.6	305	2	3	10	19	43	66	99
50-64	642	13.1	138	2	3	10	17	27	40	99+
65+	1290	15.4	158	3	4	12	20	32	43	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1188	6.9	39	1	2	5	8	13	17	34
B. *Operated*	640	8.8	65	2	2	6	12	19	25	37
2. MULTIPLE DX										
A. *Not Operated*	10781	10.3	76	2	3	8	13	20	27	51
B. *Operated*	2166	14.7	163	2	4	11	19	31	43	88
1. SINGLE DX	1828	7.6	49	2	2	6	9	15	20	37
2. MULTIPLE DX	12947	11.0	93	2	3	8	14	22	30	58
A. NOT OPERATED	11969	9.9	73	2	3	8	12	19	26	50
B. OPERATED	2806	13.3	147	2	3	10	17	28	39	76
TOTAL 0-19 YRS	63	8.3	69	1	1	5	12	16	22	45
20-34	205	10.0	93	2	2	7	13	24	37	71
35-49	775	9.5	115	2	2	7	11	19	27	69
50-64	2725	10.2	95	2	3	7	12	20	30	64
65+	11007	10.8	86	2	3	8	13	21	29	53
GRAND TOTAL	**14775**	**10.6**	**89**	**2**	**3**	**8**	**13**	**21**	**29**	**55**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	15	4.9	29	1	2	3	5	12	19	21
50-64	46	4.5	14	1	1	4	6	10	12	17
65+	141	6.9	37	1	2	6	8	13	17	30
B. *Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	5	7.6	33	2	2	5	12	16	16	16
35-49	83	9.1	44	2	2	9	14	18	22	27
50-64	404	8.4	46	2	2	8	12	17	21	32
65+	354	10.3	98	2	2	8	14	22	29	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	17.1	133	5	5	15	24	35	37	37
20-34	7	5.7	20	1	1	4	8	13	14	14
35-49	65	6.4	13	2	3	5	9	12	14	16
50-64	410	8.3	54	2	2	6	11	16	20	41
65+	2733	10.1	67	2	3	8	13	18	26	48
B. *Operated*										
0-19 YRS	6	5.2	4	3	3	5	7	7	7	7
20-34	27	13.1	347	2	3	9	16	26	40	98
35-49	247	13.0	111	2	2	12	16	26	33	49
50-64	1425	14.0	145	2	2	11	18	29	38	64
65+	2256	19.0	238	2	3	15	25	40	52	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	6.2	32	1	2	5	8	12	16	27
B. *Operated*	849	9.2	68	2	2	8	13	18	25	44
2. MULTIPLE DX										
A. *Not Operated*	3222	9.8	65	2	3	8	12	18	25	47
B. *Operated*	3961	16.8	203	2	3	13	22	35	46	79
1. SINGLE DX	1053	8.6	63	2	2	7	12	18	23	41
2. MULTIPLE DX	7183	13.7	153	2	3	10	18	29	39	68
A. NOT OPERATED	3426	9.6	64	2	3	8	12	18	24	46
B. OPERATED	4810	15.5	188	2	2	12	21	33	44	75
TOTAL 0-19 YRS	17	9.4	98	2	2	7	10	24	33	37
20-34	40	10.9	249	1	2	7	12	20	28	98
35-49	410	10.9	86	2	2	9	14	21	27	44
50-64	2285	11.8	117	2	2	9	16	25	33	57
65+	5484	13.7	159	2	3	10	18	30	40	71
GRAND TOTAL	**8236**	**13.0**	**145**	**2**	**3**	**10**	**17**	**28**	**37**	**66**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	26	3.7	11	<1	<1	3	5	8	13	14
65+	79	5.0	34	<1	<1	3	6	12	16	30
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.8	17	<1	<1	2	5	11	11	11
35-49	16	12.8	136	3	3	11	15	19	42	52
50-64	237	12.1	39	2	4	12	15	18	21	36
65+	468	13.1	53	2	3	13	16	21	26	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	5	7.2	25	3	3	6	10	15	15	15
50-64	79	6.5	27	1	1	5	8	13	16	29
65+	530	8.3	54	2	2	6	10	16	23	35
B. *Operated*										
0-19 YRS	4	23.5	210	10	10	20	32	44	44	44
20-34	9	22.8	454	8	8	17	22	56	78	78
35-49	37	16.8	140	2	2	14	24	31	38	53
50-64	686	15.1	102	2	4	13	18	25	33	73
65+	1463	19.2	165	3	6	16	23	36	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	4.6	27	<1	<1	3	5	10	16	28
B. *Operated*	727	12.7	50	2	3	12	16	20	24	38
2. MULTIPLE DX										
A. *Not Operated*	617	8.1	51	1	2	6	10	15	22	34
B. *Operated*	2199	17.9	150	3	5	15	22	33	43	74
1. SINGLE DX	838	11.6	55	2	2	11	15	19	23	37
2. MULTIPLE DX	2816	15.7	144	2	4	13	20	30	39	68
A. NOT OPERATED	728	7.5	49	1	2	6	9	15	21	34
B. OPERATED	2926	16.6	130	3	4	14	20	30	39	68
TOTAL 0-19 YRS	7	14.3	237	<1	<1	10	20	39	44	44
20-34	18	13.3	313	1	2	8	17	23	56	78
35-49	61	14.4	134	2	3	12	19	30	37	53
50-64	1028	13.5	87	2	3	12	17	23	29	65
65+	2540	15.3	140	2	3	13	19	30	38	65
GRAND TOTAL	**3654**	**14.8**	**127**	**2**	**3**	**13**	**19**	**27**	**36**	**65**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	13.3	265	2	2	6	25	32	32	32
50-64	8	5.5	9	2	2	5	7	10	11	11
65+	7	5.0	3	3	3	6	6	7	7	7
B. *Operated*										
0-19 YRS	15	7.5	71	1	2	4	9	20	28	31
20-34	33	11.7	161	1	2	6	18	28	43	47
35-49	50	12.7	110	2	2	9	20	23	33	53
50-64	119	11.2	103	1	2	10	15	21	29	99+
65+	101	10.9	63	1	2	10	14	21	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	6.6	23	<1	<1	6	11	12	12	12
50-64	16	5.4	15	2	2	4	7	11	14	16
65+	34	13.3	179	2	2	10	17	28	35	68
B. *Operated*										
0-19 YRS	8	10.6	43	3	3	10	16	19	20	20
20-34	25	22.3	460	5	6	12	27	61	71	79
35-49	64	19.0	289	2	4	14	27	52	85	99+
50-64	188	16.2	224	3	4	12	21	36	57	99+
65+	211	17.8	188	2	4	15	23	35	47	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	6.6	46	2	2	6	7	10	24	32
B. *Operated*	318	11.2	96	1	2	9	16	22	29	62
2. MULTIPLE DX										
A. *Not Operated*	56	10.3	127	2	2	6	14	22	31	66
B. *Operated*	496	17.5	227	3	4	14	22	39	54	99+
1. SINGLE DX	336	11.0	94	1	2	9	15	22	30	57
2. MULTIPLE DX	552	16.7	221	2	3	13	22	37	53	99+
A. NOT OPERATED	74	9.4	109	2	2	6	12	20	31	60
B. OPERATED	814	15.0	185	2	3	12	20	31	47	99+
TOTAL 0-19 YRS	23	8.6	61	1	2	5	14	20	24	31
20-34	59	16.1	308	2	3	9	22	44	55	78
35-49	122	15.7	213	2	3	12	22	36	56	99+
50-64	331	13.6	175	2	3	11	17	30	47	99+
65+	353	15.2	159	2	3	12	20	31	40	68
GRAND TOTAL	**888**	**14.6**	**181**	**2**	**3**	**11**	**19**	**31**	**47**	**98**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	14	2	2	7	8	12	13	13
20-34	20	8.5	21	2	3	7	10	16	18	19
35-49	24	6.8	20	2	2	6	10	13	15	18
50-64	54	5.5	16	1	1	4	9	11	13	16
65+	58	9.2	68	1	1	8	12	17	19	51
B. *Operated*										
0-19 YRS	6	8.5	32	2	2	7	9	18	19	19
20-34	41	7.6	32	1	2	6	11	15	19	25
35-49	232	8.7	40	2	2	8	12	17	21	28
50-64	804	10.3	56	2	2	10	13	18	22	36
65+	570	11.1	64	2	2	10	15	20	26	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	10.8	31	2	4	10	14	18	21	24
35-49	36	11.4	89	1	3	10	16	19	31	48
50-64	140	8.8	53	1	2	7	12	16	19	46
65+	273	10.1	59	2	3	8	13	22	26	44
B. *Operated*										
0-19 YRS	14	9.9	16	3	5	9	13	15	16	16
20-34	56	12.0	125	2	2	10	15	22	30	69
35-49	390	12.6	87	2	3	11	16	24	29	54
50-64	1587	14.1	120	2	3	12	17	26	38	74
65+	1898	17.3	200	2	4	14	21	34	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	7.4	38	1	2	6	10	14	17	28
B. *Operated*	1653	10.2	56	2	2	10	14	18	23	37
2. MULTIPLE DX										
A. *Not Operated*	472	9.9	59	2	2	8	12	19	24	46
B. *Operated*	3945	15.5	158	2	3	13	19	30	41	79
1. SINGLE DX	1815	10.0	55	2	2	10	13	18	23	36
2. MULTIPLE DX	4417	14.9	150	2	3	12	18	29	40	77
A. NOT OPERATED	634	9.2	54	1	2	8	12	18	23	46
B. OPERATED	5598	13.9	134	2	3	12	17	26	36	69
TOTAL 0-19 YRS	26	8.9	19	2	2	8	13	15	17	19
20-34	140	10.0	70	2	2	9	13	19	22	43
35-49	682	11.0	72	2	2	10	14	20	26	47
50-64	2585	12.5	99	2	2	11	16	23	31	57
65+	2799	15.2	165	2	3	12	19	30	40	77
GRAND TOTAL	**6232**	**13.5**	**128**	**2**	**2**	**11**	**17**	**26**	**35**	**67**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	7.4	33	1	2	6	10	14	21	28
20-34	61	5.1	22	1	1	4	7	10	12	29
35-49	84	6.7	37	1	1	5	8	14	20	33
50-64	113	4.6	10	1	1	4	6	9	10	14
65+	120	6.1	23	1	2	4	8	14	17	21
B. *Operated*										
0-19 YRS	42	6.8	31	1	1	5	10	15	18	22
20-34	112	6.4	34	1	1	5	8	14	20	29
35-49	210	7.3	32	1	2	6	11	16	19	25
50-64	582	9.1	74	2	2	7	12	18	24	48
65+	469	10.5	101	2	2	8	14	21	29	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	6.5	22	2	2	5	8	13	16	23
20-34	98	6.8	27	1	2	6	8	13	17	28
35-49	201	7.7	75	1	2	5	9	15	19	39
50-64	455	8.5	50	2	2	7	10	16	23	36
65+	912	10.7	86	2	3	8	14	20	26	54
B. *Operated*										
0-19 YRS	29	12.4	229	2	3	8	11	25	61	65
20-34	132	13.2	199	2	2	9	16	36	45	84
35-49	360	12.3	145	2	2	9	16	24	34	71
50-64	1265	13.4	143	2	2	10	17	28	38	68
65+	1776	17.6	226	2	3	14	23	37	50	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	6.0	25	1	1	5	8	12	16	24
B. *Operated*	1415	9.0	74	1	2	7	12	19	24	39
2. MULTIPLE DX										
A. *Not Operated*	1724	9.4	72	2	3	7	12	18	23	43
B. *Operated*	3562	15.3	192	2	3	12	20	33	44	77
1. SINGLE DX	1891	8.2	63	1	2	6	11	17	22	37
2. MULTIPLE DX	5286	13.4	161	2	3	10	17	29	40	70
A. NOT OPERATED	2200	8.7	64	1	2	7	11	17	22	41
B. OPERATED	4977	13.5	167	2	2	10	18	29	40	71
TOTAL 0-19 YRS	227	7.7	57	1	2	6	10	15	19	39
20-34	403	8.5	95	1	2	6	10	18	30	54
35-49	855	9.4	96	2	2	7	12	19	26	46
50-64	2415	11.0	110	2	2	8	14	23	31	61
65+	3277	14.2	175	2	3	11	18	30	41	73
GRAND TOTAL	**7177**	**12.0**	**140**	**2**	**2**	**9**	**15**	**25**	**35**	**65**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	7.2	15	2	3	7	9	13	14	20
20-34	1103	7.7	18	3	3	7	10	13	15	22
35-49	1325	8.6	24	3	4	8	11	14	17	24
50-64	1339	9.1	23	3	4	8	11	15	18	26
65+	982	9.5	24	4	4	9	11	15	18	29
B. *Operated*										
0-19 YRS	58	8.9	24	2	3	8	12	15	17	26
20-34	417	8.5	27	2	2	8	11	15	17	22
35-49	413	9.3	30	2	3	8	12	16	19	30
50-64	428	10.1	35	3	3	9	13	18	21	33
65+	235	10.9	40	3	4	10	14	19	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	8.3	28	3	3	7	10	14	19	32
20-34	1057	9.8	42	3	4	8	12	17	20	34
35-49	1772	10.4	37	4	4	9	13	18	22	33
50-64	2944	10.9	41	4	5	10	13	18	22	33
65+	3434	11.8	46	4	5	10	14	20	24	36
B. *Operated*										
0-19 YRS	42	11.8	98	2	2	9	15	22	38	44
20-34	474	11.4	53	2	3	10	14	20	24	39
35-49	729	13.1	78	3	4	11	17	25	32	45
50-64	1050	13.1	70	4	5	11	16	23	28	46
65+	1079	14.6	89	4	6	13	18	26	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4910	8.7	23	3	4	8	11	14	17	25
B. *Operated*	1551	9.5	33	2	3	9	12	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	9300	10.9	43	4	5	10	14	18	22	35
B. *Operated*	3374	13.3	77	3	5	11	17	24	30	46
1. SINGLE DX	6461	8.9	25	3	4	8	11	15	18	26
2. MULTIPLE DX	12674	11.6	53	4	5	10	14	20	25	40
A. NOT OPERATED	14210	10.2	37	3	4	9	13	17	21	33
B. OPERATED	4925	12.1	66	3	4	10	15	21	27	44
TOTAL 0-19 YRS	354	8.3	32	2	3	7	11	14	18	34
20-34	3051	9.1	35	2	3	8	11	16	19	30
35-49	4239	10.2	42	3	4	9	12	18	22	35
50-64	5761	10.8	44	4	5	9	13	18	22	35
65+	5730	11.9	53	4	5	10	14	20	25	41
GRAND TOTAL	**19135**	**10.7**	**45**	**3**	**4**	**9**	**13**	**18**	**23**	**36**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	38	8.1	101	1	1	5	7	22	36	43
35-49	73	7.5	26	1	2	6	10	14	18	24
50-64	134	10.7	67	2	3	8	14	22	29	37
65+	186	14.0	119	3	4	12	17	25	34	66
B. *Operated*										
0-19 YRS	69	4.2	7	2	2	4	5	7	9	16
20-34	1377	4.5	6	2	2	4	5	7	9	15
35-49	2054	5.1	11	2	3	4	6	8	10	20
50-64	1667	6.2	31	2	3	5	7	10	15	36
65+	438	12.0	168	3	3	7	14	31	37	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.6	36	5	5	8	15	20	20	20
20-34	59	6.3	33	<1	1	5	8	12	18	28
35-49	151	9.9	69	1	2	7	13	20	28	42
50-64	395	12.2	106	3	4	9	15	24	31	55
65+	1024	14.9	115	4	5	12	19	29	36	55
B. *Operated*										
0-19 YRS	13	5.1	8	2	2	4	7	9	11	12
20-34	415	6.1	21	2	2	5	7	11	16	24
35-49	871	7.9	50	3	3	6	9	14	21	36
50-64	1116	10.0	86	3	3	7	12	20	28	47
65+	715	19.7	257	4	5	15	28	43	53	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	11.3	92	2	3	9	15	23	28	43
B. *Operated*	5605	5.8	32	2	3	4	6	9	14	33
2. MULTIPLE DX										
A. *Not Operated*	1634	13.5	110	3	4	11	17	27	34	54
B. *Operated*	3130	11.1	130	3	3	7	13	26	35	58
1. SINGLE DX	6037	6.2	38	2	3	5	6	10	16	35
2. MULTIPLE DX	4764	11.9	124	3	3	8	15	26	35	57
A. NOT OPERATED	2066	13.0	107	2	4	10	17	27	33	53
B. OPERATED	8735	7.7	73	2	3	5	8	15	25	47
TOTAL 0-19 YRS	88	4.7	11	2	2	4	6	8	12	18
20-34	1889	5.0	13	2	2	4	5	8	10	22
35-49	3149	6.2	27	2	3	5	7	10	15	29
50-64	3312	8.4	65	2	3	6	9	17	24	44
65+	2363	15.8	176	3	4	11	21	33	43	65
GRAND TOTAL	**10801**	**8.7**	**84**	**2**	**3**	**5**	**9**	**19**	**28**	**48**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.6	1	1	1	3	3	4	5	5
20-34	212	3.3	4	1	1	3	4	6	7	8
35-49	237	3.5	9	1	1	3	4	6	9	15
50-64	166	3.5	6	1	1	3	5	7	8	11
65+	119	4.5	11	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	65	5.0	5	2	2	5	6	8	8	13
20-34	970	5.5	15	2	3	5	6	8	9	14
35-49	1176	5.8	14	3	3	5	7	9	10	15
50-64	731	5.8	6	3	3	5	7	9	10	13
65+	240	6.4	11	2	3	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.8	5	1	1	3	5	7	8	11
20-34	361	4.5	10	1	2	4	6	8	10	22
35-49	565	4.6	12	1	2	4	6	9	11	16
50-64	681	5.0	23	1	1	4	6	9	12	22
65+	691	5.9	19	2	2	5	7	12	14	21
B. *Operated*										
0-19 YRS	172	5.4	4	2	3	5	6	8	9	14
20-34	3764	6.0	9	3	4	5	7	9	11	16
35-49	5128	6.6	12	3	4	6	8	10	12	19
50-64	4086	7.3	19	3	4	6	8	12	15	23
65+	1581	8.9	32	4	4	7	11	15	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	3.5	7	1	1	3	4	7	8	14
B. *Operated*	3182	5.7	12	3	3	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	2339	5.1	17	1	2	4	6	9	12	21
B. *Operated*	14731	6.9	16	3	4	6	8	11	13	22
1. SINGLE DX	3950	5.3	12	2	2	5	6	8	10	15
2. MULTIPLE DX	17070	6.6	17	3	3	6	8	11	13	22
A. NOT OPERATED	3107	4.7	15	1	1	4	6	9	12	19
B. OPERATED	17913	6.7	16	3	4	6	8	10	13	21
TOTAL 0-19 YRS	312	4.8	5	2	2	5	6	7	9	12
20-34	5307	5.7	10	2	3	5	7	9	10	16
35-49	7106	6.2	13	2	3	6	7	10	12	18
50-64	5664	6.7	19	2	3	6	8	11	14	23
65+	2631	7.7	28	2	3	6	9	14	18	27
GRAND TOTAL	**21020**	**6.4**	**16**	**2**	**3**	**6**	**7**	**10**	**13**	**21**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	4.9	12	1	2	4	6	9	14	16
20-34	187	7.0	23	1	2	6	9	13	16	22
35-49	234	7.4	34	1	2	6	10	14	16	22
50-64	273	7.2	39	1	2	6	10	13	16	33
65+	302	7.4	22	1	2	6	10	14	16	24
B. *Operated*										
0-19 YRS	203	3.6	6	2	2	3	4	5	9	15
20-34	638	4.1	14	1	2	3	4	8	12	23
35-49	250	6.9	61	1	2	5	9	15	19	35
50-64	249	8.3	59	2	2	6	11	17	21	32
65+	191	10.5	61	2	2	9	15	21	24	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	4.2	8	1	1	3	5	8	11	47
20-34	348	7.3	28	2	2	6	10	14	17	26
35-49	563	8.2	39	2	2	7	11	16	20	30
50-64	1228	8.7	40	2	3	7	11	17	21	30
65+	2194	9.4	54	2	3	8	12	18	22	40
B. *Operated*										
0-19 YRS	100	8.1	138	1	2	4	10	19	21	99+
20-34	753	5.4	37	1	2	3	7	11	17	35
35-49	491	11.0	126	2	2	8	14	23	31	62
50-64	749	13.5	147	2	3	11	17	29	40	61
65+	837	15.8	157	2	4	13	20	30	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1079	7.1	28	1	2	6	10	14	16	25
B *Operated*	1531	6.0	39	1	2	4	8	13	18	31
2. MULTIPLE DX										
A. *Not Operated*	4444	8.8	46	2	3	7	11	17	21	35
B. *Operated*	2930	11.5	134	2	2	8	15	24	35	61
1. SINGLE DX	2610	6.4	35	1	2	5	9	14	17	27
2. MULTIPLE DX	7374	9.8	83	2	2	7	13	20	26	48
A. NOT OPERATED	5523	8.4	43	2	2	7	11	16	20	34
B. OPERATED	4461	9.6	108	2	2	6	13	21	30	54
TOTAL 0-19 YRS	497	4.9	36	1	2	3	5	10	13	32
20-34	1926	5.5	27	1	2	4	7	12	15	25
35-49	1538	8.7	72	2	2	7	11	17	23	42
50-64	2499	9.9	80	2	2	8	13	19	27	48
65+	3524	10.8	84	2	3	9	14	21	27	50
GRAND TOTAL	**9984**	**9.0**	**72**	**2**	**2**	**7**	**12**	**18**	**24**	**45**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9542	3.2	5	1	1	3	4	5	7	10
20-34	1061	3.6	6	1	1	3	4	6	7	11
35-49	355	4.1	6	1	2	4	5	7	9	14
50-64	273	4.3	8	1	2	4	6	8	9	13
65+	218	4.9	10	1	2	4	6	9	12	15
B. *Operated*										
0-19 YRS	1534	2.3	4	<1	1	2	2	3	5	12
20-34	638	2.7	4	1	1	2	3	4	5	12
35-49	90	3.1	6	1	1	2	3	6	8	13
50-64	51	4.0	13	<1	1	2	5	10	12	18
65+	22	3.7	16	1	1	2	4	7	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13644	3.9	7	1	2	3	5	7	8	13
20-34	2478	4.6	11	1	2	4	6	8	10	16
35-49	1300	5.7	16	2	2	5	7	10	13	21
50-64	1399	6.5	20	2	3	6	8	11	14	23
65+	1914	7.5	27	2	3	6	9	14	17	27
B. *Operated*										
0-19 YRS	1083	3.1	10	1	1	2	3	7	9	17
20-34	356	4.6	16	1	2	3	6	10	13	19
35-49	157	7.0	36	2	2	5	9	15	18	28
50-64	189	9.0	45	2	2	8	12	18	23	30
65+	129	12.4	125	2	3	9	15	28	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11449	3.3	5	1	1	3	4	6	7	11
B. *Operated*	2335	2.5	5	1	1	2	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	20735	4.6	12	1	2	4	6	8	11	18
B. *Operated*	1914	4.9	32	1	1	2	6	11	15	29
1. SINGLE DX	13784	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	22649	4.7	14	1	2	4	6	8	11	19
A. NOT OPERATED	32184	4.2	10	1	2	3	5	7	9	16
B. OPERATED	4249	3.6	18	1	1	2	3	8	12	23
TOTAL 0-19 YRS	25803	3.5	6	1	1	3	4	6	8	12
20-34	4533	4.1	9	1	2	3	5	7	9	16
35-49	1902	5.4	16	1	2	4	7	10	12	21
50-64	1912	6.4	22	2	2	5	8	12	15	24
65+	2283	7.5	33	2	3	6	9	14	17	31
GRAND TOTAL	**36433**	**4.1**	**11**	**1**	**2**	**3**	**5**	**7**	**10**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10017	4.2	7	1	2	4	5	7	8	12
20-34	876	4.7	18	2	2	4	6	8	9	17
35-49	602	5.0	13	2	2	4	6	8	11	15
50-64	584	5.7	11	2	2	5	7	10	12	17
65+	507	6.2	15	2	3	5	8	10	13	22
B. *Operated*										
0-19 YRS	23	8.5	51	2	3	8	10	15	24	36
20-34	30	6.1	12	2	2	6	7	11	14	15
35-49	30	6.7	26	1	2	5	9	13	17	23
50-64	39	6.8	21	2	2	6	9	14	17	18
65+	22	5.9	19	1	2	5	8	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7854	5.0	11	2	2	4	6	8	10	16
20-34	1557	5.5	12	2	2	5	7	9	11	19
35-49	1830	6.7	19	2	3	6	8	11	15	23
50-64	3588	7.6	28	3	3	7	9	13	16	27
65+	5525	8.6	31	3	4	7	10	15	19	29
B. *Operated*										
0-19 YRS	100	8.0	19	3	3	7	10	13	16	23
20-34	141	9.7	41	3	3	8	12	18	23	32
35-49	211	9.7	41	3	3	8	13	19	23	32
50-64	351	12.0	69	2	4	10	15	23	27	44
65+	347	13.6	101	3	5	11	17	25	31	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12586	4.4	9	1	2	4	5	7	9	14
B. *Operated*	144	6.8	25	2	2	6	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	20354	6.6	23	2	3	5	8	12	15	25
B. *Operated*	1150	11.4	69	3	4	9	14	22	27	42
1. SINGLE DX	12730	4.4	9	1	2	4	5	7	9	14
2. MULTIPLE DX	21504	6.9	26	2	3	6	8	12	16	26
A. NOT OPERATED	32940	5.8	19	2	2	5	7	10	13	22
B. OPERATED	1294	10.9	66	2	3	9	14	21	26	40
TOTAL 0-19 YRS	17994	4.6	9	2	2	4	6	8	9	14
20-34	2604	5.5	17	2	2	5	7	9	12	21
35-49	2673	6.5	21	2	3	5	8	12	15	23
50-64	4562	7.7	31	2	3	6	9	14	18	28
65+	6401	8.7	36	3	3	7	11	15	20	31
GRAND TOTAL	**34234**	**6.0**	**21**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.8	6	<1	<1	2	4	4	7	12
20-34	32	2.2	1	<1	<1	2	3	4	4	4
35-49	14	2.5	2	<1	<1	3	4	4	4	4
50-64	6	2.5	1	1	1	2	3	4	4	4
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	1167	2.7	5	1	2	2	3	4	5	7
20-34	2544	2.6	3	1	2	2	3	4	5	6
35-49	1073	2.7	2	1	2	2	3	4	5	7
50-64	558	2.8	4	1	2	2	3	4	5	11
65+	117	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.1	2	<1	<1	1	3	4	5	6
20-34	101	2.6	3	<1	1	2	3	4	6	9
35-49	66	3.0	6	<1	1	3	3	5	8	13
50-64	30	3.4	5	1	1	3	4	5	6	13
65+	13	4.1	10	<1	<1	3	6	8	11	12
B. *Operated*										
0-19 YRS	1470	3.1	5	2	2	3	4	4	5	9
20-34	3820	3.2	4	1	2	3	4	5	5	9
35-49	1968	3.4	10	2	2	3	4	5	6	13
50-64	1230	3.5	6	2	2	3	4	5	7	13
65+	296	3.7	7	1	2	3	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.5	3	<1	<1	2	3	4	4	10
B. *Operated*	5459	2.7	3	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	245	2.8	4	<1	1	2	3	5	6	12
B. *Operated*	8784	3.3	6	2	2	3	4	5	6	11
1. SINGLE DX	5538	2.7	3	1	2	2	3	4	5	7
2. MULTIPLE DX	9029	3.3	6	1	2	3	4	5	6	11
A. NOT OPERATED	324	2.7	4	<1	1	2	3	4	6	12
B. OPERATED	14243	3.0	5	1	2	3	4	5	5	10
TOTAL 0-19 YRS	2697	2.9	5	1	2	3	3	4	5	9
20-34	6497	2.9	4	1	2	3	3	4	5	9
35-49	3121	3.2	7	1	2	3	4	5	6	11
50-64	1824	3.5	5	2	2	3	4	5	6	12
65+	428	3.5	5	1	2	3	4	6	8	14
GRAND TOTAL	**14567**	**3.0**	**5**	**1**	**2**	**3**	**4**	**5**	**5**	**10**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	4	3.0	2	1	1	3	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	8	2.8	3	1	1	2	3	5	6	6
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	77	2.0	1	1	1	2	2	3	4	8
20-34	153	2.4	2	1	1	2	3	4	5	6
35-49	222	2.4	4	1	1	2	3	4	5	11
50-64	266	2.5	8	1	1	2	3	4	5	22
65+	174	2.4	5	1	1	2	3	4	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	19	1	1	2	3	11	12	12
20-34	11	2.8	5	<1	<1	2	5	6	7	7
35-49	13	4.2	7	1	1	3	7	8	8	8
50-64	21	4.4	10	1	1	3	6	10	11	11
65+	9	3.8	4	1	1	4	5	7	7	7
B. *Operated*										
0-19 YRS	127	3.4	32	1	1	2	3	5	8	26
20-34	306	3.2	6	1	2	3	4	5	6	11
35-49	383	3.0	3	1	1	3	4	5	6	12
50-64	522	3.2	5	1	2	3	4	5	7	12
65+	308	3.7	9	1	2	3	4	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.8	5	1	1	2	4	5	8	10
B. *Operated*	892	2.4	5	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	60	3.9	8	1	1	3	6	8	10	12
B. *Operated*	1646	3.3	8	1	2	3	4	5	7	13
1. SINGLE DX	911	2.4	5	1	1	2	3	4	5	11
2. MULTIPLE DX	1706	3,3	8	1	2	3	4	5	7	13
A. NOT OPERATED	79	3.6	8	1	1	3	5	8	10	12
B. OPERATED	2538	3.0	7	1	1	2	3	5	6	12
TOTAL 0-19 YRS	212	2.9	21	1	1	2	3	4	6	13
20-34	474	2.9	5	1	1	2	3	5	6	11
35-49	620	2.8	4	1	1	2	3	4	6	11
50-64	817	3.0	6	1	1	2	3	5	7	13
65+	494	3.2	7	1	1	3	4	5	7	15
GRAND TOTAL	**2617**	**3.0**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	668	2.1	10	<1	1	2	2	3	4	12
20-34	136	2.3	2	1	1	2	3	3	5	8
35-49	18	3.1	4	<1	1	3	4	6	7	8
50-64	3	3.3	4	<1	<1	4	5	5	5	5
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	42269	1.9	3	1	1	2	2	2	3	5
20-34	9359	2.3	2	1	1	2	3	3	4	6
35-49	738	2.5	2	1	1	2	3	4	5	7
50-64	153	2.6	4	1	1	2	3	4	5	15
65+	113	2.3	3	1	1	2	2	4	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	981	1.9	4	<1	<1	1	2	3	5	11
20-34	126	2.5	3	<1	<1	2	3	5	6	9
35-49	20	4.1	19	<1	1	3	5	6	14	21
50-64	10	3.9	5	1	1	4	6	7	7	7
65+	12	6.5	18	2	3	5	8	12	17	18
B. *Operated*										
0-19 YRS	21780	1.9	3	<1	1	2	2	2	3	7
20-34	1678	2.9	4	1	2	2	3	5	6	10
35-49	239	3.5	17	1	2	2	4	6	9	13
50-64	99	4.5	52	1	1	2	4	8	15	44
65+	63	4.2	58	<1	1	2	3	10	24	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	827	2.1	9	<1	1	2	2	3	4	11
B. *Operated*	52632	2.0	3	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	1149	2.1	5	<1	<1	1	2	4	6	11
B. *Operated*	23859	2.0	4	<1	1	2	2	3	3	8
1. SINGLE DX	53459	2.0	3	1	1	2	2	3	3	5
2. MULTIPLE DX	25008	2.0	4	<1	1	2	2	3	3	8
A. NOT OPERATED	1976	2.1	6	<1	<1	1	2	4	5	11
B. OPERATED	76491	2.0	3	1	1	2	2	3	3	6
TOTAL 0-19 YRS	65698	1.9	3	1	1	2	2	2	3	6
20-34	11299	2.4	2	1	1	2	3	3	4	8
35-49	1015	2.7	6	1	1	2	3	4	6	10
50-64	265	3.3	23	1	1	2	3	5	9	41
65+	190	3.2	24	1	1	2	3	7	10	43
GRAND TOTAL	**78467**	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**3**	**7**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	830	3.3	5	1	1	3	4	6	7	11
20-34	564	3.6	6	1	1	3	4	6	7	12
35-49	273	3.4	9	1	1	3	4	6	8	16
50-64	232	3.3	5	1	1	2	4	7	8	11
65+	97	3.5	8	1	1	3	4	6	10	16
B. *Operated*										
0-19 YRS	980	2.7	5	1	1	2	3	5	6	11
20-34	1629	2.7	4	1	1	2	3	4	6	10
35-49	1332	2.7	5	1	1	2	3	4	6	11
50-64	1316	2.7	5	1	1	2	3	4	6	14
65+	530	2.9	8	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	843	4.3	12	1	2	4	5	7	9	14
20-34	649	4.9	9	1	2	4	6	9	10	15
35-49	510	5.4	14	2	2	5	7	10	12	21
50-64	491	6.0	22	2	2	5	8	12	15	23
65+	419	6.4	23	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	849	3.2	8	1	1	2	4	5	8	16
20-34	1553	3.8	8	1	2	3	4	7	8	15
35-49	1371	4.1	15	1	2	3	4	8	11	21
50-64	1384	4.6	30	1	2	3	5	9	14	26
65+	717	6.4	60	1	2	3	8	14	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1996	3.4	6	1	1	3	4	6	7	12
B. *Operated*	5787	2.7	5	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	2912	5.2	16	1	2	4	6	9	12	20
B. *Operated*	5874	4.3	22	1	2	3	5	8	12	24
1. SINGLE DX	7783	2.9	5	1	1	2	3	5	6	12
2. MULTIPLE DX	8786	4.6	20	1	2	3	5	9	12	23
A. NOT OPERATED	4908	4.5	13	1	2	4	6	8	11	18
B. OPERATED	11661	3.5	14	1	1	2	4	6	9	20
TOTAL 0-19 YRS	3502	3.4	8	1	1	3	4	6	8	13
20-34	4395	3.5	7	1	2	3	4	6	8	14
35-49	3486	3.7	12	1	1	3	4	7	10	18
50-64	3423	4.0	19	1	1	2	4	8	12	22
65+	1763	5.2	35	1	2	3	6	11	16	29
GRAND TOTAL	**16569**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18882	5.2	10	2	2	5	6	9	11	16
20-34	3447	5.6	9	2	3	5	7	9	11	16
35-49	2244	6.4	13	2	3	6	8	10	13	18
50-64	2262	7.4	20	3	3	7	9	12	15	23
65+	2597	8.5	29	3	4	7	10	15	18	29
B. *Operated*										
0-19 YRS	91	8.6	48	1	2	6	12	19	23	29
20-34	93	9.1	47	2	3	8	13	19	21	37
35-49	153	9.5	34	2	2	9	13	17	21	24
50-64	265	10.8	59	2	2	9	15	19	25	37
65+	191	13.0	87	2	3	11	18	22	27	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14298	5.9	14	2	2	5	7	10	13	21
20-34	3159	7.0	25	2	3	6	9	12	15	26
35-49	3382	8.2	28	3	3	7	10	14	18	28
50-64	6619	9.4	35	3	4	8	11	16	21	32
65+	16707	11.6	55	4	5	10	14	20	25	39
B. *Operated*										
0-19 YRS	340	12.7	77	3	4	11	16	24	31	45
20-34	359	13.8	103	3	4	11	18	26	33	61
35-49	534	16.0	167	3	5	13	20	30	41	81
50-64	1232	16.2	138	4	5	14	20	30	38	70
65+	1928	20.2	197	5	7	17	25	38	49	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29432	5.8	14	2	2	5	7	10	12	19
B. *Operated*	793	10.6	60	2	2	9	15	20	24	37
2. MULTIPLE DX										
A. *Not Operated*	44165	8.8	41	2	3	7	11	16	21	33
B. *Operated*	4393	17.5	167	4	6	14	22	33	44	74
1. SINGLE DX	30225	5.9	16	2	2	5	7	10	13	20
2. MULTIPLE DX	48558	9.6	58	3	3	8	12	18	23	40
A. NOT OPERATED	73597	7.6	32	2	3	6	9	14	18	29
B. OPERATED	5186	16.4	156	3	5	14	21	31	42	71
TOTAL 0-19 YRS	33611	5.6	14	2	2	5	7	9	12	19
20-34	7058	6.7	24	2	3	5	8	12	15	26
35-49	6313	8.2	41	3	3	7	10	14	19	35
50-64	10378	9.8	51	3	4	8	12	18	22	37
65+	21423	12.0	73	4	5	10	15	22	28	46
GRAND TOTAL	**78783**	**8.2**	**45**	**2**	**3**	**6**	**10**	**15**	**20**	**35**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	732	3.3	8	1	1	3	4	5	7	11
20-34	429	3.4	5	1	1	3	4	6	7	13
35-49	195	3.9	5	1	2	4	5	7	8	12
50-64	203	4.9	26	1	2	4	6	8	10	19
65+	197	4.9	9	1	2	4	7	8	10	14
B. *Operated*										
0-19 YRS	6	3.7	7	1	1	3	7	7	7	7
20-34	5	4.4	6	2	2	5	6	8	8	8
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	5	18.4	105	6	6	22	27	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	878	3.8	7	1	1	3	5	7	8	14
20-34	725	4.0	8	1	2	3	5	7	9	13
35-49	412	5.3	20	2	2	4	6	9	11	20
50-64	627	6.2	21	2	2	5	8	11	14	22
65+	1095	7.4	30	2	3	6	9	14	17	27
B. *Operated*										
0-19 YRS	14	8.3	113	1	2	5	7	18	37	43
20-34	33	6.4	18	2	2	6	9	13	15	15
35-49	27	10.7	84	3	4	7	13	22	32	41
50-64	36	9.9	43	3	4	9	11	14	27	33
65+	48	16.8	153	5	6	13	24	30	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1756	3.7	10	1	2	3	5	7	8	13
B. *Operated*	20	7.6	67	1	2	5	8	24	27	28
2. MULTIPLE DX										
A. *Not Operated*	3737	5.5	20	1	2	4	7	10	13	22
B. *Operated*	158	11.2	97	2	3	8	14	25	30	47
1. SINGLE DX	1776	3.8	10	1	2	3	5	7	8	14
2. MULTIPLE DX	3895	5.7	24	1	2	4	7	11	14	25
A. NOT OPERATED	5493	4.9	17	1	2	4	6	9	12	21
B. OPERATED	178	10.8	95	2	3	8	13	25	30	46
TOTAL 0-19 YRS	1630	3.6	9	1	1	3	4	6	7	13
20-34	1192	3.9	8	1	2	3	5	7	9	14
35-49	637	5.1	20	2	2	4	6	9	11	22
50-64	867	6.0	24	2	2	5	7	11	14	23
65+	1345	7.4	36	2	2	6	9	14	18	29
GRAND TOTAL	**5671**	**5.1**	**21**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3838	4.1	15	1	2	3	5	7	8	12
20-34	458	4.5	9	1	2	4	6	7	9	14
35-49	425	5.7	16	2	2	5	7	10	12	23
50-64	683	6.6	18	2	3	6	8	12	14	24
65+	696	7.8	39	2	3	7	10	14	16	30
B. *Operated*										
0-19 YRS	50	4.9	27	1	1	3	6	11	18	24
20-34	79	5.1	20	1	2	4	7	10	15	21
35-49	142	4.7	12	1	1	3	7	10	12	24
50-64	198	5.5	23	1	2	4	7	11	15	28
65+	104	6.9	55	1	1	4	9	14	20	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3061	4.7	14	2	2	4	6	8	10	16
20-34	911	5.6	14	2	2	5	7	10	12	19
35-49	1266	6.8	19	2	3	6	8	12	15	24
50-64	2929	7.9	32	2	3	7	10	14	18	29
65+	4246	9.4	46	3	3	8	11	17	22	36
B. *Operated*										
0-19 YRS	70	9.2	117	2	2	6	12	18	24	68
20-34	164	7.8	36	2	2	7	10	14	18	37
35-49	342	8.7	58	2	2	7	11	17	21	36
50-64	680	10.0	68	2	3	8	12	20	25	50
65+	624	12.3	101	2	3	10	16	23	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6100	4.9	19	1	2	4	6	9	11	19
B. *Operated*	573	5.4	26	1	1	4	7	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	12413	7.4	33	2	3	6	9	13	17	30
B. *Operated*	1880	10.3	78	2	3	8	13	21	25	45
1. SINGLE DX	6673	5.0	20	1	2	4	6	9	11	21
2. MULTIPLE DX	14293	7.7	40	2	3	6	10	14	19	32
A. NOT OPERATED	18513	6.6	30	2	2	5	8	12	16	28
B. OPERATED	2453	9.2	70	2	2	7	12	19	24	43
TOTAL 0-19 YRS	7019	4.4	16	1	2	4	5	7	9	15
20-34	1612	5.5	16	2	2	5	7	10	12	21
35-49	2175	6.8	25	2	2	6	8	13	16	26
50-64	4490	7.9	36	2	3	7	10	14	19	31
65+	5670	9.5	53	3	3	8	12	17	23	40
GRAND TOTAL	**20966**	**6.9**	**35**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.2	53	2	2	6	14	19	19	19
20-34	10	5.3	9	2	2	4	7	10	12	12
35-49	64	6.0	29	2	3	5	7	10	11	38
50-64	301	7.0	28	2	2	6	9	12	15	27
65+	427	8.3	58	2	3	7	10	15	19	42
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	7	11.4	78	4	4	7	20	25	25	25
35-49	22	9.5	52	2	2	7	17	18	24	29
50-64	30	8.1	35	1	2	7	12	17	27	99+
65+	15	9.2	38	1	2	9	14	16	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	15	1	1	3	4	11	12	12
20-34	32	6.0	10	1	2	5	8	11	12	12
35-49	291	8.2	41	2	3	6	10	15	22	33
50-64	1594	9.2	48	2	3	7	11	17	22	39
65+	2885	10.2	58	3	3	8	13	19	24	40
B. *Operated*										
0-19 YRS	5	14.4	188	1	1	8	27	32	32	32
20-34	19	15.5	365	2	4	11	12	30	66	88
35-49	67	14.8	123	5	5	12	17	25	41	63
50-64	233	14.4	134	3	4	12	18	26	35	75
65+	321	17.2	189	4	6	13	21	36	44	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	807	7.6	44	2	3	6	9	13	17	38
B. *Operated*	76	9.0	43	2	2	8	12	19	24	81
2. MULTIPLE DX										
A. *Not Operated*	4808	9.7	54	3	3	8	12	18	23	39
B. *Operated*	645	15.9	168	3	5	12	19	31	41	82
1. SINGLE DX	883	7.7	44	2	3	6	9	14	18	40
2. MULTIPLE DX	5453	10.4	72	3	3	8	13	20	26	44
A. NOT OPERATED	5615	9.4	53	2	3	8	12	18	23	39
B. OPERATED	721	15.1	159	3	5	12	18	29	40	83
TOTAL 0-19 YRS	18	8.5	78	1	1	5	12	24	30	32
20-34	68	9.1	130	2	2	7	11	12	23	79
35-49	444	8.9	58	2	3	7	11	17	24	42
50-64	2158	9.4	58	2	3	8	12	18	23	43
65+	3648	10.6	74	3	3	8	13	20	26	46
GRAND TOTAL	**6336**	**10.0**	**69**	**2**	**3**	**8**	**12**	**19**	**25**	**44**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10331	4.0	6	1	2	4	5	7	8	12
20-34	2643	4.7	9	1	2	4	6	8	10	15
35-49	2048	5.6	13	2	2	5	7	10	12	19
50-64	2084	6.7	25	2	2	6	8	11	14	24
65+	1223	7.0	18	2	3	6	9	13	15	22
B. *Operated*										
0-19 YRS	28	5.6	13	2	2	5	7	11	13	17
20-34	28	7.5	19	2	2	7	10	12	17	18
35-49	40	6.3	19	2	2	5	8	10	12	27
50-64	38	8.6	45	1	2	6	12	20	21	27
65+	19	10.4	30	3	5	9	14	18	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5997	4.8	9	2	2	4	6	8	10	15
20-34	2305	5.8	19	2	2	5	7	10	13	21
35-49	2739	7.1	29	2	3	6	9	12	15	25
50-64	4495	8.3	33	2	3	7	10	15	18	29
65+	4523	9.3	38	3	4	8	12	17	21	30
B. *Operated*										
0-19 YRS	94	8.1	34	2	3	7	10	14	22	31
20-34	145	11.4	45	3	4	10	14	20	25	35
35-49	259	12.3	94	3	5	10	14	21	27	73
50-64	349	13.9	104	3	5	12	17	24	31	70
65+	269	15.9	122	5	6	13	20	29	37	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18329	4.8	11	1	2	4	6	8	10	16
B. *Operated*	153	7.5	27	2	2	6	10	14	19	27
2. MULTIPLE DX										
A. *Not Operated*	20059	7.0	28	2	3	6	9	13	16	26
B. *Operated*	1116	13.2	97	3	5	11	16	24	30	59
1. SINGLE DX	18482	4.8	11	1	2	4	6	9	11	17
2. MULTIPLE DX	21175	7.3	34	2	3	6	9	14	17	29
A. NOT OPERATED	38388	6.0	21	2	2	5	7	11	14	23
B. OPERATED	1269	12.5	92	3	4	10	15	23	29	56
TOTAL 0-19 YRS	16450	4.3	8	1	2	4	5	7	9	14
20-34	5121	5.4	16	2	2	4	7	9	12	20
35-49	5086	6.8	27	2	3	6	8	12	15	25
50-64	6966	8.1	36	2	3	7	10	14	18	31
65+	6034	9.1	41	3	3	8	11	16	21	33
GRAND TOTAL	**39657**	**6.2**	**25**	**2**	**2**	**5**	**8**	**11**	**15**	**25**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	4.6	12	2	2	4	6	8	9	22
20-34	59	5.0	8	2	2	4	7	9	10	13
35-49	272	6.5	29	2	2	5	8	12	16	25
50-64	1205	8.1	40	2	3	7	10	15	19	39
65+	1531	8.7	45	3	3	7	10	16	20	32
B. *Operated*										
0-19 YRS	17	5.4	28	1	1	2	8	14	16	17
20-34	26	8.0	36	2	2	8	12	17	19	23
35-49	46	8.0	56	1	1	6	11	15	23	38
50-64	123	9.1	68	2	2	8	11	17	22	42
65+	79	9.7	81	2	3	6	12	23	29	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	6.2	16	2	3	5	8	10	15	21
20-34	172	7.5	53	2	2	6	9	13	18	37
35-49	1143	8.3	41	2	3	7	10	15	19	32
50-64	6156	9.5	58	3	3	8	12	17	23	41
65+	10463	10.4	59	3	4	8	13	19	25	39
B. *Operated*										
0-19 YRS	25	4.7	15	<1	1	3	8	12	13	14
20-34	53	8.3	47	2	2	6	11	19	24	30
35-49	241	12.6	111	3	3	10	16	24	33	62
50-64	961	14.6	164	3	4	11	18	29	41	77
65+	1217	16.7	169	4	5	13	21	34	42	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3135	8.1	41	2	3	7	10	15	20	34
B. *Operated*	291	8.8	65	2	2	7	12	17	24	42
2. MULTIPLE DX										
A. *Not Operated*	18030	9.9	58	3	3	8	12	18	24	39
B. *Operated*	2497	15.2	161	3	4	12	19	31	41	76
1. SINGLE DX	3426	8.1	43	2	3	7	10	15	20	35
2. MULTIPLE DX	20527	10.6	73	3	4	8	13	20	26	46
A. NOT OPERATED	21165	9.6	56	3	3	8	12	18	23	39
B. OPERATED	2788	14.5	155	2	4	11	18	29	40	74
TOTAL 0-19 YRS	206	5.4	16	1	2	4	7	10	13	20
20-34	310	7.2	43	2	2	5	9	13	18	31
35-49	1702	8.6	52	2	3	7	10	16	21	38
50-64	8445	9.9	71	3	3	8	12	18	24	47
65+	13290	10.8	71	3	4	9	13	20	27	44
GRAND TOTAL	**23953**	**10.2**	**70**	**3**	**3**	**8**	**12**	**19**	**25**	**45**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.5	6	1	1	3	5	6	7	15
20-34	354	3.9	6	1	1	3	5	7	9	14
35-49	96	4.8	14	1	1	4	6	9	12	20
50-64	37	5.0	8	1	2	4	6	11	12	99+
65+	15	5.6	14	<1	1	5	7	8	14	16
B. *Operated*										
0-19 YRS	246	7.2	37	2	3	6	9	13	16	24
20-34	840	7.3	23	2	3	6	9	13	17	23
35-49	295	7.6	32	3	3	6	9	12	18	36
50-64	111	9.2	41	3	3	7	12	18	25	32
65+	85	10.1	133	3	3	7	11	18	25	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.0	5	1	2	3	5	7	8	12
20-34	96	5.2	16	1	2	4	7	9	13	23
35-49	52	5.7	21	1	2	4	7	10	17	21
50-64	77	8.1	35	2	3	7	10	17	21	29
65+	122	11.9	102	3	4	8	15	28	34	49
B. *Operated*										
0-19 YRS	84	11.7	75	2	4	9	16	24	32	40
20-34	272	10.5	63	3	4	9	13	19	24	35
35-49	179	10.9	63	3	4	9	13	19	25	50
50-64	263	13.6	105	4	5	11	17	28	36	60
65+	298	14.9	140	3	4	11	19	31	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	625	4.0	8	1	1	3	5	7	9	15
B. *Operated*	1577	7.6	34	3	3	6	9	13	18	28
2. MULTIPLE DX										
A. *Not Operated*	388	7.8	55	2	2	6	9	17	23	37
B. *Operated*	1096	12.6	98	3	4	10	16	25	33	53
1. SINGLE DX	2202	6.6	29	2	2	5	8	12	16	26
2. MULTIPLE DX	1484	11.3	91	2	3	8	14	24	31	51
A. NOT OPERATED	1013	5.5	29	1	1	4	7	11	16	30
B. OPERATED	2673	9.7	66	3	3	7	12	19	25	45
TOTAL 0-19 YRS	494	6.8	41	1	2	5	8	13	18	33
20-34	1562	6.9	30	2	2	5	9	13	18	26
35-49	622	7.9	42	2	3	6	9	15	19	38
50-64	488	11.1	80	3	3	8	14	23	31	53
65+	520	13.1	131	3	4	9	17	29	35	60
GRAND TOTAL	**3686**	**8.5**	**60**	**2**	**3**	**6**	**10**	**17**	**23**	**42**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	777	4.3	13	1	1	3	5	8	10	20
20-34	481	4.3	18	1	1	3	5	8	11	17
35-49	418	4.6	14	1	1	4	6	9	11	17
50-64	516	6.0	24	1	2	5	7	12	15	25
65+	579	7.3	35	1	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	115	7.5	70	1	1	5	10	17	23	39
20-34	264	8.9	67	1	2	7	11	20	27	41
35-49	316	8.7	44	2	2	7	11	16	20	37
50-64	539	9.9	78	2	2	8	13	21	27	45
65+	370	9.8	87	2	2	8	13	19	25	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1092	5.6	28	1	2	4	7	10	14	25
20-34	830	6.1	27	1	2	5	8	12	16	29
35-49	1085	6.9	27	2	2	6	8	13	16	28
50-64	2575	8.5	42	2	3	7	11	16	20	33
65+	5319	10.6	64	2	3	8	13	20	26	39
B. *Operated*										
0-19 YRS	187	10.1	105	1	2	7	14	23	29	64
20-34	395	11.2	88	2	2	9	15	23	30	51
35-49	660	12.7	109	2	3	10	17	25	33	56
50-64	1450	14.0	147	2	3	11	18	28	39	72
65+	1696	15.5	152	3	4	12	21	32	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2771	5.3	22	1	1	4	7	10	13	24
B. *Operated*	1604	9.3	71	2	2	7	12	19	25	42
2. MULTIPLE DX										
A. *Not Operated*	10901	8.9	52	2	3	7	11	17	23	36
B. *Operated*	4388	14.0	138	2	3	11	18	29	39	67
1. SINGLE DX	4375	6.8	44	1	2	5	9	14	19	34
2. MULTIPLE DX	15289	10.3	82	2	3	8	13	21	28	48
A. NOT OPERATED	13672	8.1	48	2	2	6	10	16	21	35
B. OPERATED	5992	12.7	125	2	3	10	17	27	36	61
TOTAL 0-19 YRS	2171	5.6	34	1	2	4	7	11	15	28
20-34	1970	7.1	49	1	2	5	9	15	21	37
35-49	2479	8.3	57	2	2	6	10	17	22	38
50-64	5080	10.0	81	2	2	8	13	20	27	47
65+	7964	11.3	87	2	3	9	14	23	29	50
GRAND TOTAL	**19664**	**9.5**	**76**	**2**	**2**	**7**	**12**	**20**	**26**	**46**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	3.2	11	<1	1	2	4	6	8	22
20-34	112	3.8	15	<1	1	2	4	7	13	20
35-49	71	4.5	58	1	1	3	6	7	9	53
50-64	27	5.0	42	1	1	3	5	12	18	32
65+	25	8.0	337	<1	1	4	6	10	33	95
B. *Operated*										
0-19 YRS	6076	2.0	3	1	1	2	2	3	4	7
20-34	5369	2.3	5	1	1	2	2	3	4	8
35-49	1606	2.4	8	1	1	2	2	4	5	11
50-64	1024	2.5	4	1	1	2	3	4	5	9
65+	318	3.0	7	1	1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	3.8	16	<1	1	3	5	7	8	15
20-34	222	3.8	11	<1	<1	3	5	8	11	17
35-49	147	4.7	27	<1	1	3	6	9	13	26
50-64	141	5.0	19	1	1	4	6	10	13	19
65+	141	6.1	23	1	2	5	8	12	16	24
B. *Operated*										
0-19 YRS	2173	2.5	9	1	1	2	3	4	5	9
20-34	3512	2.7	6	1	1	2	3	4	6	13
35-49	2487	2.9	11	1	2	2	3	5	7	17
50-64	2393	3.5	17	1	2	2	3	6	9	22
65+	1137	4.4	27	2	2	3	4	8	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	4.1	46	<1	1	2	4	7	10	28
B. *Operated*	14393	2.2	4	1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	838	4.5	19	<1	1	3	6	9	12	22
B. *Operated*	11702	3.0	12	1	1	2	3	5	7	17
1. SINGLE DX	14760	2.3	6	1	1	2	2	3	4	10
2. MULTIPLE DX	12540	3.1	13	1	1	2	3	5	8	18
A. NOT OPERATED	1205	4.4	27	<1	1	3	5	9	12	22
B. OPERATED	26095	2.6	8	1	1	2	2	4	6	13
TOTAL 0-19 YRS	8568	2.2	5	1	1	2	2	3	4	9
20-34	9215	2.5	6	1	1	2	2	4	5	12
35-49	4311	2.8	11	1	1	2	3	5	7	15
50-64	3585	3.3	14	1	2	2	3	6	9	19
65+	1621	4.3	28	1	2	3	4	8	13	29
GRAND TOTAL	**27300**	**2.7**	**9**	**1**	**1**	**2**	**3**	**4**	**6**	**14**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	3.8	5	1	2	3	5	6	7	14
20-34	84	4.3	7	1	1	4	5	7	9	13
35-49	42	4.5	8	1	2	4	6	7	8	17
50-64	56	4.5	7	1	1	4	6	8	10	11
65+	38	4.8	10	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	330	2.7	8	<1	1	2	3	5	7	12
20-34	292	3.3	4	1	1	3	4	5	7	12
35-49	307	3.5	6	1	2	3	4	6	7	15
50-64	342	3.6	6	1	2	3	4	6	8	14
65+	244	3.8	8	1	2	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	321	4.7	9	2	2	4	6	8	9	15
20-34	112	5.0	10	1	2	4	6	9	11	16
35-49	98	6.2	20	2	2	5	7	11	16	24
50-64	147	6.9	38	2	3	5	8	12	20	36
65+	223	9.4	57	2	3	7	12	17	22	37
B. *Operated*										
0-19 YRS	141	3.6	10	1	1	3	4	8	9	14
20-34	171	4.3	19	1	2	3	5	8	11	21
35-49	237	5.1	39	1	2	4	5	10	12	31
50-64	325	5.7	21	2	2	4	7	12	15	25
65+	336	7.6	61	2	2	5	9	16	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	4.2	6	1	2	4	5	7	8	14
B. *Operated*	1515	3.3	7	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	901	6.4	30	2	2	5	7	12	16	26
B. *Operated*	1210	5.7	36	1	2	4	6	12	16	30
1. SINGLE DX	1928	3.5	7	1	1	3	4	6	8	14
2. MULTIPLE DX	2111	6.0	34	1	2	4	7	12	16	29
A. NOT OPERATED	1314	5.7	24	1	2	5	7	10	14	24
B. OPERATED	2725	4.4	21	1	2	3	5	8	12	23
TOTAL 0-19 YRS	985	3.7	8	1	1	3	5	7	8	13
20-34	659	3.9	10	1	2	3	5	7	9	15
35-49	684	4.5	20	1	2	3	5	8	11	22
50-64	870	5.0	19	2	2	4	6	10	13	23
65+	841	6.9	47	1	2	5	8	15	19	35
GRAND TOTAL	**4039**	**4.8**	**22**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	4.1	10	1	1	3	5	8	10	15
20-34	400	4.4	10	1	1	4	6	8	11	16
35-49	460	4.6	13	1	1	4	6	8	10	18
50-64	436	4.2	9	1	1	3	6	8	9	15
65+	265	4.5	10	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	60	6.6	26	1	1	6	9	13	17	24
20-34	159	7.3	37	1	2	6	9	14	19	29
35-49	201	6.9	33	1	2	5	9	12	18	32
50-64	299	6.6	44	1	2	5	8	13	17	38
65+	343	7.4	60	1	1	5	10	15	21	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	5.3	17	1	2	4	6	10	14	20
20-34	995	5.5	15	1	2	5	7	10	12	19
35-49	1508	5.9	20	2	2	5	7	10	13	21
50-64	1905	6.2	23	2	2	5	8	11	14	25
65+	2203	7.3	32	2	2	6	9	13	17	31
B. *Operated*										
0-19 YRS	103	13.9	191	2	3	10	18	33	46	89
20-34	412	8.4	32	2	3	8	11	16	18	29
35-49	722	10.3	68	2	3	8	13	19	25	42
50-64	1323	10.1	76	2	2	8	13	19	25	48
65+	1551	11.3	108	2	3	8	14	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1844	4.4	11	1	1	4	6	8	10	15
B. *Operated*	1062	7.0	45	1	2	5	9	14	18	37
2. MULTIPLE DX										
A. *Not Operated*	6986	6.3	24	2	2	5	8	11	15	25
B. *Operated*	4111	10.5	86	2	3	8	13	20	27	52
1. SINGLE DX	2906	5.3	25	1	1	4	7	10	14	25
2. MULTIPLE DX	11097	7.9	51	2	2	6	10	15	20	38
A. NOT OPERATED	8830	5.9	22	1	2	5	7	11	14	24
B. OPERATED	5173	9.8	80	2	2	8	12	19	25	49
TOTAL 0-19 YRS	821	6.1	46	1	2	4	7	12	18	37
20-34	1966	6.0	21	1	2	5	8	11	15	22
35-49	2891	6.8	36	2	2	5	8	13	17	31
50-64	3963	7.3	45	1	2	5	9	14	19	35
65+	4362	8.5	64	2	2	6	10	17	23	43
GRAND TOTAL	**14003**	**7.3**	**47**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	4.3	10	1	2	4	5	7	9	21
20-34	225	5.4	12	2	2	5	7	10	11	19
35-49	393	5.3	12	1	2	5	7	9	11	18
50-64	394	5.7	14	1	2	5	7	10	13	19
65+	302	6.8	21	2	2	6	8	12	17	23
B. *Operated*										
0-19 YRS	9	7.6	37	2	2	4	12	17	17	17
20-34	119	8.9	36	2	3	8	11	17	23	29
35-49	235	9.2	29	2	3	9	12	16	19	27
50-64	292	9.6	48	1	2	8	13	18	22	46
65+	196	9.9	71	2	3	8	12	20	25	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	5.8	24	1	2	4	6	12	15	25
20-34	344	6.7	21	2	2	6	8	11	15	28
35-49	647	7.1	21	2	3	6	9	12	16	25
50-64	1020	7.7	26	2	3	7	10	14	17	24
65+	1373	9.1	41	3	3	8	11	16	20	32
B. *Operated*										
0-19 YRS	17	10.8	56	3	4	10	12	20	30	34
20-34	201	9.8	37	2	3	9	13	18	22	28
35-49	478	11.0	68	3	4	9	14	20	25	40
50-64	858	11.4	68	3	4	10	14	21	26	41
65+	949	12.7	86	3	4	10	16	24	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1365	5.7	15	1	2	5	7	10	13	21
B. *Operated*	851	9.4	46	2	3	8	12	18	21	38
2. MULTIPLE DX										
A. *Not Operated*	3432	8.0	31	2	3	7	10	15	18	27
B. *Operated*	2503	11.7	73	3	4	10	15	21	27	42
1. SINGLE DX	2216	7.1	30	2	2	6	9	14	18	28
2. MULTIPLE DX	5935	9.6	52	2	3	8	12	18	23	36
A. NOT OPERATED	4797	7.4	27	2	3	6	9	14	17	26
B. OPERATED	3354	11.1	67	2	3	9	14	20	26	41
TOTAL 0-19 YRS	125	6.0	27	1	2	4	7	12	17	27
20-34	889	7.4	27	2	2	6	9	14	18	28
35-49	1753	8.0	37	2	3	7	10	15	19	29
50-64	2564	8.8	45	2	3	7	11	17	21	34
65+	2820	10.1	60	2	3	8	13	19	24	40
GRAND TOTAL	**8151**	**8.9**	**47**	**2**	**3**	**7**	**11**	**17**	**21**	**34**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	5.9	9	3	3	5	7	9	11	17
20-34	61	5.3	7	2	2	5	7	8	10	14
35-49	123	6.2	12	2	3	6	8	10	12	20
50-64	201	6.4	12	2	3	6	8	10	11	16
65+	198	8.2	23	3	4	7	10	14	18	23
B. *Operated*										
0-19 YRS	12	8.4	22	3	4	7	10	14	20	21
20-34	43	7.7	12	2	4	7	9	11	16	18
35-49	101	9.9	28	3	4	9	12	16	18	31
50-64	153	11.0	36	3	5	10	14	18	22	28
65+	151	13.4	48	5	6	12	17	24	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	5.6	5	3	4	5	6	8	10	14
20-34	103	6.3	11	2	3	6	8	10	13	18
35-49	200	7.9	31	3	3	7	9	13	17	43
50-64	483	8.4	25	3	4	7	10	15	18	28
65+	991	10.2	48	3	4	9	12	17	22	35
B. *Operated*										
0-19 YRS	9	10.0	28	2	3	9	15	16	17	17
20-34	51	12.4	63	4	5	12	16	18	20	57
35-49	184	13.7	117	4	5	11	16	24	33	64
50-64	479	14.6	114	4	5	12	18	27	37	55
65+	842	16.2	99	5	6	14	21	29	36	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	616	6.8	16	2	3	6	8	11	14	20
B. *Operated*	460	11.1	39	4	5	10	14	19	24	32
2. MULTIPLE DX										
A. *Not Operated*	1802	9.2	39	3	4	8	11	16	19	33
B. *Operated*	1565	15.2	105	5	6	13	19	28	36	54
1. SINGLE DX	1076	8.7	30	3	3	7	11	16	19	29
2. MULTIPLE DX	3367	12.0	79	3	4	10	15	22	29	44
A. NOT OPERATED	2418	8.6	34	3	4	7	10	15	18	32
B. OPERATED	2025	14.3	93	4	5	12	18	26	33	48
TOTAL 0-19 YRS	79	6.7	14	3	3	6	8	11	15	20
20-34	258	7.5	26	2	3	6	9	14	17	20
35-49	608	9.6	61	3	4	8	11	17	23	45
50-64	1316	10.6	67	3	4	8	13	19	25	42
65+	2182	12.6	75	4	5	10	16	24	30	42
GRAND TOTAL	**4443**	**11.2**	**69**	**3**	**4**	**9**	**14**	**21**	**27**	**41**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	477	4.3	7	1	2	4	5	8	9	12
20-34	1635	4.7	10	1	2	4	6	8	10	17
35-49	1429	5.2	11	2	2	4	7	9	11	17
50-64	1054	5.4	12	2	2	5	7	9	11	16
65+	585	6.3	23	2	2	5	8	11	13	25
B. *Operated*										
0-19 YRS	19	8.9	40	1	2	9	12	18	21	24
20-34	192	10.2	29	3	4	9	13	17	19	28
35-49	293	11.3	42	3	5	10	14	18	23	31
50-64	229	10.6	33	2	4	10	13	18	23	29
65+	86	11.7	43	4	5	11	14	23	26	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	405	5.9	42	2	2	5	7	10	12	29
20-34	1693	6.0	20	2	2	5	7	11	13	21
35-49	2272	6.5	18	2	3	6	8	11	14	22
50-64	2611	6.8	18	2	3	6	8	12	15	23
65+	2626	7.8	24	2	3	7	10	14	17	25
B. *Operated*										
0-19 YRS	32	10.3	123	2	3	8	12	14	27	64
20-34	281	11.3	65	3	4	10	15	19	23	51
35-49	607	11.5	63	3	4	10	14	20	27	39
50-64	714	12.2	70	3	4	10	15	23	28	47
65+	575	13.8	85	3	5	12	18	26	31	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5180	5.1	12	2	2	4	6	9	11	17
B. *Operated*	819	10.8	37	3	4	10	13	18	23	29
2. MULTIPLE DX										
A. *Not Operated*	9607	6.8	21	2	3	6	8	12	15	23
B. *Operated*	2209	12.3	73	3	4	10	16	22	28	46
1. SINGLE DX	5999	5.9	19	2	2	5	7	11	14	24
2. MULTIPLE DX	11816	7.9	36	2	3	6	10	15	19	30
A. NOT OPERATED	14787	6.2	19	2	2	5	8	11	14	22
B. OPERATED	3028	11.9	63	3	4	10	15	21	27	43
TOTAL 0-19 YRS	933	5.3	29	1	2	4	6	9	11	25
20-34	3801	6.0	23	2	2	5	7	11	14	24
35-49	4601	7.1	28	2	3	6	9	13	17	28
50-64	4608	7.5	30	2	3	6	9	14	18	29
65+	3872	8.6	39	2	3	7	11	16	20	31
GRAND TOTAL	**17815**	**7.2**	**31**	**2**	**3**	**6**	**9**	**13**	**17**	**28**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	5.0	11	2	2	4	6	8	10	21
20-34	449	5.5	11	2	2	5	7	9	12	17
35-49	514	5.9	10	2	3	5	7	9	11	17
50-64	667	6.7	11	3	3	6	8	11	13	18
65+	530	7.7	18	3	3	7	9	13	15	21
B. *Operated*										
0-19 YRS	30	7.1	20	1	2	7	10	13	14	19
20-34	133	10.0	23	5	6	9	12	14	18	34
35-49	208	10.8	26	5	6	10	13	17	21	31
50-64	261	11.6	39	5	6	10	14	19	23	32
65+	197	13.1	31	6	7	12	16	20	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	6.6	18	3	3	5	8	10	15	26
20-34	371	6.4	14	2	3	6	8	11	13	21
35-49	619	7.3	22	3	3	7	9	11	14	25
50-64	1151	7.8	22	3	4	7	9	13	17	27
65+	1888	10.1	47	3	4	8	12	18	23	37
B. *Operated*										
0-19 YRS	12	7.2	5	4	5	7	8	10	13	13
20-34	126	13.4	63	4	5	11	17	23	31	39
35-49	287	14.4	105	6	6	11	18	26	32	67
50-64	509	15.5	136	5	6	12	18	28	39	73
65+	785	18.1	147	6	7	15	22	33	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2246	6.4	13	2	3	6	8	11	13	18
B. *Operated*	829	11.3	32	5	6	10	14	18	22	31
2. MULTIPLE DX										
A. *Not Operated*	4107	8.6	34	3	4	7	10	15	20	32
B. *Operated*	1719	16.3	133	5	7	13	20	29	38	68
1. SINGLE DX	3075	7.8	23	2	3	7	10	14	16	25
2. MULTIPLE DX	5826	10.9	76	3	4	8	13	21	27	49
A. NOT OPERATED	6353	7.8	28	3	3	7	9	13	17	28
B. OPERATED	2548	14.7	105	5	6	12	18	26	34	59
TOTAL 0-19 YRS	206	6.0	15	2	2	5	7	10	13	22
20-34	1079	7.3	26	2	3	6	9	13	17	28
35-49	1628	8.6	43	3	3	7	10	15	20	33
50-64	2588	9.4	54	3	4	8	11	17	22	42
65+	3400	11.8	78	3	4	9	14	22	28	50
GRAND TOTAL	**8901**	**9.8**	**60**	**3**	**4**	**8**	**12**	**18**	**23**	**42**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	6	1	1	4	6	6	6	6
20-34	25	6.4	12	2	2	6	7	12	13	15
35-49	31	6.0	38	2	2	5	7	9	9	37
50-64	47	7.5	11	3	3	7	9	11	14	17
65+	52	8.1	21	3	3	7	11	14	17	22
B. *Operated*										
0-19 YRS	5	17.0	229	6	6	11	23	43	43	43
20-34	31	12.2	34	2	6	12	16	20	27	99+
35-49	70	15.5	52	6	8	15	19	24	31	40
50-64	100	14.5	43	6	8	13	17	23	28	35
65+	74	17.3	86	7	8	16	21	25	38	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	32	7.3	22	2	3	6	9	15	18	22
35-49	60	7.7	24	2	3	6	9	15	16	25
50-64	103	9.0	36	3	4	8	11	15	20	33
65+	200	11.2	49	4	5	9	13	21	25	37
B. *Operated*										
0-19 YRS	3	8.7	32	4	4	7	13	15	15	15
20-34	35	16.4	120	6	7	13	19	32	41	53
35-49	126	18.0	107	7	9	15	22	33	40	53
50-64	224	19.8	170	7	9	17	23	38	48	81
65+	303	22.4	183	7	9	19	28	39	51	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	7.1	20	2	3	6	9	13	15	22
B. *Operated*	280	15.3	60	6	8	14	19	24	32	46
2. MULTIPLE DX										
A. *Not Operated*	398	9.7	41	3	4	8	12	18	23	35
B. *Operated*	691	20.4	165	7	9	17	24	38	48	75
1. SINGLE DX	439	12.3	61	3	4	11	16	22	27	43
2. MULTIPLE DX	1089	16.5	146	4	5	14	21	33	40	63
A. NOT OPERATED	557	9.0	37	2	3	7	11	16	21	34
B. OPERATED	971	18.9	140	6	8	16	23	35	44	68
TOTAL 0-19 YRS	15	9.4	105	1	3	6	10	17	36	43
20-34	123	10.9	67	2	3	9	14	20	29	65
35-49	287	13.9	91	3	4	12	17	26	34	48
50-64	474	15.1	123	4	5	13	19	26	37	63
65+	629	17.1	147	4	6	14	22	33	42	63
GRAND TOTAL	**1528**	**15.3**	**125**	**4**	**5**	**13**	**19**	**29**	**38**	**57**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2005	3.2	5	1	1	3	4	6	7	10
20-34	3157	4.0	13	1	1	3	5	7	9	14
35-49	2020	4.5	11	1	2	4	6	8	9	15
50-64	1240	4.5	9	1	2	4	6	8	10	15
65+	664	5.2	20	1	2	4	6	9	12	26
B. *Operated*										
0-19 YRS	55	6.9	74	2	2	6	8	10	18	61
20-34	156	7.6	69	2	2	6	9	13	17	28
35-49	199	8.5	48	2	3	7	11	16	20	33
50-64	161	7.8	44	2	2	6	9	16	20	31
65+	95	8.2	44	2	2	6	10	17	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2539	4.0	10	1	2	3	5	7	9	14
20-34	5572	5.4	16	2	2	5	7	9	12	18
35-49	5384	6.2	19	2	2	5	8	11	14	22
50-64	4956	6.6	19	2	3	6	8	12	15	23
65+	4732	7.5	31	2	3	6	9	14	18	27
B. *Operated*										
0-19 YRS	119	7.6	31	2	3	6	9	15	21	28
20-34	786	9.2	41	2	3	8	11	17	21	33
35-49	1112	10.0	45	3	4	9	12	19	23	36
50-64	1246	11.0	89	3	4	9	13	19	24	57
65+	955	11.7	88	3	4	9	14	22	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9086	4.1	11	1	1	3	5	7	9	15
B. *Operated*	666	7.9	53	2	2	6	10	15	19	31
2. MULTIPLE DX										
A. *Not Operated*	23183	6.1	21	2	2	5	8	11	14	23
B. *Operated*	4218	10.4	67	3	4	8	13	19	24	45
1. SINGLE DX	9752	4.4	15	1	1	4	5	8	10	18
2. MULTIPLE DX	27401	6.8	30	2	2	5	8	13	16	27
A. NOT OPERATED	32269	5.5	19	1	2	4	7	10	13	22
B. OPERATED	4884	10.1	66	2	3	8	12	19	24	44
TOTAL 0-19 YRS	4718	3.8	10	1	1	3	5	7	8	14
20-34	9671	5.3	20	1	2	4	7	10	12	21
35-49	8715	6.3	23	2	2	5	8	12	15	25
50-64	7603	7.0	33	2	2	6	9	13	16	28
65+	6446	7.9	41	2	3	6	10	15	19	33
GRAND TOTAL	**37153**	**6.1**	**27**	**1**	**2**	**5**	**8**	**11**	**15**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	546	3.4	6	1	1	3	4	6	7	10
20-34	672	4.1	32	1	2	3	5	7	9	15
35-49	464	4.2	9	1	2	4	5	7	10	17
50-64	338	4.3	9	1	2	4	5	8	10	16
65+	205	5.6	24	1	1	4	7	11	15	22
B. *Operated*										
0-19 YRS	153	4.5	5	2	2	4	6	7	9	12
20-34	65	8.8	44	1	2	7	11	19	22	32
35-49	66	11.2	70	2	4	10	14	23	29	92
50-64	81	14.4	123	3	4	10	18	28	39	56
65+	57	14.0	79	2	4	12	19	27	31	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	656	4.1	9	1	2	3	5	7	9	19
20-34	1098	5.1	13	2	2	4	6	9	12	22
35-49	1157	5.5	15	2	2	4	7	10	13	21
50-64	1232	6.2	30	2	2	5	8	11	14	27
65+	1186	7.8	43	2	3	6	10	15	19	33
B. *Operated*										
0-19 YRS	76	7.5	28	2	3	6	9	15	17	30
20-34	180	10.9	69	2	3	8	14	24	29	43
35-49	301	13.8	99	3	4	11	20	28	33	60
50-64	365	15.3	119	3	4	13	20	30	37	64
65+	391	19.1	177	3	6	16	25	36	46	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2225	4.1	17	1	1	3	5	7	10	17
B. *Operated*	422	9.4	70	2	3	7	12	20	27	45
2. MULTIPLE DX										
A. *Not Operated*	5329	5.9	25	2	2	5	7	11	15	26
B. *Operated*	1313	15.0	130	3	4	12	20	30	37	64
1. SINGLE DX	2647	4.9	29	1	2	4	6	9	13	27
2. MULTIPLE DX	6642	7.7	59	2	2	5	9	16	22	41
A. NOT OPERATED	7554	5.4	23	1	2	4	7	10	13	23
B. OPERATED	1735	13.7	122	2	3	11	19	28	35	61
TOTAL 0-19 YRS	1431	4.0	9	1	2	3	5	7	9	17
20-34	2015	5.4	29	1	2	4	6	10	14	29
35-49	1988	6.6	38	2	2	5	8	13	20	33
50-64	2016	7.9	62	2	2	5	9	16	22	43
65+	1839	10.2	94	2	3	7	13	21	29	51
GRAND TOTAL	**9289**	**6.9**	**52**	**1**	**2**	**5**	**8**	**14**	**20**	**38**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	3.4	2	1	2	3	4	5	6	8
20-34	94	3.7	3	1	1	4	5	6	7	8
35-49	13	4.3	7	1	1	4	6	8	9	9
50-64	10	3.2	2	<1	<1	4	4	5	5	5
65+	4	9.0	9	5	5	9	11	12	12	12
B. *Operated*										
0-19 YRS	9061	4.2	5	2	2	4	5	6	7	12
20-34	5481	4.4	5	2	3	4	5	7	8	12
35-49	1382	5.2	9	2	3	5	6	8	10	16
50-64	613	6.0	10	3	3	5	7	9	12	17
65+	163	7.9	20	3	4	7	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.5	5	1	1	3	5	7	7	12
20-34	45	5.0	12	1	2	4	7	10	11	18
35-49	15	4.9	9	1	1	5	6	10	11	12
50-64	16	10.8	74	1	1	10	13	23	32	35
65+	10	11.5	42	1	3	11	18	20	21	21
B. *Operated*										
0-19 YRS	1542	6.0	17	2	3	5	7	10	13	20
20-34	1237	6.2	16	3	3	5	7	11	13	22
35-49	479	7.9	35	3	3	6	9	14	18	36
50-64	356	9.2	37	3	4	8	11	15	21	41
65+	226	11.4	58	4	4	10	14	22	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	3.6	3	1	1	4	4	6	7	10
B. *Operated*	16700	4.4	5	2	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	150	5.4	24	1	1	4	7	11	14	24
B. *Operated*	3840	6.9	25	3	3	5	8	12	16	27
1. SINGLE DX	17002	4.4	5	2	3	4	5	7	8	13
2. MULTIPLE DX	3990	6.8	25	3	3	5	8	12	16	27
A. NOT OPERATED	452	4.2	11	1	1	4	5	7	10	18
B. OPERATED	20540	4.9	10	2	3	4	5	8	10	17
TOTAL 0-19 YRS	10848	4.4	7	2	2	4	5	7	8	14
20-34	6857	4.8	7	2	3	4	5	7	9	15
35-49	1889	5.8	17	3	3	5	7	10	12	24
50-64	995	7.2	23	3	3	6	9	12	15	27
65+	403	10.0	44	4	4	8	12	18	23	33
GRAND TOTAL	**20992**	**4.9**	**10**	**2**	**3**	**4**	**5**	**8**	**10**	**17**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	6.3	9	2	3	6	9	10	11	13
20-34	40	6.7	9	2	3	6	9	11	12	16
35-49	19	8.4	17	3	4	8	9	14	18	20
50-64	20	7.8	17	2	3	7	10	13	17	20
65+	6	6.2	8	1	1	7	8	9	9	9
B. *Operated*										
0-19 YRS	1776	7.7	18	3	4	7	10	13	15	23
20-34	1031	7.5	14	3	4	7	9	12	14	19
35-49	487	9.0	21	4	4	8	11	14	17	26
50-64	460	9.8	20	5	5	9	12	16	18	26
65+	202	12.3	37	6	7	11	15	19	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	8.3	11	3	4	8	10	12	15	16
20-34	11	8.5	38	3	3	6	13	19	21	21
35-49	10	12.2	57	6	6	9	14	25	29	29
50-64	14	12.5	30	7	7	11	14	18	26	28
65+	15	13.5	86	3	3	10	18	29	30	31
B. *Operated*										
0-19 YRS	850	11.4	42	4	5	10	14	19	22	37
20-34	565	10.9	40	4	5	9	13	19	24	32
35-49	420	12.3	40	5	6	11	15	20	24	35
50-64	526	14.9	68	6	7	13	18	26	32	44
65+	444	17.8	96	7	9	15	21	30	38	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	7.0	12	2	3	7	9	11	13	20
B. *Operated*	3956	8.3	20	3	4	7	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	66	11.0	46	3	4	9	14	21	28	31
B. *Operated*	2805	13.1	61	5	6	11	16	22	27	43
1. SINGLE DX	4085	8.2	19	3	4	7	10	13	16	24
2. MULTIPLE DX	2871	13.0	60	5	6	11	16	22	27	43
A. NOT OPERATED	195	8.3	27	3	3	7	10	15	18	29
B. OPERATED	6761	10.3	42	4	4	9	13	18	22	34
TOTAL 0-19 YRS	2686	8.8	28	3	4	8	11	15	19	28
20-34	1647	8.7	25	3	4	8	10	14	18	27
35-49	936	10.5	32	4	5	9	13	17	21	30
50-64	1020	12.4	51	5	6	11	15	21	27	41
65+	667	15.9	84	6	7	14	20	26	33	48
GRAND TOTAL	**6956**	**10.2**	**42**	**3**	**4**	**9**	**12**	**18**	**22**	**34**

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	299	2.8	8	1	1	2	3	5	6	12
20-34	196	3.0	4	1	1	2	4	6	7	10
35-49	55	3.7	8	1	1	3	5	7	9	14
50-64	31	4.2	12	1	1	3	6	9	12	14
65+	9	3.1	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	1146	4.7	9	2	3	4	5	7	9	13
20-34	744	5.0	6	2	3	5	6	8	9	15
35-49	173	5.8	8	3	3	5	7	10	11	14
50-64	86	6.9	12	3	4	6	7	12	14	22
65+	29	7.0	7	4	4	6	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	3.3	4	1	1	3	4	6	7	10
20-34	112	3.8	9	1	1	3	5	7	8	17
35-49	33	4.3	7	1	1	4	6	8	10	10
50-64	26	5.2	9	2	2	5	6	9	11	16
65+	8	5.3	19	1	1	4	6	13	15	15
B. *Operated*										
0-19 YRS	647	6.0	16	3	3	5	7	10	12	21
20-34	581	7.0	16	3	4	6	8	11	13	24
35-49	188	8.9	58	3	4	8	11	14	16	26
50-64	88	10.6	32	4	5	9	13	19	22	75
65+	47	15.4	121	5	6	12	18	27	32	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	590	3.0	7	1	1	2	4	6	7	13
B. *Operated*	2178	5.0	8	2	3	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	328	3.8	7	1	1	3	5	7	8	14
B. *Operated*	1551	7.3	29	3	3	6	8	12	15	26
1. SINGLE DX	2768	4.6	9	1	2	4	6	7	9	14
2. MULTIPLE DX	1879	6.7	27	2	3	5	8	11	15	26
A. NOT OPERATED	918	3.3	7	1	1	3	4	6	7	13
B. OPERATED	3729	6.0	18	3	3	5	7	10	12	22
TOTAL 0-19 YRS	2241	4.7	12	1	2	4	5	8	10	18
20-34	1633	5.4	11	2	2	5	7	9	11	18
35-49	449	6.7	33	2	3	6	8	12	14	24
50-64	231	7.7	25	2	3	7	10	14	19	26
65+	93	10.7	88	2	4	8	13	21	27	57
GRAND TOTAL	**4647**	**5.4**	**17**	**2**	**2**	**5**	**6**	**9**	**12**	**21**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.8	4	<1	<1	1	2	4	5	11
20-34	62	2.7	3	<1	<1	2	4	5	6	7
35-49	36	3.2	4	1	1	3	4	5	7	8
50-64	54	3.4	8	1	1	3	4	7	8	18
65+	49	4.8	29	<1	1	4	6	7	10	37
B. *Operated*										
0-19 YRS	7880	2.6	4	1	1	2	3	4	5	8
20-34	6680	4.3	4	2	3	4	5	6	7	10
35-49	5909	4.7	6	2	3	4	5	7	8	12
50-64	8597	5.2	6	3	3	5	6	7	9	13
65+	4904	5.9	9	3	3	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	315	1.9	6	<1	<1	1	2	3	6	11
20-34	72	2.7	4	<1	<1	2	4	5	7	9
35-49	68	3.4	8	<1	1	3	5	7	9	11
50-64	153	4.4	12	1	1	3	6	9	11	16
65+	237	6.2	65	1	1	4	7	11	16	39
B. *Operated*										
0-19 YRS	4273	2.9	6	1	1	2	3	5	7	12
20-34	2326	5.2	14	2	3	5	6	8	9	17
35-49	3291	5.8	12	3	3	5	7	9	11	18
50-64	6425	6.7	18	3	3	6	8	11	14	24
65+	6278	8.4	32	3	4	7	10	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	3.0	10	<1	<1	2	4	6	7	13
B. *Operated*	33970	4.4	7	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	845	3.7	27	<1	<1	2	5	8	10	22
B. *Operated*	22593	6.2	22	2	2	5	7	11	14	25
1. SINGLE DX	34247	4.4	7	1	2	4	5	7	8	12
2. MULTIPLE DX	23438	6.1	23	1	2	5	7	11	14	25
A. NOT OPERATED	1122	3.6	22	<1	<1	2	4	7	10	21
B. OPERATED	56563	5.1	14	2	2	4	6	8	11	19
TOTAL 0-19 YRS	12544	2.6	5	1	1	2	3	4	6	10
20-34	9140	4.5	7	2	3	4	5	6	8	12
35-49	9304	5.1	8	2	3	5	6	8	9	14
50-64	15229	5.8	12	3	3	5	7	9	11	19
65+	11468	7.3	25	3	4	6	8	12	15	27
GRAND TOTAL	**57685**	**5.1**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**19**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.5		<1	<1	1	2	3	3	3
20-34	4	1.8	2	<1	<1	1	3	4	4	4
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	10	2.1	3	<1	<1	1	2	5	6	6
65+	28	3.0	6	1	1	2	4	7	8	11
B. *Operated*										
0-19 YRS	545	2.4	3	1	1	2	3	4	6	10
20-34	205	4.7	6	3	3	4	5	7	8	12
35-49	182	5.1	5	3	3	5	6	8	9	13
50-64	309	5.8	8	3	3	5	7	9	11	18
65+	451	7.0	14	3	3	6	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	3	1	1	2	4	5	6	6
20-34	3	9.3	85	4	4	4	16	20	20	20
35-49	4	5.0	15	1	1	4	8	10	10	10
50-64	11	5.4	11	1	1	5	8	9	11	11
65+	73	6.8	35	<1	1	5	9	15	18	30
B. *Operated*										
0-19 YRS	325	3.2	6	1	1	2	4	6	8	14
20-34	84	6.1	10	2	3	5	8	10	13	18
35-49	114	7.2	18	3	4	6	9	12	16	26
50-64	318	8.2	34	3	4	7	10	14	17	34
65+	860	11.4	72	4	5	9	13	20	26	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.2	4	<1	<1	1	3	5	6	10
B. *Operated*	1692	4.8	11	1	1	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	104	6.2	30	1	1	5	8	13	18	28
B. *Operated*	1701	8.7	55	2	2	7	11	16	21	38
1. SINGLE DX	1759	4.7	11	1	1	4	6	8	11	16
2. MULTIPLE DX	1805	8.5	54	2	2	7	10	16	21	37
A. NOT OPERATED	171	4.6	23	<1	1	3	6	11	14	24
B. OPERATED	3393	6.8	37	1	2	5	8	13	17	31
TOTAL 0-19 YRS	905	2.7	4	1	1	2	3	5	6	11
20-34	296	5.1	8	3	3	5	6	8	10	18
35-49	303	5.8	11	3	3	5	7	9	12	19
50-64	648	6.9	22	3	3	6	8	11	14	25
65+	1412	9.6	55	3	4	8	12	17	22	38
GRAND TOTAL	**3564**	**6.7**	**36**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	1	<1	1	2	2	3	4	5
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	5	2.4	2	<1	<1	3	3	4	4	4
50-64	3	3.7	14	1	1	2	6	8	8	8
65+	3	3.3	16	<1	<1	1	6	8	8	8
B. *Operated*										
0-19 YRS	1448	2.4	3	1	1	2	3	4	5	9
20-34	435	4.0	22	2	2	3	5	6	7	13
35-49	455	4.4	10	2	2	4	5	7	8	12
50-64	336	4.9	5	2	3	4	6	8	9	14
65+	112	5.5	8	2	2	5	7	9	11	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.0	5	<1	<1	1	2	5	7	12
20-34	10	2.1	2	1	1	2	2	4	5	5
35-49	22	4.7	20	<1	1	2	7	10	16	16
50-64	30	5.6	29	<1	1	4	7	11	12	29
65+	36	7.8	54	1	2	5	9	16	19	40
B. *Operated*										
0-19 YRS	331	3.5	7	1	1	3	4	7	9	14
20-34	245	5.4	12	2	2	5	7	9	12	16
35-49	410	6.2	18	2	3	5	7	11	14	24
50-64	488	7.6	26	3	3	6	9	13	17	29
65+	278	9.1	49	3	3	7	11	17	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.2	3	<1	<1	2	2	4	7	8
B. *Operated*	2786	3.4	9	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	172	4.2	26	<1	<1	2	5	10	14	27
B. *Operated*	1752	6.4	25	2	2	5	8	12	16	26
1. SINGLE DX	2819	3.4	9	1	1	3	4	6	7	12
2. MULTIPLE DX	1924	6.2	26	1	2	5	8	12	15	27
A. NOT OPERATED	205	3.9	23	<1	<1	2	5	8	12	24
B. OPERATED	4538	4.6	17	1	2	3	5	9	12	21
TOTAL 0-19 YRS	1871	2.5	4	1	1	2	3	4	5	12
20-34	694	4.4	19	2	2	4	5	7	9	14
35-49	892	5.2	14	2	2	4	6	8	11	20
50-64	857	6.5	20	2	3	5	8	12	14	24
65+	429	8.0	41	2	3	6	10	15	19	35
GRAND TOTAL	**4743**	**4.5**	**18**	**1**	**2**	**3**	**5**	**9**	**12**	**21**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	12	<1	<1	2	3	9	11	11
20-34	20	1.9	2	<1	<1	1	3	4	5	6
35-49	24	3.7	9	<1	1	3	5	9	10	11
50-64	26	4.3	6	1	2	4	6	7	10	10
65+	37	4.7	9	<1	1	4	6	9	11	11
B. *Operated*										
0-19 YRS	279	2.9	5	1	1	2	3	5	6	10
20-34	724	4.7	7	2	2	4	6	8	9	14
35-49	960	5.9	8	2	3	5	7	9	11	16
50-64	1117	6.9	13	3	3	6	8	11	14	19
65+	688	8.1	18	3	4	8	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	29	4.0	10	<1	<1	4	6	9	11	13
35-49	74	4.2	9	1	1	4	5	7	11	14
50-64	130	6.2	26	1	2	5	8	11	16	50
65+	189	6.7	37	2	2	5	8	12	18	37
B. *Operated*										
0-19 YRS	80	4.9	27	1	2	3	6	9	11	34
20-34	409	7.2	23	3	3	6	9	13	17	24
35-49	964	8.7	39	3	3	7	10	15	18	36
50-64	1467	10.0	42	4	5	8	12	17	22	36
65+	1189	11.5	62	4	5	10	14	20	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	3.8	8	<1	1	3	6	8	10	11
B. *Operated*	3768	6.1	13	2	3	5	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	426	5.9	28	1	1	5	7	11	14	36
B. *Operated*	4109	9.7	47	3	4	8	12	17	22	36
1. SINGLE DX	3883	6.1	13	2	2	5	8	10	12	19
2. MULTIPLE DX	4535	9.4	47	3	3	8	11	17	22	36
A. NOT OPERATED	541	5.4	24	1	1	4	7	10	13	30
B. OPERATED	7877	8.0	34	2	3	7	10	14	18	31
TOTAL 0-19 YRS	371	3.3	10	1	1	2	4	6	8	12
20-34	1182	5.5	14	2	2	5	7	9	12	19
35-49	2022	7.1	26	2	3	6	8	12	15	28
50-64	2740	8.5	32	3	4	7	10	14	19	31
65+	2103	9.8	48	3	4	8	12	17	22	35
GRAND TOTAL	**8418**	**7.9**	**34**	**2**	**3**	**7**	**10**	**14**	**18**	**31**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	6.4	44	2	2	5	6	9	21	33
20-34	126	3.9	6	1	2	3	5	7	8	12
35-49	339	4.0	5	1	2	4	5	7	8	11
50-64	469	4.7	12	1	2	4	6	9	11	18
65+	379	4.9	11	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	13	4.5	12	1	1	4	6	11	12	12
20-34	32	8.9	38	2	3	7	10	19	21	30
35-49	108	9.0	24	2	3	8	11	16	18	23
50-64	157	10.1	32	2	3	10	13	17	21	29
65+	85	11.4	52	2	3	10	14	21	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.8	12	1	2	4	6	9	11	19
20-34	533	5.5	19	1	2	5	7	9	12	20
35-49	1607	5.5	18	2	2	5	7	10	11	18
50-64	2958	5.9	17	2	2	5	7	10	13	22
65+	4009	6.6	23	2	3	5	8	12	15	24
B. *Operated*										
0-19 YRS	20	10.2	43	1	2	10	14	20	23	24
20-34	263	9.6	34	2	4	9	12	17	21	46
35-49	654	10.5	42	3	4	9	13	18	24	34
50-64	1133	10.6	51	2	4	9	13	19	23	36
65+	1010	12.0	75	3	4	10	15	22	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1333	4.5	10	1	2	4	5	8	10	17
B. *Operated*	395	9.8	35	2	3	9	13	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	9176	6.1	20	2	2	5	8	11	13	23
B. *Operated*	3080	10.9	56	3	4	9	14	20	25	41
1. SINGLE DX	1728	5.7	21	1	2	4	7	11	14	23
2. MULTIPLE DX	12256	7.3	33	2	3	6	9	14	18	29
A. NOT OPERATED	10509	5.9	19	2	2	5	7	10	13	22
B. OPERATED	3475	10.8	54	2	4	9	14	20	24	39
TOTAL 0-19 YRS	122	5.9	25	1	2	4	8	11	16	27
20-34	954	6.5	26	2	2	5	8	12	15	25
35-49	2708	6.7	28	2	2	5	9	12	16	26
50-64	4717	7.0	30	2	2	6	9	13	17	27
65+	5483	7.5	37	2	3	6	9	14	19	32
GRAND TOTAL	**13984**	**7.1**	**32**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	17	1	1	2	4	10	15	15
20-34	10	6.5	21	2	2	5	6	14	18	18
35-49	19	5.3	28	<1	1	4	6	14	18	21
50-64	5	3.8	1	3	3	4	4	5	5	5
65+	15	4.3	5	1	1	4	6	7	8	8
B. *Operated*										
0-19 YRS	53	3.4	5	1	2	3	4	5	6	15
20-34	144	5.3	16	2	3	4	6	8	12	24
35-49	183	5.6	19	2	3	5	6	9	13	30
50-64	226	5.7	11	3	3	5	7	9	12	18
65+	189	7.3	15	3	4	7	9	12	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.8	6	<1	<1	3	5	7	9	10
20-34	14	4.7	8	1	1	4	5	8	11	12
35-49	19	7.5	16	1	2	8	10	13	14	14
50-64	45	7.1	41	1	2	5	9	16	20	32
65+	56	6.2	27	2	2	5	6	11	17	31
B. *Operated*										
0-19 YRS	23	5.3	20	<1	1	3	8	12	15	16
20-34	70	5.9	14	2	3	5	7	10	13	22
35-49	140	7.5	29	2	3	6	8	15	20	25
50-64	221	8.3	38	3	4	7	10	14	20	40
65+	282	9.5	39	3	4	8	11	17	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.8	17	1	1	4	6	9	15	21
B. *Operated*	795	5.8	15	2	3	5	7	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	148	6.3	27	1	2	5	8	11	16	31
B. *Operated*	736	8.3	35	3	3	7	10	16	19	31
1. SINGLE DX	854	5.8	15	2	3	5	7	9	13	23
2. MULTIPLE DX	884	8.0	34	2	3	7	10	15	18	31
A. NOT OPERATED	207	5.9	24	1	2	5	7	11	16	29
B. OPERATED	1531	7.0	26	2	3	6	8	13	17	26
TOTAL 0-19 YRS	100	3.9	10	1	1	3	5	7	11	16
20-34	238	5.5	15	2	3	5	6	9	12	23
35-49	361	6.4	24	2	3	5	7	13	17	25
50-64	497	7.0	27	3	3	6	8	12	16	30
65+	542	8.3	30	3	3	7	10	15	19	31
GRAND TOTAL	**1738**	**6.9**	**26**	**2**	**3**	**6**	**8**	**12**	**17**	**27**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	32	1	1	4	10	15	15	15
20-34	8	2.8	2	1	1	3	4	5	5	5
35-49	19	3.2	5	1	1	3	5	6	8	8
50-64	29	4:4	11	1	1	4	5	8	11	17
65+	44	5.6	15	1	2	5	7	9	12	23
B. *Operated*										
0-19 YRS	104	3.4	5	1	1	3	4	6	8	11
20-34	169	5.2	32	2	2	4	6	9	12	19
35-49	325	5.8	11	2	3	5	7	10	12	18
50-64	435	7.0	16	3	3	6	8	12	15	21
65+	432	9.0	22	3	4	8	11	15	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.9	11	<1	<1	5	7	10	11	11
20-34	20	4.6	24	1	1	3	5	9	16	23
35-49	41	4.4	8	1	1	4	5	8	10	15
50-64	106	6.0	13	2	2	5	7	11	13	20
65+	205	7.9	33	2	2	6	10	15	19	29
B. *Operated*										
0-19 YRS	50	8.0	106	2	2	5	9	15	19	68
20-34	131	7.8	35	2	3	6	9	15	21	36
35-49	325	9.4	55	3	3	7	12	17	22	33
50-64	599	10.7	55	3	4	9	13	19	24	44
65+	1025	14.3	103	5	6	11	17	26	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	4.6	13	1	1	4	6	8	11	20
B. *Operated*	1465	6.9	21	2	3	6	9	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	383	6.7	25	2	2	5	9	12	18	25
B. *Operated*	2130	12.0	84	3	4	10	15	22	28	53
1. SINGLE DX	1570	6.7	20	2	3	6	8	12	15	23
2. MULTIPLE DX	2513	11.2	78	3	4	9	14	21	27	51
A. NOT OPERATED	488	6.3	23	1	2	5	8	12	16	23
B. OPERATED	3595	9.9	64	3	3	8	12	18	24	46
TOTAL 0-19 YRS	170	5.0	40	1	1	3	6	10	14	28
20-34	328	6.1	34	2	2	5	7	11	16	26
35-49	710	7.3	35	2	3	6	9	14	18	29
50-64	1169	8.7	40	3	3	7	11	16	20	35
65+	1706	12.0	81	3	4	10	15	22	28	54
GRAND TOTAL	**4083**	**9.5**	**61**	**2**	**3**	**7**	**12**	**18**	**23**	**45**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	257	3.4	7	1	1	2	4	6	8	15
20-34	406	5.1	11	1	2	4	6	9	11	17
35-49	522	5.9	19	2	2	5	7	11	13	22
50-64	677	6.0	20	2	2	5	7	10	13	24
65+	740	6.9	28	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	192	7.5	24	3	3	7	9	11	17	30
20-34	286	10.4	25	5	6	9	13	16	20	29
35-49	397	11.7	40	5	6	10	14	18	24	37
50-64	479	12.9	40	6	7	11	15	21	26	37
65+	472	15.5	75	7	8	13	19	27	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	4.6	12	1	1	4	6	8	10	16
20-34	430	6.1	22	1	2	5	8	12	16	29
35-49	645	7.5	26	2	3	6	9	14	17	28
50-64	1235	7.8	35	2	3	6	10	14	18	30
65+	2868	9.5	46	2	3	8	12	18	23	36
B. *Operated*										
0-19 YRS	251	9.7	51	3	4	8	11	17	22	53
20-34	445	14.4	110	4	6	11	17	27	35	58
35-49	706	16.6	142	6	7	14	21	30	42	95
50-64	1210	18.4	132	7	8	15	23	33	43	75
65+	2136	20.8	147	8	9	18	26	37	46	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2602	5.8	20	1	2	5	7	11	14	23
B. *Operated*	1826	12.4	51	5	6	11	15	21	26	38
2. MULTIPLE DX										
A. *Not Operated*	5338	8.4	40	2	3	7	10	16	21	33
B. *Operated*	4748	18.4	142	6	8	15	23	33	43	73
1. SINGLE DX	4428	8.5	43	2	2	7	11	16	21	32
2. MULTIPLE DX	10086	13.1	113	3	4	10	17	26	34	59
A. NOT OPERATED	7940	7.6	35	2	2	6	10	14	19	31
B. OPERATED	6574	16.7	124	5	7	14	21	30	39	65
TOTAL 0-19 YRS	860	6.4	31	1	2	5	8	11	16	31
20-34	1567	9.0	59	2	3	7	11	17	23	42
35-49	2270	10.7	82	2	3	8	13	21	27	50
50-64	3601	11.7	92	2	3	9	15	23	30	50
65+	6216	13.5	112	3	4	11	18	27	35	59
GRAND TOTAL	**14514**	**11.7**	**96**	**2**	**3**	**9**	**15**	**23**	**31**	**53**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11847	3.4	6	1	1	3	4	6	7	12
20-34	5014	3.4	8	1	1	3	4	6	8	13
35-49	2082	4.0	8	1	1	3	5	7	9	15
50-64	1554	4.3	18	1	1	3	5	7	10	14
65+	1423	4.9	20	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	319	4.5	12	1	2	4	5	8	11	21
20-34	318	6.1	63	2	2	5	7	10	13	23
35-49	156	7.3	35	1	2	6	10	14	18	33
50-64	90	7.8	31	2	2	6	11	14	17	30
65+	78	10.1	62	1	2	8	14	21	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14115	4.4	9	1	2	4	5	7	9	16
20-34	5197	4.4	11	1	2	4	5	8	10	16
35-49	3394	5.6	16	2	2	5	7	10	12	21
50-64	4341	6.1	22	2	2	5	7	11	14	25
65+	7520	7.4	36	2	3	6	9	14	18	32
B. *Operated*										
0-19 YRS	469	7.3	62	2	3	5	8	12	19	51
20-34	507	8.6	51	2	3	7	11	15	19	39
35-49	462	10.6	64	3	4	9	13	21	25	41
50-64	538	11.2	77	3	4	9	13	21	29	47
65+	722	14.5	139	3	4	11	18	29	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21920	3.6	9	1	1	3	4	6	8	13
B. *Operated*	961	6.3	41	1	2	5	8	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	34567	5.4	19	2	2	4	7	10	13	23
B. *Operated*	2698	10.8	91	2	3	8	13	21	29	52
1. SINGLE DX	22881	3.7	10	1	1	3	5	7	8	14
2. MULTIPLE DX	37265	5.8	27	2	2	4	7	11	14	27
A. NOT OPERATED	56487	4.7	16	1	2	4	6	9	11	20
B. OPERATED	3659	9.6	82	2	3	7	12	19	26	49
TOTAL 0-19 YRS	26750	4.0	9	1	2	3	5	7	9	15
20-34	11036	4.2	14	1	1	3	5	8	10	17
35-49	6094	5.5	20	1	2	4	7	10	13	24
50-64	6523	6.1	29	1	2	5	7	11	15	28
65+	9743	7.6	46	2	2	6	9	14	19	34
GRAND TOTAL	**60146**	**5.0**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.9	19	1	2	5	6	11	17	19
20-34	107	5.0	10	2	2	4	6	8	10	17
35-49	738	5.2	10	1	2	5	7	9	11	17
50-64	1683	5.2	11	1	2	5	7	9	11	18
65+	1997	5.7	18	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	4	8.0	117	<1	<1	3	14	24	24	24
20-34	65	9.2	20	3	4	9	11	14	18	27
35-49	222	11.1	37	2	5	10	13	17	21	40
50-64	425	12.7	51	4	5	12	15	20	24	45
65+	368	14.0	86	3	5	12	17	23	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.4	13	1	2	6	8	10	14	18
20-34	148	6.5	47	2	2	5	7	11	18	25
35-49	989	6.1	15	2	2	5	8	10	14	20
50-64	3581	6.3	17	2	2	5	8	11	14	21
65+	9306	7.5	30	2	3	6	9	14	17	28
B. *Operated*										
0-19 YRS	4	6.0	8	4	4	5	8	10	10	10
20-34	80	12.8	71	4	5	11	16	24	31	48
35-49	521	13.7	77	4	6	12	16	22	27	59
50-64	1634	14.9	96	4	5	13	18	26	33	53
65+	2543	17.5	155	4	5	15	23	32	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4539	5.4	14	1	2	5	7	10	12	18
B. *Operated*	1084	12.6	60	3	5	11	15	21	26	45
2. MULTIPLE DX										
A. *Not Operated*	14056	7.0	26	2	3	6	9	13	16	26
B. *Operated*	4782	16.1	127	4	5	13	20	29	37	63
1. SINGLE DX	5623	6.8	31	1	2	5	9	13	16	28
2. MULTIPLE DX	18838	9.3	67	2	3	7	12	18	25	43
A. NOT OPERATED	18595	6.6	24	2	2	6	8	12	15	24
B. OPERATED	5866	15.5	117	4	5	13	19	28	35	60
TOTAL 0-19 YRS	54	6.4	20	1	2	5	8	10	17	24
20-34	400	7.8	45	2	3	6	9	15	19	32
35-49	2470	7.9	40	2	3	6	10	15	19	31
50-64	7323	8.3	50	2	2	6	11	16	21	36
65+	14214	9.2	69	2	3	7	11	18	24	43
GRAND TOTAL	**24461**	**8.8**	**60**	**2**	**3**	**7**	**11**	**17**	**23**	**40**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	3.2	5	1	1	2	5	7	8	9
20-34	144	4.3	18	1	1	4	5	7	9	27
35-49	114	4.0	7	1	1	3	5	8	9	13
50-64	66	3.5	6	1	1	3	5	6	8	13
65+	28	7.4	58	2	2	5	8	15	20	40
B. *Operated*										
0-19 YRS	328	3.6	5	1	1	3	4	6	8	13
20-34	1828	4.2	14	1	2	4	5	7	8	13
35-49	1498	4.5	18	1	2	4	5	7	9	16
50-64	895	4.8	22	2	2	4	6	8	10	18
65+	264	5.8	23	2	2	5	7	10	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.0	7	1	1	3	5	7	9	13
20-34	162	4.7	23	1	2	4	6	8	10	35
35-49	177	5.3	15	1	2	4	7	10	11	22
50-64	169	5.7	24	1	2	4	8	11	14	30
65+	153	8.3	35	2	2	7	11	17	20	30
B. *Operated*										
0-19 YRS	173	5.1	9	2	2	4	6	9	12	14
20-34	1622	5.4	17	2	3	5	6	9	11	19
35-49	1794	5.8	21	2	3	5	7	9	13	23
50-64	1513	6.8	28	2	3	5	8	12	15	28
65+	698	9.3	75	3	3	7	11	18	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	4.1	14	1	1	3	5	8	9	18
B. *Operated*	4813	4.4	17	1	2	4	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	741	5.7	24	1	2	4	7	11	14	26
B. *Operated*	5800	6.3	29	2	3	5	7	11	14	27
1. SINGLE DX	5248	4.4	17	1	2	4	5	7	9	16
2. MULTIPLE DX	6541	6.3	29	2	3	5	7	11	14	27
A. NOT OPERATED	1176	5.1	21	1	1	4	6	10	13	25
B. OPERATED	10613	5.5	24	2	2	4	6	9	12	24
TOTAL 0-19 YRS	664	4.0	7	1	1	3	5	7	9	13
20-34	3756	4.8	16	2	2	4	5	8	10	18
35-49	3583	5.2	19	2	2	4	6	8	11	20
50-64	2643	6.0	26	2	2	5	7	10	14	25
65+	1143	8.3	59	2	3	6	10	16	21	44
GRAND TOTAL	**11789**	**5.5**	**24**	**2**	**2**	**4**	**6**	**9**	**12**	**24**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2288	4.1	14	1	1	3	5	7	10	19
20-34	3500	5.3	27	1	2	4	6	10	13	25
35-49	2161	5.2	18	1	2	4	6	10	13	21
50-64	1594	5.2	31	1	1	4	7	10	13	23
65+	1289	5.3	20	1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	533	7.1	55	1	2	5	9	15	21	38
20-34	1365	8.4	56	1	2	6	11	17	24	40
35-49	993	9.5	67	2	2	8	12	19	25	43
50-64	852	8.8	77	1	2	7	12	18	23	49
65+	726	9.6	72	2	2	7	13	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1913	4.8	20	1	1	4	6	9	11	24
20-34	4327	6.1	25	2	2	5	8	11	14	26
35-49	3975	6.3	26	2	2	5	8	11	15	28
50-64	4666	6.5	26	2	2	5	8	12	15	26
65+	7396	7.4	41	2	2	6	9	14	18	33
B. *Operated*										
0-19 YRS	582	10.2	111	2	3	7	12	21	30	66
20-34	2414	11.2	101	2	3	8	14	23	31	52
35-49	2316	11.9	114	2	3	9	15	24	34	66
50-64	2708	12.9	136	2	3	9	16	27	36	66
65+	3023	15.7	164	3	4	12	20	32	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10832	5.0	22	1	2	4	6	9	13	23
B. *Operated*	4469	8.8	65	1	2	7	11	18	24	42
2. MULTIPLE DX										
A. *Not Operated*	22277	6.6	31	2	2	5	8	12	16	29
B. *Operated*	11043	12.9	133	2	3	10	16	27	36	64
1. SINGLE DX	15301	6.1	38	1	2	4	7	12	17	31
2. MULTIPLE DX	33320	8.7	74	2	2	6	10	17	25	48
A. NOT OPERATED	33109	6.1	29	1	2	5	7	11	15	27
B. OPERATED	15512	11.7	117	2	3	9	15	24	33	59
TOTAL 0-19 YRS	5316	5.3	34	1	1	4	6	10	14	32
20-34	11606	7.2	50	2	2	5	9	14	20	37
35-49	9445	7.8	57	2	2	6	9	15	21	43
50-64	9820	8.3	70	2	2	6	10	16	23	45
65+	12434	9.3	84	2	2	7	12	19	27	49
GRAND TOTAL	**48621**	**7.9**	**64**	**2**	**2**	**5**	**9**	**16**	**22**	**43**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	7	5	5	9	10	10	10	10
20-34	52	7.9	42	2	3	7	10	13	15	40
35-49	141	10.5	77	3	3	8	12	23	33	53
50-64	124	10.6	77	3	4	8	12	18	27	51
65+	46	11.5	66	2	3	9	15	26	28	33
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	18	9.3	78	2	2	8	12	14	30	41
35-49	58	8.8	45	2	2	8	12	21	23	25
50-64	52	11.0	158	1	2	8	13	23	42	69
65+	16	14.1	88	3	4	12	19	26	34	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.3	18	4	4	9	9	16	17	17
20-34	287	10.2	57	3	4	8	12	21	25	41
35-49	913	12.0	100	3	4	9	15	24	30	55
50-64	1298	12.6	90	3	4	10	16	25	31	46
65+	547	13.7	91	3	4	11	17	26	35	50
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	114	14.6	145	2	5	12	17	29	46	62
35-49	327	17.3	175	4	5	13	23	36	44	67
50-64	488	17.9	170	3	5	14	24	35	46	72
65+	177	17.8	174	4	5	14	23	38	44	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	10.3	70	3	3	8	12	21	29	47
B. *Operated*	145	10.2	95	1	2	8	13	22	25	45
2. MULTIPLE DX										
A. *Not Operated*	3051	12.4	91	3	4	10	16	24	31	48
B. *Operated*	1107	17.3	170	3	5	14	23	35	45	67
1. SINGLE DX	511	10.3	77	2	3	8	12	21	28	46
2. MULTIPLE DX	4158	13.7	117	3	4	10	17	28	36	55
A. NOT OPERATED	3417	12.2	89	3	4	9	15	24	31	48
B. OPERATED	1252	16.5	166	3	4	13	21	34	43	67
TOTAL 0-19 YRS	11	8.8	12	4	5	9	10	13	17	17
20-34	471	11.0	82	3	4	8	14	21	28	47
35-49	1439	12.9	118	3	4	10	16	27	35	55
50-64	1962	13.8	117	3	4	11	18	28	35	57
65+	786	14.5	111	3	4	12	19	29	38	54
GRAND TOTAL	**4669**	**13.3**	**113**	**3**	**4**	**10**	**17**	**27**	**35**	**55**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.1	13	1	2	4	8	10	13	14
20-34	60	7.0	46	1	2	6	9	11	16	43
35-49	104	8.8	42	1	2	7	12	18	22	31
50-64	150	11.0	78	2	3	8	14	24	31	41
65+	84	10.3	52	2	3	8	14	22	24	33
B. *Operated*										
0-19 YRS	25	4.6	11	1	1	4	6	9	12	12
20-34	228	4.8	26	1	1	3	6	11	14	27
35-49	153	7.3	60	1	2	4	10	16	22	40
50-64	202	6.8	51	1	1	4	9	15	19	36
65+	82	11.3	144	1	1	8	16	30	40	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.1	24	1	1	5	9	12	17	22
20-34	139	8.8	62	2	2	7	10	20	26	41
35-49	416	10.9	81	2	3	8	13	21	27	51
50-64	922	12.5	91	3	4	10	16	24	31	50
65+	753	13.4	102	3	4	11	17	25	31	55
B. *Operated*										
0-19 YRS	22	12.6	196	1	1	9	17	27	45	62
20-34	203	9.8	99	1	2	7	13	19	32	50
35-49	357	11.8	125	2	2	9	16	24	34	62
50-64	651	13.1	117	2	2	10	18	28	33	54
65+	473	16.7	164	2	4	13	22	35	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	417	9.5	59	2	2	8	12	21	27	37
B. *Operated*	690	6.7	58	1	1	4	9	15	20	41
2. MULTIPLE DX										
A. *Not Operated*	2252	12.2	92	3	4	10	16	24	31	51
B. *Operated*	1706	13.4	135	2	2	11	18	28	36	60
1. SINGLE DX	1107	7.7	60	1	2	5	10	17	23	40
2. MULTIPLE DX	3958	12.7	111	2	3	10	17	26	33	53
A. NOT OPERATED	2669	11.8	88	2	3	9	15	23	30	50
B. OPERATED	2396	11.5	122	1	2	9	15	25	34	54
TOTAL 0-19 YRS	88	7.1	69	1	1	4	9	14	22	51
20-34	630	7.5	64	1	2	5	9	16	22	41
35-49	1030	10.5	91	2	2	8	13	21	29	52
50-64	1925	12.0	98	2	2	9	16	25	32	46
65+	1392	14.2	126	2	4	12	18	27	36	56
GRAND TOTAL	**5065**	**11.6**	**104**	**2**	**2**	**9**	**15**	**24**	**32**	**51**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	5.9	11	2	2	5	8	11	12	16
20-34	382	7.0	19	2	3	6	9	12	15	22
35-49	149	8.2	38	2	3	7	11	15	17	34
50-64	169	7.8	35	2	3	6	9	15	18	29
65+	88	9.1	37	2	3	8	11	17	20	37
B. *Operated*										
0-19 YRS	9	8.1	28	2	2	9	11	16	18	18
20-34	96	7.7	52	1	1	6	11	17	20	34
35-49	73	8.9	55	1	2	7	12	21	26	31
50-64	81	9.1	81	1	1	6	13	21	24	45
65+	54	13.3	124	1	2	11	18	32	35	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	6.9	19	2	3	6	9	12	16	21
20-34	365	8.2	39	2	3	7	10	15	20	30
35-49	486	10.4	75	2	3	8	12	19	24	53
50-64	643	10.8	80	3	3	8	13	21	28	47
65+	513	12.3	90	3	4	9	15	24	36	50
B. *Operated*										
0-19 YRS	18	13.0	73	2	3	10	21	23	29	33
20-34	125	11.5	93	2	2	9	14	23	30	47
35-49	185	14.7	156	2	3	11	19	29	41	62
50-64	291	16.1	150	2	4	14	21	31	43	69
65+	220	20.1	227	4	6	16	24	40	48	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	953	7.3	26	2	3	6	9	13	16	28
B. *Operated*	313	9.3	75	1	2	7	13	20	27	38
2. MULTIPLE DX										
A. *Not Operated*	2139	10.4	73	2	3	8	13	20	26	47
B. *Operated*	839	16.1	168	2	4	13	21	33	43	64
1. SINGLE DX	1266	7.8	39	2	2	6	10	15	20	32
2. MULTIPLE DX	2978	12.0	106	2	3	9	15	24	33	53
A. NOT OPERATED	3092	9.5	60	2	3	7	11	18	24	43
B. OPERATED	1152	14.2	152	2	2	11	19	29	40	62
TOTAL 0-19 YRS	324	6.8	20	2	3	6	9	12	16	23
20-34	968	8.1	41	2	2	7	10	15	20	35
35-49	893	10.8	88	2	3	8	13	21	28	55
50-64	1184	11.6	98	2	3	9	15	24	30	54
65+	875	14.0	134	3	4	10	18	29	38	51
GRAND TOTAL	**4244**	**10.8**	**90**	**2**	**3**	**8**	**13**	**22**	**29**	**50**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	3.8	7	1	1	3	4	7	8	15
20-34	925	3.6	6	1	1	3	5	7	8	12
35-49	731	3.9	8	1	1	3	5	7	9	13
50-64	824	4.6	11	1	2	4	6	8	11	16
65+	653	5.7	15	2	2	5	7	11	12	17
B. *Operated*										
0-19 YRS	594	7.9	17	4	5	7	9	12	14	20
20-34	6419	7.9	15	5	5	7	9	11	13	18
35-49	5463	8.4	11	5	5	8	9	12	15	20
50-64	5393	8.9	12	5	6	8	10	13	15	21
65+	2601	11.1	29	6	6	9	13	18	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.1	8	1	2	3	5	8	10	14
20-34	770	4.7	10	1	2	4	6	8	10	15
35-49	952	5.6	23	1	2	5	7	10	12	22
50-64	1807	6.0	18	2	2	5	7	11	13	21
65+	3260	7.8	35	2	3	6	10	14	18	28
B. *Operated*										
0-19 YRS	292	9.7	24	4	5	9	11	15	19	28
20-34	4153	9.7	25	5	6	8	11	15	18	26
35-49	4940	10.6	31	5	6	9	13	17	20	31
50-64	7420	12.0	42	6	6	10	14	20	24	37
65+	6931	15.6	78	7	8	14	19	26	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3243	4.4	10	1	1	4	6	8	10	15
B. *Operated*	20470	8.7	16	5	5	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	6853	6.6	27	2	2	5	8	12	15	25
B. *Operated*	23736	12.3	52	6	6	10	15	21	25	39
1. SINGLE DX	23713	8.1	17	3	4	7	9	13	15	22
2. MULTIPLE DX	30589	11.0	52	3	5	9	14	19	24	38
A. NOT OPERATED	10096	5.9	23	1	2	5	7	11	14	24
B. OPERATED	44206	10.6	39	5	6	9	12	18	22	35
TOTAL 0-[illegible]RS	1060	7.8	21	2	3	7	10	13	15	21
20-[illegible]	12267	8.0	21	3	4	7	9	13	15	22
35-49	12086	8.8	23	3	5	8	10	14	17	26
50-64	15444	9.8	33	3	5	8	12	16	20	31
65+	13445	12.4	68	3	5	10	15	22	27	43
GRAND TOTAL	**54302**	**9.8**	**39**	**3**	**4**	**8**	**12**	**17**	**21**	**33**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	4.4	9	1	2	4	5	8	10	25
20-34	1034	4.1	6	1	2	4	5	7	8	13
35-49	722	4.4	13	1	2	4	6	8	10	16
50-64	625	4.9	12	1	2	4	6	9	11	16
65+	520	5.8	14	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	68	8.0	12	4	4	7	10	13	15	18
20-34	673	8.7	18	4	5	8	10	14	17	25
35-49	682	9.1	19	5	5	8	10	14	17	23
50-64	611	10.2	23	5	6	9	12	16	20	27
65+	341	12.2	32	6	7	11	15	20	24	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	4.8	10	1	2	4	6	8	9	18
20-34	949	4.9	11	1	2	4	6	9	11	19
35-49	969	5.9	17	2	2	5	8	10	13	21
50-64	1305	6.2	16	2	2	5	8	11	13	18
65+	2049	8.2	31	2	3	7	10	15	18	29
B. *Operated*										
0-19 YRS	76	10.9	99	5	6	8	12	15	18	67
20-34	1167	10.2	28	5	6	9	12	17	20	31
35-49	1436	10.8	37	5	6	9	13	17	21	32
50-64	1589	12.4	57	6	6	10	15	20	25	41
65+	1493	16.3	79	7	8	14	20	28	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3053	4.6	11	1	2	4	6	8	10	17
B. *Operated*	2375	9.7	23	5	5	8	12	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	5392	6.7	23	2	2	6	8	12	15	24
B. *Operated*	5761	12.6	58	5	6	10	15	21	27	43
1. SINGLE DX	5428	6.9	22	2	2	6	9	12	16	24
2. MULTIPLE DX	11153	9.7	50	2	3	8	12	18	22	36
A. NOT OPERATED	8445	5.9	19	2	2	5	7	11	14	22
B. OPERATED	8136	11.7	49	5	6	10	14	20	25	39
TOTAL 0-19 YRS	416	6.3	33	2	2	5	8	12	14	25
20-34	3823	7.0	23	2	2	6	9	13	16	25
35-49	3809	8.1	31	2	3	7	10	14	17	25
50-64	4130	9.0	42	2	3	8	11	16	20	32
65+	4403	11.0	62	3	4	9	14	20	27	41
GRAND TOTAL	**16581**	**8.8**	**42**	**2**	**3**	**7**	**11**	**16**	**21**	**33**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.8	2	1	1	3	4	5	5	5
20-34	80	4.2	14	1	1	3	5	10	12	17
35-49	75	4.5	8	1	1	4	6	8	9	14
50-64	67	4.7	17	1	1	4	6	9	11	26
65+	90	6.3	20	1	2	5	8	12	17	19
B. *Operated*										
0-19 YRS	19	8.9	40	3	6	7	10	12	24	33
20-34	249	9.0	19	4	5	8	11	14	16	24
35-49	232	9.7	27	4	5	9	11	15	19	30
50-64	267	10.3	39	3	5	9	12	18	21	57
65+	307	14.2	70	3	5	13	18	25	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	13	1	1	7	8	9	9	9
20-34	61	5.4	11	2	2	4	8	9	11	16
35-49	70	5.5	23	1	2	4	6	10	14	27
50-64	163	7.0	37	2	3	6	9	12	14	25
65+	368	9.0	37	3	4	7	10	16	21	32
B. *Operated*										
0-19 YRS	22	10.6	13	5	6	10	14	15	16	17
20-34	216	10.6	28	5	6	9	13	17	19	29
35-49	252	13.6	94	5	6	11	16	24	31	54
50-64	452	14.9	70	6	7	13	18	24	29	45
65+	904	19.5	108	7	9	17	24	33	40	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	4.9	15	1	1	4	6	10	12	18
B. *Operated*	1074	11.0	45	4	5	9	13	19	24	40
2. MULTIPLE DX										
A. *Not Operated*	666	7.8	35	2	3	7	9	14	18	30
B. *Operated*	1846	16.4	97	6	7	14	20	29	36	52
1. SINGLE DX	1397	9.6	44	2	3	8	12	17	21	38
2. MULTIPLE DX	2512	14.1	95	3	5	12	18	26	32	50
A. NOT OPERATED	989	6.8	30	1	2	6	9	13	16	28
B. OPERATED	2920	14.4	85	5	6	12	18	26	32	50
TOTAL 0-19 YRS	56	8.2	28	1	2	8	10	14	16	32
20-34	606	8.6	26	2	3	8	11	15	17	25
35-49	629	10.2	62	2	3	8	12	18	24	40
50-64	949	11.5	64	2	4	10	15	21	25	45
65+	1669	15.5	104	3	5	14	20	29	36	50
GRAND TOTAL	**3909**	**12.5**	**82**	**3**	**4**	**10**	**16**	**24**	**30**	**45**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.9	22	2	2	6	9	14	17	17
20-34	80	4.6	10	2	2	4	5	8	10	20
35-49	73	5.5	11	1	2	5	7	10	12	16
50-64	78	5.9	20	1	2	5	8	11	15	25
65+	123	7.2	25	2	3	6	9	12	14	31
B. *Operated*										
0-19 YRS	4	15.5	22	9	9	16	18	20	20	20
20-34	47	13.7	125	4	4	9	18	29	40	53
35-49	38	11.9	39	3	6	10	14	20	25	34
50-64	57	14.5	124	2	3	12	20	26	28	70
65+	56	19.2	176	3	5	17	24	31	38	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	7.3	26	2	2	6	9	15	19	22
20-34	81	7.1	21	2	2	6	9	13	15	24
35-49	119	8.2	31	2	3	7	10	14	21	31
50-64	219	7.8	23	2	3	7	10	14	17	31
65+	521	10.5	62	3	4	9	13	19	24	37
B. *Operated*										
0-19 YRS	14	17.9	164	2	2	14	26	42	43	43
20-34	72	12.9	113	3	4	10	17	24	30	64
35-49	123	15.4	129	3	5	13	20	28	37	65
50-64	240	18.7	156	4	6	17	23	33	40	62
65+	434	21.4	137	7	10	19	27	37	46	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	6.0	19	2	2	5	8	11	13	25
B. *Operated*	202	15.2	126	3	4	13	19	27	33	64
2. MULTIPLE DX										
A. *Not Operated*	960	9.3	47	2	3	8	12	17	21	33
B. *Operated*	883	19.1	147	4	7	17	24	33	43	69
1. SINGLE DX	568	9.3	76	2	2	7	11	19	26	40
2. MULTIPLE DX	1843	14.0	119	3	4	11	19	28	34	56
A. NOT OPERATED	1326	8.4	41	2	3	7	11	15	20	32
B. OPERATED	1085	18.4	145	4	6	16	24	33	41	69
TOTAL 0-19 YRS	50	10.8	85	2	2	8	15	21	26	43
20-34	280	9.0	72	2	2	7	11	19	25	46
35-49	353	10.6	77	2	3	8	13	21	27	39
50-64	594	12.6	116	2	3	10	17	26	32	55
65+	1134	14.8	124	3	4	12	20	29	36	58
GRAND TOTAL	**2411**	**12.9**	**112**	**2**	**3**	**10**	**17**	**26**	**33**	**54**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	6.5	20	2	3	6	8	11	16	31
20-34	1069	6.9	25	2	3	6	8	12	15	24
35-49	1050	7.5	27	2	3	6	9	13	16	29
50-64	635	7.9	27	2	3	7	10	14	17	31
65+	372	8.8	45	2	3	8	11	15	18	35
B. *Operated*										
0-19 YRS	17	9.6	46	2	2	9	10	15	26	32
20-34	83	17.5	196	4	5	15	23	36	41	78
35-49	99	12.8	101	2	3	11	18	24	31	54
50-64	99	15.7	156	2	4	12	21	31	39	67
65+	45	16.9	183	3	4	13	23	29	37	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	7.6	26	2	3	6	10	14	17	31
20-34	1535	8.3	33	2	3	7	10	14	19	32
35-49	2254	9.3	40	3	4	8	12	16	21	34
50-64	1878	9.7	44	3	4	8	12	17	21	34
65+	1581	10.9	50	4	5	9	13	19	24	40
B. *Operated*										
0-19 YRS	23	14.6	69	4	5	13	20	25	31	37
20-34	294	17.7	181	4	6	14	22	36	51	77
35-49	571	18.8	201	5	6	15	23	36	47	87
50-64	556	20.4	195	5	8	17	25	38	48	80
65+	436	21.8	179	6	8	19	28	40	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3293	7.5	29	2	3	6	9	13	16	28
B. *Operated*	343	15.2	151	2	4	12	20	29	37	67
2. MULTIPLE DX										
A. *Not Operated*	7401	9.5	43	3	4	8	12	17	21	35
B. *Operated*	1880	19.7	191	5	7	16	25	38	48	86
1. SINGLE DX	3636	8.2	45	2	3	7	10	15	20	35
2. MULTIPLE DX	9281	11.6	90	3	4	9	14	22	30	53
A. NOT OPERATED	10694	8.9	39	3	3	7	11	16	20	33
B. OPERATED	2223	19.0	188	4	6	16	24	37	47	83
TOTAL 0-19 YRS	360	7.6	31	2	3	6	9	14	19	32
20-34	2981	9.0	61	2	3	7	11	16	23	45
35-49	3974	10.3	75	3	4	8	12	19	26	46
50-64	3168	11.4	90	3	4	9	14	21	29	53
65+	2434	12.6	94	4	5	10	15	24	32	55
GRAND TOTAL	**12917**	**10.6**	**79**	**3**	**4**	**8**	**13**	**20**	**27**	**49**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	4.0	7	1	1	3	5	7	9	13
20-34	250	4.4	13	1	1	4	5	8	11	17
35-49	294	4.9	14	1	2	4	6	9	10	22
50-64	388	5.7	13	1	2	5	8	10	11	17
65+	592	7.0	30	2	2	6	9	13	16	23
B. *Operated*										
0-19 YRS	23	6.3	31	1	1	5	8	12	20	25
20-34	35	7.2	32	2	2	5	10	14	16	31
35-49	53	8.8	36	1	2	8	12	17	22	24
50-64	53	9.1	21	2	3	9	12	16	18	20
65+	85	10.6	44	3	4	9	15	19	27	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	299	4.8	15	1	2	4	6	8	11	18
20-34	687	5.3	15	1	2	4	7	9	12	26
35-49	1015	6.7	23	2	2	6	8	12	15	26
50-64	1904	7.7	27	2	3	7	9	13	17	29
65+	4600	9.1	42	2	3	8	11	17	21	34
B. *Operated*										
0-19 YRS	36	6.9	21	1	2	5	10	15	16	17
20-34	145	9.3	50	2	3	8	12	16	21	38
35-49	242	12.6	103	3	4	10	15	27	34	69
50-64	562	13.0	108	3	4	10	16	24	33	58
65+	1117	15.4	130	4	5	12	19	30	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1772	5.6	19	1	2	5	7	10	13	21
B. *Operated*	249	9.0	36	2	2	8	12	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	8505	8.1	35	2	3	7	10	15	19	31
B. *Operated*	2102	13.9	118	3	4	11	17	27	36	58
1. SINGLE DX	2021	6.0	23	1	2	5	8	11	14	23
2. MULTIPLE DX	10607	9.2	57	2	3	7	11	17	24	40
A. NOT OPERATED	10277	7.6	33	2	2	6	9	14	18	30
B. OPERATED	2351	13.4	111	3	4	11	16	26	35	56
TOTAL 0-19 YRS	606	4.7	13	1	2	4	6	8	11	17
20-34	1117	5.7	22	1	2	5	7	11	14	28
35-49	1604	7.4	39	2	2	6	9	13	19	34
50-64	2907	8.5	46	2	3	7	10	16	20	37
65+	6394	10.0	63	2	3	8	12	19	25	41
GRAND TOTAL	**12628**	**8.7**	**53**	**2**	**3**	**7**	**11**	**16**	**22**	**39**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	4.9	10	1	2	4	7	9	11	15
20-34	23	6.8	14	2	2	7	10	12	13	14
35-49	22	6.5	15	2	3	5	8	13	16	18
50-64	35	7.9	72	1	2	5	9	13	27	45
65+	13	10.5	69	2	2	7	14	24	30	31
B. *Operated*										
0-19 YRS	9	8.3	111	<1	1	6	12	67	99+	99+
20-34	19	11.9	55	3	4	10	14	23	27	29
35-49	15	14.2	136	1	3	11	24	26	38	42
50-64	17	8.9	59	2	3	7	10	30	74	99+
65+	10	10.5	99	<1	<1	8	14	25	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	6.7	49	2	2	5	7	12	18	38
20-34	70	8.2	53	2	2	6	9	18	28	88
35-49	96	9.3	35	3	4	8	12	18	21	29
50-64	125	10.2	60	3	4	9	13	18	24	43
65+	155	12.3	83	3	4	10	17	25	28	52
B. *Operated*										
0-19 YRS	16	15.4	592	3	3	7	13	88	99+	99+
20-34	72	14.2	78	4	6	13	17	23	31	55
35-49	101	18.3	194	5	6	13	24	38	43	74
50-64	82	17.5	155	4	5	14	20	37	46	54
65+	84	17.7	150	3	5	15	22	38	44	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	5.9	24	1	2	5	7	11	14	29
B. *Operated*	70	11.0	86	1	2	8	14	27	35	99+
2. MULTIPLE DX										
A. *Not Operated*	668	9.2	62	2	3	7	12	19	24	42
B. *Operated*	355	17.0	169	4	5	13	21	36	44	62
1. SINGLE DX	328	7.0	41	1	2	5	8	14	22	43
2. MULTIPLE DX	1023	11.9	112	3	3	9	15	24	33	56
A. NOT OPERATED	926	8.3	53	2	3	6	10	17	22	38
B. OPERATED	425	16.0	160	3	5	13	20	35	43	90
TOTAL 0-19 YRS	412	6.4	58	2	2	5	7	11	15	55
20-34	184	10.7	67	2	3	9	14	20	26	53
35-49	234	13.2	129	3	4	10	17	26	37	57
50-64	259	12.1	105	3	4	9	15	25	36	55
65+	262	13.9	110	3	4	11	19	27	35	53
GRAND TOTAL	**1351**	**10.7**	**100**	**2**	**3**	**8**	**14**	**22**	**31**	**55**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	7.1	25	2	2	5	8	14	19	24
20-34	50	5.1	8	1	2	5	7	10	11	11
35-49	38	7.3	36	2	3	5	8	16	21	30
50-64	23	6.3	21	1	1	5	8	14	16	18
65+	28	12.1	90	3	4	9	14	24	38	41
B. *Operated*										
0-19 YRS	84	5.8	34	1	2	4	8	11	18	32
20-34	99	6.6	70	2	2	4	8	16	21	48
35-49	59	5.6	43	1	2	3	7	11	22	38
50-64	34	7.2	33	1	2	6	10	16	19	24
65+	20	9.6	89	1	1	7	16	19	29	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	7.6	46	2	2	6	10	15	22	36
20-34	126	6.8	28	2	2	5	8	15	19	24
35-49	102	8.0	29	2	2	7	11	16	18	25
50-64	164	9.7	45	3	4	8	12	16	21	39
65+	257	12.5	131	2	3	9	15	26	34	65
B. *Operated*										
0-19 YRS	79	8.2	67	1	2	5	11	21	30	34
20-34	172	8.4	54	2	2	6	11	18	23	35
35-49	157	11.7	117	2	3	8	14	26	36	53
50-64	183	14.3	200	2	2	10	20	29	44	72
65+	155	15.8	184	3	4	11	20	35	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	7.2	32	2	2	5	8	14	18	27
B. *Operated*	296	6.4	52	1	2	4	8	16	20	37
2. MULTIPLE DX										
A. *Not Operated*	809	9.5	72	2	3	7	12	19	25	41
B. *Operated*	746	12.0	140	2	2	8	16	27	35	61
1. SINGLE DX	611	6.8	41	2	2	5	8	14	19	33
2. MULTIPLE DX	1555	10.7	106	2	2	8	13	23	31	53
A. NOT OPERATED	1124	8.9	62	2	2	7	11	18	23	39
B. OPERATED	1042	10.5	121	2	2	7	13	23	33	57
TOTAL 0-19 YRS	499	7.2	40	2	2	5	9	15	21	33
20-34	447	7.2	46	2	2	5	9	16	21	33
35-49	356	9.1	76	2	2	6	11	19	26	44
50-64	404	11.4	120	2	2	8	14	23	32	60
65+	460	13.4	147	2	3	10	17	29	37	66
GRAND TOTAL	**2166**	**9.6**	**91**	**2**	**2**	**7**	**12**	**21**	**27**	**47**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	5.8	11	1	2	5	7	11	13	15
20-34	28	6.0	10	2	2	6	8	10	12	15
35-49	3	4.0	3	3	3	3	5	6	6	6
50-64	2	10.0	128	2	2	10	18	18	18	18
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	23	4.5	11	1	1	4	7	9	11	13
20-34	21	3.9	5	1	1	3	6	7	8	9
35-49	6	14.3	125	2	3	10	22	32	33	33
50-64	10	7.8	68	1	1	4	15	21	26	26
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	7.8	30	2	3	7	10	14	18	31
20-34	37	5.8	7	2	4	5	6	9	12	14
35-49	21	7.8	25	2	3	8	10	13	19	23
50-64	15	8.3	30	1	2	7	11	14	20	22
65+	28	13.1	301	3	4	9	12	21	33	97
B. *Operated*										
0-19 YRS	28	8.6	118	2	2	5	8	16	41	49
20-34	32	11.2	84	3	3	10	14	18	27	50
35-49	25	11.3	49	1	2	14	16	18	23	25
50-64	19	19.5	388	1	3	15	22	45	66	82
65+	21	16.7	184	3	3	14	18	33	53	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	5.9	12	2	2	5	7	11	13	16
B. *Operated*	60	5.8	37	1	1	4	8	12	19	32
2. MULTIPLE DX										
A. *Not Operated*	171	8.3	72	2	3	7	10	14	20	31
B. *Operated*	125	12.8	157	2	3	10	16	23	44	64
1. SINGLE DX	224	5.9	18	1	2	5	7	11	14	23
2. MULTIPLE DX	296	10.2	113	2	3	8	13	18	24	54
A. NOT OPERATED	335	7.1	44	2	2	6	9	12	15	25
B. OPERATED	185	10.5	128	2	2	8	15	20	29	55
TOTAL 0-19 YRS	251	6.5	29	2	2	5	8	12	15	32
20-34	118	7.0	35	2	2	6	9	13	16	35
35-49	55	9.9	50	2	2	9	15	18	23	33
50-64	46	12.9	213	1	2	8	16	26	44	82
65+	50	14.5	245	3	4	11	15	22	49	97
GRAND TOTAL	**520**	**8.3**	**76**	**2**	**2**	**6**	**10**	**16**	**21**	**49**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	2	<1	<1	1	4	4	4	4
20-34	17	5.1	32	<1	<1	2	7	11	18	22
35-49	9	6.8	123	1	1	3	5	24	36	36
50-64	33	3.8	34	1	1	2	3	9	19	29
65+	47	6.4	43	1	1	4	9	16	21	28
B. *Operated*										
0-19 YRS	12	7.8	28	<1	1	7	10	16	19	19
20-34	84	10.6	103	2	2	7	13	25	34	44
35-49	80	9.3	107	1	2	5	12	21	28	59
50-64	124	6.9	49	1	2	5	8	14	22	60
65+	62	8.8	73	1	1	6	13	19	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	4.3	24	1	1	2	5	10	17	26
20-34	95	6.0	32	1	1	4	7	13	16	29
35-49	137	7.0	36	1	1	5	10	16	19	26
50-64	345	7.6	44	1	1	6	10	16	20	32
65+	747	8.8	79	1	1	6	12	20	27	43
B. *Operated*										
0-19 YRS	112	14.7	264	2	3	9	19	34	[illegible]	77
20-34	371	14.1	233	1	2	8	17	33	50	72
35-49	449	13.3	185	1	2	9	18	31	42	64
50-64	686	13.6	206	2	2	8	18	31	40	74
65+	520	15.3	184	2	3	11	21	33	45	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	5.2	43	<1	1	2	6	14	21	32
B. *Operated*	362	8.6	79	1	2	6	10	20	29	47
2. MULTIPLE DX										
A. *Not Operated*	1381	7.9	62	1	1	6	11	17	23	38
B. *Operated*	2138	14.1	204	2	2	9	19	32	45	66
1. SINGLE DX	475	7.8	73	1	1	5	10	19	27	45
2. MULTIPLE DX	3519	11.7	157	1	2	8	15	27	37	63
A. NOT OPERATED	1494	7.7	61	1	1	5	11	17	23	38
B. OPERATED	2500	13.3	190	2	2	8	17	31	42	65
TOTAL 0-19 YRS	188	10.6	191	1	1	5	13	26	36	69
20-34	567	12.0	185	1	2	7	14	28	44	64
35-49	675	11.5	151	1	2	7	15	27	37	62
50-64	1188	10.9	148	1	2	7	13	26	34	62
65+	1376	11.2	127	1	1	8	15	25	35	57
GRAND TOTAL	**3994**	**11.2**	**149**	**1**	**1**	**7**	**14**	**26**	**36**	**62**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.6	9	1	2	4	6	9	11	12
20-34	8	3.6	4	1	1	4	5	6	6	6
35-49	6	6.2	5	4	4	6	7	10	10	10
50-64	14	4.9	19	<1	<1	3	8	10	14	15
65+	39	10.2	101	1	2	7	14	22	24	56
B. *Operated*										
0-19 YRS	4	17.3	591	<1	<1	7	32	53	53	53
20-34	17	8.2	35	1	1	8	12	17	20	21
35-49	12	12.5	150	2	2	8	19	33	38	39
50-64	20	9.4	170	<1	1	4	11	23	41	56
65+	15	7.7	63	1	1	6	10	13	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	6.4	50	1	1	4	8	16	21	32
20-34	47	5.9	21	1	2	4	9	13	15	18
35-49	84	8.5	57	2	2	5	13	20	25	29
50-64	207	10.4	132	1	2	7	13	23	35	59
65+	758	13.8	104	2	3	12	19	26	35	45
B. *Operated*										
0-19 YRS	9	16.1	189	2	4	11	20	39	47	47
20-34	52	16.7	183	2	2	14	25	34	41	99
35-49	88	17.4	333	1	2	12	22	45	68	99+
50-64	199	18.5	283	2	3	14	24	42	54	80
65+	265	23.7	292	4	6	19	32	50	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	7.2	58	1	1	5	10	15	21	44
B. *Operated*	68	9.7	127	1	1	7	12	21	33	55
2. MULTIPLE DX										
A. *Not Operated*	1122	12.3	107	2	2	10	16	25	33	46
B. *Operated*	613	20.4	291	2	3	17	27	45	59	99+
1. SINGLE DX	155	8.3	89	1	1	5	11	19	24	56
2. MULTIPLE DX	1735	15.1	187	2	2	12	20	33	43	74
A. NOT OPERATED	1209	11.9	105	2	2	10	16	25	32	46
B. OPERATED	681	19.3	285	2	3	15	27	43	57	99
TOTAL 0-19 YRS	59	8.0	102	1	1	4	10	17	30	52
20-34	124	10.6	116	1	2	7	14	25	34	78
35-49	190	12.8	207	2	2	8	19	31	44	97
50-64	440	13.8	217	1	2	9	18	33	46	69
65+	1077	16.0	169	2	3	13	21	33	42	70
GRAND TOTAL	**1890**	**14.6**	**182**	**2**	**2**	**11**	**19**	**32**	**42**	**71**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	582	4.4	3	2	2	4	5	7	8	10
20-34	884	4.7	6	2	2	4	6	7	8	13
35-49	198	5.6	7	2	3	5	7	10	11	14
50-64	115	5.7	7	2	2	6	7	9	10	13
65+	122	6.7	9	3	4	6	8	11	12	17
B. *Operated*										
0-19 YRS	39	5.6	6	2	3	5	7	8	10	14
20-34	48	7.4	38	1	3	6	9	14	17	39
35-49	20	8.0	11	4	5	7	9	13	16	17
50-64	18	9.8	33	3	3	8	13	17	22	25
65+	8	6.0	17	1	2	5	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	543	5.1	8	2	2	5	6	8	10	16
20-34	880	5.5	17	2	3	5	7	9	11	16
35-49	422	6.6	10	3	3	6	8	11	13	16
50-64	516	8.0	17	3	4	7	10	13	16	23
65+	918	10.2	47	3	4	9	13	18	23	36
B. *Operated*										
0-19 YRS	93	7.6	18	2	3	7	10	13	17	23
20-34	237	9.5	44	3	4	8	11	17	22	39
35-49	113	11.1	63	4	5	9	13	22	27	41
50-64	147	13.6	69	4	5	12	17	25	33	38
65+	166	16.6	136	5	6	14	20	29	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1901	4.9	6	2	2	4	6	8	9	13
B. *Operated*	133	7.2	24	2	3	6	8	13	15	27
2. MULTIPLE DX										
A. *Not Operated*	3279	7.3	27	2	3	6	9	13	16	25
B. *Operated*	756	11.9	78	4	4	9	15	22	28	43
1. SINGLE DX	2034	5.0	7	2	2	5	6	8	9	14
2. MULTIPLE DX	4035	8.2	40	3	3	7	10	15	19	33
A. NOT OPERATED	5180	6.4	21	2	3	5	8	11	14	24
B. OPERATED	889	11.2	73	3	4	8	14	21	27	42
TOTAL 0-19 YRS	1257	5.0	7	2	2	5	6	8	10	15
20-34	2049	5.7	18	2	3	5	7	9	12	20
35-49	753	7.0	20	3	3	6	8	12	14	24
50-64	796	8.7	32	3	4	7	10	15	19	33
65+	1214	10.7	62	3	4	9	13	19	24	39
GRAND TOTAL	**6069**	**7.1**	**31**	**2**	**3**	**6**	**8**	**13**	**17**	**28**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	584	4.1	4	1	2	4	5	7	8	10
20-34	701	4.6	6	2	2	4	6	7	9	14
35-49	173	5.1	9	2	2	4	6	8	10	15
50-64	130	5.9	19	2	2	5	6	12	16	23
65+	128	6.5	15	2	3	6	8	11	13	22
B. *Operated*										
0-19 YRS	112	5.1	24	1	1	4	7	9	13	28
20-34	143	6.2	19	1	2	5	8	13	15	18
35-49	82	6.8	29	2	2	5	8	16	18	25
50-64	61	8.3	84	1	2	7	10	15	18	62
65+	41	10.4	79	2	2	7	15	24	28	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	506	5.0	8	2	2	4	6	9	10	15
20-34	912	5.3	12	2	2	5	7	9	11	18
35-49	447	6.9	20	2	3	6	8	12	15	23
50-64	541	8.0	27	3	3	7	10	14	18	26
65+	932	9.9	46	3	4	8	12	18	21	36
B. *Operated*										
0-19 YRS	198	6.3	27	1	1	5	8	12	16	26
20-34	439	8.8	57	2	2	7	11	17	22	47
35-49	331	11.2	95	2	3	9	15	22	31	55
50-64	345	12.6	76	3	3	11	16	24	29	47
65+	424	15.6	152	2	4	13	20	32	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1716	4.7	8	2	2	4	6	8	9	15
B. *Operated*	439	6.7	39	1	2	5	8	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	3338	7.2	28	2	3	6	9	13	17	26
B. *Operated*	1737	11.4	97	2	2	9	15	23	31	53
1. SINGLE DX	2155	5.1	15	1	2	4	6	9	12	20
2. MULTIPLE DX	5075	8.6	56	2	3	7	11	17	22	39
A. NOT OPERATED	5054	6.4	23	2	2	5	8	12	15	24
B. OPERATED	2176	10.4	89	2	2	8	14	22	29	49
TOTAL 0-19 YRS	1400	4.8	11	1	2	4	6	8	10	19
20-34	2195	5.8	22	2	2	5	7	10	14	24
35-49	1033	8.0	48	2	2	6	10	15	21	36
50-64	1077	9.2	50	2	3	7	12	18	23	37
65+	1525	11.2	82	3	4	9	14	21	28	47
GRAND TOTAL	**7230**	**7.6**	**46**	**2**	**2**	**6**	**9**	**15**	**20**	**36**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.0	6	1	1	2	4	5	7	14
20-34	891	2.8	5	1	1	2	3	5	6	13
35-49	942	2.8	6	1	1	2	3	5	7	12
50-64	641	3.1	8	1	1	2	4	5	7	13
65+	190	3.6	6	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	42	7.5	13	2	3	8	9	12	14	19
20-34	387	8.4	25	2	3	8	10	15	17	25
35-49	540	8.8	25	2	3	8	11	15	18	25
50-64	501	9.5	36	2	2	9	12	16	20	29
65+	218	10.3	43	2	2	10	13	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.0	14	1	1	3	5	7	7	25
20-34	601	3.9	11	1	1	3	5	8	10	16
35-49	780	4.0	11	1	1	3	5	8	10	15
50-64	853	4.7	13	1	1	4	6	9	11	18
65+	580	6.2	25	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	53	8.9	51	2	3	7	11	16	19	47
20-34	488	10.4	57	2	3	9	13	18	25	40
35-49	701	10.4	49	2	3	9	13	20	24	34
50-64	977	11.2	71	2	3	10	15	20	25	42
65+	738	12.8	97	2	3	11	17	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2777	2.9	6	1	1	2	4	5	7	13
B. *Operated*	1688	9.1	31	2	3	9	12	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	2886	4.6	15	1	1	4	6	9	12	22
B. *Operated*	2957	11.2	71	2	3	10	14	21	26	44
1. SINGLE DX	4465	5.2	24	1	1	3	8	12	15	23
2. MULTIPLE DX	5843	8.0	54	1	2	6	11	16	22	35
A. NOT OPERATED	5663	3.8	12	1	1	3	5	7	10	18
B. OPERATED	4645	10.5	57	2	3	9	13	19	24	38
TOTAL 0-19 YRS	280	5.1	23	1	1	4	7	10	13	21
20-34	2367	5.5	30	1	1	4	8	12	16	27
35-49	2963	6.0	31	1	1	4	9	13	16	28
50-64	2972	7.3	46	1	1	5	10	15	19	31
65+	1726	9.3	68	2	2	7	12	19	25	43
GRAND TOTAL	**10308**	**6.8**	**43**	**1**	**1**	**5**	**9**	**14**	**19**	**31**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	275	2.7	6	1	1	2	3	4	6	9
20-34	2861	2.5	4	1	1	2	3	4	5	9
35-49	3025	2.5	6	1	1	2	3	4	5	9
50-64	1922	2.8	4	1	1	2	3	5	6	10
65+	488	3.2	5	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	151	6.3	16	2	2	5	8	11	14	21
20-34	1660	6.5	16	2	2	6	8	12	14	19
35-49	1963	6.9	23	2	2	6	9	13	15	21
50-64	1585	7.5	24	2	2	6	10	14	16	24
65+	580	8.6	28	2	3	8	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	4.0	86	1	1	3	4	5	6	52
20-34	883	3.3	16	1	1	3	4	6	7	14
35-49	1221	3.4	6	1	1	3	4	6	8	14
50-64	1289	3.8	8	1	1	3	5	7	9	13
65+	655	4.7	19	1	2	4	6	8	11	22
B. *Operated*										
0-19 YRS	77	6.9	21	1	2	6	9	12	15	25
20-34	757	8.1	36	2	3	7	10	15	19	31
35-49	1149	8.6	35	2	3	7	11	16	20	29
50-64	1528	9.6	47	2	3	8	12	17	22	33
65+	985	11.6	58	3	4	10	15	21	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8571	2.6	5	1	1	2	3	5	6	9
B. *Operated*	5939	7.1	22	2	2	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	4147	3.7	13	1	1	3	5	7	9	15
B. *Operated*	4496	9.5	46	2	3	8	12	17	22	33
1. SINGLE DX	14510	4.5	17	1	1	3	6	10	12	19
2. MULTIPLE DX	8643	6.7	38	1	2	5	9	14	18	29
A. NOT OPERATED	12718	3.0	8	1	1	2	4	5	7	11
B. OPERATED	10435	8.1	34	2	3	7	11	15	18	29
TOTAL 0-19 YRS	602	4.4	26	1	1	3	5	9	11	19
20-34	6161	4.4	17	1	1	3	6	9	12	19
35-49	7358	4.8	21	1	1	3	6	10	13	21
50-64	6324	5.8	28	1	1	4	8	12	15	26
65+	2708	7.8	44	1	2	6	11	16	21	31
GRAND TOTAL	**23153**	**5.3**	**26**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	3.0	5	<1	1	2	4	6	8	12
20-34	99	3.2	6	1	1	2	4	7	9	12
35-49	99	3.8	13	1	1	3	5	9	11	20
50-64	82	3.9	9	<1	1	3	5	9	10	15
65+	83	4.9	14	1	1	4	6	10	13	17
B. *Operated*										
0-19 YRS	652	6.8	23	1	1	8	10	13	15	18
20-34	328	7.3	30	1	2	6	10	14	18	23
35-49	323	6.6	31	1	2	5	10	13	16	25
50-64	372	7.4	45	1	2	5	11	15	20	31
65+	257	7.2	46	1	2	5	10	16	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	4.3	13	1	1	3	6	8	11	18
20-34	197	5.2	21	1	2	4	6	9	15	25
35-49	181	5.8	19	1	2	5	8	11	14	21
50-64	304	8.0	78	2	2	6	10	15	18	44
65+	642	9.2	67	2	2	7	12	18	24	42
B. *Operated*										
0-19 YRS	881	7.4	41	1	1	7	11	14	18	27
20-34	658	9.4	60	2	2	8	12	19	24	32
35-49	724	9.8	78	1	2	8	13	19	25	43
50-64	1021	10.3	68	2	2	8	14	20	26	36
65+	1077	12.3	119	2	2	10	17	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	3.7	9	1	1	3	4	8	10	15
B. *Operated*	1932	7.0	33	1	1	6	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	1486	7.5	54	1	2	6	9	15	19	35
B. *Operated*	4361	10.0	78	1	2	8	13	20	25	44
1. SINGLE DX	2398	6.4	30	1	1	5	9	13	16	24
2. MULTIPLE DX	5847	9.3	73	1	2	7	12	19	25	42
A. NOT OPERATED	1952	6.6	46	1	2	5	8	14	17	32
B. OPERATED	6293	9.1	66	1	2	8	12	18	24	38
TOTAL 0-19 YRS	1798	6.6	31	1	1	6	10	13	16	23
20-34	1282	7.7	46	1	2	6	10	16	21	31
35-49	1327	8.0	57	1	2	6	11	16	20	33
50-64	1779	9.0	65	2	2	7	12	19	24	36
65+	2059	10.4	94	2	2	8	14	21	28	51
GRAND TOTAL	**8245**	**8.5**	**62**	**1**	**2**	**7**	**11**	**18**	**22**	**37**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.1	4	1	1	3	4	5	7	9
20-34	279	2.7	3	1	1	2	3	5	5	9
35-49	311	2.7	6	1	1	2	3	5	6	8
50-64	195	2.9	4	1	1	2	4	5	6	10
65+	48	4.3	10	1	1	3	5	9	11	15
B. *Operated*										
0-19 YRS	23	4.7	10	1	1	4	8	9	10	11
20-34	155	6.0	14	2	2	5	8	11	12	19
35-49	167	6.8	24	2	2	5	9	13	16	28
50-64	188	7.5	33	2	2	6	9	15	20	26
65+	156	6.4	25	1	2	5	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.0	9	1	1	3	5	6	11	14
20-34	125	3.8	9	1	1	3	5	7	9	16
35-49	142	3.7	6	1	1	3	5	7	9	12
50-64	175	4.4	19	1	1	3	5	8	10	21
65+	112	6.1	35	1	1	5	7	12	16	34
B. *Operated*										
0-19 YRS	27	6.8	69	1	2	4	8	13	19	44
20-34	148	9.2	59	2	2	8	12	18	22	40
35-49	163	9.6	114	2	2	6	11	19	30	46
50-64	351	8.7	40	2	2	7	12	16	21	31
65+	551	11.0	60	2	3	9	15	21	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	865	2.8	5	1	1	2	4	5	6	10
B. *Operated*	689	6.7	24	2	2	5	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	573	4.4	17	1	1	3	5	9	11	22
B. *Operated*	1240	9.9	63	2	2	8	13	19	25	38
1. SINGLE DX	1554	4.5	17	1	1	3	6	9	12	20
2. MULTIPLE DX	1813	8.1	55	1	2	6	11	17	22	37
A. NOT OPERATED	1438	3.5	10	1	1	3	4	6	9	14
B. OPERATED	1929	8.7	51	2	2	7	11	17	22	35
TOTAL 0-19 YRS	101	4.6	25	1	1	3	6	9	11	29
20-34	707	5.0	24	1	1	3	6	10	14	23
35-49	783	5.2	40	1	1	3	6	11	15	33
50-64	909	6.4	33	1	2	5	8	14	17	28
65+	867	9.2	54	2	2	7	12	19	23	33
GRAND TOTAL	**3367**	**6.5**	**40**	**1**	**1**	**4**	**8**	**14**	**18**	**31**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	407	3.6	28	1	1	3	4	6	7	17
20-34	383	3.4	6	1	1	3	4	6	7	13
35-49	174	4.0	6	1	2	4	5	7	8	14
50-64	120	3.5	5	1	1	3	5	6	7	13
65+	140	5.0	9	1	2	5	6	9	10	15
B. *Operated*										
0-19 YRS	609	2.8	7	1	1	2	3	6	7	16
20-34	874	3.4	8	1	1	2	4	7	9	13
35-49	686	3.4	9	1	1	2	4	7	9	14
50-64	801	3.6	18	1	1	3	4	7	9	16
65+	693	4.2	13	1	1	3	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	541	4.0	6	1	2	4	5	7	9	12
20-34	701	4.8	12	1	2	4	6	8	11	17
35-49	467	6.0	16	2	2	5	8	11	13	21
50-64	587	6.8	25	2	3	6	8	12	15	25
65+	1335	8.8	51	2	3	7	11	16	21	33
B. *Operated*										
0-19 YRS	1133	3.3	8	1	1	2	4	7	8	14
20-34	2035	5.1	22	1	1	4	7	11	14	23
35-49	1765	5.7	28	1	2	4	7	12	16	25
50-64	2066	6.4	44	1	2	4	8	14	18	33
65+	2691	8.1	58	2	2	6	11	16	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1224	3.8	14	1	1	3	5	6	8	14
B. *Operated*	3663	3.5	11	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	3631	6.6	32	2	2	5	8	12	16	28
B. *Operated*	9690	6.1	38	1	2	4	8	13	17	30
1. SINGLE DX	4887	3.6	12	1	1	3	4	7	9	15
2. MULTIPLE DX	13321	6.3	36	1	2	5	8	13	17	30
A. NOT OPERATED	4855	5.9	29	1	2	5	7	11	15	25
B. OPERATED	13353	5.4	32	1	1	4	7	11	15	28
TOTAL 0-19 YRS	2690	3.4	11	1	1	3	4	6	8	13
20-34	3993	4.5	16	1	1	3	6	9	12	20
35-49	3092	5.1	22	1	1	4	7	10	13	22
50-64	3574	5.8	35	1	2	4	7	12	16	29
65+	4859	7.7	51	2	2	6	10	15	20	34
GRAND TOTAL	**18208**	**5.5**	**31**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.3	1	1	1	2	3	4	5	5
20-34	24	2.8	2	1	1	3	4	4	5	5
35-49	14	3.6	6	<1	<1	3	5	7	9	9
50-64	27	4.3	13	1	1	3	6	9	11	17
65+	40	5.5	22	1	1	4	6	13	17	19
B. *Operated*										
0-19 YRS	2120	2.0	10	<1	1	1	2	3	5	11
20-34	907	3.4	8	1	1	2	4	6	9	16
35-49	587	3.6	10	1	1	3	4	7	10	15
50-64	662	3.6	11	1	1	3	4	7	9	17
65+	709	4.6	14	1	2	3	6	8	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.8	6	<1	1	2	3	6	9	90
20-34	67	3.9	8	1	1	3	5	7	9	15
35-49	44	6.2	24	1	2	5	8	12	16	24
50-64	53	6.0	21	1	2	5	8	13	16	20
65+	187	7.5	88	1	2	5	9	15	18	55
B. *Operated*										
0-19 YRS	2204	2.4	9	<1	1	2	3	4	7	12
20-34	1818	4.1	16	1	1	3	4	8	11	20
35-49	1377	4.8	24	1	2	3	6	10	14	25
50-64	1771	5.6	29	1	2	4	7	12	16	25
65+	2273	7.2	37	2	2	5	9	15	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	3.8	11	1	1	3	5	7	11	18
B. *Operated*	4985	3.0	11	1	1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	411	5.9	50	1	1	4	7	13	16	30
B. *Operated*	9443	4.8	26	1	1	3	6	11	14	24
1. SINGLE DX	5127	3.1	11	1	1	2	4	6	8	15
2. MULTIPLE DX	9854	4.9	27	1	1	3	6	11	15	24
A. NOT OPERATED	553	5.3	41	1	1	4	6	11	15	22
B. OPERATED	14428	4.2	22	1	1	3	5	9	13	22
TOTAL 0-19 YRS	4421	2.2	9	<1	1	2	2	4	6	12
20-34	2816	3.8	13	1	1	3	4	7	11	18
35-49	2022	4.5	20	1	1	3	5	9	13	22
50-64	2513	5.1	25	1	2	3	6	11	15	23
65+	3209	6.6	36	2	2	5	8	14	18	28
GRAND TOTAL	**14981**	**4.2**	**22**	**1**	**1**	**3**	**5**	**9**	**13**	**22**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1704	3.5	7	1	1	3	5	6	7	11
20-34	962	4.0	8	1	1	3	5	7	9	13
35-49	467	4.0	8	1	1	3	5	7	9	14
50-64	436	4.7	10	1	2	4	6	9	11	14
65+	705	5.8	21	1	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	1297	2.6	7	1	1	2	3	5	8	13
20-34	1320	3.4	10	1	1	2	4	7	9	14
35-49	1069	3.8	21	1	1	2	4	8	11	21
50-64	1258	4.3	24	1	1	3	5	8	11	20
65+	1161	5.3	26	1	2	4	6	11	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2265	4.6	11	1	2	4	5	8	10	16
20-34	2126	5.3	16	1	2	4	7	10	12	21
35-49	1472	6.5	23	2	2	5	8	12	15	25
50-64	2150	7.1	27	2	2	6	9	13	16	26
65+	6748	9.2	44	2	3	8	12	17	21	35
B. *Operated*										
0-19 YRS	2052	3.7	19	1	1	2	5	8	10	20
20-34	2617	5.4	31	1	1	4	7	11	15	29
35-49	2436	6.0	44	1	1	4	8	12	17	33
50-64	3610	6.8	47	1	2	5	9	14	19	32
65+	5638	9.8	82	2	2	7	12	20	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4274	4.2	11	1	1	4	5	7	9	15
B. *Operated*	6105	3.9	18	1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	14761	7.3	34	2	2	6	9	14	18	30
B. *Operated*	16353	7.1	57	1	1	5	9	15	21	39
1. SINGLE DX	10379	4.0	15	1	1	3	5	8	10	18
2. MULTIPLE DX	31114	7.2	46	1	2	5	9	15	19	35
A. NOT OPERATED	19035	6.6	31	1	2	5	8	13	17	28
B. OPERATED	22458	6.2	49	1	1	4	8	13	18	36
TOTAL 0-19 YRS	7318	3.7	12	1	1	3	5	7	9	15
20-34	7025	4.8	20	1	1	4	6	9	12	22
35-49	5444	5.5	32	1	1	4	7	11	15	27
50-64	7454	6.4	36	1	2	5	8	13	17	29
65+	14252	8.9	59	2	2	7	11	17	22	40
GRAND TOTAL	**41493**	**6.4**	**40**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.3	5	3	3	3	6	7	7	7
35-49	14	3.8	11	<1	1	3	6	10	11	11
50-64	98	4.3	13	1	1	3	6	9	12	17
65+	173	5.0	18	1	1	3	7	10	14	20
B. *Operated*										
0-19 YRS	11	5.2	12	1	2	5	8	38	91	99+
20-34	48	3.5	9	1	1	2	5	7	9	16
35-49	350	5.1	15	1	1	4	7	10	12	21
50-64	3712	6.8	17	2	2	6	9	12	14	19
65+	5881	8.5	25	2	3	8	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	6	4.0	1	3	3	4	4	6	6	6
35-49	36	6.5	118	1	2	4	6	9	12	68
50-64	326	5.7	23	1	2	4	7	11	14	26
65+	1068	7.2	48	1	2	5	9	15	22	36
B. *Operated*										
0-19 YRS	32	7.2	24	1	1	7	10	13	16	22
20-34	79	4.5	14	1	1	3	6	11	13	16
35-49	486	6.6	39	1	2	5	9	12	17	26
50-64	5819	8.8	34	2	2	8	11	16	19	30
65+	13641	11.3	56	3	5	9	14	20	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	4.7	16	1	1	3	7	10	12	20
B. *Operated*	10002	7.7	23	2	2	7	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	1437	6.8	45	1	2	5	8	14	19	33
B. *Operated*	20057	10.4	51	2	4	9	13	19	24	37
1. SINGLE DX	10291	7.6	23	2	2	7	9	13	16	24
2. MULTIPLE DX	21494	10.2	51	2	3	9	13	19	24	36
A. NOT OPERATED	1726	6.5	40	1	2	5	8	14	19	32
B. OPERATED	30059	9.5	43	2	3	8	12	17	22	34
TOTAL 0-19 YRS	45	6.7	22	1	1	6	9	14	17	99+
20-34	136	4.1	12	1	1	3	5	9	12	16
35-49	886	6.0	33	1	2	5	8	11	14	24
50-64	9955	7.9	28	2	2	7	10	14	18	28
65+	20763	10.3	49	2	4	9	13	18	24	36
GRAND TOTAL	**31785**	**9.4**	**43**	**2**	**3**	**8**	**12**	**17**	**22**	**34**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	2	1	1	3	4	5	5	6
20-34	148	3.5	5	1	1	3	5	6	7	14
35-49	139	4.1	5	2	2	4	5	7	8	13
50-64	121	4.5	8	1	2	4	6	7	9	18
65+	69	5.0	9	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	70	2.3	3	1	1	2	2	4	6	10
20-34	469	2.6	4	1	1	2	3	5	6	9
35-49	504	2.8	6	1	1	2	3	5	7	13
50-64	403	3.5	9	1	1	2	4	7	9	15
65+	190	4.2	12	1	2	3	5	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.0	4	1	2	4	5	8	8	8
20-34	179	4.3	8	1	2	4	6	7	9	18
35-49	231	5.1	12	1	2	4	6	9	12	16
50-64	344	5.4	10	2	2	5	6	9	11	16
65+	302	6.9	21	2	3	6	8	12	15	27
B. *Operated*										
0-19 YRS	61	3.3	6	1	1	2	4	7	8	14
20-34	609	4.1	20	1	1	3	5	8	10	18
35-49	738	4.6	19	1	1	3	6	9	13	17
50-64	942	5.9	23	1	2	5	8	11	14	24
65+	650	8.2	45	2	2	6	11	17	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	498	4.1	7	1	2	4	5	7	9	16
B. *Operated*	1636	3.1	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1081	5.5	14	2	2	5	7	10	13	19
B. *Operated*	3000	5.6	28	1	1	4	7	12	15	25
1. SINGLE DX	2134	3.3	7	1	1	2	4	6	8	14
2. MULTIPLE DX	4081	5.6	24	1	2	4	7	11	14	24
A. NOT OPERATED	1579	5.1	12	1	2	4	6	9	12	18
B. OPERATED	4636	4.7	22	1	1	3	6	10	13	23
TOTAL 0-19 YRS	177	3.0	4	1	1	2	4	6	8	11
20-34	1405	3.6	12	1	1	3	4	7	9	16
35-49	1612	4.1	14	1	1	3	5	8	11	16
50-64	1810	5.2	17	1	2	4	7	10	13	22
65+	1211	7.0	34	2	2	5	9	14	19	30
GRAND TOTAL	**6215**	**4.8**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.1	2	<1	<1	2	3	5	5	6
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	6	3.7	4	1	1	4	5	6	6	6
50-64	6	4.2	6	<1	<1	4	6	8	8	8
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	672	2.6	3	1	1	2	3	4	5	8
20-34	240	3.7	3	2	2	3	4	6	7	11
35-49	265	3.9	4	2	2	3	5	6	7	12
50-64	497	4.1	4	2	2	4	5	6	8	13
65+	284	4.7	6	2	3	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	1.7	2	<1	<1	1	2	3	5	7
20-34	8	2.4	3	1	1	2	4	5	5	5
35-49	4	6.8	38	2	2	5	11	15	15	15
50-64	11	5.1	18	<1	<1	3	10	11	11	11
65+	26	6.1	21	2	2	4	8	12	16	22
B. *Operated*										
0-19 YRS	594	3.1	19	1	1	2	3	5	6	10
20-34	155	4.0	4	2	2	4	5	6	7	11
35-49	225	4.8	13	2	2	4	5	8	11	18
50-64	519	5.6	27	2	3	5	6	10	13	19
65+	439	6.9	30	2	3	5	8	13	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.0	4	<1	<1	2	5	6	7	8
B. *Operated*	1958	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	94	3.6	14	<1	<1	2	4	9	11	19
B. *Operated*	1932	4.9	24	1	2	4	6	9	12	20
1. SINGLE DX	2000	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX	2026	4.8	23	1	2	4	6	9	12	20
A. NOT OPERATED	136	3.4	11	<1	<1	2	4	8	11	16
B. OPERATED	3890	4.2	14	1	2	3	5	7	10	16
TOTAL 0-19 YRS	1336	2.8	10	1	1	2	3	4	6	9
20-34	406	3.8	4	2	2	3	4	6	7	11
35-49	500	4.3	8	2	2	4	5	7	9	15
50-64	1033	4.9	16	2	2	4	5	8	11	17
65+	751	6.0	22	2	3	5	7	10	14	21
GRAND TOTAL	**4026**	**4.2**	**14**	**1**	**2**	**3**	**5**	**7**	**10**	**16**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	336	4.5	8	1	2	4	6	8	10	13
20-34	588	4.7	8	1	2	4	6	8	9	14
35-49	267	5.5	10	2	2	5	7	9	11	16
50-64	181	6.2	10	2	3	6	8	10	12	19
65+	114	7.3	16	2	3	7	9	12	16	23
B. *Operated*										
0-19 YRS	99	5.0	12	1	2	4	7	9	11	20
20-34	243	4.7	11	1	1	4	5	9	12	19
35-49	155	5.2	14	1	2	4	7	10	13	16
50-64	113	6.3	15	2	3	5	8	11	14	22
65+	82	7.7	34	3	3	6	9	17	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	5.3	17	2	2	4	6	9	11	26
20-34	207	5.2	8	2	2	5	6	9	11	15
35-49	177	6.4	9	2	3	6	8	11	12	15
50-64	281	6.9	11	2	3	6	9	12	13	17
65+	296	7.8	18	3	3	7	9	13	17	24
B. *Operated*										
0-19 YRS	74	5.6	16	1	1	4	7	11	14	20
20-34	160	6.8	44	1	2	5	8	13	18	40
35-49	174	6.4	26	2	2	5	8	12	15	43
50-64	243	8.0	33	2	3	7	10	15	20	28
65+	206	10.9	64	2	3	9	14	21	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1486	5.2	10	1	2	5	7	9	11	17
B. *Operated*	692	5.5	16	1	2	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	1064	6.6	14	2	3	6	8	11	13	19
B. *Operated*	857	7.9	43	2	2	6	10	15	20	38
1. SINGLE DX	2178	5.3	12	1	2	4	7	9	11	19
2. MULTIPLE DX	1921	7.2	27	2	3	6	9	13	17	28
A. NOT OPERATED	2550	5.8	12	2	2	5	7	10	12	18
B. OPERATED	1549	6.8	32	2	2	5	9	13	17	30
TOTAL 0-19 YRS	612	4.9	12	1	2	4	6	9	11	17
20-34	1198	5.0	14	1	2	4	6	9	11	18
35-49	773	5.9	14	2	2	5	8	10	13	17
50-64	818	7.0	19	2	3	6	9	12	15	23
65+	698	8.6	35	3	3	7	10	16	20	36
GRAND TOTAL	**4099**	**6.2**	**20**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1033	2.0	1	1	1	2	2	3	3	6
20-34	366	2.2	1	1	1	2	2	3	4	5
35-49	162	2.2	1	1	1	2	2	3	4	7
50-64	111	2.8	34	1	1	2	3	4	4	28
65+	50	2.6	3	1	1	2	3	4	5	11
B. *Operated*										
0-19 YRS	1409	2.0	4	<1	1	2	2	3	3	5
20-34	604	2.5	17	1	1	2	3	3	4	9
35-49	289	2.3	2	1	1	2	2	3	4	8
50-64	188	2.4	2	1	1	2	3	4	4	9
65+	116	3.4	18	1	2	2	3	5	9	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	2.2	2	<1	<1	2	2	4	5	9
20-34	136	3.0	6	1	2	2	3	4	8	14
35-49	118	3.8	10	1	1	3	4	8	11	16
50-64	109	4.2	12	1	2	3	5	9	12	17
65+	90	5.2	34	1	2	4	6	9	13	38
B. *Operated*										
0-19 YRS	462	2.5	3	1	1	2	3	4	5	9
20-34	465	2.9	5	1	2	2	3	5	7	10
35-49	329	3.3	8	1	1	2	4	6	9	18
50-64	327	3.8	11	1	2	3	4	7	10	19
65+	274	5.9	32	1	2	4	8	13	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1722	2.1	3	1	1	2	2	3	4	6
B. *Operated*	2606	2.2	7	1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	662	3.4	11	1	1	2	4	7	10	16
B. *Operated*	1857	3.5	11	1	1	2	4	7	10	19
1. SINGLE DX	4328	2.2	6	1	1	2	2	3	4	8
2. MULTIPLE DX	2519	3.4	11	1	1	2	4	7	10	18
A. NOT OPERATED	2384	2.5	6	1	1	2	2	4	5	12
B. OPERATED	4463	2.7	9	1	1	2	3	4	6	16
TOTAL 0-19 YRS	3113	2.1	3	<1	1	2	2	3	4	8
20-34	1571	2.6	9	1	1	2	3	4	5	10
35-49	898	2.8	5	1	1	2	3	5	7	15
50-64	735	3.4	13	1	1	2	4	6	9	17
65+	530	4.9	28	1	2	3	5	11	15	28
GRAND TOTAL	**6847**	**2.6**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**14**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.2	5	<1	1	2	3	4	5	11
20-34	169	2.8	4	1	1	2	3	6	8	9
35-49	95	3.0	4	1	1	2	4	6	6	12
50-64	51	2.8	4	1	1	3	3	4	5	15
65+	35	3.8	7	1	2	3	5	8	10	11
B. *Operated*										
0-19 YRS	965	2.9	4	1	1	2	4	5	6	12
20-34	1042	2.9	4	1	1	2	3	5	6	10
35-49	631	3.2	5	1	2	3	4	5	7	13
50-64	462	3.9	6	2	2	3	5	7	8	12
65+	145	4.2	16	1	2	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	3.2	5	<1	1	3	4	6	8	12
20-34	131	4.2	15	1	1	3	5	10	12	20
35-49	107	4.2	13	1	1	3	5	10	13	17
50-64	113	4.6	16	1	1	3	6	9	12	23
65+	98	7.5	36	2	2	5	11	15	18	31
B. *Operated*										
0-19 YRS	402	3.5	5	1	1	3	4	6	8	12
20-34	699	3.9	16	1	2	3	4	7	10	18
35-49	517	4.8	24	1	2	3	6	9	12	29
50-64	639	5.9	53	2	2	4	7	11	15	34
65+	369	7.5	53	2	2	5	9	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	482	2.7	5	1	1	2	3	5	7	11
B. *Operated*	3245	3.2	5	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	550	4.7	19	1	1	3	6	11	13	20
B. *Operated*	2626	5.0	32	1	2	3	6	10	14	28
1. SINGLE DX	3727	3.1	5	1	1	3	4	5	7	12
2. MULTIPLE DX	3176	5.0	29	1	2	3	6	10	14	27
A. NOT OPERATED	1032	3.8	13	1	1	3	4	8	11	18
B. OPERATED	5871	4.0	18	1	2	3	4	7	10	21
TOTAL 0-19 YRS	1600	3.1	5	1	1	2	4	5	7	12
20-34	2041	3.3	9	1	1	3	4	5	8	15
35-49	1350	3.9	14	1	2	3	4	7	10	20
50-64	1265	5.0	31	1	2	4	6	9	12	24
65+	647	6.5	42	2	2	4	8	14	18	34
GRAND TOTAL	**6903**	**4.0**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	7	<1	<1	2	3	7	9	9
20-34	50	2.6	7	1	1	2	3	4	5	18
35-49	89	3.0	8	<1	1	2	3	7	10	15
50-64	48	2.3	2	<1	1	2	3	4	6	8
65+	6	2.3	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	397	2.2	2	<1	1	2	2	3	4	10
20-34	2763	2.6	5	1	1	2	3	4	5	10
35-49	5667	2.6	4	1	2	2	3	4	5	9
50-64	2452	2.8	6	1	2	2	3	4	6	11
65+	701	3.0	4	2	2	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	11	<1	<1	2	8	8	8	8
20-34	72	4.1	12	<1	1	4	5	8	10	19
35-49	99	4.6	9	<1	1	4	6	9	11	57
50-64	53	4.5	20	1	2	3	5	7	12	30
65+	23	5.0	17	1	1	4	6	10	14	19
B. *Operated*										
0-19 YRS	91	3.3	17	1	2	2	3	5	7	29
20-34	1205	3.7	11	1	2	3	4	7	10	19
35-49	2969	3.8	10	1	2	3	4	8	10	17
50-64	1736	4.0	16	2	2	3	5	8	10	17
65+	736	4.9	16	2	2	4	6	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	2.7	6	<1	1	2	3	4	8	15
B. *Operated*	11980	2.7	5	1	2	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	257	4.5	13	1	1	4	6	8	11	19
B. *Operated*	6737	4.0	13	1	2	3	5	8	10	18
1. SINGLE DX	12181	2.7	5	1	2	2	3	4	5	10
2. MULTIPLE DX	6994	4.0	13	1	2	3	5	8	10	18
A. NOT OPERATED	458	3.7	11	<1	1	3	5	8	10	18
B. OPERATED	18717	3.1	8	1	2	2	3	5	8	14
TOTAL 0-19 YRS	506	2.4	5	<1	1	2	3	4	5	12
20-34	4090	3.0	7	1	1	2	3	5	7	14
35-49	8824	3.1	7	1	2	2	3	5	7	13
50-64	4289	3.3	11	1	2	2	3	6	8	15
65+	1466	4.0	11	2	2	3	5	8	10	19
GRAND TOTAL	**19175**	**3.1**	**8**	**1**	**2**	**2**	**3**	**5**	**8**	**14**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.5	4	1	2	3	4	6	8	10
20-34	138	3.5	4	1	1	3	5	6	8	10
35-49	58	4.1	6	<1	1	4	6	8	9	10
50-64	31	3.9	8	<1	<1	4	7	8	9	11
65+	20	4.6	6	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	760	3.1	4	1	2	3	4	5	6	11
20-34	1403	3.2	4	1	1	3	4	6	7	11
35-49	857	3.3	7	1	2	3	4	6	7	14
50-64	577	3.5	8	1	2	3	4	6	8	14
65+	296	3.9	15	2	2	3	4	7	9	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.1	11	<1	1	4	5	7	8	20
20-34	120	4.7	11	<1	1	4	6	9	10	18
35-49	82	4.6	16	1	1	4	6	9	11	24
50-64	71	6.0	26	1	1	5	8	12	17	27
65+	77	7.1	41	1	2	5	9	15	19	32
B. *Operated*										
0-19 YRS	178	3.9	9	2	2	3	5	7	9	14
20-34	602	4.7	15	1	2	4	5	8	12	20
35-49	669	4.6	14	1	2	4	5	8	10	18
50-64	588	5.4	30	2	2	4	6	10	14	32
65+	346	5.9	43	2	2	4	7	10	15	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	3.7	5	1	1	3	5	7	8	10
B. *Operated*	3893	3.3	6	1	2	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	401	5.3	21	1	1	4	6	10	14	26
B. *Operated*	2383	5.0	22	2	2	4	6	9	12	25
1. SINGLE DX	4204	3.3	6	1	2	3	4	6	7	12
2. MULTIPLE DX	2784	5.0	22	1	2	4	6	9	13	25
A. NOT OPERATED	712	4.6	15	1	1	4	6	9	10	21
B. OPERATED	6276	3.9	13	1	2	3	5	7	9	17
TOTAL 0-19 YRS	1053	3.3	5	1	2	3	4	6	7	12
20-34	2263	3.7	8	1	1	3	5	6	8	14
35-49	1666	3.9	11	1	2	3	5	7	9	16
50-64	1267	4.5	20	1	2	3	5	8	12	26
65+	739	5.2	32	2	2	3	6	9	14	29
GRAND TOTAL	**6988**	**4.0**	**13**	**1**	**2**	**3**	**5**	**7**	**9**	**18**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	426	3.1	4	1	1	3	4	6	7	10
20-34	827	2.8	4	1	1	2	3	5	7	11
35-49	145	3.2	3	1	1	3	4	5	6	10
50-64	10	4.3	15	1	1	3	7	10	13	13
65+	4	4.0	16	2	2	2	6	10	10	10
B. *Operated*										
0-19 YRS	840	5.1	8	1	2	5	6	8	10	15
20-34	2579	5.3	10	1	2	5	7	9	10	16
35-49	620	6.7	13	2	2	6	8	11	13	20
50-64	103	7.7	21	2	4	7	8	11	16	30
65+	47	10.6	31	4	5	9	12	17	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	3.9	7	1	1	3	5	7	9	14
20-34	657	4.0	11	1	1	3	5	7	9	16
35-49	159	4.9	11	1	1	4	7	9	12	16
50-64	21	4.5	10	1	1	4	6	9	11	13
65+	27	6.7	30	2	2	5	9	11	21	25
B. *Operated*										
0-19 YRS	812	6.0	16	2	2	6	7	9	12	24
20-34	4427	6.8	20	2	2	6	8	11	14	23
35-49	1687	8.2	21	2	4	7	9	13	17	25
50-64	247	10.0	29	3	5	9	12	17	20	34
65+	115	13.5	71	6	7	11	15	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1412	2.9	4	1	1	2	4	5	7	10
B. *Operated*	4189	5.6	11	1	2	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	1135	4.2	11	1	1	3	5	8	10	16
B. *Operated*	7288	7.3	22	2	3	7	8	12	15	25
1. SINGLE DX	5601	4.9	11	1	2	5	7	9	10	16
2. MULTIPLE DX	8423	6.8	22	2	2	6	8	11	15	24
A. NOT OPERATED	2547	3.5	7	1	1	3	4	7	8	13
B. OPERATED	11477	6.6	19	2	2	6	8	11	14	23
TOTAL 0-19 YRS	2349	4.9	11	1	2	4	6	8	10	16
20-34	8490	5.7	16	1	2	5	7	10	12	19
35-49	2611	7.4	19	2	2	7	9	12	15	23
50-64	381	8.9	28	2	4	8	11	15	18	33
65+	193	11.6	61	2	4	10	14	21	25	41
GRAND TOTAL	**14024**	**6.1**	**18**	**1**	**2**	**6**	**8**	**10**	**13**	**22**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1941	4.7	14	2	2	4	6	8	9	13
20-34	4210	4.9	8	2	2	4	6	8	10	14
35-49	430	6.1	31	2	3	5	7	10	12	21
50-64	40	6.1	20	2	3	4	7	11	17	22
65+	20	8.0	64	3	3	5	8	21	30	31
B. *Operated*										
0-19 YRS	561	5.7	13	1	2	5	8	10	12	17
20-34	2774	5.4	16	1	2	5	7	10	12	20
35-49	601	7.0	21	2	2	7	9	12	15	24
50-64	104	7.3	30	1	2	7	9	11	15	34
65+	21	10.7	137	1	1	6	12	29	39	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1202	5.3	8	2	2	5	7	9	10	14
20-34	3356	6.0	24	2	3	5	7	10	12	20
35-49	552	6.4	11	2	3	6	8	11	12	18
50-64	84	7.3	25	2	3	6	8	14	18	27
65+	38	11.2	49	4	5	10	14	19	27	36
B. *Operated*										
0-19 YRS	1028	7.0	18	2	2	6	9	12	15	22
20-34	7216	6.8	21	2	2	6	9	12	15	23
35-49	1928	9.0	35	2	3	8	11	15	19	35
50-64	275	10.8	50	2	3	9	14	19	26	34
65+	92	17.8	246	3	4	13	21	36	52	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6641	4.9	12	2	2	4	6	8	10	15
B. *Operated*	4061	5.8	18	1	2	5	8	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	5232	5.9	20	2	3	5	7	10	12	19
B. *Operated*	10539	7.5	28	2	2	7	9	13	17	27
1. SINGLE DX	10702	5.2	14	2	2	5	7	9	11	17
2. MULTIPLE DX	15771	7.0	26	2	2	6	9	12	15	25
A. NOT OPERATED	11873	5.4	16	2	2	5	7	9	11	17
B. OPERATED	14600	7.0	26	2	2	6	9	12	16	26
TOTAL 0-19 YRS	4732	5.4	14	2	2	5	7	9	11	18
20-34	17556	6.0	18	2	2	5	8	10	13	21
35-49	3511	7.9	30	2	3	7	9	13	17	29
50-64	503	9.1	42	2	3	8	11	17	22	31
65+	171	14.3	180	3	4	10	17	32	42	66
GRAND TOTAL	**26473**	**6.3**	**22**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.1	3	1	1	2	5	5	6	6
20-34	148	3.7	6	1	1	3	5	7	9	12
35-49	41	3.8	6	1	1	3	6	7	8	10
50-64	3	3.0	1	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	131	3.6	8	1	1	2	5	7	9	18
20-34	2196	4.9	13	1	1	5	7	8	10	14
35-49	1064	6.9	18	2	2	7	8	9	11	19
50-64	87	6.3	12	1	2	7	8	9	11	19
65+	11	5.8	14	1	1	6	9	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	4	1	1	3	4	5	8	9
20-34	159	4.2	8	1	1	4	6	8	9	14
35-49	83	5.4	22	<1	1	4	7	10	12	28
50-64	13	7.1	19	2	3	5	11	14	14	14
65+										
B. *Operated*										
0-19 YRS	150	4.7	9	1	2	4	7	8	11	13
20-34	5209	6.5	17	1	2	7	8	10	12	19
35-49	5227	8.1	13	3	5	8	9	11	14	21
50-64	752	9.1	27	5	6	8	10	13	16	27
65+	58	9.6	18	2	5	9	11	14	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	3.7	5	1	1	3	5	7	9	11
B. *Operated*	3489	5.5	15	1	2	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	279	4.6	13	1	1	4	6	9	11	14
B. *Operated*	11396	7.4	16	2	2	7	9	11	13	20
1. SINGLE DX	3696	5.4	15	1	2	6	7	9	10	15
2. MULTIPLE DX	11675	7.3	16	2	2	7	9	11	13	20
A. NOT OPERATED	486	4.2	10	1	1	3	5	8	9	14
B. OPERATED	14885	6.9	17	2	2	7	8	10	13	19
TOTAL 0-19 YRS	320	4.0	8	1	1	3	6	7	9	14
20-34	7712	5.9	16	1	2	6	8	9	11	17
35-49	6415	7.8	14	2	5	7	9	11	13	20
50-64	855	8.7	26	3	5	8	10	13	16	25
65+	69	9.0	19	2	2	9	11	14	15	25
GRAND TOTAL	**15371**	**6.9**	**17**	**2**	**2**	**7**	**8**	**10**	**13**	**19**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.1	5	<1	<1	2	5	6	7	7
20-34	23	3.5	6	1	1	3	5	6	8	11
35-49	7	3.6	5	1	1	3	5	7	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	65	2.9	10	1	1	2	3	4	6	22
20-34	803	3.1	10	1	1	2	3	5	7	11
35-49	432	2.9	4	1	1	2	3	6	8	10
50-64	187	2.6	4	1	1	2	3	4	5	12
65+	54	3.3	5	1	2	3	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.2	7	<1	1	2	5	7	8	12
20-34	85	4.2	13	<1	1	3	6	8	11	19
35-49	31	5.2	23	1	1	3	6	12	16	21
50-64	10	6.0	10	2	2	6	8	10	12	12
65+	9	4.4	5	2	2	4	5	8	9	9
B. *Operated*										
0-19 YRS	125	3.2	4	1	2	3	4	6	8	10
20-34	2491	4.1	10	1	2	3	6	8	10	15
35-49	1934	5.3	16	1	2	4	8	10	12	21
50-64	621	5.0	17	1	2	3	7	10	13	19
65+	200	6.0	40	2	2	4	8	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.6	5	1	1	3	5	6	7	11
B. *Operated*	1541	3.0	7	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	163	4.3	13	1	1	3	6	9	12	20
B. *Operated*	5371	4.7	14	1	2	3	7	9	11	18
1. SINGLE DX	1582	3.0	7	1	1	2	3	5	7	11
2. MULTIPLE DX	5534	4.7	14	1	2	3	7	9	11	18
A. NOT OPERATED	204	4.2	12	1	1	3	5	8	11	18
B. OPERATED	6912	4.3	13	1	2	3	6	9	11	17
TOTAL 0-19 YRS	227	3.1	6	1	1	2	4	5	8	12
20-34	3402	3.9	10	1	2	3	5	8	10	15
35-49	2404	4.8	15	1	2	3	7	10	12	18
50-64	819	4.5	15	1	2	3	6	10	12	18
65+	264	5.4	32	2	2	3	7	10	13	21
GRAND TOTAL	**7116**	**4.3**	**13**	**1**	**2**	**3**	**6**	**9**	**11**	**17**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	175	4.0	5	1	1	3	5	7	9	12
20-34	371	3.9	7	1	1	3	5	6	8	14
35-49	69	3.9	11	1	1	3	5	7	7	23
50-64	21	3.8	6	<1	<1	4	5	7	8	9
65+	14	5.9	22	1	2	4	8	15	15	15
B. Operated										
0-19 YRS	293	2.7	3	1	1	2	3	5	5	12
20-34	1846	2.7	4	1	1	2	3	4	6	11
35-49	757	2.7	3	1	1	2	3	4	6	9
50-64	277	3.1	7	1	1	3	4	5	7	16
65+	58	3.6	6	1	2	3	5	6	8	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	4.7	8	1	2	4	6	8	11	15
20-34	492	4.5	7	1	2	4	6	8	10	13
35-49	178	6.2	19	2	2	5	8	12	15	24
50-64	65	7.0	17	2	3	6	10	13	15	19
65+	36	7.5	15	3	3	7	9	13	14	21
B. Operated										
0-19 YRS	208	3.6	6	1	1	3	5	8	9	12
20-34	1392	4.1	16	1	1	3	5	8	11	19
35-49	767	4.7	18	1	1	3	6	9	12	24
50-64	253	4.6	20	1	2	3	6	10	14	27
65+	129	6.8	29	2	2	5	9	13	20	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	650	4.0	7	1	1	3	5	7	8	14
B. Operated	3231	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	967	5.2	11	1	2	4	6	9	12	17
B. Operated	2749	4.4	17	1	1	3	5	9	12	21
1. SINGLE DX	3881	2.9	5	1	1	2	3	5	6	12
2. MULTIPLE DX	3716	4.6	16	1	2	3	6	9	12	20
A. NOT OPERATED	1617	4.7	10	1	2	4	6	8	11	16
B. OPERATED	5980	3.5	11	1	1	2	4	7	9	18
TOTAL 0-19 YRS	872	3.6	6	1	1	3	5	7	9	13
20-34	4101	3.5	9	1	1	3	4	7	9	15
35-49	1721	3.9	12	1	1	3	5	8	10	20
50-64	616	4.2	15	1	1	3	5	9	11	19
65+	287	6.3	22	2	2	5	8	12	15	23
GRAND TOTAL	**7597**	**3.8**	**11**	**1**	**1**	**3**	**4**	**7**	**10**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	5.8	12	<1	<1	6	7	10	11	11
35-49	33	5.8	15	<1	1	6	8	10	12	18
50-64	34	4.3	13	<1	1	3	8	9	11	16
65+	32	5.6	11	1	2	5	8	10	12	14
B. Operated										
0-19 YRS	13	5.5	6	2	2	5	7	8	10	11
20-34	867	6.7	9	2	3	6	8	10	12	16
35-49	1367	7.8	11	4	5	7	9	11	13	19
50-64	1859	8.4	12	4	5	8	10	12	15	22
65+	1210	9.0	15	4	5	8	10	13	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.0	128	<1	<1	8	17	17	17	17
20-34	69	4.1	10	<1	1	4	6	8	9	14
35-49	132	5.0	19	1	1	4	7	10	12	22
50-64	159	5.5	15	1	1	5	8	10	13	18
65+	211	6.4	26	1	1	5	9	12	16	25
B. Operated										
0-19 YRS	31	6.5	12	2	2	6	8	13	13	15
20-34	2821	7.6	11	2	4	7	9	11	13	18
35-49	5575	8.8	16	4	5	8	10	13	16	23
50-64	4523	9.7	18	5	6	9	11	15	17	26
65+	3227	10.7	28	5	6	9	12	17	20	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	5.3	13	<1	1	5	8	10	11	17
B. Operated	5316	8.1	12	4	5	8	9	12	14	20
2. MULTIPLE DX										
A. Not Operated	573	5.6	20	1	1	4	8	11	14	21
B. Operated	16177	9.2	19	4	5	8	11	14	17	26
1. SINGLE DX	5430	8.0	13	3	5	8	9	12	14	20
2. MULTIPLE DX	16750	9.1	20	4	5	8	11	14	17	26
A. NOT OPERATED	687	5.5	19	1	1	5	8	11	13	19
B. OPERATED	21493	9.0	18	4	5	8	10	14	16	25
TOTAL 0-19 YRS	47	6.2	13	1	2	6	7	13	14	17
20-34	3771	7.3	11	2	4	7	9	11	13	18
35-49	7107	8.6	16	4	5	8	10	13	15	23
50-64	6575	9.2	17	4	5	8	11	14	17	25
65+	4680	10.0	26	4	5	9	12	16	19	30
GRAND TOTAL	**22180**	**8.8**	**18**	**4**	**5**	**8**	**10**	**14**	**16**	**25**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	3	<1	1	2	3	5	6	7
20-34	29	3.2	18	<1	<1	2	3	4	16	20
35-49	8	3.6	8	<1	<1	3	5	8	9	9
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	51	1.9	1	<1	1	2	2	3	4	5
20-34	527	2.2	3	<1	1	2	2	3	5	9
35-49	529	2.3	7	<1	1	2	2	3	6	12
50-64	87	2.1	3	<1	1	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	4	1	1	2	5	6	6	6
20-34	50	3.8	10	<1	1	3	5	7	11	17
35-49	29	3.9	11	<1	<1	2	6	8	12	12
50-64	3	6.3	70	1	1	2	12	16	16	16
B. *Operated*										
0-19 YRS	48	4.5	119	1	1	2	4	6	10	77
20-34	668	3.6	10	1	1	2	4	8	10	17
35-49	817	4.3	15	1	1	2	7	9	11	19
50-64	145	4.2	19	1	1	2	6	9	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.0	12	<1	1	2	3	5	9	20
B. *Operated*	1194	2.2	5	<1	1	2	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*	93	3.8	11	<1	1	3	5	8	12	17
B. *Operated*	1678	4.0	16	1	1	2	6	9	11	18
1. SINGLE DX	1247	2.2	5	<1	1	2	2	3	6	11
2. MULTIPLE DX	1771	4.0	16	1	1	2	6	9	11	18
A. NOT OPERATED	146	3.5	11	<1	1	2	4	7	11	17
B. OPERATED	2872	3.2	12	1	1	2	3	8	9	16
TOTAL 0-19 YRS	125	3.0	48	1	1	2	3	5	6	28
20-34	1274	3.0	8	<1	1	2	3	6	8	16
35-49	1383	3.5	12	1	1	2	4	8	10	18
50-64	236	3.4	14	1	1	2	3	8	11	17
GRAND TOTAL	**3018**	**3.3**	**12**	**1**	**1**	**2**	**3**	**8**	**9**	**16**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	346	2.5	4	<1	1	2	3	4	5	12
20-34	811	2.6	12	<1	1	2	3	5	6	8
35-49	250	2.5	4	<1	1	2	3	5	7	9
50-64	28	2.3	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	1107	2.3	2	1	1	2	2	4	5	8
20-34	9892	2.4	7	<1	1	2	2	4	6	10
35-49	7534	2.4	5	<1	1	2	2	5	7	11
50-64	1102	2.2	4	<1	1	2	2	3	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	3.7	7	1	1	3	5	7	9	15
20-34	915	3.6	10	1	1	3	5	7	9	16
35-49	504	4.0	12	1	1	3	5	8	10	16
50-64	71	3.8	10	1	1	3	5	8	12	15
B. *Operated*										
0-19 YRS	987	3.4	13	1	1	2	4	7	9	14
20-34	12382	4.1	12	1	1	3	6	8	10	16
35-49	13566	4.9	16	1	1	3	7	9	11	18
50-64	1792	4.7	16	1	1	3	7	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1435	2.5	9	<1	1	2	3	4	6	9
B. *Operated*	19635	2.4	6	<1	1	2	2	4	7	10
2. MULTIPLE DX										
A. *Not Operated*	1793	3.7	10	1	1	3	5	7	10	15
B. *Operated*	28727	4.5	15	1	1	3	7	9	11	17
1. SINGLE DX	21070	2.4	6	<1	1	2	2	4	7	10
2. MULTIPLE DX	30520	4.4	14	1	1	3	7	9	11	17
A. NOT OPERATED	3228	3.2	10	1	1	2	4	6	8	14
B. OPERATED	48362	3.6	12	1	1	2	5	8	10	15
TOTAL 0-19 YRS	2743	2.9	7	1	1	2	3	5	7	13
20-34	24000	3.3	11	1	1	2	4	7	9	14
35-49	21854	4.0	14	1	1	2	6	9	10	16
50-64	2993	3.7	13	1	1	2	5	9	10	16
GRAND TOTAL	**51590**	**3.6**	**12**	**1**	**1**	**2**	**5**	**8**	**10**	**15**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	5	1	1	3	5	5	5	5
20-34	4	7.3	86	1	1	3	12	21	21	21
35-49	28	3.7	4	1	2	3	5	7	9	9
50-64	62	3.0	9	<1	1	2	3	6	8	17
65+	18	2.8	4	<1	1	2	4	6	7	8
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	15	3.7	13	<1	1	2	4	11	11	11
35-49	667	2.0	1	<1	1	2	2	3	4	8
50-64	2227	2.0	2	<1	1	2	2	3	4	8
65+	427	2.7	8	1	1	2	3	4	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.8	17	2	2	4	9	12	12	12
35-49	93	4.6	9	1	2	4	6	8	10	16
50-64	151	4.3	18	1	1	3	5	9	11	15
65+	107	6.4	27	1	1	5	9	13	17	28
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	13	5.3	8	1	2	6	7	9	9	9
35-49	780	3.7	10	1	1	2	5	8	10	16
50-64	3138	3.6	15	1	1	2	4	8	10	18
65+	1013	4.9	32	1	2	3	6	10	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.3	9	<1	1	2	4	6	9	19
B. *Operated*	3338	2.1	3	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	356	5.0	19	1	1	4	6	10	13	19
B. *Operated*	4946	3.9	18	1	1	2	5	9	11	20
1. SINGLE DX	3454	2.2	3	<1	1	2	2	3	4	9
2. MULTIPLE DX	5302	4.0	18	1	1	2	5	9	11	20
A. NOT OPERATED	472	4.6	17	1	1	3	6	10	12	19
B. OPERATED	8284	3.2	12	1	1	2	3	7	9	17
TOTAL 0-19 YRS	8	2.1	3	<1	<1	1	3	5	5	5
20-34	37	4.9	18	1	1	3	7	10	12	21
35-49	1568	3.0	7	1	1	2	3	7	9	13
50-64	5578	3.0	10	1	1	2	3	7	9	15
65+	1565	4.4	26	1	1	2	5	10	13	24
GRAND TOTAL	**8756**	**3.3**	**13**	**1**	**1**	**2**	**3**	**7**	**10**	**17**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.7	5	<1	1	2	3	5	6	12
20-34	254	2.5	3	1	1	2	3	5	6	9
35-49	102	2.7	7	<1	1	2	3	5	7	14
50-64	46	3.0	4	1	1	2	4	6	8	9
65+	31	3.4	9	1	1	2	4	8	12	12
B. *Operated*										
0-19 YRS	423	2.9	7	<1	1	2	3	6	8	11
20-34	3905	3.1	9	1	1	2	3	6	8	13
35-49	3001	3.2	11	1	1	2	3	7	9	17
50-64	2051	3.1	12	1	1	2	3	7	9	16
65+	467	3.7	12	1	2	2	4	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	3.8	10	1	1	3	5	8	9	17
20-34	379	3.5	11	<1	1	3	5	7	9	15
35-49	222	4.6	19	<1	1	3	6	9	12	25
50-64	114	5.4	23	1	1	4	8	10	15	25
65+	131	7.4	35	1	2	6	9	15	18	31
B. *Operated*										
0-19 YRS	385	4.0	9	1	1	3	5	8	9	14
20-34	5040	4.6	17	1	1	3	7	9	11	19
35-49	6319	5.3	20	1	1	4	8	10	12	20
50-64	3875	5.4	29	1	1	3	8	11	14	26
65+	1182	7.6	84	2	2	5	9	16	22	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	2.7	4	1	1	2	3	5	6	12
B. *Operated*	9847	3.2	10	1	1	2	3	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	942	4.6	19	<1	1	3	6	9	12	24
B. *Operated*	16801	5.3	26	1	1	3	7	10	13	23
1. SINGLE DX	10397	3.1	10	1	1	2	3	7	8	15
2. MULTIPLE DX	17743	5.2	25	1	1	3	7	10	13	24
A. NOT OPERATED	1492	3.9	14	1	1	3	5	8	11	19
B. OPERATED	26648	4.5	21	1	1	3	6	9	11	21
TOTAL 0-19 YRS	1021	3.3	8	1	1	2	4	7	9	13
20-34	9578	3.9	13	1	1	3	5	8	9	17
35-49	9644	4.6	18	1	1	3	7	9	11	19
50-64	6086	4.6	24	1	1	3	7	9	12	23
65+	1811	6.5	64	1	2	4	8	14	19	41
GRAND TOTAL	**28140**	**4.4**	**21**	**1**	**1**	**3**	**6**	**9**	**11**	**21**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	545	2.4	10	1	1	2	3	4	5	11
20-34	610	2.5	4	1	1	2	3	5	6	10
35-49	96	3.3	8	1	1	3	4	7	9	14
50-64	27	4.3	10	1	1	3	7	9	11	12
65+	8	6.1	3	4	4	6	7	9	10	10
B. *Operated*										
0-19 YRS	336	2.9	7	1	1	2	3	5	7	15
20-34	2934	3.3	12	<1	1	2	5	7	8	13
35-49	1018	7.0	15	1	2	7	9	11	13	19
50-64	608	9.[illegible]	17	2	3	9	11	14	16	21
65+	245	[illegible]	28	2	3	10	12	16	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	285	3.2	5	1	1	3	4	6	8	12
20-34	667	3.4	21	<1	1	2	4	7	9	20
35-49	186	4.4	11	1	1	4	6	8	10	18
50-64	70	5.5	15	1	1	5	7	11	14	17
65+	56	7.8	74	1	2	6	9	15	19	59
B. *Operated*										
0-19 YRS	335	4.3	14	1	1	3	6	9	11	20
20-34	5573	5.0	16	1	1	5	7	9	11	18
35-49	2897	7.9	19	2	2	8	10	13	15	22
50-64	1252	10.1	26	2	4	9	12	16	19	29
65+	539	12.1	56	2	4	11	14	20	26	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1286	2.6	7	1	1	2	3	5	6	11
B. *Operated*	5141	5.0	19	1	1	3	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	1264	3.8	19	<1	1	3	5	7	10	18
B. *Operated*	10596	6.7	25	1	2	6	9	12	15	24
1. SINGLE DX	6427	4.5	18	1	1	3	7	10	12	18
2. MULTIPLE DX	11860	6.4	25	1	2	6	9	12	15	24
A. NOT OPERATED	2550	3.2	13	1	1	2	4	6	8	15
B. OPERATED	15737	6.2	24	1	1	6	8	12	14	23
TOTAL 0-19 YRS	1501	3.1	10	1	1	2	4	6	8	13
20-34	9784	4.2	15	1	1	3	6	8	10	16
35-49	4197	7.4	19	1	2	7	9	12	14	21
50-64	1957	9.5	24	2	3	9	12	15	18	27
65+	848	11.2	50	2	3	10	14	19	23	35
GRAND TOTAL	18287	5.7	23	1	1	5	8	11	14	22

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.1	1	1	1	2	3	3	4	4
20-34	55	3.8	16	<1	1	3	5	7	10	25
35-49	6	5.0	10	<1	<1	5	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	179	5.8	4	3	4	6	7	8	9	12
20-34	2167	6.2	10	3	4	6	7	8	10	13
35-49	174	6.8	7	4	5	6	7	10	11	17
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	5	<1	<1	3	4	7	8	8
20-34	23	5.3	24	<1	1	4	6	9	17	24
35-49	3	6.7	22	3	3	5	10	12	12	12
50-64										
B. *Operated*										
0-19 YRS	144	6.6	8	4	5	6	7	9	12	30
20-34	1740	6.7	8	4	4	6	8	10	11	18
35-49	245	8.0	15	4	5	7	9	13	17	21
50-64	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.6	13	<1	1	2	4	7	9	23
B. *Operated*	2521	6.2	9	3	4	6	7	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	35	4.9	19	<1	1	4	6	8	13	24
B. *Operated*	2130	6.9	9	4	4	6	8	10	12	19
1. SINGLE DX	2599	6.1	10	3	4	6	7	8	10	14
2. MULTIPLE DX	2165	6.8	9	4	4	6	8	10	12	20
A. NOT OPERATED	113	4.0	15	<1	1	3	5	7	10	25
B. OPERATED	4651	6.5	9	4	4	6	7	9	11	17
TOTAL 0-19 YRS	349	5.9	7	2	3	6	7	8	10	17
20-34	3985	6.4	9	3	4	6	7	9	10	16
35-49	428	7.5	12	4	5	7	8	11	14	21
50-64	2	7.5	5	6	6	7	9	9	9	9
GRAND TOTAL	4764	6.4	10	3	4	6	7	9	11	17

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	1.4	1	<1	<1	1	2	2	3	7
20-34	203	1.4	1	<1	<1	1	1	2	3	6
35-49	18	2.9	10	<1	<1	1	4	7	10	12
50-64										
B. *Operated*										
0-19 YRS	3121	1.4	1	<1	<1	1	2	2	3	4
20-34	5940	1.5	3	<1	<1	1	2	2	3	6
35-49	619	1.4	1	<1	<1	<1	2	2	3	6
50-64	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.6	4	1	1	2	4	5	7	7
20-34	34	1.9	1	<1	<1	2	2	3	4	4
35-49	7	1.4		1	1	1	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	378	2.5	8	<1	<1	2	3	6	7	12
20-34	1690	2.7	11	<1	<1	2	3	6	8	16
35-49	541	2.6	7	<1	<1	2	3	6	8	14
50-64	3	2.7	2	<1	<1	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	1.5	2	<1	<1	1	1	2	4	8
B. *Operated*	9682	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	56	2.0	2	<1	1	2	3	4	5	7
B. *Operated*	2612	2.7	10	<1	<1	2	3	6	8	15
1. SINGLE DX	10032	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX	2668	2.7	10	<1	<1	2	3	6	8	15
A. NOT OPERATED	406	1.5	2	<1	<1	1	2	3	4	7
B. OPERATED	12294	1.7	4	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	3643	1.5	2	<1	<1	1	2	2	3	7
20-34	7867	1.8	5	<1	<1	1	2	3	4	9
35-49	1185	2.0	4	<1	<1	1	2	4	6	10
50-64	5	2.4	1	<1	<1	2	3	4	4	4
GRAND TOTAL	**12700**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	15	3.0	6	<1	<1	2	4	6	9	10
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
B. *Operated*										
0-19 YRS										
20-34	11	6.2	43	<1	1	4	8	16	23	24
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	5	1	1	2	4	6	6	6
B. *Operated*	19	2.8	5	<1	<1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	11	6.2	43	<1	1	4	8	16	23	24
1. SINGLE DX	23	2.8	5	<1	<1	2	3	6	8	10
2. MULTIPLE DX	12	6.0	40	<1	1	4	7	14	23	24
A. NOT OPERATED	5	3.2	4	1	1	3	4	6	6	6
B. OPERATED	30	4.0	21	<1	<1	3	5	9	10	24
TOTAL 0-19 YRS	5	2.2	1	<1	<1	2	3	3	3	3
20-34	29	4.3	21	<1	<1	3	5	9	11	24
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**35**	**3.9**	**18**	**<1**	**<1**	**3**	**5**	**8**	**10**	**24**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	617	1.9	2	<1	1	2	2	3	4	8
20-34	2052	1.9	2	<1	1	1	2	3	4	7
35-49	163	1.9	2	<1	1	2	2	3	5	9
50-64	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	4369	1.9	5	<1	1	2	2	3	4	8
20-34	20223	1.8	3	<1	1	1	2	3	4	8
35-49	2193	1.9	5	<1	1	1	2	3	4	9
50-64	17	3.5	24	1	1	2	4	8	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	3.2	7	1	1	2	4	6	10	13
20-34	323	2.8	8	<1	1	2	3	5	7	12
35-49	35	2.7	4	<1	1	2	3	5	7	9
50-64										
B. *Operated*										
0-19 YRS	630	2.7	5	1	1	2	3	5	7	10
20-34	3168	3.0	16	1	1	2	4	6	8	13
35-49	595	3.1	16	1	1	2	3	6	8	22
50-64	4	2.3	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2834	1.9	2	<1	1	1	2	3	4	7
B. *Operated*	26802	1.8	3	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	447	2.9	7	1	1	2	3	6	7	12
B. *Operated*	4397	3.0	15	1	1	2	3	6	8	14
1. SINGLE DX	29636	1.8	3	<1	1	1	2	3	4	8
2. MULTIPLE DX	4844	3.0	14	1	1	2	3	6	8	13
A. NOT OPERATED	3281	2.0	3	<1	1	2	2	4	5	9
B. OPERATED	31199	2.0	5	<1	1	1	2	3	5	9
TOTAL 0-19 YRS	5705	2.0	5	<1	1	2	2	4	5	9
20-34	25766	2.0	5	<1	1	1	2	3	5	9
35-49	2986	2.2	7	<1	1	2	2	4	5	12
50-64	23	3.3	18	1	1	2	4	5	13	21
GRAND TOTAL	**34480**	**2.0**	**5**	**<1**	**1**	**1**	**2**	**4**	**5**	**9**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	3.0	4	<1	1	2	4	6	7	9
20-34	393	2.7	4	<1	1	2	3	5	6	11
35-49	33	3.5	13	<1	<1	2	4	7	10	18
50-64										
B. *Operated*										
0-19 YRS	294	2.4	3	<1	1	2	3	5	6	9
20-34	2715	2.1	3	<1	1	2	2	4	5	9
35-49	236	2.3	6	<1	1	2	3	4	5	13
50-64	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.4	4	1	1	3	4	6	8	9
20-34	118	3.5	12	<1	1	2	4	6	9	21
35-49	13	7.5	58	<1	1	5	8	23	24	24
50-64										
B. *Operated*										
0-19 YRS	122	5.3	111	1	1	3	5	9	11	75
20-34	689	3.4	9	1	1	2	4	7	9	16
35-49	112	4.4	17	1	1	3	5	9	11	23
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	545	2.8	4	<1	1	2	4	5	6	11
B. *Operated*	3248	2.2	3	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	172	3.8	14	1	1	3	5	7	9	23
B. *Operated*	923	3.7	24	1	1	2	4	7	10	19
1. SINGLE DX	3793	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1095	3.7	23	1	1	2	4	7	10	21
A. NOT OPERATED	717	3.0	7	<1	1	2	4	6	7	15
B. OPERATED	4171	2.5	8	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	576	3.2	27	<1	1	2	4	6	7	12
20-34	3915	2.4	4	<1	1	2	3	4	6	11
35-49	394	3.2	13	<1	1	2	3	6	9	22
50-64	3	4.7	14	2	2	3	7	9	9	9
GRAND TOTAL	**4888**	**2.6**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	815	2.7	5	1	1	2	3	5	6	10
20-34	3821	2.8	6	1	1	2	3	5	6	10
35-49	207	3.1	42	1	1	2	3	5	6	11
50-64	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	26	2.4	3	<1	1	2	3	5	7	8
20-34	106	2.8	5	<1	1	2	3	5	6	12
35-49	8	2.0	1	1	1	2	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	3.3	5	1	1	3	4	7	8	10
20-34	710	4.0	11	1	1	3	5	7	9	17
35-49	40	3.6	4	1	1	3	5	6	8	8
50-64										
B. *Operated*										
0-19 YRS	14	4.4	14	1	1	4	6	10	13	14
20-34	70	4.8	28	1	1	3	6	9	10	32
35-49	7	5.1	10	1	1	6	7	9	10	10
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4845	2.8	7	1	1	2	3	5	6	10
B. *Operated*	140	2.7	4	<1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	904	3.9	10	1	1	3	5	7	9	16
B. *Operated*	91	4.8	24	1	1	4	6	9	10	32
1. SINGLE DX	4985	2.8	7	1	1	2	3	5	6	10
2. MULTIPLE DX	995	4.0	11	1	1	3	5	7	9	16
A. NOT OPERATED	5749	3.0	8	1	1	2	4	5	7	11
B. OPERATED	231	3.5	13	1	1	3	4	7	9	18
TOTAL 0-19 YRS	1009	2.8	5	1	1	2	3	5	7	10
20-34	4707	3.0	7	1	1	2	4	5	7	11
35-49	262	3.2	34	1	1	2	4	5	7	11
50-64	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**5980**	**3.0**	**8**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.5	6	<1	<1	2	3	5	8	15
20-34	229	2.7	5	<1	1	2	3	6	7	11
35-49	10	1.7	2	<1	<1	1	2	4	5	5
50-64										
B. *Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	13	2.8	3	1	1	3	4	5	6	6
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	2	<1	<1	2	3	5	6	6
20-34	68	3.0	5	<1	1	3	4	6	8	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	3	3.7	5	<1	<1	5	5	5	5	5
20-34	14	4.6	8	1	2	4	8	9	9	9
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	2.6	5	<1	1	2	3	6	7	11
B. *Operated*	16	2.7	2	<1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	85	2.9	4	<1	<1	3	4	5	7	10
B. *Operated*	17	4.4	7	<1	1	4	6	9	9	9
1. SINGLE DX	303	2.6	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	102	3.2	5	<1	1	3	4	6	8	10
A. NOT OPERATED	372	2.7	5	<1	1	2	3	5	7	11
B. OPERATED	33	3.6	6	<1	1	3	5	8	9	9
TOTAL 0-19 YRS	70	2.6	5	<1	<1	2	3	5	6	14
20-34	324	2.8	5	<1	1	2	4	6	8	10
35-49	11	1.8	2	<1	<1	1	3	4	5	5
50-64										
GRAND TOTAL	**405**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**6**	**7**	**10**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	441	3.9	16	1	2	3	4	7	9	14
20-34	1715	3.8	13	1	2	3	4	6	8	16
35-49	166	4.1	7	<1	2	4	5	8	8	15
50-64	3	4.0	3	3	3	3	5	6	6	6
B. *Operated*										
0-19 YRS	43	5.4	102	<1	1	3	5	8	11	68
20-34	205	4.3	17	<1	<1	3	5	9	12	27
35-49	20	4.6	9	<1	1	4	6	8	11	13
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	4.0	8	1	1	3	4	8	9	15
20-34	576	4.3	11	1	1	3	5	8	10	16
35-49	82	5.4	13	1	2	5	7	9	13	20
50-64	1	28.0		28	28	28	28	28	28	28
B. *Operated*										
0-19 YRS	28	5.4	19	1	2	4	6	11	18	19
20-34	151	4.9	18	<1	<1	4	7	9	11	19
35-49	12	5.0	6	1	2	5	7	8	8	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2325	3.9	13	1	2	3	5	7	8	15
B. *Operated*	268	4.5	30	<1	<1	3	5	8	12	28
2. MULTIPLE DX										
A. *Not Operated*	785	4.4	11	1	1	3	5	8	11	17
B. *Operated*	191	4.9	17	<1	1	4	7	9	11	19
1. SINGLE DX	2593	3.9	15	1	2	3	5	7	9	17
2. MULTIPLE DX	976	4.5	12	1	1	4	6	8	11	18
A. NOT OPERATED	3110	4.0	13	1	2	3	5	7	9	16
B. OPERATED	459	4.7	25	<1	1	4	6	9	12	26
TOTAL 0-19 YRS	638	4.1	20	1	2	3	5	7	9	16
20-34	2647	4.0	13	1	1	3	5	7	9	17
35-49	280	4.6	9	1	2	4	6	8	9	16
50-64	4	10.0	146	3	3	5	17	28	28	28
GRAND TOTAL	**3569**	**4.1**	**14**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	596	3.6	5	1	2	3	4	6	7	13
20-34	2148	4.2	9	1	2	4	5	7	9	15
35-49	44	4.3	6	1	2	4	6	8	9	11
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	18	3.0	5	1	1	2	4	6	8	10
20-34	72	2.3	7	<1	1	1	2	5	8	17
35-49	7	2.7	4	1	1	2	4	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	4.1	7	1	2	3	5	7	10	16
20-34	751	4.6	15	1	2	4	5	8	11	22
35-49	17	5.5	10	2	3	5	7	9	12	13
50-64										
B. *Operated*										
0-19 YRS	7	5.7	6	2	2	6	8	8	8	8
20-34	60	8.3	92	1	1	6	8	17	35	45
35-49	3	7.0	1	6	6	7	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2789	4.1	8	1	2	3	5	7	8	14
B. *Operated*	97	2.5	7	1	1	2	3	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	1003	4.5	13	1	2	4	5	8	10	21
B. *Operated*	71	7.9	79	1	2	6	8	16	30	45
1. SINGLE DX	2886	4.0	8	1	2	3	5	7	8	14
2. MULTIPLE DX	1074	4.7	18	1	2	4	5	8	11	25
A. NOT OPERATED	3792	4.2	9	1	2	4	5	7	9	15
B. OPERATED	168	4.8	44	1	1	3	6	9	16	43
TOTAL 0-19 YRS	856	3.7	6	1	2	3	4	6	8	14
20-34	3031	4.3	12	1	2	4	5	7	9	18
35-49	71	4.6	7	1	2	4	6	8	9	13
50-64	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**3960**	**4.2**	**11**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4938	1.3	3	<1	<1	<1	1	1	2	7
20-34	16572	1.3	5	<1	<1	<1	1	1	2	6
35-49	756	1.3	1	<1	<1	1	1	2	3	7
50-64	11	1.1		<1	<1	<1	1	2	2	2
B. *Operated*										
0-19 YRS	284	1.4	2	<1	<1	1	1	2	3	8
20-34	1133	1.4	3	<1	<1	1	1	2	3	9
35-49	55	1.4	1	<1	<1	1	1	2	4	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	370	1.7	2	<1	<1	1	2	3	4	8
20-34	1343	1.8	4	<1	<1	1	2	4	5	11
35-49	76	1.9	4	<1	<1	1	2	4	6	12
50-64	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	54	2.3	2	<1	<1	2	3	4	6	7
20-34	223	2.9	13	<1	<1	1	3	7	9	21
35-49	14	2.0	2	<1	<1	1	3	4	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22277	1.3	4	<1	<1	<1	1	1	2	6
B. *Operated*	1472	1.4	3	<1	<1	1	1	2	3	9
2. MULTIPLE DX										
A. *Not Operated*	1791	1.8	4	<1	<1	1	2	4	5	10
B. *Operated*	291	2.8	11	<1	<1	2	3	6	8	20
1. SINGLE DX	23749	1.3	4	<1	<1	1	1	1	2	6
2. MULTIPLE DX	2082	1.9	5	<1	<1	1	2	4	5	11
A. NOT OPERATED	24068	1.3	4	<1	<1	1	1	2	2	7
B. OPERATED	1763	1.6	4	<1	<1	1	1	3	4	11
TOTAL 0-19 YRS	5646	1.3	3	<1	<1	1	1	2	3	7
20-34	19271	1.3	5	<1	<1	1	1	2	3	7
35-49	901	1.4	2	<1	<1	1	1	2	3	7
50-64	13	1.1		<1	<1	<1	1	2	2	2
GRAND TOTAL	**25831**	**1.3**	**4**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.5	24	<1	1	2	4	6	15	28
20-34	815	3.6	14	<1	1	3	4	7	10	22
35-49	72	4.9	46	1	1	3	5	11	18	42
50-64	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	7	2.6	1	1	1	2	4	4	4	4
20-34	79	5.1	54	<1	1	3	5	10	20	86
35-49	5	5.4	21	1	1	4	8	13	13	13
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.2	4	<1	1	3	4	6	7	8
20-34	203	4.1	15	<1	1	3	5	8	11	21
35-49	15	3.7	5	2	2	3	4	5	10	11
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	3	5.3	2	4	4	5	6	7	7	7
20-34	30	6.3	20	2	2	5	8	12	13	23
35-49	3	3.7	5	1	1	5	5	5	5	5
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	992	3.7	18	<1	1	3	4	7	10	22
B. *Operated*	91	4.9	48	<1	1	3	5	10	19	81
2. MULTIPLE DX										
A. *Not Operated*	248	3.9	13	<1	1	3	5	8	11	21
B. *Operated*	36	6.0	18	1	2	5	7	12	13	23
1. SINGLE DX	1083	3.8	20	<1	1	3	4	7	11	23
2. MULTIPLE DX	284	4.2	14	<1	1	3	5	8	11	22
A. NOT OPERATED	1240	3.7	17	<1	1	3	4	7	10	22
B. OPERATED	127	5.2	40	<1	1	4	5	11	15	65
TOTAL 0-19 YRS	143	3.4	18	<1	1	2	4	6	8	22
20-34	1127	3.9	17	<1	1	3	4	7	11	23
35-49	95	4.7	37	1	1	3	5	10	16	36
50-64	2	4.5	13	2	2	4	7	7	7	7
GRAND TOTAL	**1367**	**3.9**	**19**	**<1**	**1**	**3**	**4**	**7**	**11**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	282	2.0	2	<1	<1	2	3	4	5	8
20-34	1073	2.5	9	<1	<1	2	3	5	6	12
35-49	61	2.5	5	<1	1	2	3	4	5	14
50-64										
B. *Operated*										
0-19 YRS	21	3.1	9	<1	1	2	3	7	10	14
20-34	114	3.4	23	<1	1	2	4	6	9	32
35-49	8	4.1	53	<1	<1	1	3	16	22	22
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	2.6	4	<1	1	2	3	5	8	11
20-34	282	3.0	6	<1	1	2	4	5	8	13
35-49	17	2.9	3	<1	1	2	4	5	6	7
50-64										
B. *Operated*										
0-19 YRS	8	3.3	8	<1	<1	2	5	8	8	8
20-34	48	3.6	6	<1	<1	3	5	7	8	9
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1416	2.4	7	<1	<1	2	3	4	6	12
B. *Operated*	143	3.4	23	<1	1	2	4	6	10	27
2. MULTIPLE DX										
A. *Not Operated*	374	2.9	5	<1	1	2	4	5	8	13
B. *Operated*	58	3.5	6	<1	<1	3	5	7	8	9
1. SINGLE DX	1559	2.5	9	<1	<1	2	3	5	6	12
2. MULTIPLE DX	432	3.0	5	<1	1	2	4	6	8	12
A. NOT OPERATED	1790	2.5	7	<1	<1	2	3	5	6	12
B. OPERATED	201	3.4	18	<1	1	2	4	7	9	24
TOTAL 0-19 YRS	386	2.2	3	<1	<1	2	3	4	6	9
20-34	1517	2.7	9	<1	<1	2	3	5	7	13
35-49	88	2.7	8	<1	1	2	3	5	6	19
50-64										
GRAND TOTAL	**1991**	**2.6**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	457	3.2	4	<1	<1	3	4	6	7	11
20-34	980	3.2	11	<1	<1	3	4	6	7	11
35-49	26	3.5	3	<1	1	3	5	6	7	7
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	44	4.0	3	1	2	4	5	6	8	8
20-34	108	3.9	11	1	1	3	5	7	9	19
35-49	5	2.2	2	<1	<1	2	3	4	4	4
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	3.9	5	<1	1	4	5	7	8	10
20-34	901	3.8	7	<1	1	3	5	7	8	13
35-49	42	4.2	5	<1	1	4	6	7	8	9
50-64	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	59	4.8	12	1	1	4	6	10	12	17
20-34	169	5.7	18	1	2	5	7	9	12	27
35-49	13	6.5	24	3	3	4	8	16	18	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1464	3.2	8	<1	<1	3	4	6	7	11
B. *Operated*	157	3.9	8	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1344	3.9	7	<1	1	3	5	7	8	12
B. *Operated*	241	5.5	17	1	2	5	7	10	12	20
1. SINGLE DX	1621	3.3	9	<1	<1	3	4	6	7	11
2. MULTIPLE DX	1585	4.1	9	<1	1	4	5	7	9	16
A. NOT OPERATED	2808	3.5	8	<1	1	3	5	6	7	11
B. OPERATED	398	4.9	14	1	1	4	6	8	11	19
TOTAL 0-19 YRS	960	3.6	5	<1	1	3	5	6	8	11
20-34	2158	3.7	10	<1	1	3	5	6	8	16
35-49	86	4.2	8	<1	1	4	5	7	9	17
50-64	2	6.5	61	1	1	6	12	12	12	12
GRAND TOTAL	**3206**	**3.7**	**9**	**<1**	**1**	**3**	**5**	**6**	**8**	**13**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	4.7	18	<1	1	3	6	10	14	21
20-34	588	4.7	16	1	1	4	6	9	12	22
35-49	61	5.9	82	1	2	4	6	8	13	64
50-64	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	10	5.3	12	2	2	4	7	11	12	12
20-34	66	5.4	38	<1	<1	3	6	13	15	35
35-49	14	8.0	287	<1	<1	3	6	16	55	66
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	4.6	58	<1	1	3	5	9	11	18
20-34	1529	4.7	22	<1	1	4	6	9	12	20
35-49	118	5.6	18	1	2	5	7	12	14	21
50-64										
B. *Operated*										
0-19 YRS	36	8.7	79	1	2	5	12	25	30	34
20-34	202	5.6	31	<1	<1	4	7	12	18	27
35-49	24	4.5	17	<1	<1	3	6	10	13	16
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	4.8	21	1	1	4	6	9	12	25
B. *Operated*	90	5.8	72	<1	<1	3	6	13	15	54
2. MULTIPLE DX										
A. *Not Operated*	1983	4.8	28	<1	1	4	6	9	12	21
B. *Operated*	262	5.9	37	<1	<1	4	7	13	19	30
1. SINGLE DX	851	4.9	27	<1	1	4	6	10	12	26
2. MULTIPLE DX	2245	4.9	29	<1	1	4	6	10	13	24
A. NOT OPERATED	2744	4.8	26	<1	1	4	6	9	12	21
B. OPERATED	352	5.9	46	<1	<1	4	7	13	18	34
TOTAL 0-19 YRS	493	4.9	50	<1	1	3	5	10	13	29
20-34	2385	4.8	22	<1	1	4	6	10	13	23
35-49	217	5.7	52	<1	1	4	6	11	14	41
50-64	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**3096**	**4.9**	**29**	**<1**	**1**	**4**	**6**	**10**	**13**	**25**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	814	2.5	12	<1	<1	1	3	5	7	15
20-34	2994	2.7	10	<1	<1	2	3	5	8	17
35-49	132	2.9	7	<1	<1	2	3	6	10	13
50-64	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	216	3.2	9	<1	<1	2	4	6	8	17
20-34	1936	3.3	7	<1	1	3	4	6	7	12
35-49	115	3.6	10	<1	1	3	4	6	8	18
50-64	3	2.7	8	1	1	1	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	388	3.3	10	<1	<1	2	4	6	8	19
20-34	1488	3.7	26	<1	<1	2	4	7	10	27
35-49	79	3.6	8	<1	<1	3	5	7	10	12
50-64										
B. *Operated*										
0-19 YRS	119	5.4	28	<1	<1	4	7	10	16	33
20-34	828	4.5	32	<1	1	3	6	8	11	18
35-49	73	5.6	26	<1	1	5	7	10	16	26
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3942	2.7	10	<1	<1	2	3	5	8	15
B. *Operated*	2270	3.3	7	<1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	1955	3.6	22	<1	<1	2	4	7	10	24
B. *Operated*	1021	4.7	31	<1	1	3	6	8	11	23
1. SINGLE DX	6212	2.9	9	<1	<1	2	4	6	8	15
2. MULTIPLE DX	2976	4.0	25	<1	<1	3	5	8	11	24
A. NOT OPERATED	5897	3.0	14	<1	<1	2	4	6	9	19
B. OPERATED	3291	3.7	15	<1	1	3	5	7	8	16
TOTAL 0-19 YRS	1537	3.0	13	<1	<1	2	4	6	8	18
20-34	7246	3.3	15	<1	<1	2	4	6	9	17
35-49	399	3.7	13	<1	1	3	5	8	10	20
50-64	6	3.3	9	1	1	2	6	8	8	8
GRAND TOTAL	**9188**	**3.2**	**15**	**<1**	**<1**	**2**	**4**	**6**	**9**	**17**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	4.2	67	2	2	3	4	5	6	51
20-34	337	3.8	5	2	2	3	4	5	6	12
35-49	15	5.8	52	2	3	4	4	9	25	31
50-64										
B. *Operated*										
0-19 YRS	39	5.8	47	2	2	3	6	10	18	40
20-34	244	5.6	36	2	3	4	6	10	17	31
35-49	12	5.8	8	3	3	5	8	10	11	11
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	4.0	9	2	2	3	4	6	8	19
20-34	674	3.8	4	2	2	3	4	6	7	14
35-49	41	4.6	19	1	2	4	5	7	9	29
50-64										
B. *Operated*										
0-19 YRS	180	7.0	65	2	3	4	7	14	24	53
20-34	1011	7.9	66	3	3	5	8	17	25	41
35-49	110	9.4	89	2	3	6	10	22	29	47
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	3.9	20	2	2	3	4	5	6	15
B. *Operated*	295	5.7	36	2	3	4	6	10	17	34
2. MULTIPLE DX										
A. *Not Operated*	848	3.9	6	2	2	3	4	6	7	16
B. *Operated*	1301	7.9	68	3	3	5	8	17	25	43
1. SINGLE DX	739	4.6	27	2	2	4	4	7	11	26
2. MULTIPLE DX	2149	6.3	47	2	3	4	6	12	20	38
A. NOT OPERATED	1292	3.9	11	2	2	3	4	5	7	15
B. OPERATED	1596	7.5	63	2	3	5	8	16	23	42
TOTAL 0-19 YRS	444	5.4	48	2	2	4	5	9	16	49
20-34	2266	5.8	39	2	3	4	6	11	17	35
35-49	178	7.7	68	2	3	5	8	20	25	42
50-64										
GRAND TOTAL	**2888**	**5.9**	**43**	**2**	**3**	**4**	**6**	**10**	**18**	**36**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17937	3.3	5	2	2	3	4	4	5	7
20-34	95631	3.4	4	2	2	3	4	5	5	7
35-49	3611	3.5	2	2	2	3	4	5	5	7
50-64	55	3.2	1	2	2	3	4	4	5	8
B. *Operated*										
0-19 YRS	4533	3.3	2	2	2	3	4	4	5	7
20-34	25215	3.5	4	2	2	3	4	5	5	7
35-49	1020	3.7	3	2	2	4	4	5	6	8
50-64	14	3.5		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	946	3.8	4	2	2	3	4	5	7	10
20-34	4326	3.8	4	2	2	3	4	5	6	10
35-49	220	4.0	5	2	2	3	4	6	7	13
50-64	2	13.0	200	3	3	13	23	23	23	23
B. *Operated*										
0-19 YRS	532	3.9	3	2	2	4	4	6	7	11
20-34	12399	4.2	3	3	3	4	5	6	6	9
35-49	1320	4.6	8	3	3	4	5	6	7	11
50-64	9	4.2		3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117234	3.4	4	2	2	3	4	4	5	7
B. *Operated*	30782	3.5	3	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	5494	3.8	4	2	2	3	4	5	6	11
B. *Operated*	14260	4.2	4	3	3	4	5	6	6	10
1. SINGLE DX	148016	3.4	4	2	2	3	4	5	5	7
2. MULTIPLE DX	19754	4.1	4	2	3	4	5	6	6	10
A. NOT OPERATED	122728	3.4	4	2	2	3	4	5	5	7
B. OPERATED	45042	3.7	4	2	2	3	4	5	6	8
TOTAL 0-19 YRS	23948	3.3	4	2	2	3	4	4	5	7
20-34	137571	3.5	4	2	2	3	4	5	5	7
35-49	6171	3.8	4	2	2	4	4	5	6	8
50-64	80	3.6	6	2	2	3	4	4	5	18
GRAND TOTAL	**167770**	**3.5**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.5	51	<1	<1	4	9	19	21	21
20-34	111	3.8	22	1	1	3	4	5	7	29
35-49	7	4.6	12	1	1	3	6	10	11	11
50-64										
B. *Operated*										
0-19 YRS	37	6.8	12	3	3	6	7	13	15	17
20-34	404	7.9	43	3	4	6	8	12	20	36
35-49	44	10.7	112	4	5	7	9	23	41	49
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	2	1	1	3	4	5	5	5
20-34	71	5.2	20	2	2	4	5	10	12	27
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	68	8.0	84	2	3	6	8	13	22	54
20-34	782	8.8	74	3	4	7	8	14	22	56
35-49	108	9.3	67	5	5	7	9	16	27	49
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	4.0	23	1	1	3	4	6	8	27
B. *Operated*	485	8.0	47	3	4	6	8	12	20	42
2. MULTIPLE DX										
A. *Not Operated*	82	5.0	18	1	2	4	5	10	12	27
B. *Operated*	958	8.8	74	3	4	7	8	15	23	53
1. SINGLE DX	611	7.2	45	2	3	6	7	11	19	41
2. MULTIPLE DX	1040	8.5	70	3	4	6	8	14	22	52
A. NOT OPERATED	208	4.4	21	1	1	3	5	7	11	26
B. OPERATED	1443	8.5	65	3	4	7	8	14	22	49
TOTAL 0-19 YRS	121	7.2	55	2	3	6	7	14	17	53
20-34	1368	7.9	60	3	3	6	8	12	20	45
35-49	162	9.4	77	4	5	7	9	17	32	49
50-64										
GRAND TOTAL	**1651**	**8.0**	**61**	**3**	**3**	**6**	**8**	**13**	**21**	**48**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.6	8	<1	2	3	4	5	7	19
20-34	436	3.4	2	1	2	3	4	5	6	10
35-49	27	3.1	6	<1	<1	3	4	4	7	14
50-64	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	99	4.8	6	2	3	4	6	7	9	16
20-34	480	4.9	5	2	3	5	6	7	8	12
35-49	35	4.9	3	2	3	5	6	7	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.5	4	1	2	3	4	5	7	12
20-34	311	3.9	19	1	2	3	4	5	8	25
35-49	20	4.4	18	<1	1	3	5	7	14	20
50-64										
B. *Operated*										
0-19 YRS	197	5.1	9	2	3	5	6	8	9	19
20-34	1102	5.8	20	2	3	5	7	8	11	22
35-49	97	6.4	8	3	4	6	7	9	13	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	552	3.4	3	1	2	3	4	5	6	11
B. *Operated*	614	4.9	5	2	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	406	3.8	16	1	2	3	4	6	8	21
B. *Operated*	1396	5.8	18	2	3	5	7	8	11	21
1. SINGLE DX	1166	4.2	5	2	2	4	5	7	7	12
2. MULTIPLE DX	1802	5.3	18	2	2	5	6	8	10	21
A. NOT OPERATED	958	3.6	9	1	2	3	4	5	6	13
B. OPERATED	2010	5.5	14	2	3	5	6	8	10	18
TOTAL 0-19 YRS	459	4.5	8	2	2	4	5	7	9	16
20-34	2329	4.9	15	2	2	4	6	7	9	17
35-49	179	5.4	9	1	2	5	7	9	10	18
50-64	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**2968**	**4.9**	**13**	**2**	**2**	**4**	**6**	**7**	**9**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.8	1	2	2	3	3	4	5	5
20-34	94	3.6	2	2	2	4	4	5	5	9
35-49	7	3.6	3	1	1	4	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	181	3.3	4	1	2	3	4	4	5	7
20-34	1227	3.4	6	1	2	3	4	5	5	8
35-49	65	3.6	3	1	2	4	4	5	6	10
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3		4	4	4	5	5	5	5
20-34	51	3.7	1	2	2	4	4	5	5	7
35-49										
50-64										
B. *Operated*										
0-19 YRS	88	3.7	4	2	2	3	4	5	7	13
20-34	800	4.3	10	2	2	4	5	6	8	12
35-49	51	4.5	4	2	3	4	5	7	9	11
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	3.5	2	2	2	3	4	5	5	8
B. *Operated*	1473	3.4	5	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	55	3.7	1	2	2	4	4	5	5	7
B. *Operated*	940	4.2	9	2	2	4	5	6	8	12
1. SINGLE DX	1585	3.4	5	1	2	3	4	5	5	8
2. MULTIPLE DX	995	4.2	8	2	2	4	5	6	8	12
A. NOT OPERATED	167	3.6	1	2	2	4	4	5	5	8
B. OPERATED	2413	3.7	7	1	2	3	4	5	6	11
TOTAL 0-19 YRS	284	3.4	4	1	2	3	4	5	6	9
20-34	2172	3.7	7	2	2	3	4	5	6	11
35-49	123	4.0	3	1	2	4	5	6	8	11
50-64	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**2580**	**3.7**	**6**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	3.3	1	1	2	3	4	5	5	6
20-34	323	3.4	1	1	2	3	4	5	5	7
35-49	18	3.6	1	2	2	3	4	5	6	6
50-64										
B. *Operated*										
0-19 YRS	51	3.4	1	1	2	3	4	5	5	6
20-34	246	3.6	2	1	2	3	4	5	6	8
35-49	8	3.4	2	2	2	3	4	5	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.5	1	1	2	3	4	5	5	6
20-34	215	3.9	2	2	3	4	4	6	7	10
35-49	8	4.0	6	2	2	3	5	8	9	9
50-64										
B. *Operated*										
0-19 YRS	58	3.6	2	2	2	3	4	5	5	10
20-34	372	4.3	14	2	3	4	5	6	8	13
35-49	21	5.1	12	1	2	4	5	10	14	16
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	3.4	1	1	2	3	4	5	5	6
B. *Operated*	305	3.6	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	260	3.8	2	2	2	4	4	5	7	9
B. *Operated*	451	4.3	13	2	3	4	5	6	8	13
1. SINGLE DX	715	3.5	2	1	2	3	4	5	6	7
2. MULTIPLE DX	711	4.1	9	2	2	4	4	6	7	12
A. NOT OPERATED	670	3.6	2	2	2	3	4	5	6	8
B. OPERATED	756	4.0	8	2	2	4	4	5	7	13
TOTAL 0-19 YRS	215	3.4	2	1	2	3	4	5	5	7
20-34	1156	3.8	6	2	2	4	4	5	6	9
35-49	55	4.2	6	2	2	4	5	6	9	16
50-64										
GRAND TOTAL	**1426**	**3.8**	**5**	**2**	**2**	**4**	**4**	**5**	**6**	**9**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.4	1	2	3	3	4	5	6	6
20-34	291	4.0	2	2	2	4	5	6	6	9
35-49	12	4.5	2	3	3	4	5	6	8	8
50-64										
B. *Operated*										
0-19 YRS	33	4.6	17	2	2	4	5	7	8	26
20-34	236	4.7	3	2	3	4	6	7	8	10
35-49	10	4.5	3	3	3	4	5	7	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	5.4	38	1	2	4	5	10	20	34
20-34	255	4.6	10	2	3	4	5	8	9	16
35-49	8	5.0	4	2	3	5	6	8	9	9
50-64										
B. *Operated*										
0-19 YRS	158	5.3	10	2	3	5	7	8	11	25
20-34	1273	6.0	22	2	3	5	7	9	12	27
35-49	74	6.0	18	3	3	5	7	8	12	28
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	3.9	2	2	3	4	5	6	6	9
B. *Operated*	279	4.6	5	2	3	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	305	4.8	13	2	2	4	5	8	9	20
B. *Operated*	1505	5.9	21	2	3	5	7	9	12	27
1. SINGLE DX	619	4.3	3	2	3	4	5	6	7	10
2. MULTIPLE DX	1810	5.7	20	2	3	5	7	9	11	26
A. NOT OPERATED	645	4.3	7	2	2	4	5	6	8	16
B. OPERATED	1784	5.7	19	2	3	5	7	8	11	26
TOTAL 0-19 YRS	270	5.0	14	2	3	4	6	8	10	26
20-34	2055	5.4	16	2	3	5	6	8	10	22
35-49	104	5.6	14	3	3	5	6	8	10	27
50-64										
GRAND TOTAL	**2429**	**5.3**	**16**	**2**	**3**	**5**	**6**	**8**	**10**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	3.1	1	2	2	3	4	5	5	6
20-34	758	3.5	3	2	2	3	4	5	5	8
35-49	38	3.7	1	2	2	4	5	5	6	6
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	531	5.3	6	2	3	5	6	7	8	12
20-34	3403	5.1	6	3	3	5	6	7	8	10
35-49	137	4.7	3	2	3	5	6	7	8	9
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.7	1	1	1	3	3	4	5	5
20-34	282	3.8	6	1	2	3	4	6	7	13
35-49	22	4.7	9	1	2	4	6	8	11	15
50-64										
B. *Operated*										
0-19 YRS	576	6.1	13	3	3	6	7	9	11	18
20-34	4016	5.8	11	3	3	5	7	8	9	17
35-49	308	6.1	14	3	3	6	7	8	10	26
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	887	3.5	3	2	2	3	4	5	5	7
B. *Operated*	4072	5.1	6	2	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	345	3.7	6	1	2	3	4	6	7	14
B. *Operated*	4901	5.8	11	3	3	6	7	8	10	17
1. SINGLE DX	4959	4.8	6	2	3	5	6	7	8	10
2. MULTIPLE DX	5246	5.7	11	2	3	5	7	8	9	17
A. NOT OPERATED	1232	3.5	4	2	2	3	4	5	6	9
B. OPERATED	8973	5.5	9	3	3	5	6	8	9	14
TOTAL 0-19 YRS	1238	5.5	10	2	3	5	6	8	9	16
20-34	8459	5.2	9	2	3	5	6	7	8	13
35-49	505	5.5	10	2	3	5	7	8	9	19
50-64	3	4.0	4	2	2	4	5	6	6	6
GRAND TOTAL	**10205**	**5.3**	**9**	**2**	**3**	**5**	**6**	**7**	**9**	**14**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	3.8	6	2	2	4	4	5	5	12
20-34	1130	3.6	5	2	2	3	4	5	5	7
35-49	42	3.9	4	2	2	4	4	6	6	14
50-64										
B. *Operated*										
0-19 YRS	534	4.3	4	2	3	4	5	6	7	10
20-34	2881	4.4	7	2	3	4	5	7	7	9
35-49	154	4.7	6	2	3	4	6	8	9	17
50-64	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.8	2	2	3	4	4	5	6	9
20-34	529	3.9	3	2	2	4	4	6	7	11
35-49	29	4.3	4	2	3	4	5	7	9	10
50-64										
B. *Operated*										
0-19 YRS	1014	4.8	6	2	3	4	6	7	9	14
20-34	5767	5.2	10	3	3	5	6	8	9	16
35-49	379	6.0	13	3	3	5	7	8	10	20
50-64	2	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1343	3.7	5	2	2	3	4	5	5	8
B. *Operated*	3570	4.4	6	2	3	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	633	3.9	3	2	3	4	4	6	7	10
B. *Operated*	7162	5.2	10	3	3	5	6	8	9	16
1. SINGLE DX	4913	4.2	6	2	3	4	5	6	7	9
2. MULTIPLE DX	7795	5.1	9	3	3	5	6	7	9	15
A. NOT OPERATED	1976	3.7	4	2	2	4	4	5	6	9
B. OPERATED	10732	4.9	9	2	3	4	6	7	8	14
TOTAL 0-19 YRS	1794	4.5	5	2	3	4	5	7	8	13
20-34	10307	4.7	9	2	3	4	6	7	8	13
35-49	604	5.4	11	3	3	5	6	8	9	17
50-64	3	5.3	1	4	4	6	6	6	6	6
GRAND TOTAL	**12708**	**4.7**	**8**	**2**	**3**	**4**	**6**	**7**	**8**	**13**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.0	4	2	2	3	5	7	8	12
20-34	319	3.8	2	2	2	3	4	6	7	8
35-49	8	3.4		3	3	3	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	1184	6.2	10	4	4	6	7	8	9	13
20-34	4465	6.1	3	4	4	6	7	8	8	10
35-49	124	6.6	3	3	5	7	7	8	9	14
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.4	6	2	3	5	7	8	10	12
20-34	130	4.7	5	2	3	4	6	8	8	11
35-49	4	5.3	7	3	3	4	7	9	9	9
50-64										
B. *Operated*										
0-19 YRS	1770	7.0	9	4	5	6	8	10	12	19
20-34	7469	6.6	6	4	5	6	7	8	10	16
35-49	323	7.1	7	4	5	7	8	9	11	18
50-64	5	5.0	2	4	4	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	3.8	2	2	2	3	4	6	7	9
B. *Operated*	5773	6.2	4	4	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	156	4.8	5	2	3	4	6	8	8	12
B. *Operated*	9567	6.7	7	4	5	6	7	9	10	17
1. SINGLE DX	6149	6.0	4	3	4	6	7	8	8	11
2. MULTIPLE DX	9723	6.6	7	4	5	6	7	9	10	17
A. NOT OPERATED	532	4.1	3	2	2	4	5	7	8	10
B. OPERATED	15340	6.5	6	4	5	6	7	8	10	15
TOTAL 0-19 YRS	3025	6.6	10	4	4	6	7	9	11	17
20-34	12383	6.3	5	4	4	6	7	8	9	14
35-49	459	6.9	6	4	5	7	8	9	10	18
50-64	5	5.0	2	4	4	4	6	7	7	7
GRAND TOTAL	**15872**	**6.4**	**6**	**4**	**4**	**6**	**7**	**8**	**10**	**15**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	3.6	1	2	3	4	4	5	5	8
20-34	1121	3.8	2	2	3	4	4	5	6	8
35-49	32	3.8	2	2	2	4	4	5	7	9
50-64										
B. *Operated*										
0-19 YRS	337	4.6	3	2	3	4	6	7	8	10
20-34	1778	4.8	7	2	3	4	6	7	8	12
35-49	54	5.1	5	2	3	5	6	7	10	11
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	4.2	4	3	3	4	5	6	7	13
20-34	544	4.0	3	2	3	4	5	5	6	9
35-49	30	4.5	5	2	2	4	5	9	9	10
50-64										
B. *Operated*										
0-19 YRS	632	5.4	8	3	3	5	6	8	10	15
20-34	3625	5.4	6	3	3	5	6	8	9	14
35-49	215	6.2	10	3	3	6	7	9	11	22
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1401	3.7	2	2	3	4	4	5	6	8
B. *Operated*	2170	4.8	6	2	3	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	689	4.1	3	2	3	4	5	6	7	11
B. *Operated*	4472	5.4	7	3	3	5	6	8	9	15
1. SINGLE DX	3571	4.4	5	2	3	4	5	6	7	10
2. MULTIPLE DX	5161	5.2	6	3	3	5	6	8	9	14
A. NOT OPERATED	2090	3.8	3	2	3	4	4	5	6	9
B. OPERATED	6642	5.2	7	3	3	5	6	8	9	14
TOTAL 0-19 YRS	1332	4.7	5	2	3	4	6	7	8	13
20-34	7068	4.9	6	3	3	4	6	7	8	13
35-49	331	5.6	9	2	3	5	7	8	10	18
50-64	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**8732**	**4.9**	**6**	**2**	**3**	**4**	**6**	**7**	**8**	**13**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.1	1	1	1	3	4	4	5	6
20-34	206	3.8	4	2	2	3	4	5	7	15
35-49	12	2.8	1	1	1	3	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	64	4.8	4	2	3	5	6	7	8	12
20-34	711	5.1	8	2	3	5	6	7	8	17
35-49	50	5.2	6	1	2	5	7	8	10	11
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.4	6	1	2	4	6	8	9	9
20-34	120	3.7	3	1	2	4	4	6	7	10
35-49	12	6.3	34	2	2	5	6	12	22	24
50-64										
B. *Operated*										
0-19 YRS	146	5.7	9	2	2	5	7	9	11	18
20-34	1352	6.1	14	3	3	6	7	9	11	18
35-49	165	6.7	11	3	3	6	8	10	13	17
50-64	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	3.6	4	2	2	3	4	5	6	13
B. *Operated*	825	5.1	7	2	3	5	6	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	146	4.0	6	2	2	4	5	6	7	12
B. *Operated*	1665	6.2	13	3	3	6	7	9	11	18
1. SINGLE DX	1070	4.8	7	2	3	4	6	7	8	15
2. MULTIPLE DX	1811	6.0	13	3	3	6	7	9	11	18
A. NOT OPERATED	391	3.8	5	2	2	3	4	6	7	13
B. OPERATED	2490	5.8	12	2	3	6	7	8	10	18
TOTAL 0-19 YRS	251	5.1	8	2	2	5	6	8	9	17
20-34	2389	5.5	12	2	3	5	7	8	9	17
35-49	239	6.1	11	2	3	6	7	9	12	18
50-64	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**2881**	**5.5**	**11**	**2**	**3**	**5**	**7**	**8**	**10**	**17**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	3	2	3	5	6	7	8	8
20-34	103	5.5	5	2	2	6	7	8	9	13
35-49	4	7.0	6	5	5	7	9	10	10	10
50-64										
B. *Operated*										
0-19 YRS	722	6.2	3	4	5	6	7	8	8	12
20-34	9627	6.4	4	4	5	6	7	8	8	10
35-49	368	6.9	8	5	5	7	7	8	9	14
50-64	5	6.6	1	5	5	7	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	4	3	3	6	7	7	7	7
20-34	50	6.1	7	3	3	6	7	9	12	15
35-49	3	8.7		8	8	9	9	9	9	9
50-64										
B. *Operated*										
0-19 YRS	486	7.0	25	4	5	6	7	9	11	21
20-34	9234	6.8	10	4	5	6	7	8	10	18
35-49	728	7.4	15	5	5	7	8	9	11	24
50-64	8	10.0	25	6	6	8	13	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	5.5	5	2	2	6	7	8	9	12
B. *Operated*	10722	6.4	4	4	5	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	56	6.2	6	3	3	6	7	9	11	15
B. *Operated*	10456	6.9	11	4	5	6	7	8	10	18
1. SINGLE DX	10838	6.4	5	4	5	6	7	8	8	11
2. MULTIPLE DX	10512	6.9	11	4	5	6	7	8	10	18
A. NOT OPERATED	172	5.7	6	2	3	6	7	8	9	15
B. OPERATED	21178	6.7	8	4	5	6	7	8	9	15
TOTAL 0-19 YRS	1220	6.5	12	4	5	6	7	8	9	15
20-34	19014	6.6	7	4	5	6	7	8	9	15
35-49	1103	7.3	13	5	5	7	8	9	10	21
50-64	13	8.7	18	5	6	7	8	17	19	19
GRAND TOTAL	**21350**	**6.6**	**8**	**4**	**5**	**6**	**7**	**8**	**9**	**15**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	528	3.4	4	1	1	3	4	5	6	13
20-34	2628	3.6	4	1	2	3	4	5	6	10
35-49	98	3.6	6	1	1	3	4	5	6	17
50-64										
B. *Operated*										
0-19 YRS	551	4.0	5	2	3	4	4	6	7	9
20-34	2912	4.0	7	2	3	4	4	6	7	10
35-49	133	4.4	3	3	3	4	5	7	8	9
50-64	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	298	4.0	7	1	2	3	5	6	8	14
20-34	1218	4.1	8	1	2	4	5	6	7	13
35-49	64	4.5	5	1	2	4	5	8	9	11
50-64	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	912	5.0	19	2	3	4	6	8	9	21
20-34	5283	5.0	6	3	3	4	6	8	9	14
35-49	348	5.3	6	3	3	5	6	8	10	15
50-64	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3254	3.6	4	1	1	3	4	5	6	11
B. *Operated*	3597	4.0	7	2	3	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	1581	4.1	8	1	2	4	5	6	8	13
B. *Operated*	6545	5.0	8	2	3	4	6	8	9	15
1. SINGLE DX	6851	3.8	5	1	2	4	4	5	7	10
2. MULTIPLE DX	8126	4.8	8	2	3	4	6	7	9	14
A. NOT OPERATED	4835	3.8	5	1	2	4	4	5	7	12
B. OPERATED	10142	4.7	8	2	3	4	5	7	8	13
TOTAL 0-19 YRS	2289	4.3	11	1	2	4	5	7	8	15
20-34	12041	4.4	7	2	3	4	5	7	8	12
35-49	643	4.8	6	2	3	4	6	7	9	14
50-64	4	4.3	1	3	3	4	5	5	5	5
GRAND TOTAL	**14977**	**4.4**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1563	3.3	9	2	2	3	4	4	5	6
20-34	8913	3.4	2	2	2	3	4	4	5	7
35-49	376	3.3	1	2	2	3	4	4	5	7
50-64	9	3.2	1	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	855	3.4	2	2	2	3	4	5	5	7
20-34	4919	3.5	2	2	2	3	4	5	5	8
35-49	216	3.7	2	2	2	4	4	5	6	8
50-64	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	3.7	12	2	2	3	4	5	6	9
20-34	1697	3.6	2	2	2	3	4	5	6	9
35-49	111	3.6	2	2	2	4	4	5	6	7
50-64										
B. *Operated*										
0-19 YRS	753	4.0	15	2	2	3	4	6	7	16
20-34	5560	4.0	4	2	3	4	5	6	7	10
35-49	420	4.5	4	2	3	4	5	6	8	12
50-64	3	3.3		3	3	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10861	3.4	3	2	2	3	4	4	5	7
B. *Operated*	5993	3.5	2	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	2157	3.6	4	2	2	3	4	5	6	9
B. *Operated*	6736	4.1	5	2	3	4	5	6	7	11
1. SINGLE DX	16854	3.4	3	2	2	3	4	5	5	7
2. MULTIPLE DX	8893	4.0	5	2	2	4	4	6	7	10
A. NOT OPERATED	13018	3.4	3	2	2	3	4	5	5	7
B. OPERATED	12729	3.8	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	3520	3.5	9	2	2	3	4	5	5	9
20-34	21089	3.6	3	2	2	3	4	5	6	8
35-49	1123	3.9	3	2	2	4	4	6	7	9
50-64	15	3.1	1	2	2	3	3	4	5	5
GRAND TOTAL	**25747**	**3.6**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	3.0	1	<1	1	3	4	4	5	7
20-34	1237	3.2	3	1	2	3	4	4	5	7
35-49	76	3.5	7	1	1	3	4	5	6	19
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1751	3.3	13	2	2	3	4	4	5	6
20-34	11261	3.3	3	2	2	3	4	4	5	7
35-49	723	3.4	2	2	2	3	4	5	5	7
50-64	3	5.0	3	4	4	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.4	1	2	2	3	4	5	6	6
20-34	304	3.5	3	1	2	3	4	5	6	10
35-49	18	3.7	2	2	2	4	5	5	6	7
50-64										
B. *Operated*										
0-19 YRS	762	3.6	2	2	2	3	4	5	6	10
20-34	5528	3.8	4	2	2	4	4	5	6	10
35-49	521	4.1	3	2	2	4	5	6	7	13
50-64	5	5.6	22	1	1	4	8	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1553	3.2	3	1	1	3	4	4	5	7
B. *Operated*	13738	3.3	4	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	388	3.5	2	1	2	3	4	5	6	9
B. *Operated*	6816	3.8	4	2	2	4	4	5	6	10
1. SINGLE DX	15291	3.3	4	2	2	3	4	4	5	7
2. MULTIPLE DX	7204	3.8	4	2	2	4	4	5	6	10
A. NOT OPERATED	1941	3.2	3	1	2	3	4	5	5	7
B. OPERATED	20554	3.5	4	2	2	3	4	5	5	8
TOTAL 0-19 YRS	2818	3.4	9	2	2	3	4	4	5	8
20-34	18330	3.4	3	2	2	3	4	5	5	8
35-49	1338	3.7	3	2	2	3	4	5	6	10
50-64	9	5.1	12	1	2	4	7	11	13	13
GRAND TOTAL	**22495**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	3.5	4	2	2	3	4	5	5	21
20-34	860	3.5	2	2	2	3	4	5	5	7
35-49	23	3.6	2	2	2	3	4	5	7	9
50-64										
B. *Operated*										
0-19 YRS	2128	3.5	4	2	2	3	4	5	5	7
20-34	8199	3.6	2	2	3	3	4	5	5	7
35-49	159	3.8	1	2	3	4	4	5	6	7
50-64	5	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.8	5	2	2	3	4	6	7	16
20-34	179	3.7	3	2	2	3	4	5	7	10
35-49	3	3.7		3	3	4	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	1220	3.9	4	2	3	4	4	5	7	10
20-34	4368	4.1	6	2	3	4	4	5	6	12
35-49	150	4.4	5	3	3	4	5	6	7	11
50-64	2	5.5	1	5	5	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1131	3.5	3	2	2	3	4	5	5	8
B. *Operated*	10491	3.6	3	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	243	3.7	3	2	2	3	4	5	7	10
B. *Operated*	5740	4.0	6	2	3	4	4	5	6	11
1. SINGLE DX	11622	3.6	3	2	2	3	4	5	5	7
2. MULTIPLE DX	5983	4.0	6	2	3	4	4	5	6	11
A. NOT OPERATED	1374	3.5	3	2	2	3	4	5	5	9
B. OPERATED	16231	3.7	4	2	3	4	4	5	6	8
TOTAL 0-19 YRS	3657	3.6	4	2	2	3	4	5	6	9
20-34	13606	3.8	4	2	3	4	4	5	6	8
35-49	335	4.0	3	2	3	4	5	6	6	9
50-64	7	3.6	3	1	1	3	5	6	6	6
GRAND TOTAL	**17605**	**3.7**	**4**	**2**	**3**	**3**	**4**	**5**	**6**	**9**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.6	4	2	2	3	4	5	6	7
20-34	523	3.6	5	2	2	3	4	5	5	11
35-49	15	2.7	1	1	2	3	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	932	3.5	3	2	2	3	4	5	5	8
20-34	3724	3.6	3	2	2	3	4	5	5	8
35-49	105	3.8	2	2	3	4	4	5	6	10
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.6	1	3	3	3	4	5	5	6
20-34	164	3.8	3	2	2	4	4	5	7	11
35-49	15	4.0	3	2	2	4	4	5	8	9
50-64										
B. *Operated*										
0-19 YRS	699	3.8	3	2	2	3	4	5	7	11
20-34	2719	4.1	4	2	3	4	5	6	7	11
35-49	139	4.5	3	2	3	4	5	7	8	11
50-64	2	5.0	8	3	3	5	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	686	3.5	4	2	2	3	4	5	5	10
B. *Operated*	4762	3.6	3	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	229	3.8	2	2	2	4	4	5	7	11
B. *Operated*	3559	4.0	4	2	3	4	5	6	7	11
1. SINGLE DX	5448	3.6	3	2	2	3	4	5	5	9
2. MULTIPLE DX	3788	4.0	3	2	3	4	4	6	7	11
A. NOT OPERATED	915	3.6	4	2	2	3	4	5	6	11
B. OPERATED	8321	3.8	3	2	2	3	4	5	6	10
TOTAL 0-19 YRS	1829	3.6	3	2	2	3	4	5	6	9
20-34	7130	3.8	4	2	2	4	4	5	6	10
35-49	274	4.1	3	2	2	4	5	6	7	11
50-64	3	4.3	5	3	3	3	6	7	7	7
GRAND TOTAL	**9236**	**3.8**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2087	3.4	9	1	2	3	4	5	6	12
20-34	8561	3.4	5	1	1	3	4	5	6	9
35-49	426	3.6	5	<1	1	3	4	6	7	14
50-64	5	4.4	10	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	7540	3.6	5	2	2	3	4	5	6	10
20-34	32677	3.8	5	2	2	4	4	5	6	10
35-49	1258	4.1	5	2	2	4	5	6	7	11
50-64	12	3.7	1	2	2	4	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1083	3.6	4	1	2	3	4	6	7	11
20-34	4151	3.9	13	1	2	3	4	6	7	14
35-49	267	4.0	7	1	2	3	5	7	8	16
50-64	4	5.5	16	2	2	4	8	11	11	11
B. *Operated*										
0-19 YRS	5195	4.7	10	2	2	4	5	8	10	17
20-34	25443	4.9	13	2	3	4	6	8	10	19
35-49	1870	5.8	21	2	3	5	7	9	13	24
50-64	14	5.3	10	3	3	4	7	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11079	3.4	6	1	1	3	4	5	6	10
B. *Operated*	41487	3.8	5	2	2	4	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	5505	3.8	11	1	2	3	4	6	7	13
B. *Operated*	32522	5.0	13	2	3	4	6	8	10	19
1. SINGLE DX	52566	3.7	5	2	2	3	4	5	6	10
2. MULTIPLE DX	38027	4.8	13	2	2	4	5	7	9	18
A. NOT OPERATED	16584	3.5	8	1	2	3	4	5	6	12
B. OPERATED	74009	4.3	9	2	2	4	5	6	8	15
TOTAL 0-19 YRS	15905	3.9	7	2	2	3	4	6	8	14
20-34	70832	4.2	8	2	2	4	5	6	8	14
35-49	3821	4.9	14	2	2	4	6	8	10	20
50-64	35	4.6	8	2	2	4	5	9	11	14
GRAND TOTAL	**90593**	**4.2**	**9**	**2**	**2**	[illegible]	**5**	**6**	**8**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	4.5	3	2	2	4	5	7	8	11
20-34	268	4.3	5	2	2	4	5	7	8	13
35-49	6	6.0	1	5	5	6	7	7	7	7
50-64										
B. *Operated*										
0-19 YRS	21	4.4	5	1	1	4	7	8	8	8
20-34	47	4.8	14	1	1	4	6	9	12	19
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.5	5	2	2	4	5	7	10	11
20-34	110	5.3	12	2	2	5	6	9	12	21
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
B. *Operated*										
0-19 YRS	14	6.1	16	1	3	5	7	10	16	18
20-34	60	7.1	37	2	2	5	9	13	21	32
35-49	3	7.7	4	6	6	7	9	10	10	10
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	4.4	4	2	2	4	5	7	8	13
B. *Operated*	69	4.7	11	1	1	4	6	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	151	5.1	10	2	2	5	6	8	11	17
B. *Operated*	77	7.0	32	2	3	5	8	12	19	31
1. SINGLE DX	444	4.4	5	1	2	4	5	7	8	13
2. MULTIPLE DX	228	5.7	18	2	2	5	6	10	13	26
A. NOT OPERATED	526	4.6	6	2	2	4	6	7	9	14
B. OPERATED	146	5.9	23	1	2	5	7	11	16	26
TOTAL 0-19 YRS	175	4.6	5	2	2	4	5	7	9	12
20-34	485	4.9	12	2	2	4	6	8	11	20
35-49	12	6.2	3	3	4	6	7	8	10	10
50-64										
GRAND TOTAL	**672**	**4.9**	**10**	**2**	**2**	**4**	**6**	**8**	**11**	**18**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.1	5	<1	<1	1	3	3	5	14
20-34	275	2.1	5	<1	1	2	2	3	4	8
35-49	12	2.0	1	<1	<1	2	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	146	2.1	2	<1	1	2	3	4	4	8
20-34	918	2.1	2	1	1	2	3	4	5	7
35-49	37	2.1	1	1	1	2	3	3	5	6
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.9	3	<1	1	3	4	6	7	7
20-34	96	2.7	2	1	1	2	3	5	6	7
35-49	5	2.8	4	1	1	2	4	6	6	6
50-64										
B. *Operated*										
0-19 YRS	80	3.2	3	1	1	3	4	6	7	8
20-34	463	3.1	7	1	1	2	4	7	8	14
35-49	25	2.8	3	1	1	2	3	5	7	7
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	2.1	5	<1	1	2	2	3	4	9
B. *Operated*	1102	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	129	2.7	2	1	1	2	3	5	6	7
B. *Operated*	568	3.1	6	1	1	2	4	7	8	13
1. SINGLE DX	1432	2.1	3	<1	1	2	3	4	4	7
2. MULTIPLE DX	697	3.1	6	1	1	2	4	6	8	12
A. NOT OPERATED	459	2.3	4	<1	1	2	3	4	5	7
B. OPERATED	1670	2.4	4	1	1	2	3	4	6	10
TOTAL 0-19 YRS	297	2.5	3	<1	1	2	3	5	6	8
20-34	1752	2.4	4	1	1	2	3	4	6	10
35-49	79	2.3	2	1	1	2	3	4	6	7
50-54	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**2129**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.3	6	1	2	4	5	8	9	12
20-34	232	4.4	13	1	1	3	5	9	11	18
35-49	14	5.4	14	1	2	4	7	10	14	15
50-64										
B. *Operated*										
0-19 YRS	64	3.4	5	1	1	3	4	5	8	13
20-34	335	3.4	6	1	1	3	4	5	8	13
35-49	24	3.5	10	1	1	3	4	6	12	15
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.6	39	1	1	3	6	16	20	28
20-34	140	5.4	25	1	1	4	7	10	18	27
35-49	12	6.8	35	1	2	5	9	18	19	19
50-64										
B. *Operated*										
0-19 YRS	45	4.6	17	1	1	3	5	12	15	19
20-34	244	4.2	11	1	2	4	5	7	10	20
35-49	18	6.6	39	1	1	5	9	13	22	27
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	4.4	12	1	1	3	5	9	11	17
B. *Operated*	424	3.4	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	179	5.5	27	1	1	4	7	11	19	28
B. *Operated*	307	4.4	13	1	2	4	5	8	11	23
1. SINGLE DX	714	3.8	9	1	1	3	4	8	10	15
2. MULTIPLE DX	486	4.8	19	1	1	4	6	9	15	27
A. NOT OPERATED	469	4.8	18	1	1	4	6	10	13	22
B. OPERATED	731	3.9	10	1	1	3	4	7	9	17
TOTAL 0-19 YRS	180	4.2	13	1	1	3	5	8	12	19
20-34	951	4.2	12	1	1	3	5	8	11	20
35-49	68	5.3	24	1	1	4	6	12	15	26
50-64	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**1200**	**4.2**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1270	4.5	9	2	2	4	5	7	9	16
20-34	1048	5.1	13	2	2	4	6	8	11	21
35-49	683	5.5	11	2	2	5	7	10	12	20
50-64	607	6.8	23	2	3	6	8	12	15	26
65+	483	7.7	28	2	3	6	9	14	18	26
B. *Operated*										
0-19 YRS	757	5.3	18	1	1	4	7	11	13	23
20-34	709	5.7	24	1	2	4	7	11	14	26
35-49	407	7.0	41	2	2	5	9	13	15	33
50-64	299	8.4	54	2	2	7	10	17	22	48
65+	199	10.0	54	2	3	9	13	17	21	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1102	5.3	14	2	2	4	6	9	11	19
20-34	1266	6.0	23	2	2	5	7	10	14	25
35-49	1342	7.5	26	2	3	6	9	13	17	30
50-64	1901	9.1	42	3	4	7	11	17	21	32
65+	2682	11.4	61	3	4	9	14	21	26	43
B. *Operated*										
0-19 YRS	476	7.6	50	2	2	6	9	15	19	42
20-34	735	9.3	89	2	3	6	11	20	27	55
35-49	722	11.8	126	2	3	9	15	23	35	62
50-64	929	15.7	167	3	4	12	21	33	41	81
65+	985	18.6	205	4	6	14	24	38	52	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4091	5.5	16	2	2	5	7	10	13	22
B. *Operated*	2371	6.5	33	1	2	5	8	13	16	30
2. MULTIPLE DX										
A. *Not Operated*	8293	8.6	44	2	3	7	11	16	21	34
B. *Operated*	3847	13.5	155	2	3	9	17	29	39	71
1. SINGLE DX	6462	5.9	22	2	2	5	7	11	14	25
2. MULTIPLE DX	12140	10.1	85	2	3	7	12	20	28	51
A. NOT OPERATED	12384	7.6	37	2	3	6	9	15	19	31
B. OPERATED	6218	10.8	120	2	2	7	13	24	33	59
TOTAL 0-19 YRS	3605	5.3	18	2	2	4	6	9	13	22
20-34	3758	6.3	35	2	2	5	7	12	16	31
35-49	3154	8.0	53	2	3	6	10	15	20	41
50-64	3736	10.3	81	2	3	8	12	21	28	48
65+	4349	12.5	102	3	4	10	16	24	31	56
GRAND TOTAL	**18602**	**8.7**	**67**	**2**	**3**	**6**	**10**	**17**	**24**	**44**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	542	4.7	13	1	2	4	6	8	9	15
20-34	246	4.9	22	2	2	4	5	9	12	19
35-49	125	5.6	14	2	2	5	7	11	14	18
50-64	96	5.9	23	2	2	5	7	11	13	28
65+	72	7.6	43	2	3	6	9	13	20	38
B. *Operated*										
0-19 YRS	372	3.8	11	1	1	3	5	8	10	15
20-34	326	5.2	28	1	1	4	6	11	14	28
35-49	216	5.4	27	1	2	3	7	11	16	37
50-64	176	6.6	68	2	2	4	7	14	20	43
65+	111	7.6	46	1	2	5	10	18	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	602	5.3	11	2	2	5	7	9	11	19
20-34	255	6.0	28	2	2	5	7	11	15	33
35-49	244	7.1	24	2	3	6	9	13	17	22
50-64	328	9.2	45	2	3	8	12	17	21	37
65+	488	11.2	93	3	4	8	14	22	26	56
B. *Operated*										
0-19 YRS	252	6.1	26	1	2	5	8	12	14	30
20-34	310	8.0	92	1	2	5	10	16	23	56
35-49	218	10.3	94	2	2	7	13	24	30	52
50-64	359	12.5	141	2	3	9	15	29	39	53
65+	387	15.2	177	3	4	11	21	31	46	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1081	5.1	19	2	2	4	6	9	12	21
B. *Operated*	1201	5.2	31	1	1	3	7	11	15	30
2. MULTIPLE DX										
A. *Not Operated*	1917	7.8	47	2	3	6	9	15	20	37
B. *Operated*	1526	10.9	125	2	2	7	14	25	32	55
1. SINGLE DX	2282	5.2	25	1	2	4	6	10	14	26
2. MULTIPLE DX	3443	9.2	84	2	2	6	11	19	26	52
A. NOT OPERATED	2998	6.8	38	2	2	5	8	13	18	33
B. OPERATED	2727	8.4	92	1	2	5	10	19	27	52
TOTAL 0-19 YRS	1768	4.9	14	1	2	4	6	9	11	18
20-34	1137	6.1	46	1	2	4	7	12	16	37
35-49	803	7.3	46	2	2	5	9	15	19	38
50-64	959	9.6	89	2	2	7	12	20	29	51
65+	1058	12.0	123	2	3	9	15	25	32	67
GRAND TOTAL	**5725**	**7.6**	**64**	**2**	**2**	**5**	**9**	**15**	**22**	**45**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.7	3	1	1	3	5	6	7	8
20-34	67	3.7	3	1	1	3	5	7	8	84
35-49	18	3.6	12	<1	<1	3	4	7	12	15
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	1922	4.5	6	2	2	4	5	7	8	13
20-34	3418	4.5	8	2	2	4	5	7	9	13
35-49	448	4.7	7	2	2	4	6	8	9	14
50-64	111	5.0	7	2	2	5	6	8	9	15
65+	24	4.8	14	1	2	4	5	9	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.2	9	<1	1	4	6	9	10	11
20-34	43	3.4	7	<1	<1	3	5	7	9	10
35-49	4	4.0	5	1	1	4	5	6	6	6
50-64	3	7.7	12	4	4	8	10	11	11	11
65+	5	11.0	66	5	5	7	14	25	25	25
B. *Operated*										
0-19 YRS	236	5.6	15	2	3	5	7	9	12	27
20-34	601	5.5	16	2	3	4	6	10	12	17
35-49	173	7.0	62	2	3	5	9	12	15	26
50-64	70	6.8	28	2	3	5	7	12	18	30
65+	29	13.7	128	2	4	11	16	26	45	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	3.7	4	1	1	3	5	6	8	28
B. *Operated*	5923	4.5	7	2	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	73	4.3	14	<1	1	4	6	8	11	22
B. *Operated*	1109	6.1	28	2	3	5	7	11	14	24
1. SINGLE DX	6057	4.5	7	2	2	4	5	7	9	13
2. MULTIPLE DX	1182	5.9	28	2	3	5	7	10	14	24
A. NOT OPERATED	207	3.9	8	<1	1	4	5	7	8	19
B. OPERATED	7032	4.8	11	2	2	4	6	8	9	15
TOTAL 0-19 YRS	2223	4.6	7	2	2	4	5	7	9	14
20-34	4129	4.6	9	2	2	4	5	8	9	14
35-49	643	5.3	23	2	2	4	6	9	11	17
50-64	186	5.7	15	2	2	5	7	10	12	25
65+	58	9.8	92	2	2	6	13	21	27	49
GRAND TOTAL	**7239**	**4.7**	**11**	**2**	**2**	**4**	**6**	**8**	**9**	**15**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	5	<1	<1	1	2	4	8	10
20-34	12	2.3	2	<1	<1	2	3	4	5	5
35-49	7	2.6	2	1	1	2	4	5	5	5
50-64	8	2.4	1	1	1	3	3	3	3	3
65+	3	3.0	3	2	2	2	4	5	5	5
B. *Operated*										
0-19 YRS	442	1.8	1	<1	<1	2	2	3	4	7
20-34	594	2.3	4	<1	1	2	3	4	5	10
35-49	411	2.4	6	<1	1	2	3	4	5	9
50-64	289	2.5	6	<1	1	2	3	4	6	11
65+	108	3.4	20	1	1	2	3	5	9	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	1	2	2	3	4	4	4	4
20-34	11	4.0	13	1	1	3	5	9	14	14
35-49	7	4.9	15	1	1	4	8	10	11	11
50-64	14	4.6	9	1	2	4	7	10	10	10
65+	16	6.2	16	<1	1	6	8	12	14	15
B. *Operated*										
0-19 YRS	87	2.5	4	<1	1	2	3	5	7	12
20-34	219	3.5	12	1	1	3	4	6	8	18
35-49	280	3.7	15	1	1	3	4	7	10	15
50-64	266	4.1	16	1	1	3	5	8	12	22
65+	161	5.5	23	1	2	4	7	12	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.3	3	<1	<1	2	3	4	5	10
B. *Operated*	1844	2.3	5	<1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	55	4.8	12	1	1	4	7	10	12	15
B. *Operated*	1013	4.0	16	1	1	3	5	8	11	19
1. SINGLE DX	1894	2.3	5	<1	1	2	3	4	5	11
2. MULTIPLE DX	1068	4.0	15	1	1	3	5	8	11	19
A. NOT OPERATED	105	3.6	9	<1	1	3	4	8	10	14
B. OPERATED	2857	2.9	9	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	556	1.9	2	<1	<1	2	2	3	4	9
20-34	836	2.6	6	<1	1	2	3	4	6	15
35-49	705	3.0	10	<1	1	2	3	6	7	13
50-64	577	3.3	11	<1	1	2	4	6	9	18
65+	288	4.7	22	1	1	3	6	10	14	23
GRAND TOTAL	**2962**	**2.9**	**9**	**<1**	**1**	**2**	**3**	**5**	**8**	**16**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1156	4.4	18	1	1	3	5	8	11	22
20-34	741	5.5	26	1	1	4	7	11	16	24
35-49	505	6.3	33	1	2	5	8	13	18	28
50-64	447	7.7	45	1	2	5	10	16	21	31
65+	439	9.9	85	2	3	8	12	19	29	53
B. *Operated*										
0-19 YRS	1972	3.2	23	<1	1	2	3	6	10	24
20-34	2161	4.6	42	1	1	3	5	9	15	34
35-49	1350	5.5	54	1	2	3	5	12	18	37
50-64	1308	5.6	61	1	1	3	5	12	22	43
65+	827	10.0	159	1	2	5	13	27	36	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1106	5.5	28	1	2	4	6	10	14	25
20-34	892	8.1	69	1	2	5	10	19	25	40
35-49	940	9.5	69	2	2	7	12	20	25	44
50-64	1400	10.4	78	2	3	8	13	21	27	48
65+	2876	13.0	111	3	4	10	17	26	33	56
B. *Operated*										
0-19 YRS	874	5.7	68	1	1	3	6	13	24	50
20-34	1708	9.3	167	1	2	4	10	26	40	99
35-49	1695	9.8	175	1	2	5	11	26	42	98
50-64	2294	11.3	191	2	2	6	14	28	42	90
65+	2274	19.6	319	2	3	15	29	46	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3288	6.1	38	1	2	4	7	13	17	31
B. *Operated*	7618	5.2	59	1	1	3	5	11	19	41
2. MULTIPLE DX										
A. *Not Operated*	7214	10.3	88	2	3	7	13	22	29	48
B. *Operated*	8845	12.2	225	1	2	6	16	33	48	95
1. SINGLE DX	10906	5.5	53	1	1	3	6	12	18	38
2. MULTIPLE DX	16059	11.3	164	2	2	7	14	27	39	77
A. NOT OPERATED	10502	9.0	76	1	2	6	11	19	26	45
B. OPERATED	16463	9.0	160	1	1	4	10	24	37	75
TOTAL 0-19 YRS	5108	4.4	32	1	1	3	5	9	13	31
20-34	5502	6.8	87	1	1	4	7	16	24	57
35-49	4490	8.1	104	1	2	5	9	19	28	63
50-64	5449	9.4	124	1	2	6	11	22	31	64
65+	6416	14.7	203	2	3	10	20	34	45	79
GRAND TOTAL	**26965**	**9.0**	**128**	**1**	**2**	**5**	**11**	**22**	**32**	**65**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	7.2	25	1	2	6	11	14	16	23
20-34	133	7.6	33	2	2	6	10	14	19	29
35-49	84	9.4	40	2	3	8	13	17	24	29
50-64	88	9.6	51	3	3	8	13	20	22	38
65+	32	9.4	62	3	3	7	10	23	29	34
B. *Operated*										
0-19 YRS	36	5.8	34	1	2	3	8	12	17	29
20-34	69	11.1	101	3	3	8	14	25	28	55
35-49	53	10.2	55	2	2	9	15	19	22	39
50-64	56	12.0	81	2	4	10	15	20	31	50
65+	28	14.4	138	3	5	10	20	23	36	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	8.0	119	1	2	6	9	15	23	72
20-34	285	9.7	74	2	3	7	12	19	27	68
35-49	258	10.3	75	2	3	8	13	20	30	48
50-64	318	10.8	73	2	4	8	13	20	28	46
65+	232	12.8	92	3	4	10	16	26	32	50
B. *Operated*										
0-19 YRS	44	16.6	326	2	2	9	25	51	68	99+
20-34	155	14.2	129	2	3	11	21	28	36	60
35-49	175	17.2	206	4	5	13	21	37	48	92
50-64	203	16.8	255	3	4	12	21	38	57	99+
65+	145	20.1	219	4	6	16	26	43	56	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	8.5	41	2	3	7	11	16	22	30
B. *Operated*	242	10.7	85	2	2	9	14	21	28	51
2. MULTIPLE DX										
A. *Not Operated*	1175	10.6	82	2	3	8	13	21	29	49
B. *Operated*	722	17.0	215	3	4	13	22	36	49	96
1. SINGLE DX	626	9.4	59	2	3	7	12	19	23	38
2. MULTIPLE DX	1897	13.0	142	2	3	9	17	28	39	74
A. NOT OPERATED	1559	10.1	72	2	3	8	13	20	27	46
B. OPERATED	964	15.4	190	2	3	12	20	32	45	82
TOTAL 0-19 YRS	209	9.2	140	1	2	6	11	20	29	84
20-34	642	10.5	86	2	3	8	13	23	28	56
35-49	570	12.3	118	2	3	9	16	24	36	60
50-64	665	12.6	134	3	4	9	16	25	35	80
65+	437	15.1	148	3	4	11	20	31	43	67
GRAND TOTAL	**2523**	**12.1**	**124**	**2**	**3**	**9**	**15**	**25**	**34**	**64**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	7.0	27	2	2	5	9	14	16	26
20-34	217	8.1	49	2	3	6	10	16	22	37
35-49	324	9.3	38	2	3	8	12	19	22	29
50-64	509	9.9	43	2	3	9	12	18	21	33
65+	358	10.9	52	3	4	9	15	20	23	38
B. *Operated*										
0-19 YRS	44	6.4	27	1	1	5	10	13	17	21
20-34	134	9.7	54	2	2	8	14	18	23	38
35-49	268	10.6	63	2	3	8	15	19	26	41
50-64	616	12.7	106	2	3	11	17	24	30	70
65+	344	14.2	118	3	4	13	19	24	31	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	8.0	52	2	3	6	9	16	23	57
20-34	219	8.4	38	2	3	7	11	16	19	31
35-49	483	9.7	57	2	3	8	12	19	23	40
50-64	1308	10.6	58	3	4	9	14	20	24	38
65+	1585	11.9	66	3	4	10	16	22	27	42
B. *Operated*										
0-19 YRS	34	10.6	92	1	2	8	15	25	40	99+
20-34	145	10.9	111	2	3	8	13	21	29	69
35-49	387	13.2	159	3	3	10	17	27	36	75
50-64	947	14.4	151	3	4	11	19	29	37	72
65+	791	18.7	175	3	5	16	24	36	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1652	9.3	44	2	3	8	12	18	22	34
B. *Operated*	1406	12.2	96	2	3	10	17	23	29	54
2. MULTIPLE DX										
A. *Not Operated*	3730	10.8	61	3	4	9	14	20	25	40
B. *Operated*	2304	15.4	164	3	4	12	20	31	40	74
1. SINGLE DX	3058	10.6	70	2	3	9	14	20	25	42
2. MULTIPLE DX	6034	12.6	105	3	4	10	16	24	32	60
A. NOT OPERATED	5382	10.4	56	3	3	9	13	20	24	38
B. OPERATED	3710	14.2	140	2	3	11	18	28	37	70
TOTAL 0-19 YRS	457	7.5	40	2	2	6	9	15	20	39
20-34	715	9.1	60	2	3	7	12	17	22	40
35-49	1462	10.7	83	2	3	8	14	20	26	52
50-64	3380	11.9	93	3	3	9	16	23	29	54
65+	3078	13.8	107	3	4	11	18	26	33	57
GRAND TOTAL	**9092**	**11.9**	**94**	**3**	**3**	**9**	**16**	**23**	**30**	**53**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	8	2	2	3	5	9	9	9
20-34	44	4.8	12	1	1	4	6	11	13	14
35-49	114	7.4	39	1	2	6	9	13	15	34
50-64	329	6.5	21	1	2	5	9	13	16	22
65+	586	7.5	31	2	2	6	10	15	18	25
B. *Operated*										
0-19 YRS	25	7.0	38	1	2	4	11	16	22	23
20-34	299	5.9	26	2	2	4	7	12	16	29
35-49	683	8.3	47	2	2	6	12	16	21	32
50-64	2440	12.5	59	2	3	12	17	21	25	37
65+	2953	17.1	52	6	9	17	20	25	30	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	7.7	14	4	4	7	9	14	16	16
20-34	67	6.4	22	1	2	5	9	12	15	27
35-49	450	7.7	29	2	2	7	10	14	19	29
50-64	1549	8.2	36	2	3	7	10	15	18	28
65+	4351	9.4	44	2	3	8	12	17	21	32
B. *Operated*										
0-19 YRS	31	9.2	81	2	2	6	11	22	26	40
20-34	235	7.8	51	2	2	5	10	16	20	38
35-49	615	10.2	87	2	2	8	14	19	25	52
50-64	2460	13.7	88	3	4	12	18	25	32	47
65+	3851	19.5	112	6	8	18	24	32	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1078	7.1	28	1	2	6	9	14	17	24
B. *Operated*	6400	13.9	65	2	3	14	18	23	27	37
2. MULTIPLE DX										
A. *Not Operated*	6426	9.0	41	2	3	8	11	17	20	32
B. *Operated*	7192	16.3	113	3	4	15	21	29	36	55
1. SINGLE DX	7478	12.9	65	2	3	13	17	23	26	37
2. MULTIPLE DX	13618	12.8	92	3	4	11	17	24	31	49
A. NOT OPERATED	7504	8.7	40	2	3	7	11	16	20	31
B. OPERATED	13592	15.1	92	3	4	15	19	26	32	49
TOTAL 0-19 YRS	70	7.8	53	2	2	5	10	20	23	37
20-34	645	6.6	34	2	2	5	8	14	17	32
35-49	1862	8.7	56	2	2	7	12	17	21	39
50-64	6778	11.7	68	2	3	10	16	21	26	41
65+	11741	14.6	90	3	4	14	19	26	31	48
GRAND TOTAL	**21096**	**12.9**	**83**	**2**	**3**	**11**	**17**	**24**	**29**	**45**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	7.3	42	2	2	5	9	15	21	40
20-34	233	6.1	17	2	2	5	8	11	13	24
35-49	176	6.2	21	2	2	5	8	12	14	34
50-64	161	6.7	37	2	2	5	8	13	15	36
65+	177	7.8	58	2	2	6	9	15	20	34
B. *Operated*										
0-19 YRS	125	11.0	86	2	2	8	15	23	29	46
20-34	333	6.6	48	2	2	5	8	15	18	43
35-49	296	7.6	52	2	2	5	10	16	19	38
50-64	359	10.3	88	2	3	8	14	19	25	44
65+	181	15.0	89	2	3	14	19	25	30	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	189	8.4	46	2	2	6	11	19	24	29
20-34	261	7.1	24	1	2	6	9	12	16	23
35-49	306	7.7	32	2	3	7	10	14	18	28
50-64	562	8.3	42	2	3	7	10	15	19	38
65+	1016	9.9	67	2	3	8	12	18	25	48
B. *Operated*										
0-19 YRS	98	16.6	145	2	4	15	21	32	43	85
20-34	212	9.6	84	2	3	7	11	19	27	47
35-49	256	11.3	94	2	3	9	14	23	28	50
50-64	386	13.7	126	2	3	11	18	28	36	61
65+	344	20.2	223	4	5	16	25	40	50	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	991	6.8	35	2	2	5	8	13	17	34
B. *Operated*	1294	9.5	77	2	2	6	13	19	25	44
2. MULTIPLE DX										
A. *Not Operated*	2334	8.8	51	2	3	7	11	17	22	39
B. *Operated*	1296	14.5	155	3	3	11	19	29	40	67
1. SINGLE DX	2285	8.3	60	2	2	6	11	17	22	40
2. MULTIPLE DX	3630	10.8	95	2	3	8	13	22	29	50
A. NOT OPERATED	3325	8.2	47	2	3	6	10	15	21	37
B. OPERATED	2590	12.0	122	2	3	9	16	25	33	57
TOTAL 0-19 YRS	656	9.7	77	2	2	6	13	21	27	44
20-34	1039	7.2	44	2	2	5	9	14	18	39
35-49	1034	8.3	54	2	2	6	11	17	22	41
50-64	1468	10.0	80	2	3	7	13	20	27	45
65+	1718	12.3	118	2	3	9	16	24	33	60
GRAND TOTAL	**5915**	**9.9**	**83**	**2**	**3**	**7**	**12**	**20**	**27**	**47**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	3.7	6	<1	1	3	5	7	9	10
20-34	157	3.3	9	<1	1	2	4	7	10	16
35-49	71	4.5	10	1	1	4	6	9	13	81
50-64	33	4.4	8	1	2	4	5	7	12	14
65+	15	7.1	31	1	1	6	10	17	18	18
B. *Operated*										
0-19 YRS	2518	4.1	4	1	2	4	5	6	8	10
20-34	4465	4.5	6	2	2	4	5	7	8	13
35-49	1977	4.9	8	2	2	5	6	8	9	16
50-64	1029	5.6	10	2	3	5	7	9	12	18
65+	151	7.0	18	2	3	6	9	11	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.0	6	<1	<1	2	4	7	9	11
20-34	131	4.7	20	<1	1	3	6	10	15	24
35-49	97	5.0	22	<1	1	4	7	10	13	24
50-64	77	5.9	18	1	2	5	8	12	14	22
65+	47	8.0	37	2	2	6	10	16	22	29
B. *Operated*										
0-19 YRS	1255	4.8	7	2	2	5	6	7	9	15
20-34	2716	5.1	10	2	2	5	6	8	10	17
35-49	1636	5.8	25	2	2	5	7	10	13	22
50-64	1334	6.5	22	2	2	5	8	11	15	22
65+	318	8.5	44	2	3	7	10	16	20	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	3.8	9	<1	1	3	5	8	10	16
B. *Operated*	10140	4.6	7	2	2	4	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	418	5.1	21	<1	1	4	7	11	14	24
B. *Operated*	7259	5.6	17	2	2	5	7	9	12	21
1. SINGLE DX	10547	4.6	7	1	2	4	6	7	9	14
2. MULTIPLE DX	7677	5.6	17	2	2	5	7	9	12	21
A. NOT OPERATED	825	4.5	16	<1	1	4	6	9	12	21
B. OPERATED	17399	5.1	11	2	2	5	6	8	10	17
TOTAL 0-19 YRS	3970	4.3	5	1	2	4	5	7	8	12
20-34	7469	4.7	8	2	2	4	6	7	9	15
35-49	3781	5.3	16	2	2	5	6	9	11	19
50-64	2473	6.0	17	2	2	5	7	10	14	21
65+	531	8.0	36	2	3	7	10	15	18	34
GRAND TOTAL	**18224**	**5.0**	**12**	**2**	**2**	**4**	**6**	**8**	**10**	**18**

301: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	4.5	20	1	1	4	5	8	11	23
20-34	309	4.7	13	1	1	4	6	10	11	19
35-49	203	5.3	23	1	1	4	7	11	14	25
50-64	214	5.6	23	1	1	4	7	12	16	24
65+	187	8.1	62	1	2	6	10	17	21	45
B. *Operated*										
0-19 YRS	2186	4.4	7	2	2	4	5	7	8	13
20-34	3024	4.5	11	2	2	4	5	7	9	16
35-49	938	4.9	21	1	2	4	6	9	12	19
50-64	512	6.0	37	1	2	4	7	12	19	28
65+	202	10.9	78	1	2	9	16	22	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	334	4.6	13	1	1	4	6	8	11	19
20-34	377	5.8	33	1	1	4	7	12	16	31
35-49	356	6.5	32	1	2	5	8	12	16	25
50-64	419	7.5	37	1	2	6	10	15	21	29
65+	643	9.3	49	2	3	7	12	18	23	37
B. *Operated*										
0-19 YRS	689	5.2	18	2	2	4	6	9	11	22
20-34	1421	5.7	28	2	2	5	7	10	13	26
35-49	701	6.4	35	2	2	5	7	13	18	32
50-64	590	8.5	77	2	2	5	10	19	28	42
65+	386	15.0	157	2	3	12	21	30	38	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1367	5.3	26	1	1	4	6	11	14	24
B. *Operated*	6862	4.9	16	2	2	4	6	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	2129	7.1	38	1	2	5	9	14	19	31
B. *Operated*	3787	7.1	56	2	2	5	8	15	22	37
1. SINGLE DX	8229	4.9	18	1	2	4	6	8	12	22
2. MULTIPLE DX	5916	7.1	50	2	2	5	8	15	21	36
A. NOT OPERATED	3496	6.4	34	1	2	5	8	13	17	29
B. OPERATED	10649	5.7	31	2	2	4	6	10	15	30
TOTAL 0-19 YRS	3663	4.6	11	1	2	4	5	7	9	16
20-34	5131	5.0	18	1	2	4	6	9	11	21
35-49	2198	5.7	28	1	2	4	7	11	15	26
50-64	1735	7.2	50	1	2	5	9	15	22	35
65+	1418	10.9	91	2	3	8	15	22	28	46
GRAND TOTAL	**14145**	**5.9**	**32**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	28	8.1	34	3	3	6	11	15	21	26
35-49	21	6.7	10	2	3	6	8	11	13	15
50-64	15	7.6	55	<1	2	5	9	16	27	31
65+	9	7.6	14	4	4	7	9	14	16	16
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	12.8	71	3	3	12	16	23	32	33
35-49	5	9.6	38	3	3	12	14	16	16	16
50-64	4	12.8	165	6	6	7	19	32	32	32
65+	3	10.3	30	5	5	10	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.0	8	2	2	6	9	9	9	9
20-34	16	10.0	41	4	4	8	14	18	24	26
35-49	45	8.0	24	2	3	7	10	15	20	22
50-64	43	9.2	28	2	4	8	12	16	21	26
65+	53	9.2	37	2	3	8	12	20	22	24
B. *Operated*										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	7	13.0	41	5	6	10	20	21	21	21
35-49	12	9.8	44	4	4	8	11	21	25	26
50-64	11	17.7	103	3	5	15	22	34	35	35
65+	8	14.6	71	6	6	11	23	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	7.5	28	2	3	6	10	14	16	30
B. *Operated*	24	11.4	67	3	3	11	15	18	32	33
2. MULTIPLE DX										
A. *Not Operated*	163	8.8	31	2	3	7	12	17	21	26
B. *Operated*	40	13.6	68	4	5	11	21	25	30	35
1. SINGLE DX	99	8.5	39	2	3	6	11	16	19	33
2. MULTIPLE DX	203	9.8	41	2	4	8	13	21	22	30
A. NOT OPERATED	238	8.4	30	2	3	7	11	15	21	26
B. OPERATED	64	12.8	68	3	4	11	16	24	32	35
TOTAL 0-19 YRS	11	6.9	12	2	3	7	9	12	14	14
20-34	62	10.0	45	3	3	9	14	19	23	32
35-49	83	8.0	24	2	3	7	10	15	19	25
50-64	73	10.4	59	2	3	8	13	21	30	35
65+	73	9.7	40	2	3	8	13	21	23	26
GRAND TOTAL	**302**	**9.3**	**41**	**2**	**3**	**7**	**12**	**19**	**22**	**32**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	8.8	36	1	3	7	13	18	21	21
20-34	88	6.5	19	1	2	6	9	12	15	21
35-49	336	6.5	14	2	2	6	8	12	14	18
50-64	593	7.4	23	2	3	7	9	13	16	23
65+	500	8.3	35	2	3	7	11	16	20	30
B. *Operated*										
0-19 YRS	10	13.0	370	1	1	7	10	44	64	64
20-34	144	8.2	28	2	2	7	11	16	18	23
35-49	521	9.0	57	2	2	7	12	17	22	33
50-64	662	9.5	47	2	2	8	13	17	23	31
65+	176	12.9	62	3	3	11	18	23	27	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	7.8	50	2	3	5	9	16	26	31
20-34	174	7.4	22	2	3	6	9	13	17	30
35-49	1075	7.7	20	2	3	7	10	14	16	23
50-64	2772	8.3	27	3	3	7	11	15	18	26
65+	3925	9.2	36	3	3	8	12	17	20	30
B. *Operated*										
0-19 YRS	9	11.8	110	4	4	9	16	69	99+	99+
20-34	95	9.9	65	2	3	8	12	18	21	51
35-49	703	11.4	65	2	3	10	14	20	25	40
50-64	1256	12.7	86	2	4	11	16	23	28	50
65+	891	15.9	144	3	4	13	21	30	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1528	7.5	25	2	3	6	9	14	17	26
B. *Operated*	1513	9.6	54	2	2	8	13	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	7963	8.7	31	3	3	7	11	15	19	28
B. *Operated*	2954	13.2	101	3	4	11	17	25	32	58
1. SINGLE DX	3041	8.6	41	2	2	7	11	16	20	32
2. MULTIPLE DX	10917	9.9	54	3	3	8	12	18	23	39
A. NOT OPERATED	9491	8.5	30	2	3	7	11	15	19	28
B. OPERATED	4467	12.0	88	2	3	10	15	23	29	51
TOTAL 0-19 YRS	47	9.9	121	1	2	6	11	24	41	99+
20-34	501	8.0	32	2	3	7	10	15	18	26
35-49	2635	8.8	42	2	3	7	11	16	20	32
50-64	5283	9.4	47	2	3	8	12	17	22	36
65+	5492	10.3	61	3	3	8	13	19	25	41
GRAND TOTAL	**13958**	**9.6**	**51**	**2**	**3**	**8**	**12**	**18**	**23**	**37**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	8.7	55	2	3	7	10	14	18	49
20-34	1687	8.1	26	2	3	7	10	14	16	26
35-49	2515	8.4	25	2	3	8	11	14	17	23
50-64	1428	9.0	26	2	3	8	11	15	18	26
65+	356	9.6	33	3	4	8	13	18	20	29
B. *Operated*										
0-19 YRS	282	9.1	35	2	2	8	11	16	20	32
20-34	5126	10.2	41	2	3	9	13	19	22	31
35-49	7706	10.8	43	2	3	10	14	19	23	32
50-64	3874	11.9	52	2	3	11	15	21	25	35
65+	604	13.9	78	2	4	12	18	26	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	8.7	20	2	3	8	12	14	17	18
20-34	745	9.1	33	2	3	8	12	16	20	30
35-49	1736	9.6	38	3	4	8	12	17	21	32
50-64	1845	10.0	33	3	4	9	13	16	20	31
65+	1212	10.5	39	3	4	9	13	18	21	34
B. *Operated*										
0-19 YRS	45	11.3	94	2	2	9	14	26	36	41
20-34	1420	12.8	70	2	4	11	16	23	28	38
35-49	3142	13.5	77	3	4	12	17	24	30	46
50-64	2737	15.0	89	3	5	13	19	27	32	48
65+	905	18.4	128	4	7	16	24	32	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6072	8.5	27	2	3	8	11	15	17	26
B. *Operated*	17592	11.0	46	2	3	10	14	20	24	33
2. MULTIPLE DX										
A. *Not Operated*	5567	9.9	36	3	4	9	12	17	20	32
B. *Operated*	8249	14.4	88	3	5	12	18	26	32	48
1. SINGLE DX	23664	10.3	42	2	3	9	13	19	22	32
2. MULTIPLE DX	13816	12.6	72	3	4	11	16	23	29	44
A. NOT OPERATED	11639	9.1	32	2	3	8	12	16	19	28
B. OPERATED	25841	12.1	62	2	3	11	16	22	27	38
TOTAL 0-19 YRS	442	9.2	44	2	2	8	11	16	20	36
20-34	8978	10.1	44	2	3	9	13	18	22	32
35-49	15099	10.8	49	2	3	10	14	19	24	35
50-64	9884	12.0	60	2	4	10	15	22	26	38
65+	3077	13.4	84	3	4	11	17	25	31	49
GRAND TOTAL	**37480**	**11.2**	**55**	**2**	**3**	**10**	**14**	**20**	**25**	**36**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	7.5	37	2	2	6	9	14	19	34
20-34	497	7.8	21	2	3	7	10	13	16	24
35-49	885	8.1	22	2	3	7	10	14	16	23
50-64	532	8.5	25	2	3	8	11	14	17	25
65+	130	8.4	29	3	3	7	11	14	16	26
B. *Operated*										
0-19 YRS	31	10.5	68	2	2	9	12	25	29	33
20-34	736	9.6	52	2	2	8	13	17	20	30
35-49	1716	10.1	40	2	3	9	13	18	21	31
50-64	1021	11.1	49	2	3	10	14	20	24	32
65+	113	11.8	48	3	4	10	16	21	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	8.6	26	2	2	10	13	15	16	20
20-34	275	8.6	24	2	4	7	11	15	18	23
35-49	773	8.9	31	2	3	8	11	15	19	28
50-64	884	9.0	27	3	4	8	11	17	20	27
65+	532	9.9	43	3	4	8	12	18	21	29
B. *Operated*										
0-19 YRS	14	13.8	59	2	4	13	20	24	27	28
20-34	264	11.6	55	2	3	10	16	21	26	35
35-49	851	12.6	61	3	5	11	16	23	28	39
50-64	864	13.5	76	2	4	12	18	25	29	46
65+	159	15.7	100	5	6	14	19	28	37	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2085	8.2	23	2	3	7	10	14	16	24
B. *Operated*	3617	10.3	46	2	3	9	13	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	2489	9.1	31	3	3	8	11	16	20	28
B. *Operated*	2152	13.1	70	3	4	11	17	24	28	44
1. SINGLE DX	5702	9.5	39	2	3	8	12	17	20	30
2. MULTIPLE DX	4641	11.0	53	3	4	9	14	20	25	37
A. NOT OPERATED	4574	8.7	28	2	3	8	11	15	18	26
B. OPERATED	5769	11.3	56	2	3	10	15	20	25	37
TOTAL 0-19 YRS	111	9.3	49	2	2	8	12	20	23	33
20-34	1772	9.3	41	2	3	8	12	17	20	30
35-49	4225	9.9	41	2	3	9	13	18	22	32
50-64	3301	10.7	50	2	3	9	14	20	24	34
65+	934	10.9	56	3	4	9	14	19	25	44
GRAND TOTAL	**10343**	**10.2**	**46**	**2**	**3**	**9**	**13**	**18**	**23**	**33**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	7.0	28	2	2	5	9	15	19	25
20-34	833	7.3	19	2	3	7	9	12	14	21
35-49	843	7.8	25	2	2	7	10	13	16	25
50-64	468	7.0	23	1	2	6	10	13	15	24
65+	101	7.3	35	1	1	6	10	14	17	31
B. *Operated*										
0-19 YRS	19	8.6	40	1	2	7	14	16	21	24
20-34	349	8.5	43	2	2	7	11	17	20	34
35-49	425	9.3	47	2	3	8	12	18	24	33
50-64	146	10.0	52	2	3	9	13	20	26	33
65+	10	8.9	35	1	2	8	13	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	7.3	49	2	2	6	9	13	16	47
20-34	678	8.4	28	2	3	7	10	14	18	27
35-49	965	8.9	27	2	4	8	11	15	19	25
50-64	649	9.3	29	2	3	8	12	16	19	26
65+	290	9.6	39	2	3	9	13	18	22	31
B. *Operated*										
0-19 YRS	15	10.5	71	2	3	8	13	22	31	34
20-34	269	10.4	45	2	3	9	14	18	22	30
35-49	333	11.6	48	3	4	10	15	21	26	32
50-64	198	12.7	60	3	4	12	17	23	25	45
65+	39	14.1	78	3	6	12	17	26	35	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2296	7.4	23	2	2	7	10	13	15	25
B. *Operated*	949	9.1	46	2	2	8	12	18	22	33
2. MULTIPLE DX										
A. *Not Operated*	2637	8.9	30	2	3	8	11	15	19	27
B. *Operated*	854	11.5	53	3	4	10	15	21	25	36
1. SINGLE DX	3245	7.9	30	2	2	7	10	14	18	29
2. MULTIPLE DX	3491	9.6	36	2	3	8	12	17	21	30
A. NOT OPERATED	4933	8.2	27	2	2	7	11	14	18	26
B. OPERATED	1803	10.3	51	2	3	9	13	19	24	34
TOTAL 0-19 YRS	140	7.7	43	2	2	6	10	15	19	35
20-34	2129	8.2	30	2	3	7	10	14	18	27
35-49	2566	9.0	33	2	3	8	12	16	20	30
50-64	1461	9.1	37	2	2	8	12	17	20	29
65+	440	9.5	44	1	2	8	13	18	22	35
GRAND TOTAL	**6736**	**8.8**	**34**	**2**	**3**	**8**	**11**	**16**	**20**	**29**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	8.0	18	2	3	8	11	14	15	17
20-34	204	7.5	18	2	3	7	10	13	16	21
35-49	322	8.3	20	2	3	8	11	14	16	23
50-64	230	8.5	21	3	4	8	10	15	17	24
65+	111	9.4	26	3	4	9	12	16	19	27
B. *Operated*										
0-19 YRS	7	9.3	11	3	4	9	12	13	13	13
20-34	116	8.9	46	2	2	8	12	18	20	37
35-49	184	8.6	45	2	2	7	12	17	24	29
50-64	89	10.9	65	2	2	9	16	25	26	30
65+	19	11.5	41	2	4	10	17	20	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	6.2	11	2	2	7	8	11	12	13
20-34	214	8.2	29	3	3	7	11	14	15	26
35-49	371	9.0	25	3	4	8	12	16	18	25
50-64	521	9.9	39	3	4	9	12	17	21	27
65+	513	10.4	37	3	4	9	14	19	23	31
B. *Operated*										
0-19 YRS	3	10.3	65	3	3	9	16	19	19	19
20-34	83	11.8	56	3	4	11	15	23	27	35
35-49	163	13.0	81	3	4	11	17	24	27	37
50-64	162	14.1	76	3	4	13	19	26	32	41
65+	73	14.8	73	4	6	13	20	24	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	888	8.3	21	2	3	8	11	14	17	23
B. *Operated*	415	9.3	49	2	2	8	12	19	25	30
2. MULTIPLE DX										
A. *Not Operated*	1636	9.6	34	3	4	8	12	17	21	28
B. *Operated*	484	13.4	74	3	4	12	18	24	29	40
1. SINGLE DX	1303	8.6	30	2	3	8	11	16	19	27
2. MULTIPLE DX	2120	10.5	46	3	4	9	13	19	23	32
A. NOT OPERATED	2524	9.1	30	3	4	8	12	16	19	26
B. OPERATED	899	11.5	67	2	3	10	16	23	27	36
TOTAL 0-19 YRS	48	7.7	17	2	3	8	10	13	15	19
20-34	617	8.6	34	2	3	7	11	15	18	31
35-49	1040	9.3	38	2	3	8	12	17	21	29
50-64	1002	10.3	46	3	4	9	13	19	24	32
65+	716	10.7	41	3	4	9	14	19	23	31
GRAND TOTAL	**3423**	**9.8**	**41**	**2**	**3**	**8**	**12**	**18**	**22**	**31**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	374	4.9	13	1	1	4	7	10	12	17
20-34	2665	7.0	21	2	2	6	9	13	15	24
35-49	3094	8.0	38	2	3	7	10	14	18	26
50-64	1673	8.2	30	2	3	7	10	15	18	29
65+	533	8.2	28	2	3	7	11	15	18	27
B. *Operated*										
0-19 YRS	157	5.8	27	1	2	4	8	12	15	30
20-34	1685	7.4	42	2	2	6	10	15	20	31
35-49	2202	8.3	43	2	2	7	11	17	21	32
50-64	1231	9.0	45	2	2	8	12	17	22	32
65+	325	12.9	108	2	3	11	17	26	34	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	340	5.9	23	1	1	5	8	11	15	23
20-34	2630	7.8	31	2	3	7	10	14	18	26
35-49	3599	9.0	39	2	3	8	11	16	20	32
50-64	3127	9.2	42	2	3	8	11	16	20	35
65+	2222	9.8	43	3	3	8	13	18	22	34
B. *Operated*										
0-19 YRS	96	8.9	61	2	2	6	13	19	23	39
20-34	1361	10.2	62	2	2	9	13	20	26	38
35-49	2022	11.3	74	2	3	10	15	21	26	45
50-64	1758	12.5	79	2	3	11	16	24	30	43
65+	791	16.9	151	3	5	14	21	32	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8339	7.6	30	2	2	7	10	14	17	25
B. *Operated*	5600	8.4	48	2	2	7	11	17	21	33
2. MULTIPLE DX										
A. *Not Operated*	11918	8.8	39	2	3	8	11	16	20	33
B. *Operated*	6028	12.1	87	2	3	10	16	23	29	47
1. SINGLE DX	13939	7.9	37	2	2	7	10	15	19	29
2. MULTIPLE DX	17946	9.9	57	2	3	8	13	19	24	39
A. NOT OPERATED	20257	8.3	35	2	3	7	11	15	19	30
B. OPERATED	11628	10.3	71	2	2	9	14	20	26	41
TOTAL 0-19 YRS	967	5.8	25	1	1	4	8	11	15	24
20-34	8341	7.9	36	2	2	7	10	15	19	30
35-49	10917	9.0	47	2	3	8	12	17	21	33
50-64	7789	9.7	51	2	3	8	12	18	23	37
65+	3871	11.3	77	2	3	9	14	21	28	46
GRAND TOTAL	**31885**	**9.1**	**49**	**2**	**3**	**8**	**12**	**17**	**22**	**35**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	324	4.3	9	1	2	4	6	8	9	17
20-34	328	4.9	11	1	2	4	6	10	12	17
35-49	372	5.6	27	1	2	5	7	10	12	26
50-64	400	5.5	13	1	2	5	7	11	12	19
65+	182	6.2	15	2	2	5	8	12	14	18
B. *Operated*										
0-19 YRS	629	3.2	7	1	1	3	4	5	7	15
20-34	1736	3.3	6	1	2	3	4	6	8	13
35-49	2252	3.7	9	1	2	3	4	6	8	15
50-64	2401	4.0	16	1	2	3	5	7	9	18
65+	522	4.2	16	1	2	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	5.0	13	1	2	4	6	9	13	21
20-34	266	5.9	19	1	2	5	8	11	14	25
35-49	534	6.8	28	2	2	6	9	12	16	22
50-64	826	7.3	25	2	2	6	9	13	17	26
65+	726	8.6	37	2	3	7	11	16	20	29
B. *Operated*										
0-19 YRS	247	4.1	16	1	1	3	4	7	10	20
20-34	848	4.4	20	2	2	3	5	8	10	23
35-49	1400	5.3	20	2	2	4	6	10	15	24
50-64	1654	5.8	31	2	2	4	7	11	15	29
65+	594	7.5	49	2	2	5	10	16	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1606	5.2	15	1	2	4	7	10	12	19
B. *Operated*	7540	3.7	11	1	2	3	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	2525	7.2	29	2	2	6	9	13	18	26
B. *Operated*	4743	5.5	28	2	2	4	6	11	15	26
1. SINGLE DX	9146	4.0	12	1	2	3	5	7	10	17
2. MULTIPLE DX	7268	6.1	29	2	2	5	8	12	16	26
A. NOT OPERATED	4131	6.5	25	1	2	5	8	12	16	24
B. OPERATED	12283	4.4	18	1	2	3	5	8	11	22
TOTAL 0-19 YRS	1373	3.8	10	1	1	3	5	7	9	19
20-34	3178	4.0	12	1	2	3	5	7	10	17
35-49	4558	4.7	17	1	2	4	5	9	12	21
50-64	5281	5.2	23	1	2	4	6	10	13	23
65+	2024	6.9	36	2	2	5	9	15	18	28
GRAND TOTAL	**16414**	**4.9**	**21**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	5	<1	<1	2	5	6	7	7
20-34	39	2.9	4	<1	<1	3	4	6	7	8
35-49	21	4.9	14	1	1	4	7	10	13	15
50-64	24	3.4	4	<1	1	3	5	6	7	7
65+	15	3.7	9	<1	1	3	5	6	11	13
B. *Operated*										
0-19 YRS	649	4.2	12	2	2	4	5	6	7	12
20-34	1780	3.8	4	2	2	3	5	6	7	10
35-49	1264	4.2	4	2	2	4	5	7	8	12
50-64	1632	4.7	6	2	2	4	6	7	9	13
65+	645	4.8	8	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	7	<1	<1	1	2	6	9	11
20-34	67	2.2	3	<1	<1	1	3	5	6	9
35-49	56	3.8	11	<1	1	3	5	8	10	17
50-64	80	4.6	21	<1	1	4	6	9	12	28
65+	56	7.1	103	1	1	4	8	12	31	56
B. *Operated*										
0-19 YRS	559	4.4	6	2	2	4	5	6	8	13
20-34	2979	4.4	9	2	2	4	5	7	8	13
35-49	2682	4.9	7	2	3	4	6	8	9	16
50-64	4063	5.6	10	2	3	5	7	9	11	17
65+	1710	6.7	22	3	3	6	8	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	3.5	7	<1	<1	3	5	7	8	14
B. *Operated*	5970	4.3	6	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	280	4.2	33	<1	<1	3	5	9	12	36
B. *Operated*	11993	5.2	11	2	3	5	6	8	10	18
1. SINGLE DX	6081	4.2	6	2	2	4	5	7	8	12
2. MULTIPLE DX	12273	5.2	12	2	2	5	6	8	10	18
A. NOT OPERATED	391	4.0	25	<1	<1	3	5	8	11	26
B. OPERATED	17963	4.9	10	2	2	4	6	8	10	16
TOTAL 0-19 YRS	1241	4.2	9	2	2	4	5	6	7	13
20-34	4865	4.1	7	2	2	4	5	6	8	12
35-49	4023	4.7	7	2	2	4	6	7	9	14
50-64	5799	5.3	9	2	3	5	6	8	10	16
65+	2426	6.2	20	2	3	5	7	10	13	24
GRAND TOTAL	**18354**	**4.9**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.8	3	<1	<1	1	2	3	4	13
20-34	71	2.0	7	<1	<1	2	2	3	4	19
35-49	35	2.6	4	1	1	2	3	6	7	8
50-64	27	3.3	7	1	1	2	4	8	10	11
65+	9	6.1	40	1	1	5	7	16	22	22
B. *Operated*										
0-19 YRS	1619	2.2	3	<1	1	2	2	3	4	6
20-34	2796	2.3	5	1	1	2	3	3	4	7
35-49	1384	2.6	5	1	1	2	3	4	5	11
50-64	895	3.0	4	1	1	2	4	5	7	11
65+	254	3.4	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.5		<1	<1	1	2	2	3	3
20-34	21	2.2	3	<1	<1	1	3	5	6	6
35-49	21	4.3	12	<1	1	3	8	10	10	11
50-64	39	4.7	15	<1	1	4	7	10	13	17
65+	17	7.2	20	2	2	6	9	15	17	18
B. *Operated*										
0-19 YRS	188	2.7	2	1	1	2	3	5	6	8
20-34	616	3.2	5	1	1	2	4	6	8	13
35-49	523	4.1	12	1	2	3	5	8	11	19
50-64	551	4.7	16	2	2	3	6	10	12	20
65+	231	6.3	62	1	2	4	7	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	2.4	8	<1	<1	2	3	5	7	18
B. *Operated*	6948	2.5	5	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	120	4.0	13	<1	<1	2	6	9	11	17
B. *Operated*	2109	4.1	17	1	2	3	5	8	11	19
1. SINGLE DX	7140	2.5	5	1	1	2	3	4	5	9
2. MULTIPLE DX	2229	4.1	17	1	2	3	5	8	11	19
A. NOT OPERATED	312	3.0	10	<1	<1	2	3	7	9	17
B. OPERATED	9057	2.9	8	1	1	2	3	5	7	13
TOTAL 0-19 YRS	1879	2.2	3	<1	1	2	2	3	4	7
20-34	3504	2.5	5	1	1	2	3	4	5	9
35-49	1963	3.0	7	1	1	2	3	5	7	14
50-64	1512	3.7	10	1	1	3	4	7	10	16
65+	511	4.9	35	1	2	3	6	9	14	24
GRAND TOTAL	**9369**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	14.8	87	2	4	14	21	28	32	42
20-34	79	9.7	65	2	2	8	13	24	28	36
35-49	66	11.8	128	2	3	8	13	24	35	64
50-64	65	13.0	79	2	4	11	19	25	32	37
65+	43	14.7	188	4	4	10	16	37	48	65
B. *Operated*										
0-19 YRS	190	17.0	141	2	3	15	23	30	41	59
20-34	187	12.2	116	2	3	9	17	27	41	84
35-49	155	16.1	290	2	3	10	18	41	51	93
50-64	155	15.8	156	2	3	12	23	35	45	59
65+	106	15.8	207	2	3	11	22	39	47	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	18.9	94	3	7	20	26	30	34	46
20-34	66	12.6	103	2	3	10	16	29	35	44
35-49	78	14.2	154	1	3	10	19	30	42	54
50-64	165	14.5	126	3	4	11	18	32	40	61
65+	147	18.7	219	4	5	14	25	43	54	99+
B. *Operated*										
0-19 YRS	127	19.7	211	3	4	16	27	40	51	77
20-34	182	18.1	198	3	4	14	25	41	50	72
35-49	204	20.4	255	3	4	16	29	44	53	90
50-64	333	20.6	254	3	4	17	29	43	54	75
65+	283	25.2	376	4	6	20	34	52	65	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	13.0	102	2	3	10	17	26	32	47
B. *Operated*	793	15.3	178	2	3	11	21	32	45	73
2. MULTIPLE DX										
A. *Not Operated*	533	16.0	153	3	4	12	23	34	43	65
B. *Operated*	1129	21.2	276	3	5	17	29	44	56	83
1. SINGLE DX	1199	14.5	153	2	3	11	20	31	41	60
2. MULTIPLE DX	1662	19.5	242	3	4	15	27	42	52	79
A. NOT OPERATED	939	14.7	133	2	4	11	20	30	39	57
B. OPERATED	1922	18.8	244	3	4	15	26	41	51	[illegible]
TOTAL 0-19 YRS	547	17.3	138	3	4	15	24	31	39	60
20-34	514	14.0	145	2	3	10	19	31	42	59
35-49	503	17.0	242	2	3	12	23	41	51	82
50-64	718	17.5	196	3	4	13	24	38	47	67
65+	579	21.0	308	4	4	16	28	46	58	94
GRAND TOTAL	**2861**	**17.4**	**211**	**3**	**4**	**13**	**24**	**38**	**48**	**76**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	281	5.9	46	1	1	4	7	12	17	30
20-34	314	4.6	13	1	1	4	6	9	12	19
35-49	333	4.7	12	1	2	4	6	9	12	17
50-64	344	5.9	20	1	2	5	7	12	16	22
65+	458	9.3	40	2	3	8	12	18	22	30
B. *Operated*										
0-19 YRS	2005	5.4	20	1	2	4	6	10	13	22
20-34	2096	5.2	24	2	2	4	6	9	13	26
35-49	958	6.5	30	2	2	5	8	13	17	30
50-64	724	8.3	43	2	2	6	12	17	21	31
65+	436	14.3	143	2	3	13	18	27	36	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	6.9	66	1	1	4	8	14	25	46
20-34	468	5.3	14	1	2	4	7	11	13	17
35-49	758	6.3	27	2	2	5	8	11	15	29
50-64	1249	8.4	58	2	3	6	10	16	22	45
65+	3869	11.1	60	3	4	9	14	21	26	40
B. *Operated*										
0-19 YRS	659	6.7	59	2	2	4	7	14	18	49
20-34	1346	6.3	47	2	2	4	7	12	18	43
35-49	923	8.2	76	2	2	5	10	17	23	46
50-64	1027	13.3	176	2	3	9	17	28	41	83
65+	1324	20.1	194	4	6	18	26	37	49	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1730	6.3	30	1	2	5	8	13	17	26
B. *Operated*	6219	6.4	40	2	2	4	8	13	18	32
2. MULTIPLE DX										
A. *Not Operated*	6534	9.5	57	2	3	8	12	18	24	39
B. *Operated*	5279	11.5	146	2	2	7	16	26	35	69
1. SINGLE DX	7949	6.4	38	2	2	4	8	13	18	31
2. MULTIPLE DX	11813	10.4	98	2	3	7	13	22	29	54
A. NOT OPERATED	8264	8.9	53	2	2	7	11	17	23	37
B. OPERATED	11498	8.8	95	2	2	5	11	20	27	52
TOTAL 0-19 YRS	3135	5.8	33	1	2	4	7	11	15	30
20-34	4224	5.5	30	2	2	4	6	10	15	30
35-49	2972	6.8	42	2	2	5	8	14	18	32
50-64	3344	9.6	93	2	2	7	12	19	27	54
65+	6087	13.2	108	3	4	11	17	25	32	55
GRAND TOTAL	**19762**	**8.8**	**77**	**2**	**2**	**6**	**11**	**19**	**25**	**46**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.6	24	<1	1	2	5	7	8	29
20-34	10	4.8	14	1	1	4	8	48	96	99+
35-49	11	4.3	23	<1	<1	3	4	13	16	16
50-64	10	3.3	4	1	1	3	5	6	6	6
65+	8	6.9	17	1	2	7	11	11	11	11
B. *Operated*										
0-19 YRS	501	4.3	7	1	2	3	6	8	9	14
20-34	603	3.4	7	1	2	3	4	6	8	14
35-49	301	4.0	16	1	2	3	4	8	11	16
50-64	227	5.1	18	2	2	4	6	10	13	22
65+	67	7.7	43	2	2	6	9	15	19	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.8	12	<1	1	2	5	8	11	15
20-34	32	5.7	64	<1	<1	4	6	10	27	38
35-49	28	6.1	55	<1	1	4	8	12	16	39
50-64	31	16.9	417	1	2	10	20	35	68	95
65+	49	12.7	258	1	2	8	14	34	64	99+
B. *Operated*										
0-19 YRS	366	5.4	12	2	2	5	7	9	12	19
20-34	840	4.2	15	2	2	3	5	7	10	16
35-49	507	4.9	13	2	2	4	6	9	11	19
50-64	401	7.0	57	2	2	5	8	13	20	41
65+	139	11.3	103	2	3	8	15	22	29	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.2	19	<1	1	3	5	11	13	82
B. *Operated*	1699	4.2	12	1	2	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	166	9.6	197	<1	1	5	10	22	39	93
B. *Operated*	2253	5.5	30	2	2	4	6	10	14	27
1. SINGLE DX	1773	4.2	13	1	2	3	5	8	11	18
2. MULTIPLE DX	2419	5.8	43	2	2	4	7	11	15	35
A. NOT OPERATED	240	8.0	148	<1	1	4	8	17	30	95
B. OPERATED	3952	4.9	23	2	2	4	6	9	12	23
TOTAL 0-19 YRS	928	4.7	10	1	2	4	6	9	11	17
20-34	1485	4.0	13	1	2	3	4	7	9	16
35-49	847	4.6	16	2	2	3	6	9	11	18
50-64	669	6.8	65	2	2	5	8	13	20	41
65+	263	10.5	116	2	3	8	13	20	28	71
GRAND TOTAL	**4192**	**5.1**	**31**	**2**	**2**	**4**	**6**	**9**	**13**	**28**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.5	30	1	1	4	7	13	19	20
20-34	115	6.2	21	1	1	6	9	12	15	51
35-49	151	6.6	24	1	2	5	9	12	15	25
50-64	112	7.8	35	1	2	7	11	15	19	28
65+	39	8.0	40	1	2	7	10	15	17	37
B. *Operated*										
0-19 YRS	7	6.3	19	2	2	4	10	13	13	13
20-34	66	7.0	27	2	2	6	9	16	19	21
35-49	109	9.4	70	2	2	7	13	19	22	47
50-64	77	9.6	60	2	3	8	13	17	21	46
65+	17	10.9	98	2	3	6	18	27	30	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.4	11	1	1	3	5	9	13	13
20-34	110	6.5	19	1	2	5	10	12	16	19
35-49	209	7.2	32	1	1	6	10	14	17	34
50-64	207	9.0	40	2	3	8	11	18	22	32
65+	230	9.8	55	2	3	8	13	20	27	38
B. *Operated*										
0-19 YRS	6	6.3	20	2	2	6	8	13	14	14
20-34	42	11.2	92	2	2	8	17	25	36	99+
35-49	108	9.8	44	2	2	9	13	18	20	67
50-64	113	12.4	92	2	3	10	17	29	36	65
65+	61	17.1	120	5	7	14	21	27	47	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	6.9	28	1	2	6	9	13	17	27
B. *Operated*	276	8.9	58	2	2	7	12	17	21	42
2. MULTIPLE DX										
A. *Not Operated*	766	8.3	41	1	2	7	11	17	20	32
B. *Operated*	330	12.2	87	2	3	10	16	25	34	61
1. SINGLE DX	705	7.7	40	1	2	6	10	16	20	32
2. MULTIPLE DX	1096	9.5	57	2	2	8	12	19	25	46
A. NOT OPERATED	1195	7.8	36	1	2	7	10	15	20	32
B. OPERATED	606	10.7	76	2	2	9	15	21	28	49
TOTAL 0-19 YRS	35	5.5	20	1	1	4	8	13	14	20
20-34	333	7.1	32	1	2	6	9	15	19	32
35-49	577	7.9	41	1	2	6	11	16	20	41
50-64	509	9.6	56	2	2	8	12	19	24	37
65+	347	11.0	74	2	3	9	14	22	28	48
GRAND TOTAL	**1801**	**8.8**	**52**	**1**	**2**	**7**	**12**	**18**	**22**	**40**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	522	3.6	7	1	1	3	5	7	9	13
20-34	1304	5.7	27	1	2	4	7	11	13	25
35-49	1132	6.2	24	1	2	5	8	12	15	25
50-64	650	6.0	22	1	2	5	8	12	15	25
65+	339	6.9	26	2	2	6	9	13	16	25
B. *Operated*										
0-19 YRS	1027	5.2	36	1	1	3	5	13	18	30
20-34	1597	4.8	28	1	2	3	5	10	15	25
35-49	1179	5.4	27	1	2	3	7	12	16	26
50-64	1288	4.5	25	1	2	3	5	9	14	25
65+	541	4.9	31	2	2	3	5	9	13	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	435	4.6	16	1	1	4	6	8	11	22
20-34	1795	6.7	33	1	2	6	8	12	15	28
35-49	2259	7.8	43	2	3	6	10	14	17	40
50-64	1967	7.6	35	2	3	6	10	14	18	29
65+	1566	8.7	47	2	3	7	11	17	21	34
B. *Operated*										
0-19 YRS	754	5.3	34	1	2	4	6	10	15	30
20-34	1726	5.8	38	1	2	4	6	12	17	32
35-49	1373	7.4	50	2	2	5	10	16	21	31
50-64	1396	8.1	73	2	2	5	10	17	24	44
65+	704	10.5	110	2	2	7	14	23	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3997	5.7	23	1	2	4	7	11	14	24
B. *Operated*	5632	5.0	29	1	2	3	5	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	8022	7.5	39	2	2	6	9	14	18	33
B. *Operated*	5953	7.2	59	2	2	4	9	16	21	38
1. SINGLE DX	9629	5.3	27	1	2	4	6	11	15	25
2. MULTIPLE DX	13975	7.4	48	2	2	5	9	14	19	36
A. NOT OPERATED	12019	6.9	35	1	2	5	9	13	16	30
B. OPERATED	11585	6.1	46	1	2	4	7	14	19	33
TOTAL 0-19 YRS	2738	4.8	27	1	1	3	5	10	15	27
20-34	6422	5.8	32	1	2	4	7	11	15	27
35-49	5993	6.9	39	2	2	5	9	14	18	31
50-64	5301	6.8	43	2	2	5	9	14	18	32
65+	3150	8.3	59	2	2	6	10	17	22	38
GRAND TOTAL	**23604**	**6.5**	**40**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.3	3	1	2	5	5	7	7	7
20-34	114	6.1	13	2	2	5	7	11	13	19
35-49	95	6.5	12	2	3	6	8	10	12	21
50-64	41	7.1	23	2	3	6	8	13	20	23
65+	5	7.2	4	4	4	8	8	9	9	9
B. *Operated*										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	25	7.9	17	2	3	7	11	13	15	17
35-49	30	9.1	17	3	4	9	12	14	18	19
50-64	8	7.5	10	2	3	8	9	11	12	12
65+	4	14.5	94	3	3	16	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.3	37	2	2	4	8	11	15	34
20-34	247	7.1	23	2	3	6	9	13	16	27
35-49	297	7.2	15	3	3	6	9	12	14	21
50-64	144	8.4	32	3	3	7	11	16	19	30
65+	46	10.4	35	4	4	9	14	19	22	26
B. *Operated*										
0-19 YRS	3	8.3	25	3	3	9	12	13	13	13
20-34	50	9.4	30	3	4	8	13	16	17	26
35-49	58	10.8	40	4	5	9	14	21	24	31
50-64	32	11.0	37	3	4	9	15	17	26	28
65+	8	11.4	54	6	6	9	11	24	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	6.4	14	2	3	6	8	11	13	21
B. *Operated*	71	8.5	22	2	3	8	12	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	766	7.6	24	3	3	6	9	13	17	26
B. *Operated*	151	10.4	36	3	5	9	14	18	25	29
1. SINGLE DX	335	6.8	17	2	3	6	9	12	14	21
2. MULTIPLE DX	917	8.0	27	3	3	7	10	15	17	27
A. NOT OPERATED	1030	7.3	21	2	3	6	9	13	16	24
B. OPERATED	222	9.8	33	3	3	9	13	17	21	28
TOTAL 0-19 YRS	48	5.8	28	2	2	4	7	10	13	34
20-34	436	7.2	22	2	3	6	9	13	16	25
35-49	480	7.6	19	3	3	7	9	13	16	22
50-64	225	8.5	31	3	3	7	10	16	19	28
65+	63	10.5	38	4	4	9	14	20	23	29
GRAND TOTAL	**1252**	**7.7**	**24**	**2**	**3**	**6**	**10**	**14**	**17**	**26**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.3	23	1	1	3	5	10	13	27
20-34	9	5.3	18	<1	<1	6	8	11	12	12
35-49	7	4.4	13	<1	<1	3	8	10	10	10
50-64	3	10.0	67	3	3	8	16	19	19	19
65+	7	6.1	36	<1	1	4	7	17	19	19
B. *Operated*										
0-19 YRS	109	9.6	38	2	3	9	13	18	21	33
20-34	23	10.4	274	1	2	7	11	16	40	83
35-49	20	14.4	132	2	3	14	18	23	38	53
50-64	11	12.2	99	1	2	8	18	26	33	34
65+	3	15.0	109	3	3	20	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	6.5	72	1	1	4	7	14	21	51
20-34	39	6.5	25	1	1	6	8	13	19	21
35-49	24	5.3	14	1	2	4	7	11	14	15
50-64	12	7.1	17	1	2	7	9	12	16	17
65+	17	9.0	142	2	2	6	8	22	41	50
B. *Operated*										
0-19 YRS	175	12.0	153	1	2	8	15	29	40	93
20-34	36	15.4	193	3	5	12	19	27	52	67
35-49	20	11.0	62	3	3	9	13	23	28	32
50-64	21	27.3	484	4	7	21	36	78	89	99+
65+	10	10.8	18	4	5	11	13	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	4.7	24	<1	1	3	6	10	15	25
B. *Operated*	166	10.6	87	2	3	9	14	20	23	50
2. MULTIPLE DX										
A. *Not Operated*	279	6.6	62	1	1	4	8	14	20	45
B. *Operated*	262	13.6	188	2	3	10	17	31	45	97
1. SINGLE DX	261	8.4	71	1	2	6	11	18	21	36
2. MULTIPLE DX	541	10.0	135	1	2	7	12	22	32	76
A. NOT OPERATED	374	6.1	53	1	1	4	7	12	19	32
B. OPERATED	428	12.4	150	2	3	9	15	24	36	81
TOTAL 0-19 YRS	540	8.6	92	1	2	6	11	19	26	63
20-34	107	10.2	147	1	1	7	12	21	24	74
35-49	71	9.4	74	1	2	7	13	20	24	49
50-64	47	17.5	322	2	3	12	21	37	77	99+
65+	37	9.4	85	2	2	7	13	20	23	50
GRAND TOTAL	**802**	**9.5**	**115**	**1**	**2**	**7**	**12**	**20**	**28**	**73**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	1.3	1	<1	<1	1	1	2	3	6
20-34	9	3.4	3	1	1	4	4	6	6	6
35-49	8	3.6	3	1	1	4	5	6	6	6
50-64	22	3.7	13	1	2	3	3	5	11	19
65+	32	2.9	1	2	2	3	3	4	5	6
B. *Operated*										
0-19 YRS	973	2.4	2	1	1	2	3	4	5	9
20-34	314	2.9	3	1	2	2	3	5	6	10
35-49	173	3.3	3	1	2	3	4	6	7	11
50-64	258	3.6	4	2	2	3	4	5	9	12
65+	269	3.5	3	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	2.3	9	<1	<1	1	2	5	8	19
20-34	8	4.3	5	<1	1	4	6	7	7	7
35-49	5	5.6	4	4	4	5	7	9	9	9
50-64	9	3.0	4	<1	<1	3	4	6	7	7
65+	10	3.8	10	1	1	3	4	9	12	12
B. *Operated*										
0-19 YRS	268	2.9	5	1	1	2	3	5	7	14
20-34	96	3.3	4	1	2	3	4	6	7	11
35-49	110	3.9	11	1	2	3	4	7	11	55
50-64	240	4.5	11	2	2	4	5	8	10	22
65+	245	4.9	13	2	2	4	5	9	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	1.7	3	<1	<1	1	2	3	4	6
B. *Operated*	1987	2.9	3	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	102	2.9	8	<1	<1	2	4	6	8	16
B. *Operated*	959	4.0	10	1	2	3	5	7	9	18
1. SINGLE DX	2295	2.7	3	1	1	2	3	5	6	11
2. MULTIPLE DX	1061	3.8	10	1	2	3	4	7	9	18
A. NOT OPERATED	410	2.0	4	<1	<1	1	3	4	6	10
B. OPERATED	2946	3.2	5	1	1	3	4	5	7	12
TOTAL 0-19 YRS	1548	2.3	3	<1	1	2	3	4	5	9
20-34	427	3.0	3	1	2	2	4	5	6	10
35-49	296	3.6	6	1	2	3	4	6	8	15
50-64	529	4.0	8	2	2	3	4	7	9	14
65+	556	4.1	8	2	2	4	4	6	10	15
GRAND TOTAL	**3356**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.6	10	1	1	2	4	8	10	16
20-34	28	4.3	31	<1	<1	3	5	7	10	31
35-49	20	4.1	5	1	1	4	5	7	8	10
50-64	12	4.6	6	2	2	4	6	8	11	11
65+	10	4.9	13	1	1	4	9	10	10	10
B. *Operated*										
0-19 YRS	639	5.7	28	1	2	3	9	12	14	26
20-34	191	6.9	37	1	2	4	10	15	19	27
35-49	122	7.9	54	2	2	4	12	17	24	33
50-64	91	9.5	79	2	2	9	12	19	23	52
65+	34	8.1	92	2	2	4	9	24	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	314	5.2	42	<1	1	3	6	10	15	40
20-34	109	5.8	29	1	2	4	7	10	14	31
35-49	108	7.9	56	2	2	6	9	13	22	50
50-64	106	6.5	19	2	2	5	8	13	15	23
65+	117	8.9	48	3	3	7	10	16	25	38
B. *Operated*										
0-19 YRS	821	7.8	72	2	2	4	10	17	24	47
20-34	213	8.2	55	2	2	5	11	18	21	37
35-49	189	9.9	105	2	2	7	13	21	32	71
50-64	189	13.0	254	2	2	8	15	27	49	89
65+	103	12.8	141	2	2	10	16	27	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	4.0	13	1	1	3	5	8	10	16
B. *Operated*	1077	6.5	40	1	2	3	10	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	754	6.4	41	1	2	5	8	13	16	34
B. *Operated*	1515	9.1	105	2	2	6	12	20	27	59
1. SINGLE DX	1232	6.2	37	1	2	3	9	13	17	30
2. MULTIPLE DX	2269	8.2	85	2	2	5	10	17	25	50
A. NOT OPERATED	909	6.0	37	1	1	4	7	11	15	32
B. OPERATED	2592	8.0	80	2	2	5	11	17	24	46
TOTAL 0-19 YRS	1859	6.4	51	1	2	3	9	14	19	37
20-34	541	7.1	43	1	2	4	10	15	20	34
35-49	439	8.6	76	2	2	6	11	18	25	50
50-64	398	10.2	152	2	2	7	12	20	29	64
65+	264	10.2	93	2	2	8	13	24	28	47
GRAND TOTAL	**3501**	**7.5**	**69**	**1**	**2**	**5**	**10**	**16**	**22**	**44**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	3	<1	<1	1	3	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	522	4.5	6	1	2	4	6	8	9	12
20-34	16	4.1	6	1	2	4	5	6	10	12
35-49	6	3.2	2	2	2	3	4	5	5	5
50-64	10	3.6	2	2	2	3	4	6	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.5	47	<1	<1	3	7	15	23	28
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	310	4.1	8	1	2	3	5	8	9	14
20-34	27	4.2	8	2	2	3	5	6	8	16
35-49	10	4.0	2	2	2	4	5	6	6	6
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	3	4.3	10	2	2	3	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.3	3	<1	<1	1	4	5	5	5
B. *Operated*	554	4.5	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	41	5.5	47	<1	<1	3	7	15	23	28
B. *Operated*	352	4.1	7	1	2	3	5	7	9	15
1. SINGLE DX	563	4.4	6	1	2	4	6	8	9	12
2. MULTIPLE DX	393	4.2	11	1	1	3	5	8	10	21
A. NOT OPERATED	50	5.0	40	<1	<1	2	6	12	22	28
B. OPERATED	906	4.3	6	1	2	4	6	8	9	12
TOTAL 0-19 YRS	881	4.4	8	1	2	4	6	8	9	14
20-34	44	4.2	7	2	2	4	5	6	8	16
35-49	16	3.7	2	2	2	4	5	5	6	6
50-64	12	3.7	2	2	2	3	4	6	7	7
65+	3	4.3	10	2	2	3	7	8	8	8
GRAND TOTAL	**956**	**4.4**	**8**	**1**	**2**	**4**	**6**	**8**	**9**	**15**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.8	9	1	1	3	5	6	8	19
B. *Operated*										
0-19 YRS	635	4.6	8	2	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.8	7	1	1	3	5	8	9	12
B. *Operated*										
0-19 YRS	139	6.3	15	2	3	6	8	11	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.8	9	1	1	3	5	6	8	19
B. *Operated*	635	4.6	8	2	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	33	3.8	7	1	1	3	5	8	9	12
B. *Operated*	139	6.3	15	2	3	6	8	11	12	25
1. SINGLE DX	719	4.6	8	2	2	4	5	7	9	15
2. MULTIPLE DX	172	5.8	14	2	2	5	7	10	12	24
A. NOT OPERATED	117	3.8	8	1	1	3	5	7	8	16
B. OPERATED	774	4.9	9	2	2	4	6	8	10	18
TOTAL 0-19 YRS	891	4.8	9	2	2	4	6	8	10	18
GRAND TOTAL	**891**	**4.8**	**9**	**2**	**2**	**4**	**6**	**8**	**10**	**18**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	2.8	10	<1	<1	2	4	6	8	18
20-34	22	4.4	12	1	1	4	6	9	12	14
35-49	14	5.4	24	1	1	4	7	13	17	18
50-64	21	3.8	7	<1	1	3	5	7	9	12
65+	9	5.7	12	1	2	5	7	11	13	13
B. *Operated*										
0-19 YRS	369	4.5	42	<1	1	3	6	9	13	25
20-34	149	5.0	19	1	1	4	6	11	14	24
35-49	63	5.3	25	1	1	4	7	9	13	28
50-64	67	8.4	51	1	2	5	11	18	23	31
65+	32	8.5	45	<1	1	7	11	22	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	6.3	72	1	1	4	8	12	16	75
20-34	45	5.2	10	1	2	5	7	9	11	15
35-49	53	6.4	25	1	2	5	9	13	18	23
50-64	61	5.4	11	1	2	4	7	11	12	13
65+	102	8.5	73	1	2	6	10	19	24	47
B. *Operated*										
0-19 YRS	333	7.1	51	1	2	5	9	16	24	99+
20-34	170	7.5	77	1	2	5	9	15	20	27
35-49	99	10.2	76	2	2	9	13	20	26	49
50-64	104	10.8	73	2	3	9	15	21	29	74
65+	87	13.1	114	2	3	10	17	27	39	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	3.3	12	<1	1	2	4	7	8	18
B. *Operated*	680	5.2	38	1	1	3	6	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	430	6.6	52	1	1	5	8	13	19	47
B. *Operated*	793	8.7	73	1	2	6	11	18	25	75
1. SINGLE DX	942	4.7	32	<1	1	3	6	10	14	24
2. MULTIPLE DX	1223	8.0	67	1	2	6	10	17	23	52
A. NOT OPERATED	692	5.3	39	1	1	4	7	11	13	34
B. OPERATED	1473	7.1	60	1	1	5	9	16	22	47
TOTAL 0-19 YRS	1067	5.3	46	<1	1	3	7	11	17	50
20-34	386	6.1	45	1	2	4	8	12	16	25
35-49	229	7.7	51	1	2	5	10	17	21	36
50-64	253	8.3	53	1	2	6	11	17	23	43
65+	230	10.1	87	1	2	7	13	22	28	47
GRAND TOTAL	**2165**	**6.5**	**54**	**1**	**1**	**4**	**8**	**14**	**20**	**46**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	2	<1	<1	1	3	4	5	5
20-34	5	1.2		<1	<1	<1	1	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1122	3.4	4	1	2	3	4	6	7	9
20-34	107	4.3	6	2	2	4	5	7	8	16
35-49	28	3.4	2	1	2	3	4	5	6	7
50-64	9	4.0	3	2	2	4	5	6	6	6
65+	4	6.5	4	4	4	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	1.9	2	<1	<1	1	3	4	4	6
20-34	9	4.2	13	<1	<1	4	6	10	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1177	3.7	4	2	2	3	5	6	8	10
20-34	149	4.8	9	2	2	4	6	8	9	14
35-49	45	4.4	4	2	2	4	5	7	8	10
50-64	21	7.4	24	3	3	7	8	14	19	23
65+	5	5.0	6	2	2	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.7	1	<1	<1	1	2	4	4	5
B. *Operated*	1270	3.5	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	62	2.3	4	<1	<1	1	3	5	6	11
B. *Operated*	1397	3.9	5	2	2	3	5	7	8	11
1. SINGLE DX	1298	3.5	4	1	2	3	4	6	7	9
2. MULTIPLE DX	1459	3.8	5	1	2	3	5	7	8	11
A. NOT OPERATED	90	2.1	3	<1	<1	1	3	4	5	10
B. OPERATED	2667	3.7	4	2	2	3	5	6	8	11
TOTAL 0-19 YRS	2371	3.5	4	1	2	3	4	6	7	9
20-34	270	4.5	8	2	2	4	5	8	8	15
35-49	75	3.9	3	2	2	4	5	7	7	10
50-64	31	6.3	20	2	3	5	7	12	16	23
65+	10	5.4	5	2	2	6	7	8	9	9
GRAND TOTAL	**2757**	**3.7**	**4**	**1**	**2**	**3**	**4**	**6**	**8**	**11**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.0	8	<1	1	2	4	6	7	18
20-34	34	3.8	6	1	2	3	5	7	8	12
35-49	30	4.3	5	1	1	4	6	8	8	8
50-64	15	3.2	3	1	1	3	4	6	7	7
65+	11	3.0	7	1	1	2	3	7	10	10
B. *Operated*										
0-19 YRS	901	5.0	19	1	1	3	7	11	13	20
20-34	462	4.5	16	1	1	3	6	9	12	17
35-49	132	5.2	19	1	1	4	7	10	15	22
50-64	84	5.8	30	1	1	4	8	13	18	26
65+	52	4.9	21	1	1	3	7	11	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.5	11	1	1	3	5	6	7	22
20-34	80	4.7	14	1	1	4	6	9	12	20
35-49	109	5.8	24	1	2	4	7	13	17	25
50-64	104	6.4	17	1	2	6	8	11	15	22
65+	92	7.8	24	1	2	7	11	15	17	20
B. *Operated*										
0-19 YRS	829	5.9	38	1	1	4	8	13	16	27
20-34	611	5.9	25	1	2	5	8	11	15	25
35-49	300	8.2	58	1	2	6	10	17	22	46
50-64	295	8.6	49	2	2	7	11	17	23	35
65+	206	11.1	92	2	2	8	15	25	31	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	3.5	6	1	1	3	5	7	8	12
B. *Operated*	1631	4.9	19	1	1	3	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	479	5.7	20	1	1	4	8	12	15	22
B. *Operated*	2241	7.0	46	1	2	5	9	15	20	37
1. SINGLE DX	1784	4.8	18	1	1	3	7	10	13	19
2. MULTIPLE DX	2720	6.8	42	1	2	5	9	14	19	33
A. NOT OPERATED	632	5.2	18	1	1	4	7	10	14	20
B. OPERATED	3872	6.1	36	1	1	4	8	13	17	30
TOTAL 0-19 YRS	1887	5.2	27	1	1	3	7	11	14	24
20-34	1187	5.2	20	1	1	4	7	10	13	23
35-49	571	6.8	41	1	2	5	9	14	19	29
50-64	498	7.5	39	1	2	6	10	15	20	32
65+	361	9.1	68	1	2	7	12	20	26	41
GRAND TOTAL	**4504**	**6.0**	**33**	**1**	**1**	**4**	**8**	**12**	**17**	**28**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	1.7	2	<1	<1	1	2	4	6	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	676	4.1	8	1	2	4	5	7	9	15
20-34	75	5.2	7	2	3	4	6	9	11	13
35-49	48	5.0	8	2	3	4	6	7	9	19
50-64	26	5.5	10	3	3	5	6	9	12	18
65+	13	6.0	11	3	3	5	7	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.6	21	<1	<1	1	2	5	7	29
20-34	4	7.0	16	5	5	5	9	13	13	13
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	4	5.3	14	<1	<1	5	8	10	10	10
B. *Operated*										
0-19 YRS	374	5.4	13	2	2	5	6	9	12	22
20-34	124	5.3	5	2	3	5	6	8	9	13
35-49	111	5.9	9	2	3	5	7	9	12	17
50-64	147	6.7	63	3	4	6	7	10	12	21
65+	30	9.2	18	4	5	8	12	14	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	1.7	2	<1	<1	1	2	3	6	7
B. *Operated*	838	4.4	8	1	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	74	2.9	20	<1	<1	1	3	6	10	28
B. *Operated*	786	5.8	21	2	3	5	7	10	12	20
1. SINGLE DX	889	4.2	8	1	1	4	5	7	9	15
2. MULTIPLE DX	860	5.6	22	1	2	5	6	9	12	21
A. NOT OPERATED	125	2.4	13	<1	<1	1	2	5	7	23
B. OPERATED	1624	5.1	15	2	2	4	6	9	11	18
TOTAL 0-19 YRS	1163	4.4	11	1	1	4	5	8	10	18
20-34	204	5.3	6	2	3	5	6	9	10	13
35-49	159	5.6	9	2	3	5	6	9	11	18
50-64	176	6.4	54	3	3	5	7	10	12	19
65+	47	8.0	18	3	3	7	10	13	16	20
GRAND TOTAL	**1749**	**4.9**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	402	3.6	35	<1	1	2	4	8	12	32
20-34	133	5.6	36	1	1	4	8	10	12	29
35-49	113	7.5	32	2	2	6	9	14	17	31
50-64	73	6.6	25	1	1	5	10	14	17	23
65+	42	7.8	36	1	2	7	9	14	20	28
B. *Operated*										
0-19 YRS	2214	4.9	22	1	1	3	6	10	14	24
20-34	1158	4.7	26	1	1	3	5	10	14	21
35-49	659	5.8	28	1	1	4	8	13	17	25
50-64	326	7.7	62	2	2	5	10	16	19	32
65+	99	7.6	54	2	2	5	9	21	27	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	429	5.6	57	<1	1	3	6	12	19	41
20-34	241	7.2	42	1	2	6	9	13	16	38
35-49	222	8.4	36	2	3	7	11	17	20	32
50-64	277	8.3	32	2	3	7	10	16	18	32
65+	214	9.1	62	2	3	8	11	17	22	32
B. *Operated*										
0-19 YRS	815	6.5	35	1	2	4	8	13	18	28
20-34	587	7.0	46	1	2	5	9	16	19	33
35-49	623	9.0	55	2	2	7	12	19	24	38
50-64	549	11.7	111	2	3	8	15	27	31	48
65+	202	12.4	132	2	3	9	17	24	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	763	5.1	37	1	1	3	7	11	14	28
B. *Operated*	4456	5.2	29	1	1	3	6	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	1383	7.4	48	1	2	6	9	15	19	35
B. *Operated*	2776	8.6	68	2	2	6	11	18	25	43
1. SINGLE DX	5219	5.2	30	1	1	3	6	11	15	26
2. MULTIPLE DX	4159	8.2	62	1	2	6	11	17	23	40
A. NOT OPERATED	2146	6.6	45	1	1	5	9	13	17	34
B. OPERATED	7232	6.5	47	1	2	4	8	15	19	32
TOTAL 0-19 YRS	3860	5.2	31	1	1	3	6	11	15	27
20-34	2119	5.7	35	1	1	4	7	12	16	26
35-49	1617	7.5	42	1	2	5	10	16	20	31
50-64	1225	9.6	79	2	2	7	12	19	27	41
65+	557	10.0	88	2	2	8	13	20	27	52
GRAND TOTAL	**9378**	**6.6**	**46**	**1**	**2**	**4**	**9**	**14**	**19**	**32**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1801	4.7	32	1	1	3	5	10	17	28
B. *Operated*										
0-19 YRS	51	4.7	18	1	1	3	6	9	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1401	9.8	121	1	2	6	13	25	35	99+
B. *Operated*										
0-19 YRS	147	19.0	452	1	3	16	67	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1801	4.7	32	1	1	3	5	10	17	28
B. *Operated*	51	4.7	18	1	1	3	6	9	14	23
2. MULTIPLE DX										
A. *Not Operated*	1401	9.8	121	1	2	6	13	25	35	99+
B. *Operated*	147	19.0	452	1	3	16	67	99+	99+	99+
1. SINGLE DX	1852	4.7	32	1	1	3	5	10	17	28
2. MULTIPLE DX	1548	10.6	159	1	2	6	15	31	58	99+
A. NOT OPERATED	3202	6.9	77	1	2	4	8	18	26	58
B. OPERATED	198	15.3	379	1	2	10	35	99+	99+	99+
TOTAL 0-19 YRS	3400	7.4	99	1	2	4	8	20	31	99+
GRAND TOTAL	**3400**	**7.4**	**99**	**1**	**2**	**4**	**8**	**20**	**31**	**99+**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3230	3.5	11	1	1	3	4	6	8	13
20-34	1353	4.4	22	1	1	3	5	8	11	18
35-49	654	4.8	16	1	1	4	6	9	12	21
50-64	417	5.1	18	1	2	4	6	10	12	22
65+	283	5.4	25	1	2	4	7	9	12	18
B. *Operated*										
0-19 YRS	50	5.9	35	1	1	4	6	13	18	33
20-34	98	7.0	40	2	2	5	8	13	23	32
35-49	52	6.2	10	2	2	6	8	11	12	15
50-64	37	8.7	45	2	2	7	11	20	25	28
65+	20	5.8	14	2	2	4	7	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3985	4.1	16	1	1	3	5	7	10	19
20-34	1531	5.9	35	1	2	5	7	11	15	30
35-49	1317	6.9	32	1	2	5	9	13	18	31
50-64	1447	7.5	39	2	2	6	9	14	20	33
65+	1542	8.1	44	2	3	6	10	16	19	38
B. *Operated*										
0-19 YRS	116	8.9	59	2	2	7	11	18	28	38
20-34	173	8.8	44	2	3	7	11	16	22	36
35-49	159	11.7	75	3	3	9	15	23	33	39
50-64	217	13.0	97	3	4	10	16	26	31	49
65+	176	15.3	155	3	4	12	19	32	40	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5937	4.1	16	1	1	3	5	7	10	17
B. *Operated*	257	6.8	32	2	2	5	8	13	19	31
2. MULTIPLE DX										
A. *Not Operated*	9822	5.9	31	1	2	4	7	11	15	30
B. *Operated*	841	11.8	94	2	3	9	15	24	31	46
1. SINGLE DX	6194	4.2	17	1	1	3	5	8	10	18
2. MULTIPLE DX	10663	6.4	39	1	2	5	8	13	17	33
A. NOT OPERATED	15759	5.2	26	1	1	4	6	10	13	25
B. OPERATED	1098	10.6	84	2	3	8	13	23	29	43
TOTAL 0-19 YRS	7381	3.9	15	1	1	3	5	7	9	18
20-34	3155	5.5	31	1	2	4	7	10	14	28
35-49	2182	6.6	33	1	2	5	8	13	17	32
50-64	2118	7.6	45	2	2	6	10	15	21	33
65+	2021	8.3	56	2	2	6	10	16	21	42
GRAND TOTAL	**16857**	**5.6**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**30**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1155	3.5	5	1	1	3	4	6	7	11
20-34	306	4.5	7	2	2	4	6	8	10	13
35-49	138	5.2	13	1	2	4	7	9	12	19
50-64	153	6.4	38	2	2	5	8	12	15	18
65+	133	5.9	17	2	2	5	7	10	16	22
B. *Operated*										
0-19 YRS	29	7.4	25	2	2	7	9	14	18	22
20-34	30	11.6	118	3	3	9	12	22	39	54
35-49	28	11.0	36	3	4	10	15	20	21	25
50-64	20	13.7	109	2	3	13	17	24	37	47
65+	14	18.3	128	2	5	18	25	36	38	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1783	4.0	9	1	2	3	5	7	9	17
20-34	501	6.0	50	2	2	5	7	10	14	34
35-49	323	6.4	22	2	3	5	8	11	15	25
50-64	536	7.6	50	2	3	6	9	13	16	27
65+	791	8.6	45	2	3	7	11	16	19	31
B. *Operated*										
0-19 YRS	69	11.1	169	3	3	8	11	26	31	84
20-34	93	13.7	108	3	4	11	18	27	42	80
35-49	78	12.5	54	3	6	10	16	24	26	34
50-64	144	14.9	114	4	6	12	18	25	38	53
65+	154	17.6	188	4	5	13	23	34	41	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1885	4.2	10	1	2	3	5	7	9	15
B. *Operated*	121	11.5	84	2	3	9	15	22	27	49
2. MULTIPLE DX										
A. *Not Operated*	3934	5.9	32	2	2	4	7	11	14	25
B. *Operated*	538	14.6	137	3	5	11	18	28	37	62
1. SINGLE DX	2006	4.6	18	1	2	4	6	8	11	20
2. MULTIPLE DX	4472	6.9	52	2	2	5	8	14	19	36
A. NOT OPERATED	5819	5.3	25	1	2	4	6	10	13	22
B. OPERATED	659	14.1	128	3	4	11	18	27	36	56
TOTAL 0-19 YRS	3036	4.0	12	1	2	3	5	7	9	17
20-34	930	6.4	51	2	2	5	7	11	16	40
35-49	567	7.2	31	2	3	6	9	14	18	29
50-64	853	8.7	68	2	3	7	11	16	21	42
65+	1092	9.7	75	2	3	7	12	19	25	42
GRAND TOTAL	**6478**	**6.2**	**43**	**1**	**2**	**4**	**7**	**12**	**17**	**32**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	811	3.6	7	1	1	3	4	6	7	12
20-34	1341	4.4	11	1	2	4	5	8	10	19
35-49	650	4.9	13	1	2	4	6	9	11	19
50-64	322	5.1	16	1	2	4	6	10	13	21
65+	110	5.5	11	2	2	5	7	10	13	14
B. *Operated*										
0-19 YRS	36	3.7	4	1	2	3	5	6	8	11
20-34	145	5.9	18	2	2	5	8	11	13	21
35-49	120	6.7	32	2	2	5	8	14	19	28
50-64	76	6.0	24	2	2	4	8	12	20	80
65+	18	6.8	9	3	4	6	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	792	4.1	8	1	2	4	5	7	9	13
20-34	1864	5.6	18	1	2	5	7	10	13	21
35-49	1276	6.5	25	2	2	5	8	12	15	27
50-64	940	6.5	21	2	2	5	8	12	16	22
65+	634	7.3	45	2	2	6	9	13	16	29
B. *Operated*										
0-19 YRS	44	7.3	25	2	2	6	10	15	16	23
20-34	256	8.3	35	2	2	7	11	15	19	28
35-49	242	9.7	49	2	3	8	13	18	21	37
50-64	150	8.9	42	3	3	7	11	17	23	34
65+	83	10.7	50	3	4	9	13	19	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3234	4.4	11	1	2	4	5	8	10	18
B. *Operated*	395	6.0	22	2	2	5	8	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	5506	5.9	23	1	2	5	7	11	14	24
B. *Operated*	775	9.1	42	2	3	8	12	17	21	33
1. SINGLE DX	3629	4.6	13	1	2	4	6	8	11	19
2. MULTIPLE DX	6281	6.3	26	2	2	5	8	12	15	25
A. NOT OPERATED	8740	5.4	19	1	2	4	7	10	13	22
B. OPERATED	1170	8.0	38	2	2	6	10	16	20	31
TOTAL 0-19 YRS	1683	3.9	8	1	1	3	5	7	9	14
20-34	3606	5.3	18	1	2	4	7	10	13	22
35-49	2288	6.4	26	2	2	5	8	13	16	27
50-64	1488	6.4	23	2	2	5	8	12	16	25
65+	845	7.4	41	2	2	6	9	13	17	29
GRAND TOTAL	**9910**	**5.7**	**22**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.5	3	1	1	2	3	4	6	10
20-34	122	3.5	5	1	1	3	5	6	8	12
35-49	167	4.1	12	1	1	3	5	7	8	12
50-64	356	4.0	7	1	1	4	5	7	8	14
65+	326	3.9	14	1	1	3	5	7	9	23
B. *Operated*										
0-19 YRS	79	2.0	3	<1	<1	1	2	4	6	9
20-34	86	4.0	5	1	1	4	5	7	8	9
35-49	121	5.2	7	1	2	5	7	9	10	13
50-64	220	5.4	19	1	2	5	6	9	12	26
65+	167	4.4	6	1	1	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	3.5	29	1	1	2	4	6	8	64
20-34	127	3.9	5	1	1	4	5	7	7	11
35-49	252	5.0	15	1	1	4	6	9	12	26
50-64	728	4.9	11	1	2	4	6	9	11	18
65+	1198	5.5	23	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	71	3.4	9	<1	<1	2	4	8	11	14
20-34	82	5.0	10	1	1	5	6	9	10	18
35-49	138	6.8	25	1	2	6	8	11	15	34
50-64	343	6.7	27	2	2	6	8	11	15	29
65+	450	7.2	36	1	2	6	9	15	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1098	3.7	9	1	1	3	5	7	8	14
B. *Operated*	673	4.6	11	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2452	5.1	18	1	2	4	6	9	12	21
B. *Operated*	1084	6.6	29	1	2	5	8	13	16	28
1. SINGLE DX	1771	4.0	10	1	1	3	5	7	9	14
2. MULTIPLE DX	3536	5.5	22	1	2	4	7	10	14	23
A. NOT OPERATED	3550	4.6	16	1	1	4	6	8	11	21
B. OPERATED	1757	5.8	23	1	2	5	7	10	14	25
TOTAL 0-19 YRS	424	2.9	13	<1	1	2	3	6	8	12
20-34	417	4.0	6	1	1	4	5	7	9	12
35-49	678	5.2	16	1	1	4	7	9	11	20
50-64	1647	5.1	15	1	2	4	6	9	12	21
65+	2141	5.5	24	1	2	4	7	10	14	24
GRAND TOTAL	**5307**	**5.0**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	3.1	3	1	1	3	4	6	7	9
20-34	102	3.2	4	<1	1	3	4	6	7	9
35-49	73	3.8	6	1	1	3	5	7	9	12
50-64	62	4.5	16	1	1	3	6	10	14	17
65+	35	5.9	28	1	2	4	7	11	13	31
B. *Operated*										
0-19 YRS	469	2.6	5	<1	1	2	3	5	7	12
20-34	463	3.2	8	1	1	2	4	6	9	18
35-49	215	3.5	9	1	1	3	4	6	8	19
50-64	179	3.8	10	1	1	3	5	8	11	20
65+	91	4.8	26	1	2	3	5	10	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	4.4	11	1	1	3	6	9	11	15
20-34	196	4.5	8	1	1	4	6	8	10	13
35-49	204	5.7	32	1	2	4	7	10	12	34
50-64	289	6.1	29	1	2	5	8	11	15	31
65+	347	8.6	55	2	2	6	12	18	23	34
B. *Operated*										
0-19 YRS	117	4.1	18	<1	1	3	5	9	10	28
20-34	259	6.3	29	2	2	4	8	14	17	27
35-49	168	8.0	92	2	2	4	10	16	25	51
50-64	227	7.9	84	2	2	5	10	18	26	45
65+	202	12.1	175	2	2	7	16	27	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	3.7	9	1	1	3	5	7	9	15
B. *Operated*	1417	3.2	9	1	1	2	4	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	1176	6.3	34	1	2	5	8	12	18	30
B. *Operated*	973	7.9	87	2	2	5	9	17	25	54
1. SINGLE DX	1816	3.3	9	1	1	2	4	6	9	18
2. MULTIPLE DX	2149	7.0	59	1	2	5	8	15	21	39
A. NOT OPERATED	1575	5.7	29	1	1	4	7	11	16	28
B. OPERATED	2390	5.1	46	1	1	3	6	11	[illegible]	37
TOTAL 0-19 YRS	853	3.2	8	<1	1	2	4	6	9	14
20-34	1020	4.2	14	1	1	3	5	8	11	20
35-49	660	5.4	40	1	2	4	6	10	14	38
50-64	757	6.0	42	1	2	4	7	12	18	36
65+	675	9.0	91	2	2	6	11	20	26	58
GRAND TOTAL	**3965**	**5.3**	**39**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.9	46	<1	<1	3	7	18	20	20
20-34	8	5.3	8	1	1	5	7	9	9	9
35-49	3	19.7	234	8	8	14	31	37	37	37
50-64	7	6.9	18	3	3	6	9	14	15	15
65+	27	11.5	50	3	4	10	16	21	24	31
B. *Operated*										
0-19 YRS	48	5.4	40	1	1	3	5	15	20	29
20-34	57	6.8	46	1	2	4	9	14	17	37
35-49	56	10.3	153	2	2	5	12	29	32	58
50-64	96	15.7	239	2	2	11	22	37	49	94
65+	202	21.1	329	3	4	16	25	46	67	98
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	11	8.2	39	2	2	7	10	18	23	23
35-49	10	12.4	72	1	1	13	17	24	26	26
50-64	73	14.3	129	4	5	11	19	27	37	60
65+	289	13.4	89	3	4	11	17	26	33	58
B. *Operated*										
0-19 YRS	46	8.5	85	2	2	4	13	22	31	37
20-34	96	11.2	211	1	2	7	15	25	44	99
35-49	136	20.0	330	2	3	15	29	49	59	99+
50-64	499	24.8	328	3	5	20	34	53	68	99+
65+	1419	27.0	291	7	9	23	35	53	64	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	9.6	57	1	2	8	14	20	23	37
B. *Operated*	459	15.2	259	2	2	11	20	34	52	92
2. MULTIPLE DX										
A. *Not Operated*	385	13.3	95	3	4	11	17	26	32	60
B. *Operated*	2196	25.0	312	3	6	21	33	52	63	97
1. SINGLE DX	511	14.7	242	2	2	10	20	31	49	91
2. MULTIPLE DX	2581	23.2	297	3	5	19	31	49	61	95
A. NOT OPERATED	437	12.9	92	3	4	10	17	25	31	59
B. OPERATED	2655	23.3	316	2	4	19	32	49	62	96
TOTAL 0-19 YRS	103	6.9	61	1	1	3	10	18	25	35
20-34	172	9.3	140	1	2	5	11	20	30	90
35-49	205	16.9	285	2	2	12	25	39	55	98
50-64	675	22.2	310	3	4	18	31	49	63	97
65+	1937	24.1	288	5	7	20	32	49	61	92
GRAND TOTAL	**3092**	**21.8**	**298**	**2**	**4**	**18**	**30**	**47**	**60**	**94**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	3.4	8	1	1	3	4	6	7	12
20-34	1333	3.4	6	1	1	3	4	6	8	12
35-49	2749	3.8	7	1	1	3	5	7	9	13
50-64	2184	4.1	9	1	2	3	5	7	9	15
65+	682	4.4	11	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	5	3.4	2	2	2	3	5	5	5	5
20-34	164	3.9	7	2	2	3	5	8	10	14
35-49	782	3.9	9	2	2	3	4	8	10	16
50-64	861	3.8	22	2	2	3	4	7	10	15
65+	116	4.8	15	2	2	3	6	10	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	4.2	10	1	1	3	5	8	9	17
20-34	1993	4.5	9	1	1	4	6	8	10	15
35-49	5553	5.0	14	1	2	4	6	9	11	19
50-64	6324	5.3	15	1	2	4	7	10	12	19
65+	3748	6.0	21	2	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	20	5.0	11	2	2	4	7	11	11	11
20-34	255	6.5	28	2	2	5	9	13	16	33
35-49	1292	6.4	40	2	2	4	8	13	16	27
50-64	1713	6.7	36	2	2	4	9	14	19	30
65+	445	9.5	71	2	2	8	12	18	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7175	3.9	8	1	1	3	5	7	9	14
B. *Operated*	1928	3.9	15	2	2	3	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	17880	5.2	15	1	2	4	7	9	12	20
B. *Operated*	3725	6.9	42	2	2	5	9	14	18	30
1. SINGLE DX	9103	3.9	9	1	2	3	5	7	9	15
2. MULTIPLE DX	21605	5.5	20	2	2	4	7	10	13	23
A. NOT OPERATED	25055	4.8	14	1	2	4	6	9	11	19
B. OPERATED	5653	5.9	35	2	2	4	8	12	16	28
TOTAL 0-19 YRS	514	3.9	9	1	1	3	5	7	9	14
20-34	3745	4.2	10	1	1	3	5	8	10	15
35-49	10376	4.8	16	1	2	4	6	9	11	19
50-64	11082	5.1	18	1	2	4	6	10	12	22
65+	4991	6.1	25	2	2	5	8	11	15	26
GRAND TOTAL	**30708**	**5.0**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	3.5	13	1	1	2	4	7	10	21
20-34	129	3.5	8	1	1	3	4	7	8	16
35-49	111	3.7	6	1	1	3	5	7	8	12
50-64	161	3.9	9	1	1	3	5	8	10	16
65+	122	5.3	24	1	1	4	7	10	14	28
B. *Operated*										
0-19 YRS	37	4.0	14	1	1	3	5	8	15	16
20-34	72	4.8	26	1	1	3	6	9	12	29
35-49	124	4.4	15	1	1	3	6	10	12	19
50-64	189	4.7	12	1	1	4	6	10	11	15
65+	147	5.8	35	1	2	4	8	11	13	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	484	4.6	20	1	1	3	6	9	12	20
20-34	318	4.8	28	1	1	4	6	9	11	25
35-49	365	5.7	36	1	1	4	7	11	15	32
50-64	741	7.3	46	1	2	5	9	15	20	32
65+	1154	8.4	47	2	2	6	11	16	23	34
B. *Operated*										
0-19 YRS	46	7.0	41	2	2	5	9	20	40	99+
20-34	128	6.7	29	1	2	5	9	13	16	28
35-49	278	7.8	48	2	2	6	9	16	22	37
50-64	521	7.9	45	2	2	6	10	15	21	33
65+	486	10.2	96	2	2	8	13	21	26	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	879	3.9	12	1	1	3	5	8	10	17
B. *Operated*	569	4.9	20	1	1	3	6	10	12	25
2. MULTIPLE DX										
A. *Not Operated*	3062	6.8	42	1	2	5	9	14	19	32
B. *Operated*	1459	8.5	62	2	2	6	11	18	23	38
1. SINGLE DX	1448	4.3	16	1	1	3	5	9	11	19
2. MULTIPLE DX	4521	7.4	49	1	2	5	9	15	20	34
A. NOT OPERATED	3941	6.2	37	1	1	4	8	13	17	30
B. OPERATED	2028	7.5	53	1	2	5	9	16	21	36
TOTAL 0-19 YRS	923	4.3	19	1	1	3	5	9	12	23
20-34	647	4.9	25	1	1	4	6	10	13	27
35-49	878	5.9	35	1	1	4	7	11	16	32
50-64	1612	6.9	40	1	2	5	9	14	19	31
65+	1909	8.5	59	2	2	6	11	17	23	37
GRAND TOTAL	**5969**	**6.6**	**43**	**1**	**2**	**5**	**8**	**14**	**19**	**33**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	2.6	3	1	1	2	3	4	6	9
20-34	539	2.8	5	1	1	2	3	5	7	11
35-49	470	2.7	4	1	1	2	3	5	7	9
50-64	323	3.0	6	1	1	2	4	5	7	14
65+	219	4.5	17	1	1	4	6	9	11	34
B. *Operated*										
0-19 YRS	559	2.1	19	<1	1	1	2	3	4	10
20-34	179	4.9	18	1	1	4	6	9	11	22
35-49	183	5.7	21	1	1	5	8	12	14	22
50-64	166	6.8	22	1	2	6	9	14	16	20
65+	182	7.7	34	1	2	6	11	16	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	231	3.4	6	1	1	3	4	7	8	12
20-34	478	4.0	14	1	1	3	5	7	10	21
35-49	499	4.2	20	1	1	3	5	8	11	21
50-64	644	4.6	13	1	1	4	6	9	12	20
65+	1112	7.2	42	2	2	5	9	14	20	30
B. *Operated*										
0-19 YRS	556	2.5	8	1	1	2	3	5	7	18
20-34	289	7.2	40	1	2	6	10	13	17	31
35-49	331	8.6	36	2	2	7	11	16	21	28
50-64	559	9.8	49	2	3	8	13	18	23	34
65+	1296	12.9	89	3	4	11	16	24	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1768	3.0	6	1	1	2	4	6	7	13
B. *Operated*	1269	4.4	26	1	1	3	6	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	2964	5.3	27	1	1	4	6	11	15	26
B. *Operated*	3031	9.4	71	1	2	8	13	20	25	41
1. SINGLE DX	3037	3.6	15	1	1	2	4	8	10	17
2. MULTIPLE DX	5995	7.4	53	1	1	5	10	16	21	34
A. NOT OPERATED	4732	4.5	20	1	1	3	5	9	12	24
B. OPERATED	4300	7.9	63	1	1	6	11	17	22	36
TOTAL 0-19 YRS	1563	2.5	11	1	1	2	3	4	6	12
20-34	1485	4.3	19	1	1	3	5	9	11	20
35-49	1483	4.9	23	1	1	3	6	10	14	24
50-64	1692	6.2	32	1	1	4	8	13	17	27
65+	2809	9.7	70	2	2	7	13	20	26	41
GRAND TOTAL	**9032**	**6.1**	**44**	**1**	**1**	**4**	**8**	**14**	**18**	**31**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4362	2.9	5	1	1	2	4	5	7	11
20-34	3973	3.5	8	1	1	3	4	7	8	15
35-49	1948	4.2	12	1	1	3	5	8	10	17
50-64	1350	4.4	12	1	1	4	6	8	10	19
65+	864	4.9	11	1	2	4	6	9	12	17
B. *Operated*										
0-19 YRS	459	4.8	11	1	2	4	6	9	11	18
20-34	752	5.2	17	1	2	4	7	10	13	20
35-49	289	6.7	31	2	2	5	9	13	16	27
50-64	176	7.3	36	1	2	6	9	14	19	31
65+	78	8.0	38	1	2	7	11	16	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2833	3.5	9	1	1	3	4	6	8	14
20-34	3911	4.2	11	1	1	3	6	8	10	17
35-49	2679	5.5	17	1	2	4	7	10	13	21
50-64	2886	5.8	19	2	2	5	7	11	14	22
65+	3511	6.7	29	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	424	5.5	15	1	2	5	7	10	12	17
20-34	1049	7.1	30	1	2	6	9	14	18	31
35-49	691	9.2	50	2	3	8	12	17	21	33
50-64	588	10.0	51	2	3	9	13	18	24	39
65+	508	11.3	58	3	4	9	14	21	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12497	3.6	9	1	1	3	5	7	9	15
B. *Operated*	1754	5.7	21	1	2	4	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	15820	5.1	19	1	2	4	6	10	13	22
B. *Operated*	3260	8.5	44	2	2	7	11	16	21	34
1. SINGLE DX	14251	3.9	11	1	1	3	5	7	10	17
2. MULTIPLE DX	19080	5.7	25	1	2	4	7	11	14	26
A. NOT OPERATED	28317	4.5	15	1	1	3	6	9	11	20
B. OPERATED	5014	7.5	38	2	2	6	10	15	19	31
TOTAL 0-19 YRS	8078	3.3	8	1	1	3	4	6	8	13
20-34	9685	4.3	13	1	1	3	5	8	11	20
35-49	5607	5.6	23	1	2	4	7	11	14	23
50-64	5000	6.0	24	1	2	5	7	11	15	25
65+	4961	6.9	32	2	2	5	9	13	17	30
GRAND TOTAL	**33331**	**4.9**	**19**	**1**	**1**	**4**	**6**	**10**	**13**	**23**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	471	3.3	7	1	1	3	4	6	8	13
20-34	246	3.6	6	1	1	3	5	7	8	11
35-49	204	4.2	11	1	1	3	5	9	11	17
50-64	162	4.8	23	1	1	3	6	10	13	27
65+	186	5.4	16	1	2	4	7	10	13	20
B. *Operated*										
0-19 YRS	43	5.4	41	1	1	4	6	9	19	37
20-34	112	5.6	18	1	1	5	8	11	14	19
35-49	71	6.6	68	1	1	5	9	13	16	54
50-64	88	5.8	23	1	1	4	9	14	16	20
65+	66	7.1	51	1	2	5	8	13	18	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	929	4.0	14	1	1	3	5	7	10	20
20-34	516	4.3	12	1	1	3	5	8	11	18
35-49	508	5.4	22	1	2	4	7	11	14	26
50-64	859	6.7	36	1	2	5	9	13	18	27
65+	1604	7.9	44	2	2	6	10	16	21	35
B. *Operated*										
0-19 YRS	78	7.4	54	1	2	5	9	14	25	40
20-34	202	8.2	35	2	2	7	10	17	21	28
35-49	239	10.4	69	1	2	8	13	21	26	42
50-64	328	10.2	75	2	2	8	14	22	28	43
65+	383	13.5	128	2	3	10	17	27	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1269	4.0	11	1	1	3	5	8	10	16
B. *Operated*	380	6.1	37	1	1	4	8	13	16	30
2. MULTIPLE DX										
A. *Not Operated*	4416	6.2	33	1	2	4	8	12	17	29
B. *Operated*	1230	10.8	87	2	2	8	14	22	28	46
1. SINGLE DX	1649	4.5	18	1	1	3	6	9	12	18
2. MULTIPLE DX	5646	7.2	48	1	2	5	9	15	21	36
A. NOT OPERATED	5685	5.7	29	1	2	4	7	12	16	27
B. OPERATED	1610	9.6	79	1	2	7	13	20	27	43
TOTAL 0-19 YRS	1521	4.0	15	1	1	3	5	7	10	21
20-34	1076	5.0	18	1	1	4	6	10	13	23
35-49	1022	6.4	39	1	2	5	8	13	17	33
50-64	1437	7.3	45	1	2	5	9	15	20	32
65+	2239	8.7	62	2	2	6	11	18	23	42
GRAND TOTAL	**7295**	**6.6**	**42**	**1**	**2**	**5**	**8**	**14**	**19**	**34**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3549	4.2	22	1	1	3	5	7	10	21
20-34	2420	4.8	26	1	1	3	5	9	13	26
35-49	1719	6.0	49	1	1	4	7	12	22	32
50-64	1795	5.8	39	1	1	4	7	12	17	32
65+	1690	6.6	57	1	2	5	8	13	19	44
B. *Operated*										
0-19 YRS	312	4.4	31	<1	1	3	5	8	15	35
20-34	665	4.2	29	1	1	2	5	9	13	33
35-49	518	4.8	41	1	1	3	6	10	12	34
50-64	575	5.6	66	1	2	3	6	11	20	65
65+	341	7.8	108	2	2	5	9	16	25	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3718	5.1	24	1	2	4	6	10	13	23
20-34	2998	5.1	17	1	2	4	6	9	12	21
35-49	3290	5.9	28	1	2	5	7	11	14	26
50-64	5621	6.7	32	1	2	5	8	13	17	27
65+	9886	7.8	41	2	2	6	10	15	20	32
B. *Operated*										
0-19 YRS	270	7.5	88	1	2	4	9	18	29	99+
20-34	738	6.2	44	1	2	4	8	13	17	39
35-49	825	7.7	59	2	2	5	10	17	22	43
50-64	1258	9.8	103	2	2	7	12	20	28	56
65+	1514	13.5	146	2	3	10	17	28	36	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11173	5.2	36	1	1	4	6	10	15	27
B. *Operated*	2411	5.2	53	1	1	3	6	10	16	44
2. MULTIPLE DX										
A. *Not Operated*	25513	6.6	33	1	2	5	8	13	17	29
B. *Operated*	4605	9.9	107	2	2	7	13	22	30	58
1. SINGLE DX	13584	5.2	39	1	1	3	6	10	15	31
2. MULTIPLE DX	30118	7.1	46	1	2	5	9	14	19	34
A. NOT OPERATED	36686	6.2	35	1	2	5	8	12	16	28
B. OPERATED	7016	8.3	93	1	2	5	10	19	27	56
TOTAL 0-19 YRS	7849	4.8	26	1	1	3	5	9	13	24
20-34	6821	5.0	25	1	1	4	6	10	13	26
35-49	6352	6.0	39	1	2	4	7	12	17	31
50-64	9249	6.8	46	1	2	5	8	14	19	34
65+	13431	8.3	60	2	2	6	10	16	22	41
GRAND TOTAL	**43702**	**6.5**	**45**	**1**	**2**	**5**	**8**	**13**	**18**	**33**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	830	2.8	8	1	1	2	3	5	7	13
20-34	81	4.2	13	<1	1	3	5	8	12	19
35-49	29	5.3	16	1	1	5	7	13	16	99+
50-64	23	4.9	13	<1	1	4	6	9	13	16
65+	17	7.8	24	2	2	6	10	16	17	17
B. *Operated*										
0-19 YRS	141	8.5	117	2	2	6	9	14	21	76
20-34	49	8.0	61	2	3	7	9	14	21	99+
35-49	24	9.3	43	1	2	8	13	18	22	26
50-64	11	16.6	490	4	4	6	20	46	77	80
65+	2	17.0	338	4	4	17	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	696	4.4	20	1	1	3	5	9	12	24
20-34	142	7.3	35	1	2	6	9	14	19	34
35-49	82	9.2	63	1	2	7	12	19	27	39
50-64	87	8.8	73	1	2	7	11	21	27	81
65+	86	11.0	79	2	3	9	12	25	34	78
B. *Operated*										
0-19 YRS	219	11.8	172	1	2	8	14	26	47	99+
20-34	182	13.9	243	2	2	10	18	40	61	99+
35-49	76	13.5	139	2	3	11	20	31	81	99+
50-64	61	17.9	195	2	5	15	23	40	51	96
65+	37	19.8	277	2	4	14	31	46	55	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	980	3.1	9	1	1	2	4	6	8	16
B. *Operated*	227	9.0	116	2	2	7	9	16	23	81
2. MULTIPLE DX										
A. *Not Operated*	1093	6.0	39	1	1	4	8	12	19	37
B. *Operated*	575	13.8	203	2	2	10	18	36	58	99+
1. SINGLE DX	1207	4.2	35	1	1	3	5	9	12	28
2. MULTIPLE DX	1668	8.7	110	1	2	6	11	20	32	98
A. NOT OPERATED	2073	4.6	27	1	1	3	6	10	13	31
B. OPERATED	802	12.5	183	2	2	8	15	30	48	99+
TOTAL 0-19 YRS	1886	4.8	48	1	1	3	5	10	14	42
20-34	454	9.5	132	1	2	6	11	21	38	99+
35-49	211	10.2	89	1	2	8	14	25	31	99+
50-64	182	11.8	152	1	2	8	15	27	44	93
65+	142	13.0	142	2	3	10	15	32	41	66
GRAND TOTAL	**2875**	**6.8**	**83**	**1**	**1**	**4**	**8**	**15**	**25**	**65**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	374	3.5	14	1	1	2	4	7	11	20
20-34	100	5.1	17	1	1	4	7	10	13	22
35-49	25	5.7	27	<1	1	4	9	13	17	22
50-64	24	6.5	24	1	1	6	9	14	17	18
65+	10	8.3	38	2	2	7	14	17	20	20
B. *Operated*										
0-19 YRS	35	5.1	7	1	2	5	7	9	9	12
20-34	33	5.8	37	1	1	3	10	12	16	30
35-49	15	7.3	22	1	2	8	10	15	16	17
50-64	5	5.0	21	1	1	3	8	12	12	12
65+	3	4.7	12	1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	333	5.6	31	1	1	4	7	11	15	32
20-34	200	6.6	31	1	2	5	8	13	16	30
35-49	75	8.4	60	1	1	6	10	18	30	34
50-64	74	11.4	147	1	2	8	13	24	34	72
65+	78	11.0	97	2	2	8	14	23	32	48
B. *Operated*										
0-19 YRS	134	10.8	101	2	2	8	14	23	36	49
20-34	171	13.6	231	2	3	9	17	31	62	99+
35-49	72	15.5	210	2	3	10	18	41	49	95
50-64	47	17.7	234	1	2	14	23	46	49	66
65+	45	20.0	373	3	4	13	26	59	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	4.1	17	1	1	3	5	9	12	21
B. *Operated*	91	5.7	21	1	1	4	8	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	760	7.2	56	1	2	5	9	14	23	35
B. *Operated*	469	14.1	215	2	3	10	18	34	49	98
1. SINGLE DX	624	4.4	18	1	1	3	6	9	12	21
2. MULTIPLE DX	1229	9.9	128	1	2	6	12	23	33	71
A. NOT OPERATED	1293	6.0	42	1	1	4	7	13	18	33
B. OPERATED	560	12.8	193	1	2	8	16	31	47	90
TOTAL 0-19 YRS	876	5.5	39	1	1	3	7	12	16	36
20-34	504	8.6	109	1	2	5	10	18	27	71
35-49	187	10.7	136	1	2	8	12	29	36	73
50-64	150	12.4	165	1	2	9	15	27	38	66
65+	136	13.6	201	2	3	9	19	30	40	85
GRAND TOTAL	**1853**	**8.0**	**98**	**1**	**1**	**5**	**10**	**18**	**27**	**62**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.0	2	<1	1	2	2	4	5	8
20-34	194	2.6	7	<1	<1	2	3	5	7	16
35-49	64	3.2	11	1	1	2	4	6	11	19
50-64	35	3.2	10	<1	<1	2	3	7	10	15
65+	25	6.5	71	1	1	3	8	17	28	36
B. *Operated*										
0-19 YRS	1785	2.6	4	<1	1	2	3	5	6	10
20-34	2119	3.3	7	1	1	3	4	6	8	16
35-49	521	4.0	14	1	1	3	5	8	11	19
50-64	211	4.0	13	1	1	3	5	8	11	24
65+	70	6.2	84	1	2	3	6	12	18	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	2.9	17	<1	1	2	3	5	7	18
20-34	383	3.5	14	<1	1	2	4	7	9	20
35-49	159	4.3	16	1	1	3	5	8	11	21
50-64	136	5.4	23	1	1	4	7	11	15	26
65+	242	7.4	44	1	2	6	10	15	20	31
B. *Operated*										
0-19 YRS	1458	4.8	32	1	1	3	6	9	12	34
20-34	2300	5.8	48	1	2	4	7	11	16	38
35-49	786	7.0	61	1	2	5	9	13	19	45
50-64	378	7.8	68	1	2	6	9	16	22	57
65+	289	10.0	92	2	2	8	12	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	2.8	11	<1	1	2	3	5	8	20
B. *Operated*	4706	3.2	9	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	1182	4.5	25	<1	1	3	6	9	13	26
B. *Operated*	5211	6.1	51	1	2	4	7	12	17	39
1. SINGLE DX	5161	3.2	9	1	1	2	4	6	8	16
2. MULTIPLE DX	6393	5.8	46	1	1	4	7	11	16	37
A. NOT OPERATED	1637	4.0	22	<1	1	3	5	8	12	25
B. OPERATED	9917	4.7	33	1	1	3	5	9	13	30
TOTAL 0-19 YRS	3642	3.5	17	1	1	2	4	7	9	19
20-34	4996	4.5	28	1	1	3	5	8	12	28
35-49	1530	5.5	40	1	1	4	7	11	15	34
50-64	760	6.1	45	1	2	4	7	13	17	40
65+	626	8.4	74	1	2	6	10	17	25	43
GRAND TOTAL	**11554**	**4.6**	**31**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	564	5.6	24	1	2	4	7	10	13	23
20-34	832	6.1	24	1	2	5	8	11	14	24
35-49	432	7.3	24	2	2	6	9	13	17	24
50-64	580	8.3	34	2	3	7	11	14	18	30
65+	778	10.4	40	3	4	9	14	18	23	30
B. *Operated*										
0-19 YRS	56	15.6	208	2	3	10	21	42	48	63
20-34	106	15.2	146	3	4	13	22	38	59	99+
35-49	49	11.1	49	2	3	9	14	21	26	30
50-64	32	17.7	188	2	3	15	26	37	49	53
65+	32	16.6	109	4	7	13	18	34	39	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	396	6.5	33	1	2	5	8	13	16	25
20-34	789	7.6	35	2	2	6	10	14	18	31
35-49	520	9.2	57	2	3	8	11	16	23	42
50-64	1000	11.0	55	3	4	9	14	21	25	36
65+	3440	13.4	73	4	5	12	17	23	29	45
B. *Operated*										
0-19 YRS	179	17.1	227	3	4	13	23	44	56	99+
20-34	310	16.8	251	3	3	12	22	40	57	99+
35-49	142	16.2	228	3	4	11	21	40	49	83
50-64	197	20.7	265	5	6	16	25	44	60	76
65+	375	21.4	196	7	8	18	27	37	49	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3186	7.6	33	2	2	6	10	14	18	28
B. *Operated*	275	15.0	144	2	4	12	19	33	45	99+
2. MULTIPLE DX										
A. *Not Operated*	6145	11.5	67	3	4	10	15	21	27	41
B. *Operated*	1203	18.8	234	3	5	15	24	40	55	90
1. SINGLE DX	3461	8.2	46	2	2	6	10	16	20	38
2. MULTIPLE DX	7348	12.7	102	3	4	10	16	24	31	56
A. NOT OPERATED	9331	10.2	59	2	3	8	13	19	24	38
B. OPERATED	1478	18.1	219	3	5	14	24	38	53	93
TOTAL 0-19 YRS	1195	8.1	84	1	2	5	9	16	24	56
20-34	2037	8.8	84	2	2	6	10	18	27	59
35-49	1143	9.4	73	2	3	7	11	18	24	47
50-64	1809	11.3	86	3	4	9	14	21	28	52
65+	4625	13.6	84	4	5	12	17	24	31	49
GRAND TOTAL	**10809**	**11.2**	**88**	**2**	**3**	**9**	**14**	**22**	**28**	**52**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	7.1	27	1	2	6	11	19	53	99+
20-34	41	6.9	34	2	2	6	9	13	24	99+
35-49	33	7.4	17	2	3	7	10	12	15	19
50-64	17	9.3	45	<1	1	7	12	19	24	26
65+	40	8.3	20	2	3	7	11	14	17	21
B. *Operated*										
0-19 YRS	6	23.2	387	2	2	22	38	50	51	51
20-34	22	27.1	467	5	7	20	44	86	99+	99+
35-49	5	25.6	493	7	7	23	63	96	99+	99+
50-64	8	24.4	494	5	6	19	32	62	71	71
65+	8	22.6	446	2	3	19	24	57	71	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	15.2	292	3	3	8	28	54	86	99+
20-34	46	14.1	438	1	2	7	15	62	96	99+
35-49	27	11.3	62	2	4	9	17	25	39	99+
50-64	38	12.6	110	4	4	11	16	26	48	99+
65+	118	13.9	53	4	6	13	18	24	28	38
B. *Operated*										
0-19 YRS	37	40.6	642	5	12	56	99+	99+	99+	99+
20-34	76	41.5	646	9	15	47	89	99+	99+	99+
35-49	17	36.1	417	9	17	38	64	99+	99+	99+
50-64	14	36.6	561	8	13	46	99+	99+	99+	99+
65+	29	28.2	474	7	8	26	41	86	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	7.6	27	2	3	7	11	15	19	97
B. *Operated*	49	25.3	426	3	5	20	40	72	98	99+
2. MULTIPLE DX										
A. *Not Operated*	244	13.5	148	3	4	11	17	26	35	99+
B. *Operated*	173	38.1	598	8	11	44	90	99+	99+	99+
1. SINGLE DX	201	11.9	180	2	3	8	15	29	56	99+
2. MULTIPLE DX	417	23.7	481	3	5	18	46	99+	99+	99+
A. NOT OPERATED	396	11.3	110	2	3	9	15	22	30	99+
B. OPERATED	222	35.3	587	6	9	38	82	99+	99+	99+
TOTAL 0-19 YRS	79	25.5	600	2	3	27	67	99+	99+	99+
20-34	185	25.3	647	2	3	18	54	99+	99+	99+
35-49	82	15.7	262	2	3	11	24	54	99+	99+
50-64	77	17.4	304	3	4	13	28	88	99+	99+
65+	195	15.2	159	3	5	12	18	28	40	94
GRAND TOTAL	**618**	**19.9**	**413**	**3**	**4**	**14**	**32**	**91**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.0	5	1	1	2	4	6	7	11
20-34	150	3.2	7	1	1	3	4	6	8	12
35-49	169	3.9	6	1	1	3	5	7	8	15
50-64	246	4.9	13	1	2	4	6	10	11	19
65+	279	6.5	24	2	2	5	9	12	16	24
B. *Operated*										
0-19 YRS	4	5.5	12	2	2	5	8	10	10	10
20-34	19	7.7	42	2	2	6	9	17	23	27
35-49	8	6.0	27	<1	1	3	9	14	16	16
50-64	15	13.0	229	6	6	7	12	19	54	66
65+	12	7.3	48	1	2	5	9	16	25	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	4.6	14	1	1	4	6	9	12	20
20-34	641	5.2	26	1	1	4	7	10	14	24
35-49	806	6.0	20	1	2	5	8	11	14	22
50-64	1126	7.7	32	2	3	6	10	14	18	27
65+	2285	9.7	50	2	3	8	13	19	23	35
B. *Operated*										
0-19 YRS	90	9.3	111	2	2	6	10	21	27	59
20-34	237	10.9	165	2	3	7	12	21	28	71
35-49	236	11.9	123	2	3	9	14	23	37	62
50-64	279	15.1	194	3	5	11	18	32	40	78
65+	327	16.8	170	3	4	13	22	35	43	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	897	4.8	15	1	1	4	6	10	12	22
B. *Operated*	58	8.6	90	2	2	7	10	16	24	63
2. MULTIPLE DX										
A. *Not Operated*	5063	7.9	40	2	2	6	10	16	20	32
B. *Operated*	1169	13.6	167	2	3	10	16	28	40	67
1. SINGLE DX	955	5.0	21	1	1	4	6	10	12	23
2. MULTIPLE DX	6232	9.0	69	2	2	7	11	18	24	43
A. NOT OPERATED	5960	7.5	37	1	2	6	10	15	20	31
B. OPERATED	1227	13.4	164	2	3	10	16	27	40	67
TOTAL 0-19 YRS	352	5.6	42	1	1	4	6	11	15	31
20-34	1047	6.3	62	1	1	4	7	12	18	47
35-49	1219	6.9	45	1	2	5	8	13	17	39
50-64	1666	8.6	68	2	2	7	11	16	22	41
65+	2903	10.2	67	2	3	8	13	20	25	42
GRAND TOTAL	**7187**	**8.5**	**64**	**1**	**2**	**6**	**11**	**17**	**23**	**41**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	7.1	43	2	2	5	9	13	16	46
20-34	175	10.5	144	2	3	7	11	20	40	62
35-49	84	11.0	162	2	3	8	13	20	30	79
50-64	183	12.3	69	3	5	10	16	23	28	48
65+	639	13.7	75	3	5	12	18	25	29	42
B. *Operated*										
0-19 YRS	14	11.1	151	1	3	6	18	24	42	47
20-34	21	20.5	309	2	3	18	24	50	61	62
35-49	10	36.1	551	7	10	35	54	70	84	84
50-64	8	36.1	293	9	11	38	49	57	59	59
65+	17	21.7	324	4	4	18	27	48	64	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	10.5	81	2	3	8	13	22	30	45
20-34	378	13.8	188	2	3	9	16	29	43	68
35-49	197	17.0	166	4	5	14	21	37	45	63
50-64	396	17.4	173	4	6	14	22	33	41	72
65+	2027	16.8	108	4	6	15	22	30	36	51
B. *Operated*										
0-19 YRS	149	23.2	347	4	5	19	33	57	76	99+
20-34	246	28.5	415	5	7	23	41	60	77	99+
35-49	95	29.6	481	4	6	24	44	73	92	99+
50-64	92	33.8	469	7	9	30	53	66	79	99+
65+	258	29.6	363	7	10	25	38	56	79	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1329	11.7	88	2	3	9	15	22	28	48
B. *Operated*	70	22.9	371	3	4	18	35	53	61	81
2. MULTIPLE DX										
A. *Not Operated*	3300	16.0	129	3	5	14	21	30	38	60
B. *Operated*	840	28.6	407	5	7	24	40	61	79	99+
1. SINGLE DX	1399	12.3	108	2	3	10	16	24	31	57
2. MULTIPLE DX	4140	18.5	211	3	5	15	24	38	49	81
A. NOT OPERATED	4629	14.7	121	3	4	12	19	28	35	56
B. OPERATED	910	28.1	406	5	7	23	39	60	78	99+
TOTAL 0-19 YRS	713	12.0	160	2	3	8	14	29	41	82
20-34	820	17.7	302	3	3	11	22	43	57	86
35-49	386	19.3	300	3	4	14	25	45	56	98
50-64	679	18.5	232	4	5	14	23	38	52	77
65+	2941	17.3	140	4	6	15	22	31	38	66
GRAND TOTAL	**5539**	**16.9**	**193**	**3**	**4**	**13**	**22**	**34**	**45**	**79**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	474	3.6	24	<1	1	2	3	9	15	23
20-34	130	4.5	43	1	1	3	5	7	15	32
35-49	110	5.5	36	1	1	4	6	13	18	31
50-64	288	5.0	30	1	1	4	6	9	12	25
65+	780	6.2	29	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	1854	5.5	39	1	1	3	6	16	20	26
20-34	283	5.9	37	1	2	4	7	12	16	38
35-49	191	7.2	74	1	2	5	8	14	24	53
50-64	329	6.6	43	1	2	5	8	13	19	32
65+	524	8.9	69	1	2	6	11	19	26	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	5.6	41	<1	1	3	7	13	16	40
20-34	107	5.2	20	1	1	4	7	11	13	25
35-49	102	7.5	41	1	2	5	10	17	20	32
50-64	366	8.3	79	2	2	6	10	17	24	50
65+	1675	10.4	78	2	3	8	13	21	28	46
B. *Operated*										
0-19 YRS	613	8.3	83	1	2	5	11	22	26	45
20-34	331	11.1	136	1	2	7	14	27	37	97
35-49	240	12.1	181	1	2	7	16	31	40	60
50-64	455	12.0	187	2	3	7	14	25	39	73
65+	984	14.8	145	2	3	11	20	30	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1782	5.1	30	1	1	4	6	11	16	26
B. *Operated*	3181	6.3	48	1	1	4	8	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	2409	9.4	74	2	2	7	12	19	26	44
B. *Operated*	2623	12.1	146	2	2	8	16	27	36	65
1. SINGLE DX	4963	5.9	42	1	1	4	7	14	19	29
2. MULTIPLE DX	5032	10.8	113	2	2	7	14	24	31	56
A. NOT OPERATED	4191	7.6	60	1	1	5	10	17	22	39
B. OPERATED	5804	8.9	100	1	1	5	12	21	28	50
TOTAL 0-19 YRS	3100	5.8	47	1	1	3	6	16	21	31
20-34	851	7.6	82	1	2	5	9	17	26	51
35-49	643	8.8	109	1	2	5	10	20	31	55
50-64	1438	8.4	102	1	2	6	9	18	25	60
65+	3963	10.5	92	2	2	8	13	22	29	49
GRAND TOTAL	**9995**	**8.4**	**84**	**1**	**1**	**5**	**11**	**19**	**26**	**48**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	1.9	3	<1	1	1	2	3	4	9
20-34	94	2.3	3	<1	<1	2	3	5	6	9
35-49	60	2.5	5	<1	1	2	3	5	6	13
50-64	119	3.0	7	<1	1	2	4	6	9	13
65+	167	4.1	13	1	1	3	5	8	11	18
B. *Operated*										
0-19 YRS	4567	2.1	6	1	1	1	2	4	5	10
20-34	1143	3.5	7	1	1	3	4	7	8	14
35-49	927	3.3	8	1	1	3	4	6	8	14
50-64	1453	3.2	7	1	1	2	4	6	8	14
65+	1382	3.8	14	1	1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	3.7	43	<1	1	2	4	7	11	35
20-34	149	4.2	16	1	1	3	5	8	13	22
35-49	98	5.1	19	1	1	4	7	10	14	24
50-64	194	5.8	28	1	1	4	8	12	17	25
65+	492	8.4	58	1	2	6	11	19	24	38
B. *Operated*										
0-19 YRS	1062	4.9	62	1	1	2	5	10	16	46
20-34	854	7.8	82	1	2	5	9	17	27	55
35-49	543	6.5	57	1	2	4	8	13	19	46
50-64	980	6.7	64	1	2	4	8	13	19	39
65+	1389	8.7	77	1	2	6	11	19	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	725	2.7	7	<1	1	2	3	6	8	12
B. *Operated*	9472	2.8	8	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	1104	6.3	45	1	1	4	8	14	20	31
B. *Operated*	4828	7.0	71	1	1	4	8	15	22	46
1. SINGLE DX	10197	2.8	8	1	1	2	3	5	7	13
2. MULTIPLE DX	5932	6.9	67	1	1	4	8	15	22	45
A. NOT OPERATED	1829	4.9	33	1	1	3	6	11	16	28
B. OPERATED	14300	4.2	34	1	1	3	5	9	13	30
TOTAL 0-19 YRS	6085	2.6	18	1	1	2	3	5	7	19
20-34	2240	5.2	41	1	1	3	6	10	15	36
35-49	1628	4.5	27	1	1	3	5	9	12	28
50-64	2746	4.6	32	1	1	3	5	9	13	26
65+	3430	6.5	51	1	1	4	8	14	20	37
GRAND TOTAL	16129	4.3	34	1	1	3	5	9	13	29

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.7	5	<1	<1	2	4	6	8	11
20-34	80	3.7	29	<1	1	2	4	7	18	29
35-49	39	3.3	5	1	1	3	5	7	7	11
50-64	32	3.5	8	<1	1	3	5	7	10	13
65+	42	5.1	28	1	1	3	7	12	16	25
B. *Operated*										
0-19 YRS	1406	2.1	3	1	1	2	2	3	4	8
20-34	1489	2.5	6	1	1	2	3	4	6	12
35-49	513	2.9	21	1	1	2	3	5	6	14
50-64	367	2.7	4	1	1	2	3	5	6	12
65+	209	3.8	38	1	1	2	4	8	10	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.1	122	<1	1	2	3	7	9	76
20-34	135	4.8	57	<1	1	3	5	8	16	53
35-49	60	4.6	14	1	1	4	6	9	12	18
50-64	72	7.3	174	1	1	4	7	13	18	89
65+	157	8.5	49	2	2	6	12	18	24	35
B. *Operated*										
0-19 YRS	584	4.0	37	1	1	2	4	8	12	33
20-34	833	4.3	39	1	1	3	5	8	11	33
35-49	415	4.6	38	1	1	3	5	9	13	32
50-64	378	5.3	43	1	1	3	6	11	15	30
65+	282	7.6	67	1	2	5	10	16	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	3.5	16	<1	1	2	4	7	10	23
B. *Operated*	3984	2.5	9	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	496	6.2	78	1	1	4	7	14	18	54
B. *Operated*	2492	4.8	43	1	1	3	5	10	15	33
1. SINGLE DX	4263	2.6	9	1	1	2	3	4	6	13
2. MULTIPLE DX	2988	5.1	49	1	1	3	6	10	15	34
A. NOT OPERATED	775	5.2	57	<1	1	3	6	11	17	33
B. OPERATED	6476	3.4	23	1	1	2	4	6	9	24
TOTAL 0-19 YRS	2148	2.7	17	1	1	2	3	4	7	20
20-34	2537	3.3	21	1	1	2	4	6	8	22
35-49	1027	3.7	27	1	1	2	4	7	10	25
50-64	849	4.3	38	1	1	3	5	8	13	26
65+	690	6.5	56	1	1	4	9	15	19	34
GRAND TOTAL	7251	3.6	27	1	1	2	4	7	10	25

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	19.2	318	1	2	17	27	46	53	85
20-34	30	17.1	379	1	2	10	20	54	56	68
35-49	34	13.8	247	2	3	9	15	45	62	99+
50-64	66	12.3	98	1	2	11	16	21	25	55
65+	525	14.5	184	1	2	12	19	27	33	88
B. *Operated*										
0-19 YRS	208	13.4	99	3	5	10	16	27	32	50
20-34	119	15.0	124	5	6	12	18	28	42	62
35-49	232	13.6	68	6	7	12	16	19	25	65
50-64	978	15.9	72	7	8	14	19	25	29	50
65+	5868	18.9	65	9	11	17	22	29	34	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	17.6	346	1	1	13	26	37	57	84
20-34	41	18.4	395	1	2	11	16	55	63	82
35-49	29	17.2	179	4	5	14	26	50	97	99+
50-64	135	14.5	180	2	3	11	17	29	39	82
65+	1185	16.6	157	3	5	14	22	33	43	99+
B. *Operated*										
0-19 YRS	176	22.3	270	4	7	18	31	48	59	99+
20-34	218	24.1	322	6	8	20	30	53	62	96
35-49	301	22.4	234	8	9	18	28	43	58	96
50-64	1389	20.9	160	8	10	18	25	35	46	95
65+	12303	23.0	137	10	12	20	27	38	46	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	731	14.8	203	1	2	12	20	29	41	88
B. *Operated*	7405	18.1	71	8	10	17	22	28	33	49
2. MULTIPLE DX										
A. *Not Operated*	1430	16.5	172	2	4	14	22	34	45	99+
B. *Operated*	14387	22.8	146	10	12	20	27	38	47	76
1. SINGLE DX	8136	17.8	83	6	9	16	21	28	33	53
2. MULTIPLE DX	15817	22.2	152	9	11	19	27	38	47	78
A. NOT OPERATED	2161	16.0	183	2	3	13	21	31	44	95
B. OPERATED	21792	21.2	125	9	11	19	25	35	43	70
TOTAL 0-19 YRS	500	17.7	226	2	4	13	24	37	50	82
20-34	408	20.4	290	4	5	14	25	48	58	86
35-49	596	18.2	185	5	7	14	21	38	53	96
50-64	2568	18.4	133	7	9	16	22	31	40	82
65+	19881	21.2	124	9	11	19	25	34	43	68
GRAND TOTAL	**23953**	**20.7**	**133**	**8**	**10**	**18**	**25**	**34**	**43**	**72**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	873	20.6	195	1	2	21	28	36	44	65
20-34	72	20.2	443	1	1	12	32	55	70	96
35-49	42	29.3	531	2	3	31	46	61	68	73
50-64	74	24.3	466	3	4	16	37	57	61	96
65+	196	22.4	412	2	4	14	35	55	69	92
B. *Operated*										
0-19 YRS	905	17.7	188	2	3	16	26	35	41	63
20-34	283	20.1	269	5	6	15	24	45	58	99+
35-49	107	20.0	283	4	5	15	24	46	57	84
50-64	110	24.2	253	5	9	20	36	53	68	99+
65+	358	23.4	185	9	10	21	29	41	54	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	23.0	275	2	3	23	32	44	53	74
20-34	79	31.7	748	2	3	28	53	77	95	99+
35-49	43	24.8	489	3	4	17	43	67	74	99+
50-64	84	24.3	478	3	5	16	34	58	78	98
65+	422	26.1	463	4	6	18	38	62	72	99+
B. *Operated*										
0-19 YRS	788	25.2	306	4	6	21	34	52	63	92
20-34	655	27.9	395	5	7	23	41	63	83	99+
35-49	196	29.6	386	5	7	26	46	58	76	99+
50-64	278	31.2	419	8	11	26	44	65	82	99+
65+	778	29.0	327	8	11	25	38	60	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1257	21.3	272	1	2	20	29	43	55	79
B. *Operated*	1763	19.8	216	2	4	17	27	39	49	83
2. MULTIPLE DX										
A. *Not Operated*	976	25.2	425	2	4	20	37	58	70	98
B. *Operated*	2695	27.9	355	5	8	23	38	58	74	99+
1. SINGLE DX	3020	20.4	240	2	3	18	28	41	52	82
2. MULTIPLE DX	3671	27.2	375	4	7	23	38	58	73	99+
A. NOT OPERATED	2233	23.0	343	2	3	20	32	49	62	91
B. OPERATED	4458	24.7	315	4	6	21	34	52	66	99+
TOTAL 0-19 YRS	2914	21.2	241	2	3	20	29	41	52	73
20-34	1089	25.7	405	4	5	20	37	59	80	99+
35-49	388	26.4	399	3	5	21	42	57	70	99+
50-64	546	27.8	411	5	7	23	40	60	79	99+
65+	1754	26.4	347	6	8	21	36	58	72	99+
GRAND TOTAL	**6691**	**24.1**	**325**	**3**	**5**	**21**	**33**	**51**	**65**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	787	3.2	7	1	1	3	4	6	8	14
20-34	386	4.6	21	1	1	3	5	9	12	21
35-49	220	5.2	32	1	1	4	6	10	13	36
50-64	244	7.0	38	1	2	5	9	14	16	37
65+	262	9.5	57	2	3	8	12	19	27	33
B. *Operated*										
0-19 YRS	1664	5.2	28	1	1	4	6	10	14	29
20-34	1189	7.7	53	2	2	6	9	14	19	40
35-49	734	8.2	41	2	3	7	10	15	19	32
50-64	609	10.5	82	2	3	8	13	19	23	55
65+	298	13.6	127	3	4	11	17	23	31	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	259	4.8	37	1	1	4	6	10	11	21
20-34	252	6.5	35	1	1	5	8	12	16	33
35-49	174	8.6	74	2	2	6	10	18	24	40
50-64	283	9.4	82	2	3	7	12	17	23	53
65+	529	12.9	108	2	4	10	16	25	33	52
B. *Operated*										
0-19 YRS	761	11.0	179	1	2	7	12	24	42	81
20-34	1038	14.0	206	2	3	10	16	32	46	90
35-49	658	15.0	236	3	4	10	17	33	53	98
50-64	602	16.2	192	3	4	12	20	36	51	99+
65+	502	19.3	233	4	6	15	24	39	57	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1899	5.1	28	1	1	4	6	11	14	30
B. *Operated*	4494	7.6	56	1	2	6	9	15	19	42
2. MULTIPLE DX										
A. *Not Operated*	1497	9.3	84	1	2	7	12	19	26	48
B. *Operated*	3561	14.6	213	2	3	10	18	32	49	92
1. SINGLE DX	6393	6.9	49	1	2	5	9	14	18	38
2. MULTIPLE DX	5058	13.1	181	2	3	9	16	28	41	83
A. NOT OPERATED	3396	6.9	57	1	1	5	9	15	20	40
B. OPERATED	8055	10.7	138	2	2	7	13	22	33	74
TOTAL 0-19 YRS	3471	6.0	65	1	1	4	7	12	17	53
20-34	2865	9.5	115	2	2	6	11	19	30	64
35-49	1786	10.4	128	2	3	7	12	21	30	72
50-64	1738	11.8	125	2	3	9	14	23	36	72
65+	1591	14.5	155	3	4	11	18	28	39	75
GRAND TOTAL	**11451**	**9.6**	**117**	**1**	**2**	**6**	**12**	**20**	**29**	**66**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	514	3.0	7	1	1	2	4	6	7	15
20-34	542	3.5	12	<1	1	3	4	7	9	13
35-49	417	4.2	16	1	1	3	5	9	10	29
50-64	486	4.6	12	1	1	4	6	8	12	20
65+	432	6.6	31	1	2	5	8	13	17	29
B. *Operated*										
0-19 YRS	1734	4.3	10	1	2	4	5	8	10	17
20-34	2364	5.6	19	2	2	5	7	10	12	20
35-49	1723	6.4	23	2	3	5	8	11	14	28
50-64	1672	7.4	24	2	3	6	9	12	16	23
65+	893	9.5	33	3	4	8	12	17	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	4.4	14	1	1	3	6	9	14	22
20-34	424	5.1	21	1	1	4	6	9	13	26
35-49	321	6.4	33	1	2	5	8	13	16	27
50-64	547	7.4	33	1	2	6	10	15	19	27
65+	924	9.9	66	2	3	8	13	19	24	41
B. *Operated*										
0-19 YRS	1038	6.7	40	2	2	5	8	13	18	36
20-34	1893	8.0	69	2	3	6	9	15	22	52
35-49	1318	9.0	77	2	3	7	10	16	23	52
50-64	1611	10.7	82	3	4	8	13	20	27	53
65+	1192	13.9	111	3	5	11	17	25	34	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2391	4.3	17	1	1	3	5	9	12	22
B. *Operated*	8386	6.3	23	2	2	5	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	2464	7.5	46	1	2	6	10	15	20	35
B. *Operated*	7052	9.6	82	2	3	7	12	19	25	52
1. SINGLE DX	10777	5.8	22	1	2	5	7	11	14	24
2. MULTIPLE DX	9516	9.1	73	2	3	7	11	18	24	49
A. NOT OPERATED	4855	5.9	34	1	1	4	8	12	16	28
B. OPERATED	15438	7.8	52	2	3	6	9	15	20	39
TOTAL 0-19 YRS	3534	4.9	20	1	1	4	6	9	12	27
20-34	5223	6.2	38	1	2	5	7	11	15	32
35-49	3779	7.1	45	2	2	5	8	13	17	35
50-64	4316	8.3	49	2	3	7	10	15	20	38
65+	3441	10.8	75	2	3	9	14	21	26	48
GRAND TOTAL	**20293**	**7.4**	**49**	**1**	**2**	**6**	**9**	**14**	**19**	**37**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.1	2	<1	<1	1	3	4	5	7
20-34	100	2.8	3	<1	<1	2	4	5	6	9
35-49	37	5.2	33	1	1	4	6	11	20	27
50-64	33	3.9	9	1	1	3	5	8	10	14
65+	48	5.7	20	1	2	5	8	11	12	24
B. *Operated*										
0-19 YRS	117	3.3	5	1	1	3	4	6	6	14
20-34	94	4.3	9	1	1	4	6	8	11	15
35-49	25	3.8	7	<1	1	4	5	6	8	14
50-64	20	3.9	3	1	1	4	5	6	7	7
65+	5	5.6	7	2	2	6	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	3.9	26	1	1	2	4	7	14	20
20-34	350	4.5	20	1	1	3	6	9	11	21
35-49	181	5.7	29	1	1	4	7	11	14	24
50-64	211	7.7	54	1	2	6	10	15	22	44
65+	360	10.2	67	2	3	9	14	20	24	35
B. *Operated*										
0-19 YRS	137	6.9	67	1	1	4	7	15	26	42
20-34	186	8.2	105	1	2	6	10	18	22	51
35-49	79	9.7	86	1	2	8	12	21	27	51
50-64	79	9.4	69	2	3	7	11	20	26	43
65+	88	14.2	129	2	3	12	20	26	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	3.3	11	<1	1	2	4	6	9	17
B. *Operated*	261	3.8	6	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	1356	6.6	46	1	1	4	9	14	20	32
B. *Operated*	569	9.2	97	1	2	6	11	21	26	47
1. SINGLE DX	607	3.5	9	<1	1	3	5	6	9	16
2. MULTIPLE DX	1925	7.3	63	1	1	5	9	16	22	41
A. NOT OPERATED	1702	5.9	41	1	1	4	7	13	18	28
B. OPERATED	830	7.5	75	1	2	5	9	17	23	45
TOTAL 0-19 YRS	636	4.1	29	1	1	3	5	7	13	31
20-34	730	5.2	41	1	1	4	6	10	14	31
35-49	322	6.4	45	1	1	5	8	13	19	35
50-64	343	7.5	53	1	2	6	9	15	22	43
65+	501	10.5	77	2	2	9	14	21	25	41
GRAND TOTAL	**2532**	**6.4**	**52**	**1**	**1**	**4**	**8**	**14**	**20**	**35**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.7	19	1	1	2	4	7	14	21
20-34	8	7.5	34	1	1	6	13	15	16	16
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	4	14.3	229	3	3	9	24	36	36	36
65+	2	14.5	181	5	5	14	24	24	24	24
B. *Operated*										
0-19 YRS	13	11.8	514	1	1	3	10	34	75	84
20-34	11	5.1	7	1	2	5	8	37	91	99+
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	8.0	3	6	6	9	9	9	9	9
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	5.4	34	<1	1	3	7	15	19	21
20-34	12	7.9	43	1	1	5	12	19	20	20
35-49	3	9.7	10	6	6	11	12	12	12	12
50-64	5	6.4	25	1	1	7	9	14	14	14
65+	13	20.2	242	3	5	15	28	48	51	52
B. *Operated*										
0-19 YRS	19	14.5	254	1	2	9	20	35	53	65
20-34	19	13.1	94	2	3	12	23	61	99+	99+
35-49	8	20.4	609	3	4	11	24	64	77	77
50-64	7	30.9	819	2	4	20	58	72	73	73
65+	6	38.3	557	3	5	39	63	64	64	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	5.9	51	1	1	4	6	14	22	36
B. *Operated*	29	8.6	233	1	1	5	9	20	84	99+
2. MULTIPLE DX										
A. *Not Operated*	58	9.5	110	1	1	6	13	21	31	52
B. *Operated*	59	19.2	388	2	3	12	24	64	75	99+
1. SINGLE DX	74	6.9	122	1	1	4	8	16	23	96
2. MULTIPLE DX	117	14.4	272	1	2	9	20	38	65	99+
A. NOT OPERATED	103	7.9	87	1	1	4	11	19	25	49
B. OPERATED	88	15.7	359	1	2	9	22	63	77	99+
TOTAL 0-19 YRS	86	7.8	162	1	1	3	8	21	25	77
20-34	50	9.2	61	1	2	7	14	24	90	99+
35-49	14	15.2	370	3	4	9	13	37	68	77
50-64	19	17.3	438	1	2	9	20	56	72	73
65+	22	24.0	371	3	4	20	39	55	63	64
GRAND TOTAL	**191**	**11.5**	**226**	**1**	**1**	**6**	**14**	**31**	**61**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.7	1	<1	1	1	2	3	4	5
20-34	54	2.4	3	1	1	2	3	4	7	8
35-49	16	3.0	8	<1	<1	2	4	8	9	9
50-64	18	2.3	5	<1	<1	1	3	5	7	9
65+	22	2.5	3	<1	<1	2	4	5	5	6
B. *Operated*										
0-19 YRS	354	3.2	4	<1	1	3	4	5	6	12
20-34	988	3.7	15	1	1	3	4	6	7	15
35-49	262	3.5	11	1	1	3	4	6	7	19
50-64	145	3.0	7	<1	1	2	4	5	6	14
65+	187	4.3	45	<1	1	2	4	10	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.9	11	1	1	3	5	10	11	12
20-34	59	4.2	64	<1	1	3	4	7	9	57
35-49	28	3.5	8	<1	1	3	5	7	8	13
50-64	33	5.4	27	1	1	4	7	11	14	27
65+	65	7.9	68	1	1	5	10	17	24	41
B. *Operated*										
0-19 YRS	67	4.7	19	1	1	3	6	12	14	86
20-34	206	4.8	36	1	1	4	5	9	11	42
35-49	91	5.9	32	1	1	4	8	12	15	29
50-64	121	6.3	71	1	1	4	8	13	19	50
65+	213	6.9	36	1	1	5	10	15	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	2.3	3	<1	1	2	3	5	6	9
B. *Operated*	1936	3.6	15	1	1	3	4	6	7	18
2. MULTIPLE DX										
A. *Not Operated*	211	5.4	48	1	1	3	6	11	15	38
B. *Operated*	698	5.8	40	1	1	4	7	12	18	35
1. SINGLE DX	2079	3.5	14	1	1	3	4	6	7	18
2. MULTIPLE DX	909	5.7	42	1	1	4	7	12	17	37
A. NOT OPERATED	354	4.1	32	<1	1	3	5	8	12	35
B. OPERATED	2634	4.2	23	1	1	3	5	7	11	23
TOTAL 0-19 YRS	480	3.3	7	1	1	3	4	6	7	18
20-34	1307	3.8	20	1	1	3	4	6	8	18
35-49	397	4.0	16	1	1	3	5	8	11	23
50-64	317	4.4	36	<1	1	3	5	9	13	31
65+	487	5.8	44	1	1	3	7	14	19	31
GRAND TOTAL	**2988**	**4.2**	**24**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	3.0	6	1	1	2	4	6	7	14
20-34	123	3.1	4	<1	1	3	4	6	7	8
35-49	51	4.4	38	<1	1	3	5	9	12	42
50-64	20	4.2	6	1	1	4	5	8	9	10
65+	10	6.2	34	1	1	4	10	15	20	20
B. *Operated*										
0-19 YRS	2380	4.8	9	2	2	4	6	7	8	12
20-34	3943	4.9	7	2	3	5	6	7	9	14
35-49	1591	5.3	9	2	3	5	6	8	10	15
50-64	805	6.1	10	3	3	5	7	9	11	18
65+	116	6.6	10	2	3	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.9	32	<1	1	3	6	9	14	32
20-34	72	3.5	13	<1	1	2	5	7	9	22
35-49	47	7.2	180	1	1	4	7	12	17	93
50-64	35	5.6	15	1	2	4	9	12	13	15
65+	41	9.8	60	2	3	8	12	19	26	40
B. *Operated*										
0-19 YRS	917	5.5	18	2	2	5	6	9	11	19
20-34	1768	5.9	19	2	3	5	7	9	12	23
35-49	890	6.8	33	2	3	5	7	11	15	28
50-64	799	7.2	27	2	3	6	8	12	16	32
65+	171	9.9	65	2	4	8	11	18	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	3.4	11	<1	1	3	4	6	8	15
B. *Operated*	8835	5.1	8	2	3	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	253	5.8	60	1	1	4	7	12	15	32
B. *Operated*	4545	6.4	26	2	3	5	7	10	14	27
1. SINGLE DX	9161	5.0	8	2	3	5	6	8	9	14
2. MULTIPLE DX	4798	6.3	28	2	3	5	7	10	14	27
A. NOT OPERATED	579	4.5	34	1	1	3	5	9	12	26
B. OPERATED	13380	5.5	15	2	3	5	6	9	11	20
TOTAL 0-19 YRS	3477	4.9	12	2	2	5	6	8	9	15
20-34	5906	5.1	11	2	3	5	6	8	10	17
35-49	2579	5.9	22	2	3	5	7	9	12	21
50-64	1659	6.6	18	2	3	6	8	11	14	25
65+	338	8.7	47	2	3	7	10	15	21	40
GRAND TOTAL	**13959**	**5.5**	**15**	**2**	**3**	**5**	**6**	**9**	**11**	**20**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	4.4	53	<1	1	3	5	7	12	49
20-34	97	5.6	40	<1	1	4	7	12	15	38
35-49	48	6.8	37	1	1	5	9	14	20	28
50-64	34	7.0	140	1	1	4	6	12	27	65
65+	18	5.8	23	<1	1	5	9	13	15	17
B. *Operated*										
0-19 YRS	538	3.9	32	<1	1	2	4	9	14	22
20-34	495	4.6	36	<1	1	3	5	10	17	32
35-49	240	6.0	50	1	1	3	8	15	21	33
50-64	165	5.4	44	1	1	3	5	14	22	42
65+	79	8.8	137	1	1	4	9	26	35	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	7.0	147	1	1	4	7	11	25	79
20-34	112	6.6	41	<1	1	5	9	15	20	65
35-49	83	7.6	53	1	1	6	10	16	20	39
50-64	78	10.2	91	2	2	7	12	20	35	46
65+	68	10.6	74	2	3	8	15	22	29	40
B. *Operated*										
0-19 YRS	324	8.5	117	1	1	5	11	20	28	57
20-34	476	10.1	152	1	1	5	13	25	39	59
35-49	295	8.7	88	1	2	5	11	19	29	46
50-64	265	11.7	204	2	2	6	15	32	44	85
65+	140	14.1	217	1	2	8	20	38	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	5.6	54	<1	1	4	7	11	17	44
B. *Operated*	1517	4.9	44	<1	1	3	5	12	18	33
2. MULTIPLE DX										
A. *Not Operated*	421	8.2	80	1	1	6	10	18	24	45
B. *Operated*	1500	10.2	149	1	2	5	13	25	38	59
1. SINGLE DX	1800	5.0	46	<1	1	3	5	11	18	35
2. MULTIPLE DX	1921	9.7	135	1	2	5	12	23	35	58
A. NOT OPERATED	704	7.2	71	1	1	5	9	16	22	46
B. OPERATED	3017	7.5	103	1	1	4	8	19	28	54
TOTAL 0-19 YRS	1028	5.6	74	1	1	3	6	14	20	48
20-34	1180	7.1	90	1	1	4	8	18	25	54
35-49	666	7.4	67	1	1	4	9	17	25	43
50-64	542	9.3	142	1	2	5	11	25	36	74
65+	305	11.5	159	1	1	6	17	28	40	57
GRAND TOTAL	**3721**	**7.4**	**97**	**1**	**1**	**4**	**8**	**18**	**27**	**52**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	2.7	4	<1	1	2	3	5	7	11
20-34	200	3.3	8	<1	1	2	4	7	9	12
35-49	99	4.1	8	1	1	3	5	8	11	12
50-64	76	4.4	8	1	2	4	5	8	11	14
65+	71	6.6	28	1	2	5	8	14	19	26
B. *Operated*										
0-19 YRS	557	4.3	7	1	2	4	5	7	9	13
20-34	694	4.7	7	1	2	4	6	8	9	15
35-49	193	5.4	11	1	2	5	6	10	12	18
50-64	92	6.5	27	1	2	5	8	12	16	27
65+	38	9.2	101	2	4	8	10	12	13	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	4.2	15	1	1	3	5	8	14	21
20-34	138	4.6	12	1	1	4	6	9	13	16
35-49	110	6.0	30	1	2	5	7	10	15	34
50-64	158	6.4	18	2	2	5	8	12	14	25
65+	249	8.2	33	2	3	7	11	16	20	28
B. *Operated*										
0-19 YRS	498	5.5	8	2	2	5	7	9	10	15
20-34	703	5.8	10	2	2	5	7	9	12	18
35-49	223	7.6	42	2	3	6	9	14	16	33
50-64	123	8.6	28	2	4	7	10	16	18	29
65+	69	16.5	174	3	5	12	21	38	46	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	610	3.8	10	1	1	3	5	8	10	17
B. *Operated*	1574	4.9	12	1	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	752	6.3	26	1	2	5	8	13	16	28
B. *Operated*	1616	6.7	27	2	2	6	8	11	14	28
1. SINGLE DX	2184	4.6	12	1	1	4	6	8	10	16
2. MULTIPLE DX	2368	6.6	27	2	2	5	8	12	15	28
A. NOT OPERATED	1362	5.2	20	1	1	4	7	11	14	23
B. OPERATED	3190	5.8	21	1	2	5	7	10	12	24
TOTAL 0-19 YRS	1316	4.6	8	1	2	4	6	8	10	14
20-34	1735	5.0	10	1	2	5	6	9	11	16
35-49	625	6.1	27	1	2	5	7	11	14	28
50-64	449	6.7	23	2	2	6	9	13	16	26
65+	427	9.4	71	2	3	7	11	19	25	47
GRAND TOTAL	**4552**	**5.6**	**21**	**1**	**2**	**5**	**7**	**10**	**13**	**24**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	365	5.4	15	1	2	4	7	10	13	21
20-34	3263	6.7	17	2	2	6	8	12	14	20
35-49	2819	7.2	17	2	3	6	9	12	15	22
50-64	1274	7.6	20	2	3	7	9	13	15	23
65+	294	7.3	20	2	3	6	10	14	16	23
B. *Operated*										
0-19 YRS	39	8.3	34	1	2	8	12	16	21	24
20-34	448	9.2	37	2	3	8	12	17	20	30
35-49	365	10.2	46	2	3	9	14	18	23	34
50-64	110	9.6	45	3	3	8	12	18	26	30
65+	12	8.5	16	2	2	9	10	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	6.4	20	1	2	6	8	11	13	24
20-34	3042	7.8	21	2	3	7	10	13	16	24
35-49	3285	8.5	27	3	4	7	11	15	17	27
50-64	2361	8.6	24	3	4	8	11	15	18	25
65+	1440	9.6	40	3	4	8	12	17	21	33
B. *Operated*										
0-19 YRS	31	9.6	29	3	3	9	14	17	19	20
20-34	494	11.8	48	3	5	11	15	20	25	39
35-49	592	13.0	61	4	5	11	17	22	27	42
50-64	356	13.4	60	4	5	12	17	23	26	43
65+	111	13.3	70	4	4	11	17	23	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8015	7.0	18	2	3	6	9	12	15	22
B. *Operated*	974	9.5	41	2	3	9	12	17	22	31
2. MULTIPLE DX										
A. *Not Operated*	10448	8.4	27	3	3	7	11	15	17	26
B. *Operated*	1584	12.7	57	4	5	11	16	22	26	41
1. SINGLE DX	8989	7.3	21	2	3	6	9	13	15	23
2. MULTIPLE DX	12032	9.0	33	3	3	8	11	16	19	30
A. NOT OPERATED	18463	7.8	23	2	3	7	10	14	16	25
B. OPERATED	2558	11.5	54	3	4	10	15	20	24	37
TOTAL 0-19 YRS	755	6.1	19	1	2	5	8	12	14	23
20-34	7247	7.6	24	2	3	7	10	13	17	25
35-49	7061	8.5	29	3	3	7	11	15	18	28
50-64	4101	8.8	29	3	4	8	11	15	19	27
65+	1857	9.5	40	3	4	8	12	17	21	34
GRAND TOTAL	**21021**	**8.2**	**28**	**2**	**3**	**7**	**10**	**15**	**18**	**27**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	613	3.7	11	1	1	3	5	8	10	16
20-34	2245	6.1	19	1	2	5	8	11	14	20
35-49	1494	6.7	19	2	2	6	9	12	14	20
50-64	628	6.5	18	1	2	5	8	12	15	21
65+	174	6.5	19	1	2	6	8	12	15	21
B. *Operated*										
0-19 YRS	31	6.2	37	1	2	4	8	16	20	27
20-34	312	7.8	30	2	2	6	11	16	19	23
35-49	247	8.7	33	2	3	7	12	17	21	26
50-64	81	8.1	34	2	2	6	11	17	20	28
65+	6	5.5	12	2	2	5	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	709	4.7	13	1	1	4	6	9	11	20
20-34	3895	6.8	19	2	2	6	9	12	15	24
35-49	2861	7.6	22	2	3	7	10	13	16	24
50-64	1692	8.0	26	2	3	7	10	14	17	28
65+	972	8.9	37	2	3	8	12	17	20	32
B. *Operated*										
0-19 YRS	43	6.0	21	1	1	5	8	12	15	21
20-34	463	10.2	47	2	3	9	13	18	22	36
35-49	522	11.0	42	3	4	9	14	20	24	29
50-64	248	11.4	56	3	3	10	15	20	22	51
65+	87	13.2	80	2	4	12	17	27	35	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5154	6.0	18	1	2	5	8	11	14	20
B. *Operated*	677	8.0	32	2	2	7	11	17	20	25
2. MULTIPLE DX										
A. *Not Operated*	10129	7.3	23	2	2	6	9	13	16	25
B. *Operated*	1363	10.8	49	2	3	9	14	20	24	37
1. SINGLE DX	5831	6.3	20	1	2	5	8	12	15	21
2. MULTIPLE DX	11492	7.7	28	2	3	6	10	14	18	27
A. NOT OPERATED	15283	6.9	22	1	2	6	9	13	16	24
B. OPERATED	2040	9.9	45	2	3	9	13	19	22	32
TOTAL 0-19 YRS	1396	4.3	13	1	1	3	6	9	11	19
20-34	6915	6.9	22	1	2	6	9	13	16	24
35-49	5124	7.7	25	2	3	7	10	14	17	25
50-64	2649	8.0	29	2	3	7	10	15	18	28
65+	1239	8.9	39	2	3	7	12	17	21	34
GRAND TOTAL	**17323**	**7.2**	**26**	**1**	**2**	**6**	**9**	**14**	**17**	**25**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	277	2.7	4	<1	1	2	4	5	7	10
20-34	359	3.2	10	<1	1	2	4	7	8	12
35-49	201	4.0	10	1	1	3	5	8	10	21
50-64	161	4.0	8	1	1	3	5	8	10	14
65+	102	5.1	26	1	1	4	6	9	14	32
B. *Operated*										
0-19 YRS	440	3.3	4	1	1	3	4	5	6	9
20-34	885	3.6	5	1	2	3	4	6	7	11
35-49	576	4.0	5	1	2	4	5	7	8	11
50-64	627	5.3	13	2	2	5	6	9	11	22
65+	155	7.2	26	[illegible]	3	6	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.0	5	<1	1	2	4	6	7	11
20-34	373	4.7	15	<1	1	4	6	9	12	20
35-49	331	6.0	25	1	2	5	8	12	15	27
50-64	363	6.3	22	1	2	5	8	12	17	23
65+	548	7.7	29	2	2	6	10	15	19	24
B. *Operated*										
0-19 YRS	152	3.3	5	1	1	3	4	6	8	12
20-34	273	4.8	17	1	2	4	5	9	12	23
35-49	229	6.1	33	2	2	5	7	11	16	41
50-64	346	7.1	25	2	3	6	9	13	18	28
65+	140	11.1	143	2	3	8	14	21	25	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1100	3.5	10	1	1	3	4	7	9	16
B. *Operated*	2683	4.2	9	1	2	4	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	1793	6.0	24	1	2	5	8	12	16	23
B. *Operated*	1140	6.3	41	1	2	5	7	12	17	32
1. SINGLE DX	3783	4.0	9	1	1	3	5	7	9	16
2. MULTIPLE DX	2933	6.1	31	1	2	5	8	12	17	27
A. NOT OPERATED	2893	5.1	20	1	1	4	7	11	14	22
B. OPERATED	3823	4.9	19	1	2	4	6	8	11	23
TOTAL 0-19 YRS	1047	3.1	4	1	1	3	4	6	7	11
20-34	1890	3.9	10	1	1	3	5	7	9	17
35-49	1337	4.9	16	1	2	4	6	9	12	23
50-64	1497	5.8	18	1	2	5	7	10	14	23
65+	945	7.8	47	2	2	6	10	16	19	35
GRAND TOTAL	**6716**	**5.0**	**20**	**1**	**1**	**4**	**6**	**9**	**13**	**22**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5551	1.8	3	1	1	1	2	3	4	8
20-34	1792	2.6	14	<1	1	2	3	5	7	13
35-49	468	3.0	12	1	1	2	4	6	8	15
50-64	284	3.3	13	1	1	2	4	7	9	15
65+	145	3.6	11	1	1	2	5	7	10	18
B. *Operated*										
0-19 YRS	79	2.7	8	<1	1	2	4	6	10	75
20-34	35	4.5	19	1	1	3	5	9	15	21
35-49	15	4.1	7	<1	1	4	6	8	9	10
50-64	10	6.6	14	2	2	7	9	12	14	14
65+	3	8.0	28	2	2	10	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5720	2.7	10	1	1	2	3	5	7	15
20-34	4417	4.0	14	1	1	3	5	8	11	18
35-49	1621	4.9	24	1	1	4	6	10	13	22
50-64	1101	5.5	26	1	1	4	7	11	15	25
65+	1130	7.6	44	1	2	6	10	16	21	31
B. *Operated*										
0-19 YRS	1239	5.1	68	1	1	2	5	11	18	45
20-34	1320	6.1	87	<1	1	3	7	14	22	66
35-49	478	7.3	97	1	1	4	8	16	23	59
50-64	308	7.6	69	1	1	5	10	17	26	48
65+	326	10.2	109	1	2	7	13	23	31	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8240	2.2	6	1	1	2	2	4	5	11
B. *Operated*	142	3.7	13	<1	1	2	5	9	11	26
2. MULTIPLE DX										
A. *Not Operated*	13989	4.0	19	1	1	3	5	8	12	22
B. *Operated*	3671	6.4	84	1	1	3	7	15	23	55
1. SINGLE DX	8382	2.2	7	1	1	2	2	4	5	11
2. MULTIPLE DX	17660	4.5	33	1	1	3	5	10	14	29
A. NOT OPERATED	22229	3.3	15	1	1	2	4	7	10	20
B. OPERATED	3813	6.3	82	1	1	3	7	14	23	55
TOTAL 0-19 YRS	12589	2.6	13	1	1	2	3	5	7	17
20-34	7564	4.0	28	<1	1	2	5	8	12	25
35-49	2582	5.0	37	1	1	3	6	10	14	30
50-64	1703	5.5	33	1	1	4	7	12	16	29
65+	1604	7.7	57	1	2	5	10	17	22	38
GRAND TOTAL	**26042**	**3.7**	**26**	**1**	**1**	**2**	**4**	**8**	**12**	**26**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1501	2.3	20	<1	1	1	2	4	6	18
20-34	478	2.9	12	<1	1	2	3	6	9	21
35-49	146	3.8	15	<1	1	2	5	9	11	18
50-64	91	4.3	22	<1	<1	2	6	9	14	22
65+	76	5.6	36	1	1	3	7	14	20	26
B. *Operated*										
0-19 YRS	88	12.6	188	1	2	8	18	38	54	99+
20-34	84	14.2	284	1	2	9	15	30	58	99
35-49	46	12.0	130	1	2	10	14	23	38	59
50-64	72	16.1	174	1	4	12	19	38	42	65
65+	87	18.1	144	6	7	14	23	37	45	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1903	3.6	38	1	1	2	3	7	12	36
20-34	1308	5.0	54	<1	1	3	6	10	15	59
35-49	469	5.4	42	1	1	4	7	11	15	36
50-64	377	6.7	61	1	1	4	8	15	22	45
65+	496	9.1	73	1	2	6	12	20	26	41
B. *Operated*										
0-19 YRS	536	13.9	343	1	1	7	22	53	98	99+
20-34	659	15.0	421	<1	1	7	23	59	97	99+
35-49	243	15.1	320	1	1	9	20	44	65	99+
50-64	250	19.1	478	1	2	12	24	61	89	99+
65+	323	20.9	363	1	2	16	30	49	63	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2292	2.7	19	<1	1	1	3	5	8	20
B. *Operated*	377	14.8	193	1	2	11	18	35	46	94
2. MULTIPLE DX										
A. *Not Operated*	4553	5.0	52	1	1	3	6	11	17	42
B. *Operated*	2011	16.2	392	1	1	9	24	54	87	99+
1. SINGLE DX	2669	4.4	62	<1	1	2	4	11	18	45
2. MULTIPLE DX	6564	8.4	182	1	1	3	9	23	42	99+
A. NOT OPERATED	6845	4.2	42	1	1	2	5	9	15	35
B. OPERATED	2388	16.0	361	1	1	10	22	51	78	99+
TOTAL 0-19 YRS	4028	4.7	91	1	1	2	4	10	22	86
20-34	2529	7.5	172	<1	1	3	8	20	43	99+
35-49	904	8.1	137	1	1	4	9	19	34	80
50-64	790	11.2	235	1	1	6	13	25	46	99
65+	982	13.5	206	1	2	9	18	31	44	74
GRAND TOTAL	**9233**	**7.3**	**151**	**1**	**1**	**3**	**8**	**19**	**35**	**99**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.8	7	1	1	2	3	5	7	16
20-34	70	4.0	6	1	1	4	6	7	9	82
35-49	21	5.7	22	1	1	4	9	14	15	15
50-64	24	7.1	73	1	1	5	7	16	30	37
65+	11	5.4	9	1	1	6	7	9	10	10
B. *Operated*										
0-19 YRS	53	5.2	6	2	2	4	7	9	9	12
20-34	118	7.1	55	3	3	5	7	12	15	45
35-49	34	8.7	48	3	3	7	11	14	35	99+
50-64	21	7.6	40	2	3	6	9	17	24	27
65+	12	9.0	14	4	5	8	13	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	4.9	10	1	1	4	7	9	11	14
20-34	177	5.1	13	1	1	4	7	10	11	18
35-49	109	6.6	20	2	2	6	8	12	14	24
50-64	98	8.8	49	2	2	7	11	18	24	36
65+	104	8.6	28	2	3	7	12	16	20	24
B. *Operated*										
0-19 YRS	184	10.3	92	3	4	8	11	19	27	69
20-34	360	11.7	134	3	4	9	13	21	32	67
35-49	159	14.0	212	3	4	9	18	31	43	99
50-64	131	15.2	158	4	5	11	18	40	48	99+
65+	83	14.4	117	4	4	12	18	31	40	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	4.4	20	1	1	3	6	9	14	35
B. *Operated*	238	7.0	41	2	3	5	8	13	15	42
2. MULTIPLE DX										
A. *Not Operated*	594	6.6	25	1	2	5	8	12	17	25
B. *Operated*	917	12.6	143	3	4	9	15	25	38	82
1. SINGLE DX	406	6.0	34	1	2	5	7	11	14	38
2. MULTIPLE DX	1511	10.2	105	2	3	7	12	19	30	66
A. NOT OPERATED	762	6.1	24	1	2	5	8	12	15	25
B. OPERATED	1155	11.4	127	3	4	8	13	23	35	78
TOTAL 0-19 YRS	385	7.3	57	1	2	6	9	14	19	51
20-34	725	8.6	89	2	2	6	10	16	22	62
35-49	323	10.4	130	2	3	7	12	22	32	96
50-64	274	11.6	114	2	3	8	15	25	38	63
65+	210	10.8	70	2	3	8	13	20	28	51
GRAND TOTAL	**1917**	**9.3**	**93**	**2**	**2**	**7**	**11**	**18**	**27**	**64**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	506	3.7	9	1	1	3	5	7	9	17
20-34	239	3.8	12	1	1	3	5	8	10	19
35-49	52	3.6	5	1	1	3	5	7	8	12
50-64	34	4.0	19	1	1	3	5	7	9	25
65+	22	6.0	13	2	3	5	7	9	14	20
B. *Operated*										
0-19 YRS	282	7.5	37	3	4	7	8	11	13	23
20-34	263	8.5	56	2	4	7	9	13	18	53
35-49	67	7.7	14	1	3	7	10	13	15	17
50-64	35	8.7	21	3	5	8	11	12	19	24
65+	8	8.1	17	<1	2	7	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	528	4.6	34	1	1	3	5	9	11	28
20-34	366	4.4	15	1	1	4	6	8	10	20
35-49	154	6.2	33	1	2	4	8	13	16	36
50-64	83	7.2	40	1	2	5	8	15	20	34
65+	104	7.8	31	2	2	7	10	15	18	28
B. *Operated*										
0-19 YRS	583	12.7	145	4	5	9	13	26	41	65
20-34	932	15.3	206	4	5	10	17	33	47	82
35-49	295	15.9	177	5	6	11	18	36	48	73
50-64	179	15.7	113	4	6	12	21	32	40	99+
65+	100	19.8	242	3	6	16	27	38	47	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	853	3.8	10	1	1	3	5	7	10	18
B. *Operated*	655	8.0	41	2	4	7	9	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	1235	5.2	30	1	1	4	6	10	13	27
B. *Operated*	2089	14.9	181	4	5	10	17	32	44	78
1. SINGLE DX	1508	5.6	28	1	1	5	7	10	13	23
2. MULTIPLE DX	3324	11.3	147	1	2	8	13	25	37	71
A. NOT OPERATED	2088	4.6	22	1	1	3	6	9	12	24
B. OPERATED	2744	13.3	156	3	5	9	14	28	41	76
TOTAL 0-19 YRS	1899	7.3	76	1	1	5	9	13	20	50
20-34	1800	10.6	145	1	2	7	12	23	36	73
35-49	568	11.2	128	2	2	8	13	22	37	63
50-64	331	11.6	96	2	2	9	15	28	32	73
65+	234	12.8	155	2	3	9	16	28	37	61
GRAND TOTAL	**4832**	**9.5**	**117**	**1**	**2**	**7**	**11**	**20**	**31**	**63**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.9	4	1	1	3	4	5	7	9
20-34	33	3.4	9	1	1	3	4	6	9	15
35-49	8	3.0	3	1	1	3	4	5	5	5
50-64	10	3.1	4	<1	<1	3	4	6	7	7
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	394	3.3	10	<1	1	2	4	7	9	17
20-34	210	3.2	5	1	1	3	4	6	7	13
35-49	92	3.7	9	1	1	3	5	7	8	18
50-64	40	3.6	3	1	1	4	5	6	7	9
65+	30	3.8	3	1	1	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.2	13	1	1	3	5	8	10	20
20-34	55	3.8	11	1	1	3	4	8	11	20
35-49	29	5.0	8	1	2	5	6	9	11	12
50-64	20	4.5	8	1	1	5	7	8	9	9
65+	21	4.9	16	1	1	4	5	9	15	19
B. *Operated*										
0-19 YRS	383	4.2	13	1	1	3	5	8	10	18
20-34	324	5.1	26	1	1	4	6	10	12	26
35-49	131	4.8	17	1	1	4	6	10	14	40
50-64	88	5.7	29	1	1	4	8	12	17	73
65+	63	9.3	98	1	2	5	13	24	33	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.2	5	1	1	3	4	6	7	13
B. *Operated*	766	3.4	8	1	1	3	4	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	195	4.3	12	1	1	4	5	8	11	20
B. *Operated*	989	5.0	26	1	1	4	6	10	13	30
1. SINGLE DX	862	3.3	8	1	1	3	4	6	8	15
2. MULTIPLE DX	1184	4.9	24	1	1	4	6	10	13	28
A. NOT OPERATED	291	3.9	10	1	1	3	5	7	10	19
B. OPERATED	1755	4.3	19	1	1	3	5	8	12	23
TOTAL 0-19 YRS	891	3.7	11	1	1	3	5	7	10	18
20-34	622	4.3	18	1	1	3	5	8	11	17
35-49	260	4.4	13	1	1	4	6	8	11	22
50-64	158	4.8	19	1	1	4	6	9	13	31
65+	115	7.1	63	1	2	4	8	15	25	42
GRAND TOTAL	**2046**	**4.3**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	2.5	20	<1	1	2	3	4	5	11
20-34	190	3.1	24	<1	<1	2	3	6	10	29
35-49	60	2.9	7	<1	<1	2	3	7	10	11
50-64	36	3.5	10	<1	1	2	4	10	10	12
65+	35	3.2	14	1	1	2	4	7	7	22
B. *Operated*										
0-19 YRS	869	2.4	14	<1	1	1	2	4	6	18
20-34	448	3.1	18	<1	1	2	3	6	8	33
35-49	170	3.4	25	<1	1	2	4	6	10	44
50-64	66	3.8	36	1	1	2	4	7	13	38
65+	51	4.4	33	1	1	3	5	9	15	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	587	2.8	8	1	1	2	3	5	7	15
20-34	742	3.4	16	<1	1	2	4	7	8	21
35-49	312	4.5	25	<1	1	3	5	10	13	23
50-64	260	5.2	53	1	1	4	7	10	12	82
65+	490	7.5	49	1	2	5	10	16	21	38
B. *Operated*										
0-19 YRS	1549	3.7	33	<1	1	2	4	7	11	24
20-34	1781	4.2	32	<1	1	3	5	9	13	33
35-49	687	5.4	62	1	1	3	7	11	15	38
50-64	499	5.8	52	1	1	4	7	12	17	39
65+	686	8.3	100	1	1	5	10	18	26	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	540	2.9	19	<1	1	2	3	5	8	17
B. *Operated*	1604	2.8	18	<1	1	2	3	5	8	24
2. MULTIPLE DX										
A. *Not Operated*	2391	4.4	29	1	1	3	5	10	13	26
B. *Operated*	5202	4.9	49	<1	1	3	6	10	15	36
1. SINGLE DX	2144	2.8	18	<1	1	2	3	5	8	22
2. MULTIPLE DX	7593	4.8	43	1	1	3	6	10	15	34
A. NOT OPERATED	2931	4.1	28	<1	1	3	5	9	13	25
B. OPERATED	6806	4.4	43	<1	1	2	5	9	14	34
TOTAL 0-19 YRS	3224	3.1	23	<1	1	2	3	6	9	20
20-34	3161	3.8	26	<1	1	2	4	8	11	31
35-49	1229	4.8	46	<1	1	3	6	10	14	34
50-64	861	5.4	50	1	1	3	7	11	15	41
65+	1262	7.7	76	1	1	5	10	17	23	46
GRAND TOTAL	**9737**	**4.3**	**38**	**<1**	**1**	**2**	**5**	**9**	**14**	**33**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	224	2.6	5	<1	1	2	3	5	6	11
20-34	453	2.6	5	<1	1	2	3	5	7	11
35-49	114	3.2	14	<1	1	2	4	6	10	23
50-64	48	4.4	34	1	1	2	4	8	18	32
65+	8	2.9	4	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	355	3.9	22	1	1	3	5	8	10	26
20-34	456	5.4	29	1	1	4	7	10	14	28
35-49	130	6.6	49	1	1	6	8	12	16	43
50-64	51	6.5	43	1	1	4	9	12	21	34
65+	9	8.6	33	2	3	7	11	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.8	16	1	1	3	4	7	10	24
20-34	430	4.2	19	<1	1	3	5	8	11	27
35-49	162	5.2	29	1	1	4	7	10	13	31
50-64	80	7.0	84	<1	1	5	8	13	23	55
65+	53	8.2	61	1	2	6	10	16	19	47
B. *Operated*										
0-19 YRS	386	7.7	76	1	1	6	9	15	21	79
20-34	910	9.9	105	1	2	7	11	21	30	60
35-49	319	11.9	124	1	2	8	14	28	36	54
50-64	144	12.1	109	1	3	9	15	28	36	55
65+	55	17.0	248	1	3	13	17	42	50	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	847	2.8	8	<1	1	2	3	5	7	14
B. *Operated*	1001	5.1	31	1	1	4	7	10	13	31
2. MULTIPLE DX										
A. *Not Operated*	903	4.8	30	1	1	3	6	9	13	30
B. *Operated*	1814	10.2	110	1	2	7	12	22	34	59
1. SINGLE DX	1848	4.1	22	1	1	3	5	8	11	24
2. MULTIPLE DX	2717	8.4	90	1	1	6	10	18	28	55
A. NOT OPERATED	1750	3.8	20	<1	1	3	5	8	10	24
B. OPERATED	2815	8.4	88	1	1	6	10	18	27	55
TOTAL 0-19 YRS	1143	4.9	40	1	1	3	6	10	14	34
20-34	2249	6.4	62	1	1	4	8	13	21	47
35-49	725	8.1	84	1	1	5	10	18	29	49
50-64	323	8.8	90	1	1	6	11	19	32	51
65+	125	11.8	159	1	2	8	14	30	43	62
GRAND TOTAL	**4565**	**6.6**	**67**	**1**	**1**	**4**	**8**	**14**	**21**	**49**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	2.9	8	<1	1	2	4	6	7	12
20-34	297	3.1	9	<1	1	2	4	6	7	14
35-49	113	2.8	4	<1	1	2	4	6	8	9
50-64	61	2.7	3	<1	1	2	4	5	6	8
65+	31	4.3	7	1	1	4	6	8	9	10
B. *Operated*										
0-19 YRS	2057	2.7	11	<1	1	2	3	5	7	22
20-34	2673	2.9	14	1	1	2	3	5	8	20
35-49	1121	2.9	12	1	1	2	3	6	8	19
50-64	707	3.0	14	1	1	2	3	6	8	23
65+	247	3.5	20	1	1	2	4	7	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	4.7	48	1	1	3	5	8	13	35
20-34	356	4.7	46	1	1	3	5	8	13	31
35-49	154	4.1	26	1	1	3	5	7	11	24
50-64	99	5.3	24	1	1	4	7	10	14	28
65+	103	7.6	62	1	2	6	10	14	19	47
B. *Operated*										
0-19 YRS	1440	3.6	25	1	1	2	4	7	11	28
20-34	2166	4.3	39	1	1	3	5	9	14	34
35-49	801	4.5	46	1	1	2	5	10	14	34
50-64	670	4.9	48	1	1	3	5	10	14	39
65+	344	6.0	61	1	1	3	7	15	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	719	3.0	7	<1	1	2	4	6	7	10
B. *Operated*	6805	2.9	13	1	1	2	3	6	8	21
2. MULTIPLE DX										
A. *Not Operated*	910	5.0	43	1	1	3	6	9	14	31
B. *Operated*	5421	4.3	39	1	1	2	5	9	14	34
1. SINGLE DX	7524	2.9	12	<1	1	2	3	6	8	20
2. MULTIPLE DX	6331	4.4	40	1	1	3	5	9	14	33
A. NOT OPERATED	1629	4.1	28	<1	1	3	5	8	10	24
B. OPERATED	12226	3.5	25	1	1	2	4	7	11	27
TOTAL 0-19 YRS	3912	3.1	18	<1	1	2	3	6	9	24
20-34	5492	3.6	26	1	1	2	4	7	10	25
35-49	2189	3.6	25	1	1	2	4	7	11	25
50-64	1537	4.0	30	1	1	2	4	8	11	33
65+	725	5.3	47	1	1	3	6	12	17	33
GRAND TOTAL	**13855**	**3.6**	**25**	**1**	**1**	**2**	**4**	**7**	**11**	**27**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	416	3.1	10	<1	1	2	4	6	8	17
20-34	387	3.7	11	1	1	3	4	7	11	18
35-49	122	3.9	12	<1	1	3	5	8	12	16
50-64	55	3.9	17	<1	1	2	5	7	14	22
65+	49	7.5	131	1	1	4	8	12	20	73
B. *Operated*										
0-19 YRS	1122	4.8	30	1	1	3	6	11	15	30
20-34	827	5.2	30	1	1	4	6	10	15	30
35-49	252	5.7	51	1	1	4	6	11	17	45
50-64	157	7.2	104	1	1	4	8	16	23	50
65+	79	11.9	220	1	1	7	18	27	37	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	4.7	20	1	1	4	6	9	11	19
20-34	255	4.9	29	1	1	4	6	9	11	28
35-49	115	5.3	21	1	2	4	7	10	12	25
50-64	93	8.8	70	1	2	7	11	16	26	48
65+	108	9.5	41	2	3	8	13	19	24	28
B. *Operated*										
0-19 YRS	597	8.8	122	1	2	5	10	20	31	65
20-34	595	10.9	189	1	2	6	12	26	43	81
35-49	264	10.7	135	1	2	7	12	25	40	59
50-64	192	11.6	140	1	2	7	15	29	37	50
65+	184	15.0	220	2	3	10	19	34	47	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1029	3.7	17	<1	1	3	4	7	10	18
B. *Operated*	2437	5.4	45	1	1	3	6	12	17	33
2. MULTIPLE DX										
A. *Not Operated*	787	6.0	35	1	1	4	7	11	16	28
B. *Operated*	1832	10.7	160	1	2	6	12	25	40	76
1. SINGLE DX	3466	4.9	37	1	1	3	6	10	15	30
2. MULTIPLE DX	2619	9.3	127	1	2	6	10	21	32	66
A. NOT OPERATED	1816	4.7	26	1	1	3	6	9	13	25
B. OPERATED	4269	7.7	101	1	1	4	9	17	27	59
TOTAL 0-19 YRS	2351	5.5	53	1	1	3	6	12	17	36
20-34	2064	6.5	80	1	1	4	7	13	21	56
35-49	753	7.1	76	1	1	4	8	14	23	52
50-64	497	8.8	108	1	1	6	10	22	29	50
65+	420	12.2	171	1	2	8	15	26	38	76
GRAND TOTAL	**6085**	**6.8**	**81**	**1**	**1**	**4**	**8**	**15**	**23**	**51**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.7	6	<1	1	2	3	5	10	11
20-34	12	4.4	13	2	2	3	6	11	12	12
35-49	8	4.0	8	1	1	3	5	9	10	10
50-64	3	2.7	8	<1	<1	1	5	6	6	6
65+	3	4.0	13	1	1	3	7	8	8	8
B. *Operated*										
0-19 YRS	29	5.3	55	1	1	3	6	11	20	38
20-34	52	4.4	19	1	1	3	6	9	14	22
35-49	14	1.8	1	1	1	1	2	4	4	4
50-64	6	4.3	8	1	1	4	5	9	9	9
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.6	19	<1	<1	2	4	8	8	23
20-34	27	5.3	22	1	1	4	8	11	14	21
35-49	13	3.8	14	<1	1	3	4	8	14	15
50-64	13	10.8	194	<1	1	6	9	29	48	53
65+	27	7.8	61	1	1	5	10	16	24	37
B. *Operated*										
0-19 YRS	95	9.9	156	1	1	5	12	23	39	58
20-34	134	10.5	220	1	1	6	11	27	47	90
35-49	47	11.8	156	1	1	8	18	25	53	99+
50-64	35	10.2	307	1	1	4	9	46	72	99+
65+	15	28.7	430	9	14	22	31	65	72	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.3	8	<1	1	2	4	9	10	12
B. *Operated*	104	4.3	26	1	1	3	5	9	14	29
2. MULTIPLE DX										
A. *Not Operated*	110	5.9	54	<1	1	4	7	13	21	43
B. *Operated*	326	11.3	223	1	1	6	13	27	55	90
1. SINGLE DX	161	3.9	20	1	1	3	5	9	11	22
2. MULTIPLE DX	436	9.9	186	1	1	6	11	23	45	80
A. NOT OPERATED	167	5.0	40	<1	1	3	6	10	14	35
B. OPERATED	430	9.6	184	1	1	5	11	23	41	81
TOTAL 0-19 YRS	185	6.9	102	1	1	3	8	16	24	56
20-34	225	8.1	146	1	1	5	9	16	30	81
35-49	82	8.1	111	1	1	4	10	20	31	86
50-64	57	9.3	235	1	1	5	8	24	58	98
65+	48	13.8	268	1	1	8	17	30	60	75
GRAND TOTAL	**597**	**8.3**	**148**	**1**	**1**	**4**	**9**	**20**	**31**	**77**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	5.0	70	<1	1	3	5	8	14	51
20-34	141	6.1	25	1	1	4	9	12	16	22
35-49	78	5.6	22	1	1	4	7	13	15	22
50-64	63	8.8	76	1	2	6	10	20	31	43
65+	56	10.3	133	1	2	8	14	18	27	75
B. *Operated*										
0-19 YRS	739	4.2	24	1	1	3	5	8	11	24
20-34	1192	4.5	20	1	2	3	5	9	13	23
35-49	503	4.7	20	1	2	3	5	10	13	23
50-64	353	5.7	48	2	2	4	6	11	17	33
65+	120	11.1	99	2	2	8	15	25	29	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	9.4	230	1	1	4	9	26	47	86
20-34	257	8.2	124	1	2	5	9	15	21	89
35-49	170	8.4	59	1	2	6	11	16	23	59
50-64	170	9.0	98	1	2	7	10	17	23	57
65+	209	11.3	69	2	3	9	15	22	29	68
B. *Operated*										
0-19 YRS	561	5.5	45	1	2	3	6	10	18	37
20-34	995	6.3	64	1	2	4	7	13	19	51
35-49	477	7.5	80	2	2	4	8	18	25	50
50-64	401	8.6	97	2	2	5	11	19	28	67
65+	252	16.1	208	2	3	13	21	35	43	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	6.7	59	1	1	5	9	14	18	34
B. *Operated*	2907	4.9	30	1	2	3	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	933	9.2	110	1	2	6	12	19	28	81
B. *Operated*	2686	7.6	90	2	2	4	8	18	26	54
1. SINGLE DX	3344	5.1	34	1	2	3	6	10	15	29
2. MULTIPLE DX	3619	8.0	95	1	2	5	9	18	27	57
A. NOT OPERATED	1370	8.4	95	1	2	6	10	17	24	74
B. OPERATED	5593	6.2	60	1	2	4	7	13	20	41
TOTAL 0-19 YRS	1526	5.2	54	1	1	3	5	10	16	44
20-34	2585	5.6	49	1	2	4	6	12	16	37
35-49	1228	6.3	51	1	2	4	7	14	19	39
50-64	987	7.7	80	2	2	5	9	16	23	48
65+	637	13.1	141	2	3	10	17	28	36	83
GRAND TOTAL	**6963**	**6.6**	**68**	**1**	**2**	**4**	**8**	**14**	**21**	**46**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	589	3.9	4	1	2	4	5	6	7	12
20-34	269	3.7	9	1	1	3	5	6	9	15
35-49	87	4.1	12	1	1	3	5	7	10	23
50-64	32	4.0	4	1	2	4	5	7	8	9
65+	14	4.7	8	1	2	4	7	8	11	12
B. *Operated*										
0-19 YRS	24	6.4	17	1	2	6	9	11	14	18
20-34	8	5.9	19	1	1	5	10	12	12	12
35-49	6	4.5	8	1	1	4	7	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	431	4.6	17	1	1	4	5	8	10	18
20-34	241	4.1	12	1	1	3	5	8	11	26
35-49	120	4.7	9	1	2	4	6	8	11	17
50-64	68	4.1	8	1	1	4	5	8	9	16
65+	71	6.8	30	1	2	6	8	14	18	29
B. *Operated*										
0-19 YRS	59	5.0	13	1	1	4	7	10	13	14
20-34	44	6.0	46	<1	1	4	7	11	19	35
35-49	23	6.6	40	<1	1	5	10	14	22	25
50-64	15	7.3	26	1	1	6	12	15	16	16
65+	9	10.9	60	2	2	7	18	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	991	3.9	6	1	1	4	5	6	8	12
B. *Operated*	42	5.7	15	1	2	5	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	931	4.6	16	1	1	4	6	8	12	20
B. *Operated*	150	6.1	32	1	1	5	8	13	16	30
1. SINGLE DX	1033	4.0	7	1	1	4	5	6	9	13
2. MULTIPLE DX	1081	4.8	18	1	1	4	6	9	12	23
A. NOT OPERATED	1922	4.2	11	1	1	4	5	7	10	16
B. OPERATED	192	6.0	28	1	1	5	8	12	15	28
TOTAL 0-19 YRS	1103	4.3	10	1	2	4	5	7	9	14
20-34	562	4.1	14	1	1	3	5	8	11	26
35-49	236	4.6	14	1	1	4	6	8	11	22
50-64	116	4.5	10	1	1	4	5	9	12	16
65+	97	6.8	31	1	2	5	8	15	20	27
GRAND TOTAL	**2114**	**4.4**	**13**	**1**	**1**	**4**	**5**	**8**	**11**	**18**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2070	2.3	5	<1	1	2	3	4	6	11
20-34	1561	2.9	8	<1	1	2	4	6	8	15
35-49	607	3.6	11	<1	1	3	5	7	10	17
50-64	460	4.2	16	1	1	3	5	9	11	18
65+	546	5.6	23	1	1	4	8	12	15	22
B. *Operated*										
0-19 YRS	270	3.5	14	1	1	2	4	7	10	24
20-34	234	4.5	18	1	1	3	6	9	13	21
35-49	148	5.9	31	1	1	4	7	13	16	30
50-64	86	6.4	27	1	2	5	9	14	16	24
65+	89	8.1	51	1	1	6	11	19	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3465	2.9	9	1	1	2	3	6	8	14
20-34	3885	3.7	13	<1	1	3	5	8	10	17
35-49	1940	5.0	19	1	1	4	7	10	13	21
50-64	1960	5.9	28	1	1	5	8	12	15	27
65+	4398	8.2	48	2	2	6	11	16	21	34
B. *Operated*										
0-19 YRS	484	5.1	60	1	1	3	6	11	17	37
20-34	663	6.6	77	1	1	4	8	14	21	50
35-49	353	7.8	59	1	1	5	10	16	24	39
50-64	328	10.4	99	1	2	8	14	21	31	64
65+	503	13.8	144	2	3	10	18	27	34	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5244	3.1	11	<1	1	2	4	7	9	17
B. *Operated*	827	5.0	25	1	1	3	6	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	15648	5.2	29	1	1	4	7	11	15	26
B. *Operated*	2331	8.6	98	1	1	5	11	20	27	51
1. SINGLE DX	6071	3.4	13	<1	1	2	4	7	10	19
2. MULTIPLE DX	17979	5.7	39	1	1	4	7	12	17	31
A. NOT OPERATED	20892	4.7	25	1	1	3	6	10	14	24
B. OPERATED	3158	7.6	81	1	1	5	10	18	24	48
TOTAL 0-19 YRS	6289	2.9	13	<1	1	2	3	6	8	17
20-34	6343	3.8	20	<1	1	3	5	8	11	21
35-49	3048	5.1	24	1	1	4	6	11	14	25
50-64	2834	6.2	37	1	1	4	8	13	16	31
65+	5536	8.5	58	1	2	6	11	17	22	36
GRAND TOTAL	**24050**	**5.1**	**34**	**1**	**1**	**3**	**6**	**11**	**15**	**29**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	3.1	8	1	1	2	4	6	9	15
20-34	107	3.3	9	1	1	2	4	7	11	52
35-49	31	3.0	4	1	1	2	5	6	6	9
50-64	22	4.4	9	1	1	3	6	8	11	13
65+	7	5.9	9	2	2	5	8	10	11	11
B. *Operated*										
0-19 YRS	84	6.8	79	1	1	4	7	19	28	84
20-34	194	5.2	51	1	1	3	5	11	21	41
35-49	91	5.7	79	1	1	3	6	10	27	48
50-64	58	6.9	77	1	1	3	9	16	22	48
65+	11	8.9	121	1	2	4	7	30	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	4.7	21	1	1	3	6	11	13	25
20-34	107	5.7	35	1	1	3	7	14	17	30
35-49	57	4.8	13	<1	1	4	7	11	13	14
50-64	36	6.9	36	1	[illegible]	4	11	17	18	23
65+	17	10.6	55	2	3	9	13	23	28	30
B. *Operated*										
0-19 YRS	185	8.9	131	1	1	5	10	23	28	52
20-34	305	9.0	162	1	1	4	10	24	37	97
35-49	156	9.8	206	1	1	5	10	23	46	86
50-64	126	8.0	114	1	1	5	9	19	31	67
65+	32	11.7	219	1	1	7	13	32	48	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	3.3	8	1	1	2	4	7	10	15
B. *Operated*	438	6.0	67	1	1	3	6	14	25	46
2. MULTIPLE DX										
A. *Not Operated*	308	5.6	30	1	1	4	7	13	16	26
B. *Operated*	804	9.1	158	1	1	5	10	23	36	72
1. SINGLE DX	732	4.9	45	1	1	3	5	10	17	42
2. MULTIPLE DX	1112	8.1	125	1	1	4	9	19	28	66
A. NOT OPERATED	602	4.5	20	1	1	3	5	10	14	24
B. OPERATED	1242	8.0	128	1	1	4	9	20	30	66
TOTAL 0-19 YRS	487	6.2	75	1	1	3	7	14	25	50
20-34	713	6.6	94	1	1	3	7	15	25	55
35-49	335	7.2	126	1	1	4	8	15	28	67
50-64	242	7.2	85	1	1	4	9	17	22	50
65+	67	10.3	139	1	1	7	12	26	36	58
GRAND TOTAL	**1844**	**6.8**	**96**	**1**	**1**	**4**	**8**	**16**	**26**	**54**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.1		<1	<1	1	1	2	2	2
20-34	7	2.0	1	<1	<1	2	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	17	1.5		<1	1	1	2	2	3	3
20-34	11	1.7	2	<1	<1	1	2	4	5	5
35-49	7	5.9	25	1	1	5	7	14	16	16
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	4	1	1	3	4	6	7	7
20-34	8	3.8	34	1	1	2	3	14	18	18
35-49	6	2.8	7	1	1	2	5	7	7	7
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	7	6.7	52	1	1	4	13	18	18	18
20-34	14	3.6	6	<1	<1	3	4	8	9	9
35-49	7	2.4	2	<1	<1	2	4	5	5	5
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.4		<1	<1	1	2	2	3	3
B. *Operated*	36	2.4	8	<1	1	2	2	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	27	3.4	12	1	1	2	4	7	9	18
B. *Operated*	31	4.1	16	<1	1	3	5	8	16	18
1. SINGLE DX	71	1.9	4	<1	<1	1	2	3	5	14
2. MULTIPLE DX	58	3.7	14	<1	1	2	5	7	13	18
A. NOT OPERATED	62	2.2	6	<1	<1	1	2	4	6	17
B. OPERATED	67	3.2	12	<1	1	2	4	5	10	18
TOTAL 0-19 YRS	56	2.3	10	<1	<1	1	2	4	6	18
20-34	40	2.8	9	<1	<1	2	3	5	8	18
35-49	22	3.5	12	<1	1	2	5	7	11	16
50-64	7	3.1	3	1	1	2	5	6	6	6
65+	4	3.0	2	2	2	3	4	5	5	5
GRAND TOTAL	**129**	**2.7**	**9**	**<1**	**<1**	**2**	**3**	**5**	**8**	**18**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1019	1.7	3	<1	<1	1	2	3	4	9
20-34	211	1.9	4	<1	1	1	2	4	6	10
35-49	185	1.6	2	<1	1	1	2	3	4	10
50-64	219	2.0	10	<1	1	1	2	3	5	15
65+	202	1.8	5	<1	1	1	2	3	4	8
B. *Operated*										
0-19 YRS	222	2.5	5	<1	1	2	3	6	7	10
20-34	68	3.8	9	<1	1	2	6	9	9	13
35-49	36	3.9	8	1	1	3	6	8	9	10
50-64	33	3.3	9	1	1	2	4	6	11	12
65+	40	3.4	25	<1	1	2	3	5	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	2.8	5	<1	1	2	4	5	7	11
20-34	89	3.4	11	<1	1	2	4	7	13	15
35-49	102	3.5	17	<1	1	2	4	9	11	22
50-64	160	3.8	23	1	1	2	4	8	13	31
65+	327	4.5	23	1	1	3	6	10	13	24
B. *Operated*										
0-19 YRS	106	5.0	62	1	1	3	6	10	14	83
20-34	56	6.8	33	1	1	6	10	15	18	24
35-49	65	6.9	54	1	1	5	9	15	22	37
50-64	114	8.6	91	1	2	5	11	19	24	54
65+	155	9.0	91	1	2	6	10	24	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1836	1.8	4	<1	<1	1	2	3	4	10
B. *Operated*	399	3.0	8	<1	1	2	4	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	911	3.7	17	1	1	2	4	8	12	19
B. *Operated*	496	7.5	75	1	1	5	9	16	24	45
1. SINGLE DX	2235	2.0	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX	1407	5.1	41	1	1	3	6	12	16	34
A. NOT OPERATED	2747	2.4	9	<1	1	1	3	5	7	14
B. OPERATED	895	5.5	50	1	1	3	7	13	19	36
TOTAL 0-19 YRS	1580	2.2	8	<1	<1	1	2	4	6	11
20-34	424	3.2	13	<1	1	2	4	8	11	18
35-49	388	3.2	18	<1	1	1	3	8	11	23
50-64	526	4.0	37	1	1	2	4	10	15	33
65+	724	4.7	39	1	1	2	5	10	16	33
GRAND TOTAL	**3642**	**3.2**	**21**	**<1**	**1**	**2**	**3**	**7**	**10**	**24**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	8.2	54	1	2	5	12	20	24	30
20-34	59	9.2	78	1	2	7	12	17	27	46
35-49	34	11.1	76	<1	1	9	16	27	28	30
50-64	20	14.8	172	2	3	13	26	41	74	99+
65+	7	17.9	101	3	4	20	26	29	30	30
B. *Operated*										
0-19 YRS	216	15.7	226	2	3	11	21	33	43	78
20-34	167	11.5	97	2	2	8	15	28	34	45
35-49	87	11.5	120	1	2	9	17	32	47	99+
50-64	65	16.4	238	2	3	11	22	40	46	72
65+	31	20.6	171	4	6	18	32	39	43	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	8.4	48	1	2	7	11	17	21	34
20-34	117	9.8	88	1	2	7	12	22	31	47
35-49	75	10.3	93	1	2	7	13	21	35	45
50-64	46	12.8	131	1	2	10	17	23	30	70
65+	70	17.7	178	2	3	14	25	39	44	59
B. *Operated*										
0-19 YRS	298	22.8	255	3	5	19	32	48	56	72
20-34	263	22.7	394	2	4	17	35	60	78	99+
35-49	161	25.9	357	4	5	22	38	54	70	97
50-64	135	24.5	364	3	4	20	38	50	66	94
65+	127	35.2	548	3	8	30	56	75	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	9.8	80	1	2	7	13	24	28	48
B. *Operated*	566	14.2	175	2	3	10	19	33	43	79
2. MULTIPLE DX										
A. *Not Operated*	464	10.9	102	1	2	8	14	24	31	49
B. *Operated*	984	25.1	376	3	4	21	37	56	70	99+
1. SINGLE DX	789	12.9	152	2	2	9	17	30	40	75
2. MULTIPLE DX	1448	20.6	332	2	3	15	30	49	62	99+
A. NOT OPERATED	687	10.5	95	1	2	8	14	24	30	48
B. OPERATED	1550	21.1	331	2	3	16	31	50	64	99+
TOTAL 0-19 YRS	773	16.0	215	2	2	11	23	35	48	69
20-34	606	15.8	258	2	2	10	22	42	57	99+
35-49	357	17.7	271	2	3	12	25	44	56	99+
50-64	266	19.8	301	2	4	15	28	45	59	92
65+	235	27.6	442	3	5	23	42	64	76	99+
GRAND TOTAL	**2237**	**17.9**	**282**	**2**	**3**	**12**	**25**	**43**	**56**	**99**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	729	5.1	27	1	1	3	7	11	15	27
20-34	445	5.2	30	1	1	3	7	11	16	24
35-49	182	6.1	40	1	1	4	7	15	21	27
50-64	110	8.5	58	1	2	6	12	17	23	38
65+	47	10.1	126	1	1	7	12	18	26	72
B. Operated										
0-19 YRS	198	10.3	111	1	2	7	13	23	36	52
20-34	125	10.7	132	1	2	6	13	26	40	76
35-49	54	10.4	86	1	2	8	13	24	30	42
50-64	38	14.7	212	1	1	10	22	30	42	69
65+	16	17.4	182	2	6	14	21	44	48	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1512	6.4	[illegible]	1	1	5	9	14	18	28
20-34	968	6.4	54	1	1	4	8	14	17	36
35-49	487	7.3	67	1	1	5	9	16	21	41
50-64	380	10.2	109	1	2	7	14	22	27	64
65+	251	12.6	104	2	3	10	16	24	38	54
B. Operated										
0-19 YRS	384	13.3	162	2	2	9	18	28	41	61
20-34	317	16.3	268	2	2	10	22	39	54	77
35-49	155	16.7	206	2	3	12	21	40	44	71
50-64	118	19.5	326	2	3	15	26	46	65	99+
65+	88	26.6	304	5	9	22	37	56	61	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1513	5.7	36	1	1	4	7	13	17	28
B. Operated	431	11.1	127	1	2	8	14	26	37	54
2. MULTIPLE DX										
A. Not Operated	3598	7.4	60	1	1	5	10	16	21	39
B. Operated	1062	16.5	243	2	2	11	23	39	51	80
1. SINGLE DX	1944	6.9	61	1	1	4	9	15	22	40
2. MULTIPLE DX	4660	9.4	116	1	1	6	12	21	30	60
A. NOT OPERATED	5111	6.9	54	1	1	5	9	15	20	36
B. OPERATED	1493	14.9	215	2	2	10	21	36	47	74
TOTAL 0-19 YRS	2823	7.3	62	1	1	5	9	16	22	41
20-34	1855	8.1	105	1	1	5	10	18	27	58
35-49	878	8.9	101	1	1	6	11	20	29	49
50-64	646	11.9	160	1	2	8	16	26	33	70
65+	402	15.6	188	2	3	12	20	36	47	68
GRAND TOTAL	**6604**	**8.7**	**102**	**1**	**1**	**5**	**11**	**20**	**28**	**55**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	3.1	5	1	1	3	4	6	8	13
20-34	82	5.5	34	1	1	4	6	12	19	31
35-49	41	5.4	15	1	1	5	8	12	15	99+
50-64	20	10.9	121	1	2	9	12	26	38	45
65+	15	5.5	13	<1	1	5	8	11	12	13
B. Operated										
0-19 YRS	141	3.0	5	1	1	3	4	6	8	11
20-34	237	3.7	30	1	1	2	4	8	13	55
35-49	117	4.5	19	1	1	3	5	11	14	48
50-64	52	5.2	69	1	1	2	4	10	16	52
65+	7	5.3	18	1	1	4	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	4.6	19	1	1	3	6	10	20	99+
20-34	143	7.7	86	1	2	5	10	17	30	99+
35-49	86	9.4	79	1	2	6	12	19	32	41
50-64	68	7.7	33	1	1	7	10	15	18	31
65+	94	10.9	95	2	3	9	14	20	23	59
B. Operated										
0-19 YRS	167	5.0	124	1	1	2	4	7	16	79
20-34	280	6.6	122	1	1	3	7	20	47	99+
35-49	131	7.8	122	1	1	4	11	25	92	99+
50-64	68	11.6	234	1	1	6	16	44	75	99+
65+	25	22.4	745	1	2	9	47	75	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	242	5.1	30	1	1	4	6	10	16	36
B. Operated	554	3.9	25	1	1	2	4	8	12	39
2. MULTIPLE DX										
A. Not Operated	477	8.1	71	1	2	6	10	18	24	99+
B. Operated	671	7.5	167	1	1	3	7	22	52	99+
1. SINGLE DX	796	4.3	27	1	1	3	5	9	13	37
2. MULTIPLE DX	1148	7.8	127	1	1	4	9	20	40	99+
A. NOT OPERATED	719	7.1	59	1	1	5	9	15	21	89
B. OPERATED	1225	5.9	106	1	1	3	5	15	31	99+
TOTAL 0-19 YRS	478	4.0	50	1	1	3	4	7	11	70
20-34	742	5.8	78	1	1	3	6	14	26	99+
35-49	375	6.9	72	1	1	4	9	19	29	99+
50-64	208	8.6	121	1	1	5	10	18	36	99+
65+	141	12.1	220	1	2	8	14	23	48	93
GRAND TOTAL	**1944**	**6.3**	**89**	**1**	**1**	**3**	**7**	**15**	**25**	**99+**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	513	2.7	5	1	1	2	3	5	6	11
20-34	440	3.5	11	<1	1	2	4	7	10	18
35-49	185	4.7	19	1	1	4	6	10	13	24
50-64	106	4.9	19	1	1	4	7	11	13	23
65+	98	5.6	18	1	1	5	7	12	15	18
B. *Operated*										
0-19 YRS	169	5.2	55	1	1	3	6	10	17	41
20-34	228	5.6	48	1	1	4	7	12	17	41
35-49	106	5.8	58	1	1	3	6	13	20	48
50-64	66	4.7	18	1	1	3	6	8	14	22
65+	21	16.1	484	2	3	9	16	50	72	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	510	3.7	13	<1	1	3	5	8	9	19
20-34	755	4.5	14	1	1	4	6	9	12	20
35-49	397	5.9	42	1	1	5	7	11	14	29
50-64	322	7.0	45	1	2	5	9	13	20	44
65+	572	9.2	55	2	3	7	12	18	23	36
B. *Operated*										
0-19 YRS	231	9.6	164	1	2	5	10	23	36	74
20-34	359	11.0	182	1	2	7	12	27	43	91
35-49	171	11.0	193	1	2	7	13	27	41	98
50-64	136	11.7	178	1	2	7	14	29	39	85
65+	99	16.3	215	2	3	13	20	32	40	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1342	3.6	12	1	1	2	5	7	11	18
B. *Operated*	590	5.8	67	1	1	3	6	12	19	48
2. MULTIPLE DX										
A. *Not Operated*	2556	5.9	35	1	1	4	7	12	16	30
B. *Operated*	996	11.3	185	1	2	7	14	27	41	85
1. SINGLE DX	1932	4.3	30	1	1	3	5	9	12	25
2. MULTIPLE DX	3552	7.4	83	1	1	5	9	16	23	54
A. NOT OPERATED	3898	5.1	28	1	1	4	6	11	14	27
B. OPERATED	1586	9.2	148	1	1	5	10	21	34	79
TOTAL 0-19 YRS	1423	4.5	45	1	1	3	5	8	12	39
20-34	1782	5.7	59	1	1	4	6	12	18	48
35-49	859	6.6	74	1	1	4	8	13	19	50
50-64	630	7.4	72	1	2	5	9	15	[illegible]	53
65+	790	9.8	90	2	2	7	12	20	[illegible]	51
GRAND TOTAL	**5484**	**6.3**	**66**	**1**	**1**	**4**	**7**	**13**	**20**	**45**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3514	2.0	8	<1	1	1	2	4	5	11
20-34	2037	2.5	14	<1	<1	2	3	5	6	16
35-49	687	3.1	25	<1	1	2	3	6	8	15
50-64	279	4.0	46	<1	1	2	4	8	12	22
65+	233	5.7	19	1	2	5	8	11	15	21
B. *Operated*										
0-19 YRS	12	3.1	6	<1	1	2	4	7	8	8
20-34	39	3.7	30	1	1	2	4	6	12	33
35-49	29	3.0	7	<1	<1	2	4	8	9	99+
50-64	6	8.2	21	3	3	8	11	15	15	15
65+	14	12.4	76	2	4	12	15	22	34	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3169	4.3	43	1	1	2	4	8	14	38
20-34	5120	5.1	50	<1	1	3	5	11	19	37
35-49	2572	5.7	48	1	1	3	7	13	19	35
50-64	1567	7.1	57	1	1	5	9	16	22	36
65+	2126	8.3	41	2	2	7	11	16	21	33
B. *Operated*										
0-19 YRS	67	7.5	74	1	1	5	9	23	35	99+
20-34	278	9.1	146	1	2	4	12	21	33	74
35-49	188	12.5	182	2	2	9	17	29	38	95
50-64	137	15.1	166	2	4	11	22	34	41	99+
65+	169	15.1	98	3	5	13	18	31	37	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6750	2.5	14	<1	1	2	3	5	7	15
B. *Operated*	100	4.9	36	1	1	3	6	13	15	68
2. MULTIPLE DX										
A. *Not Operated*	14554	5.7	49	1	1	3	7	13	19	35
B. *Operated*	839	11.9	149	1	2	9	17	29	38	88
1. SINGLE DX	6850	2.5	15	<1	1	2	3	5	7	15
2. MULTIPLE DX	15393	6.0	57	1	1	4	7	14	21	38
A. NOT OPERATED	21304	4.7	40	<1	1	3	5	10	16	32
B. OPERATED	939	11.2	142	1	2	8	15	28	37	88
TOTAL 0-19 YRS	6762	3.1	26	<1	1	2	3	6	9	28
20-34	7474	4.5	46	<1	1	2	5	10	17	35
35-49	3476	5.5	54	1	1	3	6	12	19	37
50-64	1989	7.2	68	1	1	5	9	16	23	40
65+	2542	8.6	46	2	2	7	11	17	22	35
GRAND TOTAL	**22243**	**5.0**	**46**	**1**	**1**	**3**	**6**	**11**	**17**	**35**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1730	2.0	5	<1	1	1	2	4	5	14
20-34	771	1.9	7	<1	<1	1	2	3	5	9
35-49	367	2.0	4	<1	1	1	2	4	5	9
50-64	219	2.6	8	1	1	2	3	5	7	16
65+	88	2.8	7	<1	1	2	3	6	8	15
B. *Operated*										
0-19 YRS	7	3.4	3	<1	<1	3	5	6	6	6
20-34	18	10.2	411	1	1	4	10	18	62	89
35-49	5	5.4	61	<1	<1	1	8	19	19	19
50-64	3	3.7	4	2	2	3	5	6	6	6
65+	3	18.7	289	2	2	18	31	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	830	3.5	22	1	1	2	4	7	10	21
20-34	766	3.8	25	<1	1	2	4	8	13	27
35-49	470	4.5	39	1	1	3	5	9	12	36
50-64	372	4.8	32	1	1	3	5	10	15	35
65+	269	6.4	51	1	1	4	8	15	21	34
B. *Operated*										
0-19 YRS	24	14.0	297	1	2	7	14	44	59	61
20-34	43	12.7	260	1	2	6	17	34	69	99+
35-49	29	10.3	145	1	2	7	13	30	57	99+
50-64	30	14.7	255	2	3	10	16	35	43	81
65+	16	25.6	485	3	5	20	34	55	76	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3175	2.0	6	<1	1	1	2	4	5	13
B. *Operated*	36	8.4	243	<1	1	3	7	19	31	89
2. MULTIPLE DX										
A. *Not Operated*	2707	4.2	31	1	1	2	5	9	13	28
B. *Operated*	142	14.3	277	1	2	8	18	37	59	99+
1. SINGLE DX	3211	2.1	9	<1	1	1	2	4	5	14
2. MULTIPLE DX	2849	4.7	48	1	1	3	5	10	15	36
A. NOT OPERATED	5882	3.0	18	<1	1	2	3	6	10	21
B. OPERATED	178	13.1	275	1	2	7	16	35	57	97
TOTAL 0-19 YRS	2591	2.6	15	<1	1	2	3	5	7	18
20-34	1598	3.2	31	<1	1	2	3	6	10	27
35-49	871	3.6	30	1	1	2	4	7	11	31
50-64	624	4.5	40	1	1	3	5	10	15	36
65+	376	6.5	79	1	1	3	7	15	21	46
GRAND TOTAL	**6060**	**3.3**	**29**	**<1**	**1**	**2**	**3**	**7**	**11**	**25**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	744	3.0	12	1	1	2	4	6	8	18
20-34	511	3.0	8	<1	1	2	4	6	9	15
35-49	328	3.1	10	<1	1	2	4	6	8	16
50-64	227	3.7	18	1	1	2	4	8	10	19
65+	169	5.5	60	1	1	4	6	10	13	40
B. *Operated*										
0-19 YRS	17	6.2	16	2	2	7	8	11	14	16
20-34	25	10.3	113	2	2	8	11	26	38	43
35-49	25	16.0	473	1	2	8	12	51	72	88
50-64	24	15.1	321	2	3	9	16	40	64	71
65+	20	16.0	199	1	2	10	27	35	44	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	738	4.3	22	1	1	3	5	9	13	21
20-34	642	4.5	22	1	1	3	6	9	12	26
35-49	554	5.1	33	1	1	4	6	10	13	22
50-64	757	6.2	42	1	1	4	8	13	18	32
65+	1125	8.1	42	2	2	6	10	15	21	31
B. *Operated*										
0-19 YRS	31	14.8	329	<1	1	7	26	38	80	99+
20-34	78	9.6	130	1	2	6	12	23	31	65
35-49	102	14.7	213	1	2	10	21	30	43	82
50-64	151	17.1	312	1	2	12	23	37	67	99+
65+	170	17.7	182	2	4	14	25	38	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1979	3.3	16	1	1	2	4	7	9	18
B. *Operated*	111	13.0	245	2	2	8	14	32	49	78
2. MULTIPLE DX										
A. *Not Operated*	3816	5.9	36	1	1	4	7	12	17	28
B. *Operated*	532	15.6	232	1	2	11	22	35	47	99+
1. SINGLE DX	2090	3.8	33	1	1	2	4	8	11	29
2. MULTIPLE DX	4348	7.1	70	1	1	5	9	15	22	43
A. NOT OPERATED	5795	5.0	30	1	1	3	6	11	15	26
B. OPERATED	643	15.2	235	1	2	11	22	35	47	94
TOTAL 0-19 YRS	1530	3.9	26	1	1	2	4	8	12	26
20-34	1256	4.3	28	1	1	3	5	9	13	28
35-49	1009	5.7	67	1	1	3	6	12	18	43
50-64	1159	7.3	95	1	1	4	9	16	24	60
65+	1484	9.0	73	1	2	7	11	19	25	44
GRAND TOTAL	**6438**	**6.1**	**60**	**1**	**1**	**4**	**7**	**13**	**20**	**40**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	4.2	15	<1	1	3	6	10	11	18
20-34	118	3.8	11	<1	<1	3	5	9	11	15
35-49	67	6.0	28	1	2	4	8	14	18	25
50-64	98	6.9	44	1	1	5	9	13	21	37
65+	181	7.9	67	1	2	5	10	20	26	43
B. *Operated*										
0-19 YRS	452	5.8	41	1	1	4	7	13	16	35
20-34	813	4.2	21	1	1	3	5	9	13	24
35-49	566	7.3	81	1	1	4	9	17	25	48
50-64	939	9.1	76	1	2	6	13	20	27	41
65+	1788	9.2	92	2	2	5	13	22	27	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	5.6	23	1	1	5	7	11	14	68
20-34	169	6.6	75	1	1	5	8	13	17	50
35-49	134	6.9	40	1	1	6	8	13	19	32
50-64	195	9.0	108	1	1	5	12	19	32	57
65+	355	8.6	70	1	2	6	11	18	24	40
B. *Operated*										
0-19 YRS	446	9.7	93	1	2	7	12	21	33	47
20-34	874	7.0	80	1	1	4	8	17	24	53
35-49	824	10.1	136	1	2	6	13	23	34	62
50-64	1559	12.6	148	2	2	9	17	28	36	64
65+	2930	12.8	156	2	3	9	17	29	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	6.1	41	1	1	4	8	13	20	37
B. *Operated*	4558	7.7	73	1	2	4	10	18	25	42
2. MULTIPLE DX										
A. *Not Operated*	949	7.8	71	1	1	5	10	16	22	48
B. *Operated*	6633	11.4	142	2	2	7	15	27	36	64
1. SINGLE DX	5086	7.5	70	1	2	4	10	18	24	41
2. MULTIPLE DX	7582	11.0	134	1	2	7	15	25	35	63
A. NOT OPERATED	1477	7.2	61	1	1	5	9	15	21	41
B. OPERATED	11191	9.9	117	1	2	6	13	23	32	56
TOTAL 0-19 YRS	1058	7.3	64	1	1	5	9	16	23	43
20-34	1974	5.6	53	1	1	3	6	13	19	42
35-49	1591	8.7	106	1	2	5	11	20	28	58
50-64	2791	11.0	121	1	2	7	15	25	33	55
65+	5254	11.1	129	2	2	7	15	25	34	61
GRAND TOTAL	**12668**	**9.6**	**111**	**1**	**2**	**6**	**13**	**23**	**31**	**55**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	528	2.0	4	<1	1	1	2	4	5	8
20-34	657	2.7	4	1	1	2	3	5	6	10
35-49	299	3.9	20	1	1	3	4	7	10	18
50-64	322	3.9	8	1	1	3	5	6	9	16
65+	364	4.8	9	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	377	2.2	13	<1	1	1	2	4	5	10
20-34	526	3.2	7	1	1	2	4	7	8	13
35-49	242	4.1	20	1	1	3	5	8	10	17
50-64	146	4.5	11	1	1	4	6	8	10	20
65+	123	5.6	19	1	1	5	7	10	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	2.7	6	<1	1	2	3	5	8	14
20-34	225	3.7	8	1	1	3	5	7	9	15
35-49	141	4.2	9	1	1	3	5	8	10	26
50-64	236	5.6	21	1	2	5	7	10	13	22
65+	403	5.8	20	2	2	5	7	10	13	26
B. *Operated*										
0-19 YRS	72	4.5	23	<1	1	2	7	11	15	21
20-34	199	4.9	25	1	1	3	6	12	15	26
35-49	140	6.8	46	1	2	4	8	16	19	41
50-64	144	7.5	50	1	2	5	9	15	20	38
65+	150	8.5	81	2	2	6	11	16	20	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2170	3.2	9	1	1	2	4	6	8	14
B. *Operated*	1414	3.4	13	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	1100	4.9	16	1	1	4	6	9	12	21
B. *Operated*	705	6.5	48	1	1	4	8	14	18	34
1. SINGLE DX	3584	3.3	11	1	1	2	4	6	8	15
2. MULTIPLE DX	1805	5.5	29	1	1	4	7	11	15	28
A. NOT OPERATED	3270	3.8	12	1	1	3	5	7	10	16
B. OPERATED	2119	4.5	27	1	1	3	5	9	13	23
TOTAL 0-19 YRS	1072	2.3	9	<1	1	1	3	4	6	15
20-34	1607	3.3	9	1	1	2	4	6	8	15
35-49	822	4.5	24	1	1	3	5	9	11	22
50-64	848	5.1	21	1	1	4	6	9	13	23
65+	1040	5.8	26	1	2	5	7	11	14	25
GRAND TOTAL	**5389**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	5.2	12	1	2	4	7	10	12	18
20-34	307	5.7	15	2	2	5	7	9	12	21
35-49	214	7.4	45	2	3	6	9	14	18	52
50-64	197	8.1	38	2	3	6	10	16	21	31
65+	124	9.1	49	3	3	7	11	17	22	40
B. *Operated*										
0-19 YRS	151	8.4	42	1	2	7	11	18	21	29
20-34	231	7.5	39	2	2	6	10	15	18	34
35-49	183	9.0	59	2	2	6	12	20	23	42
50-64	180	10.0	82	2	2	8	12	23	28	48
65+	131	13.9	206	2	3	10	16	28	40	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	6.4	20	2	2	5	8	13	15	24
20-34	201	7.5	49	2	2	6	9	14	18	39
35-49	203	8.4	45	2	3	7	9	15	22	38
50-64	272	9.6	67	2	3	7	12	18	23	52
65+	274	11.4	81	3	4	9	14	24	30	55
B. *Operated*										
0-19 YRS	76	10.4	82	2	3	7	14	26	30	39
20-34	209	11.2	93	2	3	8	14	22	31	49
35-49	211	13.9	191	2	3	10	17	30	47	80
50-64	241	15.1	156	3	3	11	20	32	41	63
65+	228	17.2	222	3	4	13	22	33	47	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1026	6.8	31	2	2	5	9	13	17	29
B. *Operated*	876	9.4	81	2	2	7	12	20	25	49
2. MULTIPLE DX										
A. *Not Operated*	1047	9.1	61	2	3	7	11	17	25	42
B. *Operated*	965	14.1	164	2	3	10	18	30	41	68
1. SINGLE DX	1902	8.0	56	2	2	6	10	16	22	38
2. MULTIPLE DX	2012	11.5	117	2	3	8	14	25	33	56
A. NOT OPERATED	2073	8.0	47	2	3	6	9	15	21	38
B. OPERATED	1841	11.9	130	2	3	9	15	25	33	56
TOTAL 0-19 YRS	508	7.1	36	1	2	5	9	15	20	30
20-34	948	7.8	49	2	2	6	9	15	20	38
35-49	811	9.7	92	2	3	7	12	20	28	56
50-64	890	10.8	94	2	3	8	13	23	30	52
65+	757	13.2	148	3	4	10	16	27	35	69
GRAND TOTAL	**3914**	**9.8**	**90**	**2**	**3**	**7**	**12**	**20**	**28**	**51**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.7	7	1	1	2	3	7	10	13
20-34	181	4.2	14	1	1	3	6	9	11	22
35-49	140	6.0	24	1	1	4	8	13	15	23
50-64	131	7.3	40	1	2	6	9	15	18	32
65+	102	9.0	93	1	2	7	12	17	25	55
B. *Operated*										
0-19 YRS	148	4.1	17	1	1	3	5	10	11	23
20-34	377	5.3	29	1	2	3	6	11	15	28
35-49	284	7.1	76	1	2	4	9	15	19	50
50-64	306	7.3	56	1	2	5	10	16	23	39
65+	260	7.2	50	1	2	4	9	16	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	5.5	98	1	1	3	5	11	16	64
20-34	245	5.2	27	1	1	4	7	10	15	29
35-49	237	7.7	62	1	2	5	10	15	21	47
50-64	307	8.8	48	1	2	7	12	18	20	36
65+	368	10.1	89	2	2	8	13	20	27	55
B. *Operated*										
0-19 YRS	104	7.3	61	1	2	5	9	15	23	43
20-34	364	9.1	95	1	2	6	11	19	27	49
35-49	385	10.9	99	2	2	8	15	24	31	56
50-64	541	13.4	189	2	2	9	16	31	45	72
65+	596	14.9	220	2	3	10	21	33	47	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	606	6.0	38	1	1	4	8	13	16	30
B. *Operated*	1375	6.3	48	1	2	4	8	14	19	35
2. MULTIPLE DX										
A. *Not Operated*	1248	8.0	66	1	2	5	10	17	22	44
B. *Operated*	1990	12.3	163	2	2	8	16	27	39	72
1. SINGLE DX	1981	6.2	45	1	1	4	8	13	18	34
2. MULTIPLE DX	3238	10.6	129	1	2	7	13	24	34	62
A. NOT OPERATED	1854	7.4	58	1	1	5	10	16	20	40
B. OPERATED	3365	9.8	124	1	2	6	12	23	32	62
TOTAL 0-19 YRS	395	5.1	48	1	1	3	6	10	14	31
20-34	1167	6.3	50	1	1	4	8	13	19	39
35-49	1046	8.5	78	1	2	6	11	18	25	50
50-64	1285	10.2	116	2	2	7	13	22	31	61
65+	1326	11.6	150	2	2	8	15	26	35	77
GRAND TOTAL	**5219**	**9.0**	**102**	**1**	**2**	**6**	**11**	**20**	**28**	**56**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.0	4	1	1	3	4	6	7	10
20-34	24	3.5	5	1	1	3	5	7	8	8
35-49	13	4.1	10	<1	1	4	5	8	11	12
50-64	8	6.5	69	<1	<1	3	9	21	25	25
65+	10	4.0	10	1	1	3	5	9	12	12
B. *Operated*										
0-19 YRS										
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	5	11.0	67	4	4	9	14	25	25	25
50-64	6	7.8	143	1	1	3	6	29	32	32
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.1	2	1	1	3	4	5	6	7
20-34	30	5.9	35	1	2	4	7	11	12	33
35-49	33	6.1	37	1	2	5	7	11	14	35
50-64	47	5.8	31	1	1	4	8	14	24	99+
65+	55	5.4	36	1	1	3	7	12	17	33
B. *Operated*										
0-19 YRS	8	5.0	24	1	1	3	6	13	16	16
20-34	14	7.8	55	<1	1	5	11	22	24	24
35-49	9	6.4	26	1	1	5	11	14	16	16
50-64	9	20.6	583	2	3	7	30	63	69	69
65+	16	20.3	342	1	2	17	26	45	64	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	3.6	10	1	1	3	5	7	9	18
B. *Operated*	15	7.7	79	1	2	4	8	25	30	32
2. MULTIPLE DX										
A. *Not Operated*	225	5.0	27	1	1	4	6	10	14	34
B. *Operated*	56	12.8	246	1	2	7	16	28	51	72
1. SINGLE DX	120	4.2	20	1	1	3	5	8	11	27
2. MULTIPLE DX	281	6.6	79	1	1	4	7	14	23	64
A. NOT OPERATED	330	4.6	22	1	1	3	5	10	13	33
B. OPERATED	71	11.7	214	1	2	6	16	26	46	71
TOTAL 0-19 YRS	118	3.2	5	1	1	3	4	6	7	12
20-34	71	5.4	29	1	1	4	7	10	13	31
35-49	60	6.1	33	1	1	5	7	12	15	34
50-64	70	8.0	130	1	1	4	9	23	32	93
65+	82	8.1	125	1	1	4	10	19	30	64
GRAND TOTAL	**401**	**5.9**	**63**	**1**	**1**	**4**	**6**	**12**	**20**	**50**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	156	2.5	11	<1	<1	2	3	6	6	20
35-49	42	2.1	1	<1	<1	2	3	4	4	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	102	2.3	6	<1	<1	2	3	4	4	15
20-34	13087	2.0	3	<1	<1	2	2	3	4	7
35-49	5419	1.9	4	<1	<1	2	2	3	4	7
50-64	40	1.8	1	<1	<1	1	2	3	4	5
65+	12	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	159	1.7	4	<1	<1	1	2	4	5	19
35-49	61	2.6	7	<1	<1	2	3	5	7	16
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	14.5	365	1	1	14	28	28	28	28
B. *Operated*										
0-19 YRS	86	2.7	3	<1	1	2	3	5	6	9
20-34	7681	2.5	6	<1	1	2	3	5	6	9
35-49	3984	2.5	6	<1	1	2	3	5	6	10
50-64	31	2.2	3	<1	1	2	3	4	6	9
65+	14	2.6	3	1	1	2	4	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	2.4	9	<1	<1	2	3	5	6	14
B. *Operated*	18660	2.0	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	226	2.1	8	<1	<1	1	2	4	7	22
B. *Operated*	11796	2.5	6	<1	1	2	3	5	6	9
1. SINGLE DX	18861	2.0	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	12022	2.5	6	<1	1	2	3	5	6	9
A. NOT OPERATED	427	2.2	8	<1	<1	1	2	4	6	20
B. OPERATED	30456	2.2	4	<1	<1	2	2	4	5	8
TOTAL 0-19 YRS	192	2.5	4	<1	<1	2	3	4	6	9
20-34	21083	2.2	4	<1	<1	2	2	4	5	8
35-49	9506	2.2	5	<1	<1	2	2	4	5	8
50-64	74	2.0	2	<1	<1	2	2	4	5	8
65+	28	3.0	26	1	1	2	3	5	8	28
GRAND TOTAL	**30883**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**8**

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the diagnosis groups except those for deliveries (groups 270-287) and newborn (groups 393-395). Also shown is the corresponding rate per 10,000 discharges and the rate per 10,000 days of care (excluding deliveries and newborn).

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Groups 1979

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal infectious disease	44,002	45.5	203	28.6
2	Respiratory tuberculosis	4,408	4.6	73	10.2
3	Nonrespiratory tuberculosis	917	0.9	13	1.9
4.	Streptococcal sore throat and scarlet fever	5,925	6.1	22	3.1
5	Septicemia	9,877	10.2	137	19.3
6	Miscellaneous bacterial diseases	4,379	4.5	42	6.0
7	Poliomyelitis and other enteroviral diseases of central nervous system	8,048	8.3	41	5.7
8	Viral diseases with exanthem	12,459	12.9	89	12.5
9	Viral hepatitis	9,561	9.9	84	11.8
10	Infectious mononucleosis	8,802	9.1	47	6.6
11	Viral warts	9,242	9.6	26	3.6
12	Miscellaneous viral diseases	24,590	25.5	111	15.6
13	Rickettsioses and other arthropod-borne diseases	1,347	1.4	8	1.2
14	Syphilis and other venereal diseases	4,524	4.7	27	3.8
15	Mycoses	3,473	3.6	35	4.9
16	Helminthiases	823	0.9	5	0.7
17	Miscellaneous infective and parasitic diseases	5,285	5.5	42	5.8
18	Late effects of infectious and parasitic diseases	375	0.4	4	0.5

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19 Malignant neoplasm of lip, oral cavity, and pharynx	10,888	11.3	112	15.8
20 Malignant neoplasm of esophagus	3,762	3.9	58	8.2
21 Malignant neoplasm of stomach	7,393	7.7	126	17.8
22 Malignant neoplasm of small intestine	871	0.9	16	2.2
23 Malignant neoplasm of colon	31,020	32.1	525	73.8
24 Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	18.0	297	41.8
25 Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	5.4	84	11.7
26 Malignant neoplasm of pancreas	7,278	7.5	126	17.7
27 Malignant neoplasm of bronchus, lung, and trachea	53,623	55.5	700	98.4
28 Other malignant neoplasm of respiratory system and thoracic cavity	7,712	8.0	83	11.7
29 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	5.8	58	8.2
30 Malignant melanoma of skin, excluding genital organs	5,285	5.5	43	6.0
31 Other malignant neoplasm of skin, excluding genital organs	11,635	12.0	60	8.5
32 Malignant neoplasm of breast (female) (male)	45,939	47.5	469	66.0
33 Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	11.4	88	12.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34 Malignant neoplasm of corpus uteri	16,148	16.7	136	19.2
35 Malignant neoplasm of ovary	10,687	11.1	115	16.1
36 Malignant neoplasm of other female genital organs	2,206	2.3	26	3.6
37 Malignant neoplasm of prostate	34,890	36.1	369	51.9
38 Malignant neoplasm of male genitalia, except prostate	2,731	2.8	22	3.1
39 Malignant neoplasm of bladder	29,683	30.7	248	34.8
40 Malignant neoplasm of kidney and other urinary organs	7,299	7.6	106	14.9
41 Malignant neoplasm of eye	751	0.8	4	0.6
42 Malignant neoplasm of brain	5,497	5.7	97	13.7
43 Malignant neoplasm of other parts of nervous system	481	0.5	9	1.2
44 Malignant neoplasm of endocrine glands	4,150	4.3	32	4.5
45 Malignant neoplasm of ill-defined and secondary sites	62,122	64.3	758	106.5
46 Hodgkin's disease	5,389	5.6	51	7.1
47 Lymphoid leukemia	5,098	5.3	52	7.3
48 Leukemia, except lymphoid	7,237	7.5	87	12.3
49 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	21.8	249	35.0
50 Benign neoplasm of lip, oral cavity, and pharynx	5,008	5.2	21	2.9
51 Benign neoplasm of other parts of digestive system	18,202	18.8	119	16.7
52 Benign neoplasm of respiratory system and intrathoracic organs	3,159	3.3	16	2.3
53 Benign neoplasm of bone, muscle, and connective tissue	27,300	28.3	103	14.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	12.9	46	6.5
55	Benign neoplasm of breast	16,452	17.0	43	6.0
56	Uterine leiomyoma	60,817	62.9	443	62.3
57	Benign neoplasm of uterus, except leiomyoma	1,901	2.0	10	1.5
58	Benign neoplasm of ovary	9,110	9.4	71	9.9
59	Benign neoplasm of female genitalia, except uterus and ovary	905	0.9	4	0.6
60	Benign neoplasm of male genital organ	637	0.7	3	0.4
61	Benign neoplasm of urinary organ	1,506	1.6	7	1.0
62	Benign neoplasm of eye	466	0.5	1	0.2
63	Benign neoplasm of central nervous system	3,225	3.3	55	7.7
64	Benign neoplasm of thyroid glands	7,852	8.1	41	5.7
65	Benign neoplasm of endocrine glands, except thyroid	2,130	2.2	23	3.3
66	Carcinoma in situ of cervix	13,481	14.0	73	10.3
67	Carcinoma in situ, except cervix uteri	4,580	4.7	34	4.8
68	Neoplasms of uncertain behavior and unspecified nature	21,274	22.0	160	22.4
69	Simple and non-toxic nodular goiter	8,994	9.3	51	7.2
70	Other diseases of thyroid gland	15,530	16.1	120	16.8
71	Diabetes mellitus without complication	80,254	83.1	733	103.1
72	Diabetic acidosis or coma	18,113	18.7	153	21.5
73	Other complicated diabetes mellitus	47,044	48.7	543	76.3
74	Ovarian dysfunction	3,696	3.8	17	2.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	18.7	132	18.5
76 Nutritional deficiencies	3,341	3.5	44	6.2
77 Cystic fibrosis	1,248	1.3	13	1.9
78 Obesity of nonendocrine origin	8,527	8.8	81	11.4
79 Miscellaneous metabolic disorders	10,153	10.5	76	10.7
80 Gout	4,619	4.8	35	5.0
81 Disorders of fluid, electrolyte, and acid-base balance	27,186	28.1	249	35.0
82 Iron deficiency anemia	15,239	15.8	128	18.0
83 Sickle-cell anemia and trait	6,949	7.2	50	7.0
84 Anemia except iron deficiency and sickle-cell	26,356	27.3	219	30.8
85 Hemophilia (congenital factor VIII disorder)	754	0.8	5	0.7
86 Disease of hematopoietic system, except anemia and hemophilia	13,111	13.6	112	15.8
87 Nonspecific mesenteric lymphadenitis	12,221	12.6	41	5.8
88 Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	4,263	4.4	20	2.8
89 Transient organic psychotic conditions	1,564	1.6	20	2.8
90 Chronic organic brain syndrome, except arteriosclerotic dementia	24,192	25.0	302	42.5
91 Arteriosclerotic dementia	2,283	2.4	32	4.5
92 Alcoholic psychoses	10,957	11.3	89	12.6
93 Drug psychoses	2,243	2.3	21	2.9
94 Paranoid schizophrenia	17,159	17.8	275	38.6
95 Acute schizophrenic episode	1,556	1.6	24	3.4
96 Miscellaneous schizophrenia	32,228	33.4	537	75.5

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	141	3.5	3	1	2	3	4	6	6	8
1000-1499	41	5.8	73	<1	<1	3	6	14	36	99+
1500-1749	40	12.9	121	<1	<1	12	22	28	32	38
1750-2499	4768	4.2	8	2	2	3	5	7	9	18
2500+	282861	3.5	2	2	2	3	4	5	6	8
B. *Operated*										
1-999 G	1	3.0		3	3	3	3	3	3	3
1000-1499										
1500-1749	1	29.0		29	29	29	29	29	29	29
1750-2499	8	11.4	93	<1	<1	9	20	24	26	26
2500+	209	4.3	8	2	2	4	5	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	216	26.2	1078	<1	<1	6	67	89	99+	99+
1000-1499	738	36.1	392	<1	1	37	49	61	70	90
1500-1749	918	23.8	107	<1	11	24	29	36	40	51
1750-2499	11580	8.3	40	2	3	6	11	17	21	29
2500+	111538	4.4	4	2	3	4	5	7	8	11
B. *Operated*										
1-999 G	65	62.6	873	<1	11	79	99+	99+	99+	99+
1000-1499	322	48.3	386	2	29	48	62	77	91	99+
1500-1749	190	33.7	266	8	18	32	39	59	70	99+
1750-2499	669	16.7	109	3	6	15	22	29	35	75
2500+	2075	8.0	66	2	3	6	9	14	20	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287851	3.6	2	2	2	3	4	5	6	8
B. *Operated*	219	4.7	15	2	2	4	5	7	10	27
2. MULTIPLE DX										
A. *Not Operated*	124990	5.1	23	2	3	4	6	7	11	27
B. *Operated*	3321	16.2	334	2	3	9	21	46	65	99+
1. SINGLE DX	288070	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX	128311	5.4	34	2	3	4	6	8	12	33
A. NOT OPERATED	412841	4.0	9	2	2	3	4	6	7	14
B. OPERATED	3540	15.5	322	2	3	8	19	45	63	99+
TOTAL 1-999 G	423	24.2	1055	<1	<1	5	68	95	99+	99+
1000-1499	1101	38.5	450	<1	3	39	53	66	77	99+
1500-1749	1149	25.1	152	<1	10	25	31	38	45	72
1750-2499	17025	7.5	41	2	3	5	10	17	20	29
2500+	396683	3.8	3	2	2	3	4	6	7	9
GRAND TOTAL	**416381**	**4.1**	**13**	**2**	**2**	**3**	**4**	**6**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	2	2.5	1	2	2	2	3	3	3	3
1000-1499	4	25.3	298	<1	<1	30	37	39	39	39
1500-1749	10	19.4	50	3	8	21	23	26	29	29
1750-2499	664	5.9	14	3	3	5	7	10	13	19
2500+	2672	4.9	4	2	3	5	6	7	8	10
B. *Operated*										
1-999 G										
1000-1499	1	32.0		32	32	32	32	32	32	32
1500-1749										
1750-2499	1	3.0		3	3	3	3	3	3	3
2500+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	22	34.1	1401	<1	<1	58	78	99+	99+	99+
1000-1499	138	35.8	310	1	14	35	43	56	67	88
1500-1749	225	24.3	82	10	15	24	29	35	40	56
1750-2499	1784	10.6	42	3	4	9	15	20	23	29
2500+	1305	5.8	8	3	3	5	7	9	10	15
B. *Operated*										
1-999 G	16	60.8	991	<1	<1	77	99+	99+	99+	99+
1000-1499	61	44.0	322	<1	25	45	54	69	84	99+
1500-1749	55	33.8	138	15	23	31	39	52	59	98
1750-2499	97	19.5	85	5	7	20	25	32	35	43
2500+	19	12.7	321	4	4	8	13	19	55	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3352	5.2	8	2	3	5	6	8	9	15
B. *Operated*	3	13.0	271	3	3	4	25	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	3474	10.8	100	3	4	7	14	23	30	53
B. *Operated*	248	30.8	404	5	7	28	44	67	86	99+
1. SINGLE DX	3355	5.2	8	2	3	5	6	8	9	15
2. MULTIPLE DX	3722	12.2	145	3	4	7	15	26	37	73
A. NOT OPERATED	6826	8.0	63	3	3	6	8	17	24	42
B. OPERATED	251	30.6	405	4	6	28	44	66	85	99+
TOTAL 1-999 G	40	43.2	1394	<1	<1	69	93	99+	99+	99+
1000-1499	204	38.0	326	<1	15	38	48	63	71	98
1500-1749	290	25.9	106	11	15	25	31	38	44	69
1750-2499	2546	9.7	44	3	3	7	13	20	23	30
2500+	3997	5.2	7	3	3	5	6	8	9	13
GRAND TOTAL	**7077**	**8.8**	**92**	**3**	**3**	**6**	**9**	**20**	**27**	**54**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	50	4.6	11	2	2	3	5	9	12	16
2500+	649	3.2	2	1	2	3	4	5	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	25	41.7	436	<1	9	39	58	72	76	81
1500-1749	17	25.5	64	16	17	24	29	39	41	42
1750-2499	123	10.5	57	2	3	8	14	21	26	34
2500+	265	4.9	11	2	2	4	6	9	11	20
B. *Operated*										
1-999 G	4	79.3	143	71	72	97	99+	99+	99+	99+
1000-1499	5	55.0	323	38	39	64	95	99+	99+	99+
1500-1749	4	41.0	209	29	29	37	51	61	61	61
1750-2499	8	18.1	79	<1	3	20	23	28	30	30
2500+	19	12.2	132	3	4	9	11	25	42	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	699	3.3	3	1	2	3	4	5	6	10
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	430	9.5	134	2	2	5	10	23	34	60
B. *Operated*	40	28.3	657	4	6	22	62	99+	99+	99+
1. SINGLE DX	700	3.3	3	1	2	3	4	5	6	10
2. MULTIPLE DX	470	11.1	205	2	3	6	12	29	43	99
A. NOT OPERATED	1129	5.6	62	1	2	3	5	10	19	42
B. OPERATED	41	27.7	656	3	5	21	61	99	99+	99+
TOTAL 1-999 G	4	79.3	143	71	72	97	99+	99+	99+	99+
1000-1499	30	43.9	431	1	19	43	61	81	98	99+
1500-1749	21	28.4	121	16	18	24	34	42	51	61
1750-2499	181	9.2	55	2	3	7	13	19	24	31
2500+	934	3.9	9	1	2	3	4	6	9	13
GRAND TOTAL	**1170**	**6.4**	**98**	**1**	**2**	**3**	**5**	**12**	**24**	**72**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.7	4	<1	1	2	3	6	8	9
20-34	56	2.6	7	<1	1	2	3	4	5	19
35-49	35	3.0	4	<1	1	2	4	6	7	8
50-64	16	3.0	4	<1	1	3	4	5	8	9
65+	26	11.2	382	1	1	5	17	30	98	99+
B. *Operated*										
0-19 YRS	1451	3.1	22	1	1	2	3	5	6	14
20-34	1945	2.9	4	1	1	2	3	5	6	11
35-49	771	3.1	6	1	1	2	4	5	7	14
50-64	728	3.8	17	1	2	3	4	6	9	23
65+	459	5.4	24	1	2	4	6	11	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.5	4	<1	<1	2	3	5	7	9
20-34	22	4.4	23	<1	<1	2	7	12	15	17
35-49	9	4.3	4	<1	1	4	5	7	8	8
50-64	7	4.6	16	<1	<1	3	5	11	13	13
65+	10	13.6	143	1	1	13	21	31	34	34
B. *Operated*										
0-19 YRS	242	3.9	13	1	1	3	5	7	10	22
20-34	314	4.3	18	1	2	3	5	8	11	27
35-49	204	4.9	33	1	2	3	5	10	16	24
50-64	232	6.4	67	1	2	4	6	14	19	43
65+	255	10.1	87	2	3	7	13	21	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	3.9	62	<1	1	2	4	7	10	68
B. *Operated*	5354	3.3	13	1	1	3	4	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	70	5.1	42	<1	<1	2	6	13	20	33
B. *Operated*	1247	5.9	48	1	2	4	6	13	19	40
1. SINGLE DX	5549	3.3	15	1	1	3	4	5	8	18
2. MULTIPLE DX	1317	5.9	47	1	2	4	6	13	19	39
A. NOT OPERATED	265	4.2	57	<1	1	2	4	8	17	34
B. OPERATED	6601	3.8	21	1	1	3	4	6	10	23
TOTAL 0-19 YRS	1777	3.2	20	1	1	2	4	5	6	16
20-34	2337	3.1	7	1	1	2	4	5	7	14
35-49	1019	3.4	12	1	1	3	4	6	8	17
50-64	983	4.4	30	1	2	3	5	8	12	35
65+	750	7.3	65	2	2	5	9	16	21	41
GRAND TOTAL	**6866**	**3.8**	**22**	**1**	**1**	**3**	**4**	**7**	**10**	**23**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	1.2		1	1	1	1	2	2	2
65+	7	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	1.5	3	<1	<1	1	1	2	4	11
20-34	115	1.5	1	<1	<1	1	2	3	3	6
35-49	269	1.3	2	<1	<1	1	1	2	2	9
50-64	761	1.3	1	<1	<1	1	1	2	3	6
65+	641	1.6	4	<1	1	1	2	2	3	10
B. *Operated*										
0-19 YRS	7	3.0	4	1	1	3	5	6	6	6
20-34	54	6.4	121	<1	<1	1	7	18	27	64
35-49	60	4.8	46	<1	<1	2	6	10	23	32
50-64	78	4.6	64	<1	<1	<1	4	14	21	45
65+	32	12.7	188	<1	<1	7	16	36	45	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.1		<1	<1	1	1	1	2	2
B. *Operated*	6	3.0	3	<1	<1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1848	1.4	2	<1	<1	1	1	2	3	8
B. *Operated*	231	6.1	94	<1	<1	2	7	17	26	50
1. SINGLE DX	22	1.6	2	<1	<1	1	2	3	5	6
2. MULTIPLE DX	2079	2.0	15	<1	<1	1	2	3	5	20
A. NOT OPERATED	1864	1.4	2	<1	<1	1	1	2	3	8
B. OPERATED	237	6.1	92	<1	<1	2	7	16	26	50
TOTAL 0-19 YRS	71	1.7	3	<1	<1	1	1	4	6	11
20-34	171	3.1	44	<1	<1	1	2	6	11	35
35-49	332	1.9	12	<1	<1	1	1	3	7	23
50-64	846	1.6	8	<1	<1	1	1	2	3	13
65+	681	2.1	18	<1	1	1	2	3	5	25
GRAND TOTAL	**2101**	**2.0**	**14**	**<1**	**<1**	**1**	**2**	**3**	**5**	**20**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2429	2.7	16	<1	<1	1	3	5	8	20
20-34	3789	2.1	7	<1	<1	1	2	4	6	13
35-49	901	3.3	20	<1	<1	2	4	7	10	22
50-64	1085	4.1	26	1	1	3	5	8	13	30
65+	1086	8.3	161	1	1	4	9	24	44	99+
B. *Operated*										
0-19 YRS	1148	3.0	12	<1	<1	2	3	7	11	17
20-34	4154	3.0	15	<1	<1	2	3	6	9	16
35-49	1941	3.7	15	<1	1	2	4	9	11	19
50-64	1900	4.3	26	1	1	2	5	11	13	23
65+	2033	4.1	28	1	1	2	4	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1735	4.5	72	<1	1	2	4	9	17	67
20-34	2996	4.1	40	<1	<1	3	5	8	11	35
35-49	2710	5.1	50	1	1	3	6	10	17	44
50-64	5709	5.2	58	1	1	3	5	10	18	44
65+	5685	8.8	149	1	1	5	10	22	35	99+
B. *Operated*										
0-19 YRS	628	5.2	67	1	1	3	5	11	18	71
20-34	3685	4.2	35	<1	1	3	5	8	12	33
35-49	2473	5.5	60	1	1	3	7	12	17	41
50-64	3132	6.6	77	1	1	3	9	15	22	63
65+	3976	6.7	79	1	1	3	9	16	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9290	3.3	35	<1	<1	2	3	7	11	37
B. *Operated*	11176	3.6	19	<1	1	2	4	8	12	20
2. MULTIPLE DX										
A. *Not Operated*	18835	6.0	86	1	1	4	6	13	23	64
B. *Operated*	13894	5.8	64	1	1	3	7	13	19	46
1. SINGLE DX	20466	3.4	26	<1	<1	2	4	8	11	26
2. MULTIPLE DX	32729	5.9	77	1	1	3	6	13	21	57
A. NOT OPERATED	28125	5.1	71	<1	1	3	5	11	20	56
B. OPERATED	25070	4.8	45	<1	1	2	5	11	16	36
TOTAL 0-19 YRS	5940	3.6	38	<1	<1	2	4	7	11	37
20-34	14624	3.3	24	<1	<1	2	4	6	9	24
35-49	8025	4.7	42	1	1	3	5	10	14	36
50-64	11826	5.3	56	1	1	3	6	12	18	43
65+	12780	7.4	112	1	1	4	9	18	28	77
GRAND TOTAL	**53195**	**5.0**	**59**	**<1**	**1**	**3**	**5**	**11**	**17**	**47**

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97	Childhood psychosis	132	0.1	3	0.4
98	Major depressive psychoses	19,908	20.6	339	47.7
99	Other affective psychoses	13,937	14.4	235	33.0
100	Miscellaneous psychoses	15,142	15.7	229	32.2
101	Anxiety states	20,037	20.7	135	19.0
102	Neurotic depression	55,160	57.1	723	101.6
103	Miscellaneous neuroses and personality disorders	19,020	19.7	196	27.5
104	Alcoholic dependence syndrome	74,022	76.6	841	118.2
105	Opioid dependence	3,067	3.2	39	5.5
106	Drug dependence except opioid	2,943	3.0	46	6.4
107	Nondependent abuse of alcohol	6,255	6.5	24	3.4
108	Nondependent abuse of drugs, except alcohol	2,055	2.1	18	2.6
109	Psychophysiologic disorder	9,037	9.4	52	7.4
110	Adjustment reactions and acute reactions to stress	17,203	17.8	152	21.4
111	Miscellaneous mental disorders	29,450	30.5	302	42.5
112	Mental retardation	1,484	1.5	17	2.3
113	Inflammatory diseases of central nervous system	7,572	7.8	101	14.1
114	Parkinson's disease	7,479	7.7	96	13.5
115	Multiple sclerosis	6,590	6.8	79	11.1
116	Epilepsy	18,925	19.6	114	16.1
117	Miscellaneous disease of central nervous system	38,235	39.6	410	57.7
118	Migraine	14,859	15.4	74	10.4
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	30.4	93	13.1
120	Peripheral nervous system disorder, except sciatica	40,295	41.7	273	38.4
121	Retinal detachment and defects	11,462	11.9	66	9.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122	Open angle and primary closure glaucoma	7,001	7.2	31	4.3
123	Other glaucoma	3,460	3.6	17	2.3
124	Senile cataract	133,514	138.2	506	71.1
125	Cataract, except senile	5,170	5.4	18	2.5
126	Strabismus	19,678	20.4	43	6.1
127	Miscellaneous disorders of superficial structures of eye	25,495	26.4	81	11.5
128	Miscellaneous disorders of deep structures of eye	16,124	16.7	79	11.1
129	Other disorders of eye	2,850	2.9	13	1.9
130	Otitis media, chronic and unspecified	64,951	67.2	145	20.4
131	Other inflammation of ear and mastoid	12,082	12.5	38	5.4
132	Vertiginous syndromes	19,199	19.9	103	14.5
133	Otosclerosis	7,447	7.7	21	2.9
134	Miscellaneous diseases of ear	19,521	20.2	53	7.5
135	Rheumatic fever, acute	2,345	2.4	22	3.1
136	Chronic rheumatic heart disease	12,895	13.3	125	17.6
137	Essential hypertension	58,878	60.9	418	58.8
138	Hypertensive heart disease	31,356	32.5	306	43.0
139	Miscellaneous hypertensive disease	6,771	7.0	70	9.9
140	Acute myocardial infarction	119,295	123.5	1,770	248.8
141	Angina pectoris	77,141	79.8	515	72.4
142	Other acute and subacute forms of ischemic heart disease	49,591	51.3	420	59.1
143	Miscellaneous ischemic heart disease	149,929	155.2	1,303	183.2
144	Pulmonary embolism and infarction	18,875	19.5	257	36.1
145	Acute and subacute endocarditis	1,553	1.6	48	6.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146	Paroxysmal supraventricular tachycardia	9,878	10.2	50	7.1
147	Atrial fibrillation and flutter	33,541	34.7	243	34.2
148	Other arrhythmia and conduction disorders	59,826	61.9	498	70.0
149	Heart failure	133,282	137.9	1,478	207.8
150	Miscellaneous diseases of heart	42,868	44.4	386	54.3
151	Cardiovascular disease, unspecified	17,597	18.2	177	24.9
152	Subarachnoid hemorrhage without paralysis	2,085	2.2	47	6.6
153	Subarachnoid hemorrhage with paralysis	129	0.1	5	0.7
154	Intracerebral hemorrhage without paralysis	3,804	3.9	71	10.0
155	Intracerebral hemorrhage with paralysis	718	0.7	21	2.9
156	Precerebral artery occlusion without paralysis	17,130	17.7	169	23.8
157	Precerebral occlusion with paralysis	830	0.9	15	2.2
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	18.1	258	36.2
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	6.7	133	18.7
160	Transient cerebral ischemia without paralysis	50,705	52.5	389	54.6
161	Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	42.0	611	85.9
162	Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	13.7	267	37.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163 Other and ill-defined cerebrovascular disease	35,480	36.7	380	53.4
164 Atherosclerosis	20,362	21.1	265	37.3
165 Aortic aneurysm	10,542	10.9	152	21.3
166 Aneurysm except aortic	2,596	2.7	35	5.0
167 Arterial embolism and thrombosis	18,242	18.9	242	34.0
168 Miscellaneous diseases of arteries	20,155	20.9	241	33.9
169 Phlebitis and thrombophlebitis	48,488	50.2	512	72.0
170 Varicose veins of lower extremities	27,241	28.2	231	32.5
171 Hemorrhoids	54,894	56.8	328	46.2
172 Miscellaneous diseases of veins and circulatory system	26,155	27.1	225	31.7
173 Acute URI except streptococcal	83,925	86.9	327	46.0
174 Bronchitis and bronchiolitis, acute	79,430	82.2	482	67.7
175 Deviated nasal septum	41,665	43.1	118	16.6
176 Nasal polyp	6,660	6.9	19	2.7
177 Chronic disease of tonsils and adenoids	185,695	192.2	360	50.6
178 Miscellaneous diseases of upper respiratory system	45,146	46.7	160	22.5
179 Pneumonia	196,466	203.3	1,627	228.8
180 Influenza	12,797	13.2	66	9.2
181 Bronchitis, chronic and unspecified	49,239	51.0	339	47.7
182 Emphysema	15,061	15.6	152	21.4
183 Asthma	98,950	102.4	597	84.0
184 Miscellaneous obstructive lung diseases	67,026	69.4	669	94.1
185 Spontaneous pneumothorax	10,306	10.7	86	12.1
186 Miscellaneous lung and pleural diseases	53,800	55.7	512	72.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	73,154	75.7	181	25.4
188	Disease of mouth, except dental	10,919	11.3	50	7.0
189	Diseases of esophagus	36,229	37.5	255	35.9
190	Gastric ulcer without complication	19,941	20.6	172	24.1
191	Gastric ulcer with hemorrhage or perforation	11,800	12.2	128	18.0
192	Nongastric peptic ulcer without complication	42.538	44.0	302	42.5
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	25.6	234	32.9
194	Peptic ulcer with obstruction	4,138	4.3	61	8.6
195	Gastritis and duodenitis	83,397	86.3	495	69.7
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	23.2	156	21.9
197	Acute appendicitis without peritonitis	54,359	56.3	253	35.6
198	Acute appendicitis with peritonitis	19,100	19.8	190	26.7
199	Disease of appendix, except acute appendicitis	10,922	11.3	57	8.0
200	Inguinal hernia without complication	153,037	158.4	730	102.6
201	Inguinal hernia, complicated	9,473	9.8	63	8.8
202	Umbilical hernia without complication	12,340	12.8	53	7.4
203	Ventral hernia without complication	22,390	23.2	167	23.4
204	Diaphragmatic hernia without complication	36.418	37.7	250	35.1
205	Other hernia of abdominal cavity without complication	4,727	4.9	31	4.3
206	Complicated hernia of abdominal cavity, except inguinal	10,926	11.3	102	14.3

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000's) (4)	Rate per 10,000 Days (5)
207	Intestinal obstruction without mention of hernia	39,533	40.9	448	63.1
208	Noninfectious gastroenteritis and colitis	143,510	148.5	695	97.7
209	Diverticula of intestine	63,333	65.5	562	79.0
210	Anal fissure, fistula, and abscess	32,891	34.0	167	23.5
211	Miscellaneous diseases of intestine and peritoneum	113,749	117.7	898	126.2
212	Alcoholic liver disease	14,279	14.8	192	27.1
213	Other cirrhosis and chronic liver disease	14,018	14.5	153	21.5
214	Miscellaneous diseases of liver	11,592	12.0	122	17.1
215	Gallbladder disease with calculus	134,463	139.2	1,302	183.1
216	Gallbladder disease without mention of calculus	40,982	42.4	370	52.0
217	Diseases of bile ducts with calculus	10,263	10.6	127	17.9
218	Diseases of bile ducts without mention of calculus	6,194	6.4	80	11.3
219	Diseases of pancreas	34,416	35.6	355	49.9
220	Gastrointestinal hemorrhage	35,900	37.2	302	42.4
221	Intestinal malabsorption	3,103	3.2	32	4.5
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	6.0	54	7.6
223	Miscellaneous nephritis and functional disorders	1,384	1.4	11	1.6
224	Chronic renal failure	13,269	13.7	140	19.7
225	Other renal failure	5,375	5.6	75	10.6
226	Acute pyelonephritis	15,135	15.7	104	14.7
227	Miscellaneous kidney infections	18,290	18.9	136	19.1
228	Calculus of kidney	26,594	27.5	182	25.5
229	Calculus of ureter	69,126	71.5	345	48.5
230	Miscellaneous diseases of kidney and ureter	22,342	23.1	185	26.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231 Urinary calculus, except kidney and ureter	8,933	9.2	55	7.8
232 Cystitis	38,879	40.2	205	28.8
233 Urethral stricture	35,333	36.6	143	20.1
234 Miscellaneous urinary diseases	105,221	108.9	667	93.7
235 Hyperplasia of prostate	88,976	92.1	791	111.2
236 Diseases of prostate, except hypertrophy	14,736	15.3	69	9.7
237 Hydrocele	10,165	10.5	41	5.8
238 Orchitis and epididymitis	9,645	10.0	58	8.1
239 Redundant prepuce and phimosis	19,255	19.9	47	6.6
240 Miscellaneous diseases of male genital organs	17,862	18.5	68	9.6
241 Benign mammary dysplasia	52,574	54.4	156	21.9
242 Miscellaneous diseases of breast	20,590	21.3	76	10.6
243 Ovarian cyst	37,240	38.5	216	30.4
244 Pelvic inflammatory disease	65,002	67.3	390	54.8
245 Endometriosis	40,030	41.4	260	36.6
246 Inflammatory disease of cervix uteri	16,220	16.8	70	9.8
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	19.4	66	9.3
248 Genital prolapse	58,313	60.4	486	68.3
249 Metrorrhagia	7,921	8.2	24	3.4
250 Other disorders of menstruation	128,423	132.9	439	61.7
251 Menopausal and postmenopausal disorders	25,363	26.3	76	10.7
252 Miscellaneous diseases of female genitalia	71,159	73.6	306	43.1
253 Signs and symptoms referable to female genital organs	48,838	50.5	265	37.3
254 Ectopic pregnancy	13,749	14.2	81	11.5
255 Legally induced abortion	48,424	50.1	78	11.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256	Other induced abortion	91	0.1	<1	0.0
257	Spontaneous and unspecified abortion	83,445	86.4	153	21.5
258	Other pregnancy with abortive outcome	12,437	12.9	30	4.2
259	Threatened abortion	11,635	12.0	33	4.6
260	Other early pregnancy hemorrhage	890	0.9	2	0.3
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	9.2	35	4.9
262	Excessive vomiting in pregnancy	9,025	9.3	36	5.1
263	False labor	52,644	54.5	69	9.7
264	Placenta previa without delivery	3,385	3.5	13	1.8
265	Other antepartum hemorrhage without delivery	4,733	4.9	12	1.7
266	Infections of pregnancy without delivery	8,022	8.3	29	4.1
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	7.1	32	4.5
268	Miscellaneous complications of pregnancy without delivery	20,818	21.5	66	9.2
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	7.4	40	5.6
288	Major puerperal infections	1,766	1.8	8	1.2
289	Puerperal hemorrhage (after 24 hrs.)	4,678	4.8	11	1.5
290	Other puerperal complications	2,886	3.0	12	1.7

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291	Cellulitis and abscess, except digit	49,264	51.0	416	58.5
292	Miscellaneous infections of skin and subcutaneous tissue	15,198	15.7	113	15.8
293	Pilonidal cyst	19,359	20.0	86	12.1
294	Sebaceous cyst	8,630	8.9	22	3.1
295	Miscellaneous diseases of skin and subcutaneous tissue	68,776	71.2	601	84.6
296	Diffuse diseases of connective tissue	6,707	6.9	79	11.0
297	Rheumatoid arthritis, except spine	22,277	23.1	256	36.0
298	Osteoarthrosis (osteoarthritis), except spine	48,590	50.3	611	85.9
299	Other arthropathies	15,245	15.8	147	20.7
300	Internal derangement of knee joint	46,879	48.5	227	31.9
301	Other disorders of joint	36,115	37.4	204	28.7
302	Ankylosing spondylitis	767	0.8	7	1.0
303	Spondylosis and allied disorders	31,466	32.6	294	41.3
304	Derangement and displacement of lumbar disc	98,806	102.3	1,041	146.4
305	Derangement and displacement of intervertebral disc, except lumbar	28,056	29.0	271	38.1
306	Sacroiliac joint disorder	13,734	14.2	119	16.7
307	Sciatica	7,643	7.9	73	10.3
308	Other dorsopathies	80,127	82.9	693	97.4
309	Bursitis and synovitis, except spine	41,188	42.6	188	26.5
310	Bunion and deformities of toe	38,223	39.6	184	25.9
311	Ganglion and cyst	24,035	24.9	65	9.1
312	Osteomyelitis	8,377	8.7	141	19.8
313	Localized disorders of bone and cartilage	50,025	51.8	449	63.1

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314	Acquired deformities of limbs, except toe	8,620	8.9	45	6.3
315	Neuralgia, neuritis, and radiculitis, unspecified	3,966	4.1	34	4.8
316	Miscellaneous disorders of musculoskeletal system	53,969	55.9	323	45.4
317	Somatic dysfunction	1,650	1.7	13	1.8
318	Congenital anomaly of nervous system	2,128	2.2	20	2.8
319	Congenital anomaly of eye, ear, face, and neck	9,299	9.6	26	3.7
320	Congenital anomaly of heart and circulatory system	10,044	10.4	70	9.8
321	Cleft palate and lip	2,923	3.0	12	1.7
322	Congenital hypertrophic pyloric stenosis	2,140	2.2	10	1.4
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	6,254	6.5	40	5.7
324	Undescended testicle	7,383	7.6	26	3.6
325	Miscellaneous congenital anomalies of genitourinary system	12,154	12.6	70	9.8
326	Clubfoot	3,936	4.1	19	2.6
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	25.4	151	21.2
328	Perinatal conditions causing morbidity and mortality	11,266	11.7	75	10.5
329	Convulsions	44,153	45.7	240	33.7
330	Pyrexia of unknown origin	18,430	19.1	118	16.6
331	Headache	24,243	25.1	129	18.2
332	Epistaxis	13,169	13.6	65	9.2

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333	Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	10.3	51	7.1
334	Gangrene	8,776	9.1	190	26.7
335	Chest pain	82,485	85.4	392	55.1
336	Other signs and symptoms referable to respiratory system and chest	16,204	16.8	105	14.8
337	Signs and symptoms referable to urinary system	23,556	24.4	137	19.3
338	Abdominal pain	90,476	93.6	429	60.4
339	Other signs and symptoms referable to upper GI tract and abdomen	20,241	20.9	133	18.7
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	115.2	717	100.8
341	Fracture of vault of skull	7,686	8.0	55	7.8
342	Fracture of base of skull	5,163	5.3	41	5.7
343	Fracture of face bones	32,005	33.1	138	19.5
344	Fracture of vertebral column without mention of spinal cord injury	28,543	29.5	315	44.3
345	Fracture of vertebral column with cord injury	1,808	1.9	38	5.3
346	Fracture of ribs, sternum, larynx and trachea	18,682	19.3	155	21.8
347	Fracture of pelvis	14,592	15.1	239	33.6
348	Fracture of humerus	24,980	25.9	208	29.3
349	Fracture of radius and ulna	38,411	39.8	168	23.7
350	Miscellaneous fractures of upper extremity	18,080	18.7	64	9.0
351	Fracture of neck of femur	64,926	67.2	1,320	185.6
352	Other femoral fracture	18,072	18.7	440	61.8
353	Fracture of tibia and fibula	29,683	30.7	284	39.9
354	Miscellaneous fractures of lower extremity	50,279	52.0	366	51.4
355	Fracture of other bones	6,154	6.4	39	5.5

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	Fracture of multiple bones	551	0.6	7	0.9
357	Dislocation of shoulder	7,163	7.4	29	4.1
358	Dislocation of knee	36,668	38.0	190	26.7
359	Other dislocation	9,705	10.0	72	10.1
360	Sprains and strains of knee and leg	11,291	11.7	61	8.6
361	Sprains and strains of sacroiliac region	47,938	49.6	384	54.0
362	Sprains and strains of other and unspecified parts of back	43,271	44.8	309	43.4
363	Other sprains and strains	16,347	16.9	77	10.9
364	Concussion	65,726	68.0	242	34.1
365	Intracranial injury, except concussion	21,788	22.6	174	24.5
366	Internal injury to thoracic region	5,701	5.9	51	7.2
367	Internal injury, except chest	13,906	14.4	133	18.7
368	Laceration or enucleation of eye	6,227	6.4	27	3.8
369	Other laceration of head and neck	24,345	25.2	106	14.9
370	Other laceration of trunk and multiple and unspecified sites	13,132	13.6	81	11.4
371	Open wound of upper limb	35,490	36.7	124	17.4
372	Open wound of lower limb	16,440	17.0	108	15.2
373	Injury to blood vessels	1,622	1.7	14	1.9
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	17.8	114	16.0
375	Contusion of eye and adnexa	5,678	5.9	26	3.6
376	Other superficial injuries	55,654	57.6	281	39.6

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377	Miscellaneous crushing injury	4,231	4.4	29	4.1
378	Foreign body on external eye	420	0.4	1	0.2
379	Foreign body entering through other body orifice	10,444	10.8	32	4.5
380	Third degree burns	6,105	6.3	110	15.5
381	Other burns	15,932	16.5	143	20.1
382	Injury to nerve and spinal cord	5,731	5.9	34	4.8
383	Certain traumatic complications and unspecified injuries	14,565	15.1	91	12.8
384	Poisoning by drugs, medicinal, and biological substances	57,717	59.7	276	38.8
385	Toxic effects of substances chiefly nonmedicinal as to source	15,696	16.2	52	7.3
386	Miscellaneous adverse effects	15,811	16.4	93	13.0
387	Complications peculiar to certain specified procedures	37,690	39.0	339	47.7
388	Hemorrhage or hematoma complicating a procedure	14,091	14.6	56	7.9
389	Postoperative wound infection	10,950	11.3	107	15.1
390	Other complications of surgical procedures	14,627	15.1	128	18.0
391	Other complications of medical care, except drugs	1,126	1.2	7	0.9
392	Admission for prophylactic sterilization	79,132	81.9	168	23.6
396	Aftercare for removal of internal fixation device	18,475	19.1	69	9.7
397	Aftercare involving intermittent dialysis	4,087	4.2	8	1.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398 Admission for special examinations and miscellaneous reasons	142,282	147.3	677	95.2
All patients except deliveries and newborn	9,662,039	10,000.0	71,123	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to diagnosis group. The diagnosis groups are listed in their rank order for the U.S. as a whole. Delivery and newborn groups are excluded, as are deaths, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
179 Pneumonia	196,466	1	1	1	1	2
177 Chronic disease of tonsils and adenoids	185,695	2	3	2	2	1
200 Inguinal hernia without complication	153,037	3	2	5	5	3
143 Miscellaneous ischemic heart disease	149,929	4	12	3	3	6
208 Noninfectious gastroenteritis and colitis	143,510	5	13	4	4	9
398 Admission for special examinations and miscellaneous reasons	142,282	6	5	7	11	4
215 Gallbladder disease with calculus	134,463	7	9	6	8	7
124 Senile cataract	133,514	8	6	11	10	5
149 Heart failure	133,282	9	4	8	14	10
250 Other disorders of menstruation	128,423	10	8	9	6	19
140 Acute myocardial infarction	119,295	11	7	13	13	11
211 Miscellaneous diseases of intestine and peritoneum	113,749	12	17	10	12	14
340 Miscellaneous signs, symptoms, and ill-defined conditions	111,329	13	21	12	9	12

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
234 Miscellaneous urinary diseases	105,221	14	22	14	7	21
183 Asthma	98,950	15	14	15	20	13
304 Derangement and displacement of lumbar disc	98,806	16	23	16	17	8
338 Abdominal pain	90,476	17	32	22	15	17
235 Hyperplasia of prostate	88,976	18	15	25	21	15
173 Acute URI except streptococcal	83,925	19	33	18	22	26
257 Spontaneous and unspecified abortion	83,445	20	18	20	28	27
195 Gastritis and duodenitis	83,397	21	37	17	19	40
335 Chest pain	82,485	22	40	27	16	18
071 Diabetes mellitus without complication	80,254	23	25	19	24	56
308 Other dorsopathies	80,127	24	39	24	26	16
174 Bronchitis and bronchiolitis, acute	79,430	25	35	21	25	30
392 Admission for prophylactic sterilization	79,132	26	24	26	23	35
141 Angina pectoris	77,141	27	29	28	27	20
104 Alcoholic dependence syndrome	74,022	28	16	23	51	34
187 Disease of teeth and jaws	73,154	29	10	30	31	92
252 Miscellaneous diseases of female genitalia	71,159	30	27	29	32	33
229 Calculus of ureter	69,126	31	43	44	18	38
295 Miscellaneous diseases of skin and subcutaneous tissue	68,776	32	30	31	33	37
184 Miscellaneous obstructive lung diseases	67,026	33	38	40	30	24
364 Concussion	65,726	34	19	34	63	28

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
244	Pelvic inflammatory disease	65,002	35	50	33	35	36
130	Otitis media, chronic and unspecified	64,951	36	42	43	29	32
351	Fracture of neck of femur	64,926	37	31	41	41	23
209	Diverticula of intestine	63,333	38	36	37	34	51
045	Malignant neoplasm of ill-defined and secondary sites	62,122	39	26	38	54	29
056	Uterine leiomyoma	60,817	40	28	52	38	44
148	Other arrhythmia and conduction disorders	59,826	41	34	45	44	39
137	Essential hypertension	58,878	42	58	32	37	91
248	Genital prolapse	58,313	43	60	47	36	43
384	Poisoning by drugs, medicinal, and biological substances	57,717	44	44	46	56	25
376	Other superficial injuries	55,654	45	62	39	49	45
102	Neurotic depression	55,160	46	79	36	42	64
171	Hemorrhoids	54,894	47	52	51	39	68
197	Acute appendicitis without peritonitis	54,359	48	53	53	55	31
316	Miscellaneous disorders of musculoskeletal system	53,969	49	63	42	53	47
186	Miscellaneous lung and pleural diseases	53,800	50	49	48	43	52
027	Malignant neoplasm of bronchus, lung, and trachea	53,623	51	46	59	45	49
263	False labor	52,644	52	61	35	78	58
241	Benign mammary dysplasia	52,574	53	55	60	40	69

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
160 Transient cerebral ischemia without paralysis	50,705	54	45	56	64	59
354 Miscellaneous fractures of lower extremity	50,279	55	59	55	67	42
313 Localized disorders of bone and cartilage	50,025	56	64	57	59	41
142 Other acute and subacute forms of ischemic heart disease	49,591	57	20	78	66	86
291 Cellulitis and abscess, except digit	49,264	58	47	62	62	60
181 Bronchitis, chronic and unspecified	49,239	59	87	54	46	81
253 Signs and symptoms referable to female genital organs	48,838	60	65	64	48	54
298 Osteoarthrosis (osteoarthritis), except spine	48,590	61	81	49	70	46
169 Phlebitis and thrombophlebitis	48,488	62	51	61	57	75
255 Legally induced abortion	48,424	63	11	96	96	79
361 Sprains and strains of sacroiliac region	47,938	64	83	50	52	80
073 Other complicated diabetes mellitus	47,044	65	56	48	83	89
300 Internal derangement of knee joint	46,879	66	66	65	90	22
032 Malignant neoplasm of breast (female) (male)	45,939	67	48	71	72	61

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
178 Miscellaneous diseases of upper respiratory system	45,146	68	57	73	61	70
329 Convulsions	44,153	69	54	70	68	83
001 Intestinal infectious disease	44,002	70	77	76	58	57
362 Sprains and strains of other and unspecified parts of back	43,271	71	90	68	60	74
150 Miscellaneous diseases of heart	42,868	72	76	69	71	63
192 Nongastric peptic ulcer without complication	42,538	73	108	67	47	107
175 Deviated nasal septum	41,665	74	41	84	93	67
309 Bursitis and synovitis, except spine	41,188	75	71	75	80	66
216 Gallbladder disease without mention of calculus	40,982	76	85	72	65	96
161 Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	77	73	82	69	77
120 Peripheral nervous system disorder, except sciatica	40,295	78	101	74	77	62
245 Endometriosis	40,030	79	96	79	73	65
207 Intestinal obstruction without mention of hernia	39,533	80	67	85	84	55
232 Cystitis	38,879	81	97	66	76	131
349 Fracture of radius and ulna	38,411	82	84	77	100	72
117 Miscellaneous disease of central nervous system	38,235	83	75	80	88	76
310 Bunion and deformities of toe	38,223	84	93	63	123	71

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
387 Complications peculiar to certain specified procedures	37,690	85	70	97	95	48
243 Ovarian cyst	37,240	86	80	87	82	85
358 Dislocation of knee	36,668	87	105	90	92	53
204 Diaphragmatic hernia without complication	36,418	88	122	89	50	127
189 Diseases of esophagus	36,229	89	102	88	74	98
301 Other disorders of joint	36,115	90	104	86	104	50
220 Gastrointestinal hemorrhage	35,900	91	68	98	87	84
371 Open wound of upper limb	35,490	92	94	92	98	73
163 Other and ill-defined cerebrovascular disease	35,480	93	98	83	81	104
233 Urethral stricture	35,333	94	114	81	75	114
037 Malignant neoplasm of prostate	34,890	95	91	99	85	78
219 Diseases of pancreas	34,416	96	86	94	86	97
147 Atrial fibrillation and flutter	33,541	97	82	103	99	82
210 Anal fissure, fistula, abscess	32,891	98	89	102	89	99
096 Miscellaneous schizophrenia	32,228	99	78	100	113	87
343 Fracture of face bones	32,005	100	92	104	103	88
303 Spondylosis and allied disorders	31,466	101	129	91	97	102
138 Hypertensive heart disease	31,356	102	103	101	79	136
023 Malignant neoplasm of colon	31,020	103	69	106	106	101
039 Malignant neoplasm of bladder	29,683	104	72	107	128	100

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
353	Fracture of tibia and fibula	29,683	105	106	105	110	90
111	Miscellaneous mental disorders	29,450	106	140	95	94	118
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	107	119	93	136	94
344	Fracture of vertebral column without mention of spinal cord injury	28,543	108	113	108	111	93
305	Derangement and displacement of intervertebral disc, except lumbar	28,056	109	125	111	105	95
053	Benign neoplasm of bone, muscle, and connective tissue	27,300	110	100	113	107	121
170	Varicose veins of lower extremities	27,241	111	95	109	127	120
081	Disorders of fluid, electrolyte, and acid-base balance	27,186	112	115	110	109	103
228	Calculus of kidney	26,594	113	118	112	101	147
084	Anemia except iron deficiency and sickle-cell	26,356	114	99	117	115	125
172	Miscellaneous diseases of veins and circulatory system	26,155	115	112	115	118	110
127	Miscellaneous disorders of superficial structures of eye	25,495	116	74	140	125	116

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
251 Menopausal and postmenopausal disorders	25,363	117	88	129	119	154
348 Fracture of humerus	24,980	118	123	114	133	106
193 Nongastric peptic ulcer with hemorrhage or perforation	24,704	119	117	127	124	108
012 Miscellaneous viral diseases	24,590	120	109	130	116	119
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	121	124	120	132	105
369 Other laceration of head and neck	24,345	122	133	118	130	112
331 Headache	24,243	123	227	116	91	163
090 Chronic organic brain syndrome, except arterioslerotic dementia	24,192	124	120	128	117	122
311 Ganglion and cyst	24,035	125	132	121	112	153
337 Signs and symptoms referable to urinary system	23,556	126	107	126	122	185
196 Disease of stomach and duodenum, except ulcer and inflammation	22,426	127	220	122	102	177
203 Ventral hernia without complication	22,390	128	127	132	135	126
230 Miscellaneous diseases of kidney and ureter	22,342	129	136	133	121	141

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
297	Rheumatoid arthritis, except spine	22,277	130	151	125	131	130
365	Intracranial injury, except concussion	21,788	131	145	123	143	132
068	Neoplasms of uncertain behavior and unspecified nature	21,274	132	110	139	144	157
049	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	133	126	137	145	144
268	Miscellaneous complications of preganancy without delivery	20,818	134	146	124	168	129
242	Miscellaneous diseases of breast	20,590	135	134	153	129	143
164	Atherosclerosis	20,362	136	168	134	142	124
339	Other signs and symptoms referable to upper GI tract and abdomen	20,241	137	177	145	120	148
168	Miscellaneous diseases of arteries	20,155	138	121	150	141	161
101	Anxiety states	20,037	139	192	119	139	194
190	Gastric ulcer without complication	19,941	140	174	136	126	187
098	Major depressive psychoses	19,908	141	130	131	174	155
126	Strabismus	19,678	142	135	143	146	149
134	Miscellaneous diseases of ear	19,521	143	162	151	140	128
293	Pilonidal cyst	19,359	144	111	147	152	195
239	Redundant prepuce and phimosis	19,255	145	137	160	114	250
132	Vertiginous syndromes	19,199	146	173	135	147	156

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
198 Acute appendicitis with peritonitis	19,100	147	142	155	164	117
103 Miscellaneous neuroses and personality disorders	19,020	148	164	138	163	140
116 Epilepsy	18,925	149	150	144	150	151
144 Pulmonary embolism and infarction	18,875	150	138	158	151	150
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	151	141	141	149	188
346 Fracture of ribs, sternum, larynx and trachea	18,682	152	153	149	160	134
396 Aftercare for removal of internal fixation device	18,475	153	139	159	187	115
330 Pyrexia of unknown origin	18,430	154	161	168	134	158
227 Miscellaneous kidney infections	18,290	155	172	148	137	183
167 Arterial embolism and thrombosis	18,242	156	131	175	169	137
051 Benign neoplasm of other parts of digestive system	18,202	157	116	173	155	204
072 Diabetic acidosis or coma	18,113	158	154	161	158	145
350 Miscellaneous fractures of upper extremity	18,080	159	165	146	179	123
352 Other femoral fracture	18,072	160	158	164	156	142
075 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	161	160	142	152	179

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
240	Miscellaneous diseases of male genital organs	17,862	162	163	157	148	175
151	Cardiovascular disease, unspecified	17,597	163	186	200	108	200
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	164	144	171	162	160
024	Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	165	128	167	191	172
374	Late effects of injury, poisoning, non-medicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	166	219	154	165	135
110	Adjustment reactions and acute reactions to stress	17,203	167	188	156	180	133
094	Paranoid schizophrenia	17,159	168	149	186	196	109
156	Precerebral artery occlusion without paralysis	17,130	169	203	178	167	113
055	Benign neoplasm of breast	16,452	170	143	195	138	221
372	Open wound of lower limb	16,440	171	193	179	154	169
363	Other sprains and strains	16,347	172	195	163	194	138
246	Inflammatory disease of cervix uteri	16,220	173	176	152	170	215
336	Other signs and symptoms referable to respiratory system and chest	16,204	174	178	183	157	181

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
034 Malignant neoplasm of corpus uteri	16,148	175	148	172	202	159
128 Miscellaneous disorders of deep structures of eye	16,124	176	159	192	171	146
381 Other burns	15,932	177	185	166	175	189
386 Miscellaneous adverse effects	15,811	178	180	170	182	178
385 Toxic effects of substances chiefly nonmedicinal as to source	15,696	179	190	181	176	173
070 Other diseases of thyroid gland	15,530	180	194	169	161	216
299 Other arthropathies	15,245	181	213	184	178	166
082 Iron deficiency anemia	15,239	182	167	177	173	220
292 Miscellaneous infections of skin and subcutaneous tissue	15,198	183	156	188	184	191
100 Miscellaneous psychoses	15,142	184	184	187	185	176
226 Acute pyelonephritis	15,135	185	228	180	166	182
182 Emphysema	15,061	186	205	174	183	192
118 Migraine	14,859	187	247	165	172	203
236 Diseases of prostate, except hypertrophy	14,736	188	223	176	153	246
390 Other complications of surgical procedures	14,627	189	199	198	197	139
347 Fracture of pelvis	14,592	190	181	190	201	168
383 Certain traumatic complications and unspecified injuries	14,565	191	179	191	181	198
212 Alcoholic liver disease	14,279	192	147	208	214	152
388 Hemorrhage or hematoma complicating a procedure	14,091	193	218	194	192	170

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
213	Other cirrhosis and chronic liver disease	14,018	194	152	201	193	206
099	Other affective psychoses	13,937	195	201	185	217	174
367	Internal injury, except chest	13,906	196	191	204	195	164
254	Ectopic pregnancy	13,749	197	187	206	200	165
306	Sacroiliac joint disorder	13,734	198	241	162	220	197
066	Carcinoma in situ of cervix	13,481	199	208	202	188	199
224	Chronic renal failure	13,269	200	157	228	189	196
162	Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	201	166	210	198	201
332	Epistaxis	13,169	202	204	196	205	202
370	Other laceration of trunk and multiple and unspecified sites	13,132	203	202	211	177	213
086	Disease of hematopoietic system, except anemia and hemophilia	13,111	204	183	199	210	205
136	Chronic rheumatic heart disease	12,895	205	175	205	226	180
130	Influenza	12,797	206	317	189	203	162
054	Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	207	155	222	199	227
008	Viral diseases with exanthem	12,459	208	229	197	207	217
258	Other pregnancy with abortive outcome	12,437	209	209	203	208	209
202	Umbilical hernia without complication	12,340	210	217	207	190	232

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
087 Nonspecific mesenteric lymphadenitis	12,221	211	210	193	225	228
325 Miscellaneous congenital anomalies of genitourinary system	12,154	212	206	213	206	208
131 Other inflammation of ear and mastoid	12,082	213	169	217	204	236
191 Gastric ulcer with hemorrhage or perforation	11,800	214	215	214	227	190
031 Other malignant neoplasm of skin, excluding genital organs	11,635	215	171	252	186	238
259 Threatened abortion	11,635	216	230	182	239	267
214 Miscellaneous diseases of liver	11,592	217	212	218	212	210
121 Retinal detachment and defects	11,462	218	182	260	218	167
360 Sprains and strains of knee and leg	11,291	219	255	212	250	171
328 Perinatal conditions causing morbidity and mortality	11,266	220	266	247	253	111
033 Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	221	231	220	209	239
092 Alcoholic psychoses	10,957	222	170	270	222	184
389 Postoperative wound infection	10,950	223	240	232	228	186
206 Complicated hernia of abdominal cavity, except inguinal	10,926	224	189	224	241	219

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
199	Disease of appendix, except acute appendicitis	10,922	225	256	209	216	225
188	Disease of mouth, except dental	10,919	226	222	226	213	223
019	Malignant neoplasm of lip, oral cavity, and pharynx	10,888	227	198	237	224	214
035	Malignant neoplasm of ovary	10,687	228	207	225	233	222
165	Aortic aneurysm	10,542	229	224	239	223	207
379	Foreign body entering through other body orifice	10,444	230	216	240	230	211
185	Spontaneous pneumothorax	10,306	231	225	238	215	235
217	Diseases of bile ducts with calculus	10,263	232	221	233	247	212
237	Hydrocele	10,165	233	226	227	238	234
079	Miscellaneous metabolic disorders	10,153	234	235	234	231	226
320	Congenital anomaly of heart and circulatory system	10,044	235	237	243	244	193
333	Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	236	250	230	219	251
146	Paroxysmal supraventricular tachycardia	9,878	237	236	235	237	233
005	Septicemia	9,877	238	211	249	234	229
359	Other dislocation	9,705	239	246	236	245	218
238	Orchitis and epididymitis	9,645	240	253	223	229	261
009	Viral hepatitis	9,561	241	259	244	221	230

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
201 Inguinal hernia, complicated	9,473	242	200	242	262	242
319 Congenital anomaly of eye, ear, face, and neck	9,299	243	239	250	249	224
011 Viral warts	9,242	244	238	229	243	288
058 Benign neoplasm of ovary	9,110	245	232	246	257	231
109 Psychophysiologic disorder	9,037	246	282	219	235	273
262 Excessive vomiting in pregnancy	9,025	247	271	231	251	247
069 Simple and non-toxic nodular goiter	8,994	248	276	251	211	271
231 Urinary calculus, except kidney and ureter	8,933	249	251	248	232	263
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	250	260	241	236	258
010 Infectious mononucleosis	8,802	251	245	216	266	300
334 Gangrene	8,776	252	214	257	240	287
294 Sebaceous cyst	8,630	253	197	261	248	301
314 Acquired deformities of limbs, except toe	8,620	254	267	221	277	254
078 Obesity of nonendocrine origin	8,527	255	328	215	254	256
312 Osteomyelitis	8,377	256	242	266	256	241
007 Poliomyelitis and other enteroviral diseases of central nervous system	8,048	257	265	273	252	237

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
266	Infections of pregnancy without delivery	8,022	258	275	253	246	274
249	Metrorrhagia	7,921	259	244	258	255	291
064	Benign neoplasm of thyroid glands	7,852	260	252	272	260	245
028	Other malignant neoplasm of respiratory system and thoracic cavity	7,712	261	233	277	259	269
341	Fracture of vault of skull	7,686	262	268	265	268	240
307	Sciatica	7,643	263	248	245	290	277
113	Inflammatory diseases of central nervous system	7,572	264	280	268	258	243
114	Parkinson's disease	7,479	265	257	255	273	282
133	Otosclerosis	7,447	266	262	274	265	248
021	Malignant neoplasm of stomach	7,393	267	234	279	278	252
324	Undescended testicle	7,383	268	254	269	272	259
040	Malignant neoplasm of kidney and other urinary organs	7,299	269	263	271	264	265
026	Malignant neoplasm of pancreas	7,278	270	258	282	270	249
048	Leukemia, except lymphoid	7,237	271	261	262	282	262
357	Dislocation of shoulder	7,163	272	293	259	279	244
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	273	270	264	275	270
122	Open angle and primary closure glaucoma	7,001	274	243	290	263	264

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
083 Sickle-cell anemia and trait	6,949	275	278	267	242	336
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	276	274	256	274	314
139 Miscellaneous hypertensive disease	6,771	277	285	275	261	286
296 Diffuse diseases of connective tissue	6,707	278	279	281	271	272
176 Nasal polyp	6,660	279	249	276	299	276
115 Multiple sclerosis	6,590	280	272	254	314	283
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	281	264	283	288	281
107 Nondependent abuse of alcohol	6,255	282	288	263	297	297
323 Congenital anomaly of respiratory system, except cleft palate and pyloric stenosis	6,254	283	273	287	276	278
368 Laceration or enucleation of eye	6,227	284	291	294	269	260
218 Diseases of bile ducts without mention of calculus	6,194	285	269	284	291	290
355 Fracture of other bones	6,154	286	302	280	287	266
380 Third degree burns	6,105	287	301	285	267	275
004 Streptococcal sore throat and scarlet fever	5,925	288	311	278	281	296

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	289	296	286	284	284
382	Injury to nerve and spinal cord	5,731	290	297	298	289	257
366	Internal injury to thoracic region	5,701	291	305	299	283	255
375	Contusion of eye and adnexa	5,678	292	290	291	292	285
029	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	293	295	296	293	268
042	Malignant neoplasm of brain	5,497	294	298	293	295	280
046	Hodgkins' disease	5,389	295	277	288	309	306
225	Other renal failure	5,375	296	283	302	286	311
017	Miscellaneous infective and parasitic diseases	5,285	297	292	295	280	327
030	Malignant melanoma of skin, excluding genital organs	5,285	298	289	312	285	295
025	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	299	294	300	303	289
125	Cataract, except senile	5,170	300	284	308	301	279
342	Fracture of base of skull	5,163	301	309	304	308	253
047	Lymphoid leukemia	5,098	302	286	301	310	293
050	Benign neoplasm of lip, oral cavity, and pharynx	5,008	303	287	311	300	294

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
265 Other antepartum hemorrhage without delivery	4,733	304	303	297	312	307
205 Other hernia of abdominal cavity without complication	4,727	305	299	309	306	299
289 Puerperal hemorrhage (after 24 hrs.)	4,678	306	310	289	318	310
080 Gout	4,619	307	312	303	296	325
067 Carcinoma in situ, except cervix uteri	4,580	308	300	313	305	305
014 Syphilis and other venereal diseases	4,524	309	315	310	304	303
002 Respiratory tuberculosis	4,408	310	304	318	294	323
006 Miscellaneous bacterial diseases	4,379	311	314	316	298	313
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	4,263	312	306	314	302	326
377 Miscellaneous crushing injury	4,231	313	321	305	320	304
044 Malignant neoplasm of endocrine glands	4,150	314	313	319	311	302
194 Peptic ulcer with obstruction	4,138	315	319	317	307	309
397 Aftercare involving intermittent dialysis	4,087	316	281	292	334	354
315 Neuralgia, neuritis, and radiculitis, unspecified	3,966	317	324	306	316	328
326 Clubfoot	3,936	318	320	307	325	312
154 Intracerebral hemorrhage without paralysis	3,804	319	323	325	315	298

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals Number of Patients (2)	Rank (3)	Rank by Region North-east (4)	North Central (5)	South (6)	West (7)
020	Malignant neoplasm of esophagus	3,762	320	308	322	317	324
074	Ovarian dysfunction	3,696	321	322	315	313	334
015	Mycoses	3,473	322	345	321	327	292
123	Other glaucoma	3,460	323	307	331	319	322
264	Placenta previa without delivery	3,385	324	326	320	326	317
076	Nutritional deficiencies	3,341	325	325	327	322	318
063	Benign neoplasm of central nervous system	3,225	326	327	330	328	308
052	Benign neoplasm of respiratory system and intrathoracic organs	3,159	327	318	332	321	321
221	Intestinal malabsorption	3,103	328	329	323	329	331
105	Opioid dependence	3,067	329	196	360	368	352
106	Drug dependence except opioid	2,943	330	316	324	338	347
321	Cleft palate and lip	2,923	331	332	335	323	316
290	Other puerperal complications	2,886	332	331	328	340	319
129	Other disorders of eye	2,850	333	339	329	324	333
038	Malignant neoplasm of male genitalia, except prostate	2,731	334	334	333	333	315
166	Aneurysm except aortic	2,596	335	330	339	332	329
135	Rhematic fever, acute	2,345	336	338	334	337	342
091	Arteriosclerotic dementia	2,283	337	347	336	331	349
093	Drug psychoses	2,243	338	340	342	343	320
036	Malignant neoplasm of other female genital organs	2,206	339	335	340	341	345

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
322	Congenital hypertrophic pyloric stenosis	2,140	340	341	338	342	340
065	Benign neoplasm of endocrine glands, except thyroid	2,130	341	343	346	335	330
318	Congenital anomaly of nervous system	2,128	342	348	341	336	341
152	Subarachnoid hemorrhage without paralysis	2,085	343	342	343	339	338
108	Nondependent abuse of drugs, except alcohol	2,055	344	344	337	348	344
057	Benign neoplasm of uterus, except leiomyoma	1,901	345	333	345	349	343
345	Fracture of vertebral column with cord injury	1,808	346	351	348	344	335
288	Major puerperal infections	1,766	347	352	344	347	337
317	Somatic dysfunction	1,650	348	366	326	369	367
373	Injury to blood vessels	1,622	349	353	349	345	346
089	Transient organic psychotic conditions	1,564	350	349	355	350	339
095	Acute schizophrenic episode	1,556	351	346	351	359	332
145	Acute and subacute endocarditis	1,553	352	337	354	353	348
061	Benign neoplasm of urinary organ	1,506	353	336	350	352	358
112	Mental retardation	1,484	354	354	347	346	357
223	Miscellaneous nephritis and functional disorders	1,384	355	355	352	351	351

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
013	Rickettsioses and other arthropod-borne diseases	1,347	356	360	368	330	360
077	Cystic fibrosis	1,248	357	350	353	354	355
391	Other complications of medical care, except drugs	1,126	358	356	357	356	350
003	Nonrespiratory tuberculosis	917	359	357	364	357	356
059	Benign neoplasm of female genitalia, except uterus and ovary	905	360	358	358	358	365
260	Other early pregnancy hemorrhage	890	361	363	356	361	366
022	Malignant neoplasm of small intestine	871	362	359	359	363	359
157	Precerebral occlusion with paralysis	830	363	365	361	365	353
016	Helminthiases	823	364	368	365	355	362
302	Ankylosing spondylitis	767	365	372	362	360	364
085	Hemophilia (congenital factor VIII disorder)	754	366	361	363	362	371
041	Malignant neoplasm of eye	751	367	362	366	364	363
155	Intracerebral hemorrhage with paralysis	718	368	364	367	366	361
060	Benign neoplasm of male genital organ	637	369	367	369	367	368
356	Fracture of multiple bones	551	370	369	370	370	370
043	Malignant neoplasm of other parts of nervous system	481	371	371	373	371	369
062	Benign neoplasm of eye	466	372	370	371	372	373
378	Foreign body on external eye	420	373	373	374	373	374

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals Number of Patients (2)	Rank (3)	Rank by Region Northeast (4)	North Central (5)	South (6)	West (7)
018 Late effects of infectious and parasitic diseases	375	374	374	372	374	372
097 Childhood psychosis	132	375	375	377	375	376
153 Subarachnoid hemorrhage with paralysis	129	376	376	375	376	375
256 Other induced abortion	91	377	377	376	377	377
All patients except deliveries and newborn	9,662,039					

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care U.S. PAS Hospitals, 1979 (Deliveries and Births Excluded)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
140 Acute myocardial infarction	1,770	1	1	2	2	1
179 Pneumonia	1,627	2	3	1	1	2
149 Heart failure	1,478	3	2	3	5	5
351 Fracture of neck of femur	1,320	4	4	6	6	3
143 Miscellaneous ischemic heart disease	1,303	5	6	4	3	7
215 Gallbladder disease with calculus	1,302	6	5	5	4	6
304 Derangement and displacement of lumbar disc	1,041	7	9	8	7	4
211 Miscellaneous diseases of intestine and peritoneum	898	8	10	9	8	10
104 Alcoholic dependence syndrome	841	9	13	7	33	9
235 Hyperplasia of prostate	791	10	8	14	11	14
045 Malignant neoplasm of ill-defined and secondary sites	758	11	7	12	22	12
071 Diabetes mellitus without complication	733	12	15	11	13	47
200 Inguinal hernia without complication	730	13	11	15	17	15
102 Neurotic depression	723	14	41	10	16	24
340 Miscellaneous signs, symptoms, and ill-defined conditions	717	15	25	17	9	18

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
027	Malignant neoplasm of bronchus, lung, and trachea	700	16	12	21	14	17
208	Noninfectious gastroenteritis and colitis	695	17	33	13	12	19
308	Other dorsopathies	693	18	31	16	18	8
398	Admission for special examinations and miscellaneous reasons	677	19	16	20	21	11
184	Miscellaneous obstructive lung diseases	669	20	18	24	15	16
234	Miscellaneous urinary diseases	667	21	29	19	10	31
161	Acute, but ill-defined, cerebrovascular disease without paralysis	611	22	19	28	19	20
298	Osteoarthrosis (osteoarthritis), except spine	611	23	34	18	32	13
295	Miscellaneous diseases of skin and subcutaneous tissue	601	24	26	25	20	21
183	Asthma	597	25	22	23	25	22
209	Diverticula of intestine	562	26	21	29	23	32
073	Other complicated diabetes mellitus	543	27	23	22	48	44
096	Miscellaneous schizophrenia	537	28	20	27	49	27
023	Malignant neoplasm of colon	525	29	17	35	38	33
141	Angina pectoris	515	30	37	30	28	29
169	Phlebitis and thrombophlebitis	512	31	28	32	34	38

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
186	Miscellaneous lung and pleural diseases	512	32	30	37	27	35
124	Senile cataract	506	33	27	38	37	23
148	Other arrhythmia and conduction disorders	498	34	24	36	39	36
195	Gastritis and duodenitis	495	35	46	26	31	55
248	Genital prolapse	486	36	53	34	24	34
174	Bronchitis and bronchiolitis, acute	482	37	47	31	29	40
032	Malignant neoplasm of breast (female) (male)	469	38	32	40	42	37
313	Localized disorders of bone and cartilage	449	39	43	41	44	25
207	Intestinal obstruction without mention of hernia	448	40	39	43	47	26
056	Uterine leiomyoma	443	41	38	50	35	41
352	Other femoral fracture	440	42	42	47	41	28
250	Other disorders of menstruation	439	43	58	39	30	63
338	Abdominal pain	429	44	67	46	26	43
142	Other acute and subacute forms of ischemic heart disease	420	45	14	66	58	62
137	Essential hypertension	418	46	54	33	43	107
291	Cellulitis and abscess, except digit	416	47	35	48	56	45
117	Miscellaneous disease of central nervous system	410	48	40	45	61	39
335	Chest pain	392	49	77	54	36	51
244	Pelvic inflammatory disease	390	50	76	44	46	48

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
160	Transient cerebral ischemia without paralysis	389	51	36	52	65	61
150	Miscellaneous diseases of heart	386	52	56	49	57	46
361	Sprains and strains of sacroiliac region	384	53	69	42	51	60
163	Other and ill-defined cerebrovascular disease	380	54	49	53	50	83
216	Gallbladder disease without mention of calculus	370	55	59	59	45	74
037	Malignant neoplasm of prostate	369	56	50	62	55	49
354	Miscellaneous fractures of lower extremity	366	57	55	57	68	42
177	Chronic disease of tonsils and adenoids	360	58	84	51	59	50
219	Diseases of pancreas	355	59	51	63	60	58
229	Calculus of ureter	345	60	74	70	40	67
181	Bronchitis, chronic and unspecified	339	61	89	60	53	68
098	Major depressive psychoses	339	62	44	56	89	80
387	Complications peculiar to certain specified procedures	339	63	57	73	75	30
171	Hemorrhoids	328	64	85	64	52	91
173	Acute URI except streptococcal	327	65	93	58	63	93
316	Miscellaneous disorders of musculoskeletal system	323	66	95	55	77	59

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
344 Fracture of vertebral column without mention of spinal cord injury	315	67	66	74	71	52
362 Sprains and strains of other and unspecified parts of back	309	68	94	69	64	69
252 Miscellaneous diseases of female genitalia	306	69	87	68	67	76
138 Hypertensive heart disease	306	70	70	71	62	116
192 Nongastric peptic ulcer without complication	302	71	105	67	54	112
090 Chronic organic brain syndrome, except arteriosclerotic dementia	302	72	48	89	69	87
111 Miscellaneous mental disorders	302	73	97	61	72	99
220 Gastrointestinal hemorrhage	302	74	52	80	76	65
024 Malignant neoplasm of rectum, rectosigmoid junction and anus	297	75	45	76	93	79
303 Spondylosis and allied disorders	294	76	101	65	73	88
353 Fracture of tibia and fibula	284	77	80	79	81	56
376 Other superficial injuries	281	78	90	72	83	82
384 Poisoning by drugs, medicinal, and biological substances	276	79	75	78	92	57
094 Paranoid schizophrenia	275	80	64	81	113	54

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
120 Peripheral nervous system disorder, except sciatica	273	81	104	75	84	71
305 Derangement and displacement of intervertebral disc, except lumbar	271	82	92	85	78	77
162 Acute, but ill-defined, cerebrovascular disease with paralysis	267	83	60	100	87	81
164 Atherosclerosis	265	84	99	83	82	75
253 Signs and symptoms referable to female genital organs	265	85	116	86	70	72
245 Endometriosis	260	86	114	84	80	66
158 Occlusion of cerebral arteries, thrombosis, and embolism without paralysis	258	87	68	96	88	92
144 Pulmonary embolism and infarction	257	88	79	98	86	84
297 Rheumatoid arthritis, except spine	256	89	108	82	85	86
189 Diseases of esophagus	255	90	102	87	74	109
197 Acute appendicitis without peritonitis	253	91	96	88	96	64
204 Diaphragmatic hernia without complication	250	92	119	91	66	128
081 Disorders of fluid, electrolyte, and acid-base balance	249	93	81	97	90	98
049 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	249	94	73	93	99	101

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
039 Malignant neoplasm of bladder	248	95	62	95	108	103
147 Atrial fibrillation and flutter	243	96	71	106	98	94
364 Concussion	242	97	61	94	130	96
167 Arterial embolism and thrombosis	242	98	65	112	100	85
168 Miscellaneous diseases of arteries	241	99	63	109	91	113
329 Convulsions	240	100	72	102	94	121
347 Fracture of pelvis	239	101	91	101	106	78
099 Other affective psychoses	235	102	106	77	127	97
193 Nongastric peptic ulcer with hemorrhage or perforation	234	103	86	108	97	89
170 Varicose veins of lower extremities	231	104	82	99	105	120
100 Miscellaneous psychoses	229	105	107	92	104	108
300 Internal derangement of knee joint	227	106	113	104	123	53
172 Miscellaneous diseases of veins and circulatory system	225	107	98	107	102	100
084 Anemia except iron deficiency and sickle-cell	219	108	83	110	103	129
243 Ovarian cyst	216	109	110	111	95	110
348 Fracture of humerus	208	110	100	113	117	106
232 Cystitis	205	111	128	90	111	164
301 Other disorders of joint	204	112	127	114	124	73
001 Intestinal infectious disease	203	113	122	116	101	102
103 Miscellaneous neuroses and personality disorders	196	114	121	103	136	117

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
212	Alcoholic liver disease	192	115	88	137	140	70
358	Dislocation of knee	190	116	139	117	122	90
334	Gangrene	190	117	78	128	120	165
198	Acute appendicitis with peritonitis	190	118	111	121	129	95
309	Bursitis and synovitis, except spine	188	119	134	115	118	118
230	Miscellaneous diseases of kidney and ureter	185	120	115	123	110	125
310	Bunion and deformities of toe	184	121	138	105	157	111
228	Calculus of kidney	182	122	118	122	107	151
187	Disease of teeth and jaws	181	123	103	118	116	182
151	Cardiovascular disease, unspecified	177	124	145	156	79	159
365	Intracranial injury, except concussion	174	125	144	129	126	104
190	Gastric ulcer without complication	172	126	157	119	109	156
156	Precerebral artery occlusion without paralysis	169	127	164	130	128	105
349	Fracture of radius and ulna	168	128	129	124	142	119
392	Admission for prophylactic sterilization	168	129	130	127	115	167
210	Anal fissure, fistula, and abscess	167	130	131	133	119	138
203	Ventral hernia without complication	167	131	124	131	133	132
178	Miscellaneous diseases of upper respiratory system	160	132	141	136	125	146

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
068 Neoplasms of uncertain behavior and unspecified nature	160	133	109	138	144	153
196 Disease of stomach and duodenum, except ulcer and inflammation	156	134	192	132	112	154
241 Benign mammary dysplasia	156	135	161	141	114	162
346 Fracture of ribs, sternum, larynx and trachea	155	136	148	140	138	122
213 Other cirrhosis and chronic liver disease	153	137	112	144	147	172
072 Diabetic acidosis or coma	153	138	137	142	141	133
257 Spontaneous and unspecified abortion	153	139	150	125	148	168
182 Emphysema	152	140	147	134	143	144
110 Adjustment reactions and acute reactions to stress	152	141	163	120	165	131
165 Aortic aneurysm	152	142	133	153	139	123
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	151	143	153	139	149	126
299 Other arthropathies	147	144	167	145	146	124
130 Otitis media, chronic and unspecified	145	145	171	146	134	147
233 Urethral stricture	143	146	185	135	132	195

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
381	Other burns	143	147	173	147	135	148
312	Osteomyelitis	141	148	126	159	159	127
224	Chronic renal failure	140	149	125	176	145	135
343	Fracture of face bones	138	150	159	154	151	134
005	Septicemia	137	151	117	165	162	140
337	Signs and symptoms referable to urinary system	137	152	132	150	153	204
034	Malignant neoplasm of corpus uteri	136	153	136	149	178	142
227	Miscellaneous kidney infections	136	154	175	151	137	176
101	Anxiety states	135	155	211	126	150	207
339	Other signs and symptoms referable to upper GI tract and abdomen	133	156	183	164	131	158
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	133	157	123	157	177	157
367	Internal injury, except chest	133	158	170	171	155	115
075	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	132	159	162	152	156	173
331	Headache	129	160	244	148	121	197
390	Other complications of surgical procedures	128	161	172	167	171	114
082	Iron deficiency anemia	128	162	151	155	158	208
191	Gastric ulcer with hemorrhage or perforation	128	163	158	161	174	136
217	Diseases of bile ducts with calculus	127	164	152	162	176	141

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
021	Malignant neoplasm of stomach	126	165	120	177	183	150
026	Malignant neoplasm of pancreas	126	166	143	169	172	152
136	Chronic rheumatic heart disease	125	167	142	163	191	137
371	Open wound of upper limb	124	168	181	160	167	145
214	Miscellaneous diseases of liver	122	169	155	173	170	160
070	Other diseases of thyroid gland	120	170	180	158	160	210
306	Sacroiliac joint disorder	119	171	201	143	194	161
051	Benign neoplasm of other parts of digestive system	119	172	149	175	164	201
175	Deviated nasal septum	118	173	135	178	188	177
330	Pyrexia of unknown origin	118	174	174	188	152	166
035	Malignant neoplasm of ovary	115	175	156	179	184	169
116	Epilepsy	114	176	176	174	173	175
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	114	177	222	170	161	149
292	Miscellaneous infections of skin and subcutaneous tissue	113	178	166	180	180	180

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
086	Disease of hematopoietic system, except anemia and hemophilia	112	179	165	172	189	184
019	Malignant neoplasm of lip, oral cavity, and pharynx	112	180	146	192	181	181
012	Miscellaneous viral diseases	111	181	178	187	166	178
380	Third degree burns	110	182	207	189	154	163
372	Open wound of lower limb	108	183	203	186	163	170
389	Postoperative wound infection	107	184	194	196	185	130
040	Malignant neoplasm of kidney and other urinary organs	106	185	169	184	190	190
369	Other laceration of head and neck	106	186	195	183	175	174
336	Other signs and symptoms referable to respiratory system and chest	105	187	186	191	168	200
226	Acute pyelonephritis	104	188	216	181	169	185
053	Benign neoplasm of bone, muscle, and connective tissue	103	189	187	185	179	202
132	Vertiginous syndromes	103	190	209	168	186	198
206	Complicated hernia of abdominal cavity, except inguinal	102	191	160	195	202	187
113	Inflammatory diseases of central nervous system	101	192	208	198	182	155
042	Malignant neoplasm of brain	97	193	193	199	197	171

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
114	Parkinson's disease	96	194	168	193	208	218
119	Carpal tunnel syndrome and other lesions of median nerve	93	195	230	166	221	194
386	Miscellaneous adverse effects	93	196	202	194	199	203
383	Certain traumatic complications and unspecified injuries	91	197	190	202	192	214
092	Alcoholic psychoses	89	198	177	248	206	139
008	Viral diseases with exanthem	89	199	218	197	200	206
033	Malignant neoplasm of cervix uteri excluding carcinoma in situ	88	200	197	203	195	224
048	Leukemia, except lymphoid	87	201	188	200	233	191
185	Spontaneous pneumothorax	86	202	196	211	196	205
293	Pilonidal cyst	86	203	184	204	209	253
009	Viral hepatitis	84	204	217	209	193	211
025	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	84	205	191	210	224	193
028	Other malignant neoplasm of respiratory system and thoracic cavity	83	206	179	219	207	235
254	Ectopic pregnancy	81	207	213	213	214	189
127	Miscellaneous disorders of superficial structures of eye	81	208	182	237	210	212

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
078	Obesity of nonendocrine origin	81	209	292	182	215	215
370	Other laceration of trunk and multiple and unspecified sites	81	210	224	216	187	228
218	Diseases of bile ducts without mention of calculus	80	211	189	212	229	227
115	Multiple sclerosis	79	212	206	190	272	229
128	Miscellaneous disorders of deep structures of eye	79	213	214	220	211	199
296	Diffuse diseases of connective tissue	79	214	210	215	218	217
255	Legally induced abortion	78	215	154	253	231	234
363	Other sprains and strains	77	216	238	207	234	188
251	Menopausal and postmenopausal disorders	76	217	205	223	203	257
079	Miscellaneous metabolic disorders	76	218	223	208	222	225
242	Miscellaneous diseases of breast	76	219	225	225	198	226
225	Other renal failure	75	220	200	228	216	239
328	Perinatal conditions causing morbidity and mortality	75	221	253	242	227	143
118	Migraine	74	222	277	201	217	244
066	Carcinoma in situ of cervix	73	223	236	222	204	233
307	Sciatica	73	224	198	206	263	252
002	Respiratory tuberculosis	73	225	212	230	213	251
359	Other dislocation	72	226	228	226	230	213

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
154	Intracerebral hemorrhage without paralysis	71	227	229	244	232	183
058	Benign neoplasm of ovary	71	228	219	227	238	219
139	Miscellaneous hypertensive disease	70	229	231	231	212	241
246	Inflammatory disease of cervix uteri	70	230	264	214	205	250
325	Miscellaneous congenital anomalies of genitourinary system	70	231	226	232	228	231
320	Congenital anomaly of heart and circulatory system	70	232	239	235	242	186
263	False labor	69	233	252	205	250	236
396	Aftercare for removal of internal fixation device	69	234	215	236	248	209
236	Diseases of prostate, except hypertrophy	69	235	261	217	201	270
240	Miscellaneous diseases of male genital organs	68	236	234	229	219	246
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	66	237	246	224	226	255
121	Retinal detachment and defects	66	238	204	276	241	179
180	Influenza	66	239	328	221	225	192
268	Miscellaneous complications of pregnancy without delivery	66	240	243	218	249	237
332	Epistaxis	65	241	235	234	237	240

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
311 Ganglion and cyst	65	242	249	233	220	261
350 Miscellaneous fractures of upper extremity	64	243	242	238	246	221
201 Inguinal hernia, complicated	63	244	199	246	265	247
194 Peptic ulcer with obstruction	61	245	247	247	239	223
360 Sprains and strains of knee and leg	61	246	262	239	264	196
031 Other malignant neoplasm of skin, excluding genital organs	60	247	227	266	223	265
020 Malignant neoplasm of esophagus	58	248	221	250	255	264
029 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	58	249	233	251	258	238
238 Orchitis and epididymitis	58	250	256	240	243	279
199 Disease of appendix, except acute appendicitis	57	251	273	241	252	256
388 Hemorrhage or hematoma complicating a procedure	56	252	266	254	251	230
231 Urinary calculus, except kidney and ureter	55	253	237	252	247	280
341 Fracture of vault of skull	55	254	248	267	259	220
063 Benign neoplasm of central nervous system	55	255	241	269	267	216

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
222 Chronic glomerulonephritis and nephrotic syndrome	54	256	250	260	257	258
134 Miscellaneous diseases of ear	53	257	272	262	244	245
202 Umbilical hernia without complication	53	258	257	255	245	276
109 Psychophysiologic disorder	52	259	290	243	253	282
385 Toxic effects of substances chiefly nonmedicinal as to source	52	260	255	264	260	249
047 Lymphoid leukemia	52	261	240	258	278	259
366 Internal injury to thoracic region	51	262	280	273	254	222
069 Simple and non-toxic nodular goiter	51	263	287	265	235	288
046 Hodgkin's disease	51	264	232	257	282	278
333 Signs and symptoms referable to the cardiovascular system, except gangrene	51	265	258	259	262	275
146 Paroxysmal supraventricular tachycardia	50	266	245	263	268	273
083 Sickle-cell anemia and trait	50	267	263	261	236	334
188 Disease of mouth, except dental	50	268	267	268	261	260
145 Acute and subacute endocarditis	48	269	220	298	289	243
152 Subarachnoid hemorrhage without paralysis	47	270	270	281	270	242

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
239	Redundant prepuce and phimosis	47	271	269	271	240	332
010	Infectious mononucleosis	47	272	260	245	294	314
054	Benign neoplasm of skin, blood vessels, and miscellaneous sites	46	273	251	278	269	277
106	Drug dependence except opioid	46	274	265	249	287	308
314	Acquired deformities of limbs, except toe	45	275	285	256	292	274
076	Nutritional deficiencies	44	276	254	283	277	263
126	Strabismus	43	277	283	280	276	266
030	Malignant melanoma of skin, excluding genital organs	43	278	259	288	271	281
055	Benign neoplasm of breast	43	279	268	285	256	310
006	Miscellaneous bacterial diseases	42	280	282	292	266	267
017	Miscellaneous infective and parasitic diseases	42	281	271	277	273	317
087	Nonspecific mesenteric lymphadenitis	41	282	286	270	290	290
237	Hydrocele	41	283	276	275	283	295
342	Fracture of base of skull	41	284	289	290	296	232
007	Poliomyelitis and other enteroviral diseases of central nervous system	41	285	288	295	275	262
064	Benign neoplasm of thyroid glands	41	286	278	291	279	272

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	40	287	274	296	280	268
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	40	288	275	274	293	296
355	Fracture of other bones	39	289	295	282	285	269
105	Opioid dpendence	39	290	140	352	360	339
131	Other inflammation of ear and mastoid	38	291	281	297	281	289
345	Fracture of vertebral column with cord injury	38	292	307	305	274	248
262	Excessive vomiting in pregnancy	36	293	306	279	295	293
080	Gout	35	294	300	287	284	311
166	Aneurysm except aortic	35	295	284	300	297	283
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	35	296	301	293	286	306
015	Mycoses	35	297	337	289	298	254
382	Injury to nerve and spinal cord	34	298	305	306	288	271
067	Carcinoma in situ, except cervix uteri	34	299	291	299	300	292
315	Neuralgia, neuritis, and radiculitis, unspecified	34	300	304	284	303	312

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
259 Threatened abortion	33	301	313	272	312	331
044 Malignant neoplasm of endocrine glands	32	302	294	309	302	284
379 Foreign body entering through other body orifice	32	303	293	310	301	286
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	32	304	302	286	304	337
221 Intestinal malabsorption	32	305	303	294	317	297
091 Arteriosclerotic dementia	32	306	299	301	291	325
122 Open angle and primary closure glaucoma	31	307	279	315	306	305
205 Other hernia of abdominal cavity without complication	31	308	297	307	307	298
258 Other pregnancy with abortive outcome	30	309	308	302	308	307
266 Infections of pregnancy without delivery	29	310	317	308	299	309
357 Dislocation of shoulder	29	311	321	304	314	291
377 Miscellaneous crushing injury	29	312	322	303	322	285
014 Syphilis and other venereal diseases	27	313	324	313	310	301
368 Laceration or enucleation of eye	27	314	315	325	305	294
319 Congenital anomaly of eye, ear, face, and neck	26	315	314	314	313	302

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
036	Malignant neoplasm of other female genital organs	26	316	296	317	323	322
375	Contusion of eye and adnexa	26	317	309	322	315	303
324	Undescended testicle	26	318	310	316	319	316
011	Viral warts	26	319	323	311	311	342
107	Nondependent abuse of alcohol	24	320	331	312	318	344
095	Acute schizophrenic episode	24	321	298	321	347	287
249	Metrorrhagia	24	322	332	318	309	328
065	Benign neoplasm of endocrine glands, except thyroid	23	323	325	333	316	299
004	Streptococcal sore throat and scarlet fever	22	324	344	319	321	324
294	Sebaceous cyst	22	325	312	326	320	348
135	Rheumatic fever, acute	22	326	318	323	327	326
038	Malignant neoplasm of male genitalia, except prostate	22	327	320	329	330	313
133	Otosclerosis	21	328	329	332	325	320
155	Intracerebral hemorrhage with paralysis	21	329	327	337	332	300
050	Benign neoplasm of lip, oral cavity, and pharynx	21	330	316	335	331	319
093	Drug psychoses	21	331	334	328	336	304
089	Transient organic psychotic conditions	20	332	311	342	326	315
318	Congenital anomaly of nervous system	20	333	336	334	329	318

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	20	334	333	330	324	346
176 Nasal polyp	19	335	319	331	337	335
326 Clubfoot	19	336	342	327	341	323
108 Nondependent abuse of drugs, except alcohol	18	337	343	324	344	330
125 Cataract, except senile	18	338	330	340	338	321
074 Ovarian dysfunction	17	339	345	338	328	345
112 Mental retardation	17	340	339	336	340	356
123 Other glaucoma	17	341	326	346	335	340
052 Benign neoplasm of respiratory system and intrathoracic organs	16	342	340	344	334	333
022 Malignant neoplasm of small intestine	16	343	338	341	346	329
157 Precerebral occlusion with paralysis	15	344	349	339	348	327
373 Injury to blood vessels	14	345	351	351	339	338
003 Nonrespiratory tuberculosis	13	346	341	357	343	343
077 Cystic fibrosis	13	347	335	345	352	355
129 Other disorders of eye	13	348	353	343	342	357
264 Placenta previa without delivery	13	349	347	347	350	349
317 Somatic dysfunction	13	350	366	320	369	365
321 Cleft palate and lip	12	351	348	355	345	336
265 Other antepartum hemorrhage without delivery	12	352	346	348	351	353
290 Other puerperal complications	12	353	352	350	354	341

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
223	Miscellaneous nephritis and functional disorders	11	354	358	353	349	347
289	Puerperal hemorrhage (after 24 hrs.)	11	355	359	349	355	358
057	Benign neoplasm of uterus, except leiomyoma	10	356	350	358	353	352
322	Congenital hypertrophic pyloric stenosis	10	357	357	354	358	359
043	Malignant neoplasm of other parts of nervous system	9	358	356	360	359	354
288	Major puerperal infections	8	359	361	359	357	350
013	Rickettsioses and other arthropod-borne diseases	8	360	365	369	333	363
397	Aftercare involving intermittent dialysis	8	361	355	356	366	372
302	Ankylosing spondylitis	7	362	370	361	356	360
061	Benign neoplasm of urinary organ	7	363	354	362	362	367
391	Other complications of medical care, except drugs	7	364	363	363	364	351
356	Fracture of multiple bones	7	365	360	364	361	361
016	Helminthiases	5	366	369	366	363	364
085	Hemophilia (congenital factor VIII disorder)	5	367	364	365	365	369
153	Subarachnoid hemorrhage with paralysis	5	368	362	371	368	362
041	Malignant neoplasm of eye	4	369	368	367	370	366

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
059 Benign neoplasm of female genitalia, except uterus and ovary	4	370	371	368	367	371
018 Late effects of infectious and parasitic diseases	4	371	372	370	372	368
060 Benign neoplasm of male genital organ	3	372	373	373	371	373
097 Childhood psychosis	3	373	367	374	374	370
260 Other early pregnancy hemorrhage	2	374	374	372	373	374
062 Benign neoplasm of eye	1	375	375	375	376	376
378 Foreign body on external eye	1	376	376	376	375	375
256 Other induced abortion	0	377	377	377	377	377
All diagnosis groups	71,123					

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R3850-1.4

Length of Stay in PAS Hospitals,

by Operation,

United States, North Central Region, 1979

A Supplement To

Length of Stay in PAS Hospitals,
by Diagnosis,
North Central Region, 1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:

. . . by Diagnosis, United States, 1979
. . . by Diagnosis, United States, North Central Region, 1979
. . . by Diagnosis, United States, Northeastern Region, 1979
. . . by Diagnosis, United States, Southern Region, 1979
. . . by Diagnosis, United States, Western Region, 1979
. . . by Diagnosis, Canada, 1979

. . . by Operation, United States, 1979
. . . by Operation, United States, North Central Region, 1979
. . . by Operation, United States, Northeastern Region, 1979
. . . by Operation, United States, Southern Region, 1979
. . . by Operation, United States, Western Region, 1979
. . . by Operation, Canada, 1979

Also included are:

Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data 1
  Data Quality 3
  Coverage 4
  Organization of Length of Stay Tables 7
    ICD-9-CM List B: Hospital Procedure Groups 7
    Definition of Multiple Dx Patients 8
  Explanation of Statistics 8
  Defining the Extended Stay Case 10
Length of Stay Tables 19
  Summary of All Patients 21
  Operation Groups 501-764 22
Distribution Tables 89
  Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 91
  Table 2: Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges 104
  Table 3: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care 122
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 141
Index to Length of Stay Tables 145

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA
DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
MORE DETAILED STATISTICS
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS

1979 CASE ABSTRACT

1234567890EV

SAMPLE

79

PAS

79

FIG. 2 PAS Case Abstract

BEST AVAILABLE COPY

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 2,069,465 operated patients discharged during 1979 from 642 nonfederal, short-term* hospitals participating in PAS in the North Central Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 4,910,073 discharges. Only those patients who were operated are included in this book.

Characteristics of all hospitals in the North Central Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

FIG. 3 Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1979

Region and Census Division (1)	Hospitals with Residencies Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Hospitals with Medical School Affiliation Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the operation groupings in *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each operation group, patients are further stratified by single or multiple diagnoses and age.

ICD-9-CM List B: Hospital Procedure Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List B: Hospital Operation Groups* has been replaced by *ICD-9-CM List B: Hospital Procedure Groups,* which reflects the procedures contained in the new classification.

In List B there are 249 groups that contain at least one UHDDS Class 1[2] procedure. Fifteen of the 264 List B groups consist solely of Class 2, 3, and 4 procedures. This book displays data only for those 249 groups with Class 1 procedures.

Patients were assigned to the *ICD-9-CM* List B operation groups on the basis of their principal procedure. Operation information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.* "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS) and generally is that therapeutic procedure most related to the principal diagnosis.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Explanation of Statistics

The operation group titles heading the tables are followed in parentheses by the operation codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Exclusions

The length of stay tables exclude:

(1) patients who died,
(2) patients admitted from other short-term hospitals,
(3) patients discharged to other short-term hospitals,
(4) patients discharged against medical advice,
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis or principal procedure, unrecorded discharge status, and patients with diagnosis-age, diagnosis-sex, operation-age, or operation-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, the age of the patient, and whether the patient had single or multiple diagnoses.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and quite different lengths of stay) are appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy), primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung) and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[1] With the appropriate book, the five steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[2]) that contains the contemplated operation in one of the following ways.

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[3] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. For diagnoses not in *Concurrent Review Screening* the contemplated operation can usually be found in the index at the back of the operation length of stay book.

c. If an operation is not listed in the index to the length of stay tables, the code for the operation can be found in Volume 3 of *ICD-9-CM.*[4] That code can then be located in List B or in the heading of the length of stay table.

---

[1] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[2] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are four tables per page for operation groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 57-year-old patient is admitted to a hospital in the North Central Region for elective surgery, in this case, a transurethral resection, the admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The alphabetic index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	**Prostatectomy, transurethral**
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) (*see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** (*see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy (complete) (partial) NEC** 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 of *Length of Stay in PAS Hospitals, by Operation, United States, North Central Region, 1979.*

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.4	13	2	3	7	11	74	99+	99+
20-34	14	6.8	14	1	2	6	9	11	15	16
35-49	157	7.2	10	4	4	7	8	10	13	21
50-64	2728	7.7	12	4	5	7	9	12	13	20
65+	5487	9.0	23	5	5	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	26	9.7	60	2	2	8	11	16	22	42
20-34	39	9.7	54	2	3	8	12	24	29	99+
35-49	271	9.7	38	4	5	8	11	17	19	36
50-64	5250	10.6	47	5	5	9	13	18	23	38
65+	16023	13.1	77	5	6	10	16	24	30	47
TOT. SINGLE DX	8393	8.6	19	4	5	8	10	13	16	24
" MULTIPLE DX	21609	12.4	70	5	6	10	15	22	28	46
TOTAL 0-19 YRS	33	9.2	50	2	2	8	11	16	37	99+
20-34	53	9.0	45	2	3	7	11	22	26	97
35-49	428	8.8	29	4	5	7	10	15	18	32
50-64	7978	9.6	37	4	5	8	11	16	20	33
65+	21510	12.0	66	5	6	10	14	21	28	44
GRAND TOTAL	30002	11.3	59	5	5	9	13	20	26	42

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top five lines of the table (Section 1).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.4	13	2	3	7	11	74	99+	99+
20-34	14	6.8	14	1	2	6	9	11	15	16
35-49	157	7.2	10	4	4	7	8	10	13	21
50-64	2728	7.7	12	4	5	7	9	12	13	20
65+	5487	9.0	23	5	5	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	26	9.7	60	2	2	8	11	16	22	42
20-34	39	9.7	54	2	3	8	12	24	29	99+
35-49	271	9.7	38	4	5	8	11	17	19	36
50-64	5250	10.6	47	5	5	9	13	18	23	38
65+	16023	13.1	77	5	6	10	16	24	30	47
TOT. SINGLE DX	8393	8.6	19	4	5	8	10	13	16	24
" MULTIPLE DX	21609	12.4	70	5	6	10	15	22	28	46
TOTAL 0-19 YRS	33	9.2	50	2	2	8	11	16	37	99+
20-34	53	9.0	45	2	3	7	11	22	26	97
35-49	428	8.8	29	4	5	7	10	15	18	32
50-64	7978	9.6	37	4	5	8	11	16	20	33
65+	21510	12.0	66	5	6	10	14	21	28	44
GRAND TOTAL	30002	11.3	59	5	5	9	13	20	26	42

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.4	13	2	3	7	11	74	99+	99+
20-34	14	6.8	14	1	2	6	9	11	15	16
35-49	157	7.2	10	4	4	7	8	10	13	21
50-64	2728	7.7	12	4	5	7	9	12	13	20
65+	5487	9.0	23	5	5	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	26	9.7	60	2	2	8	11	16	22	42
20-34	39	9.7	54	2	3	8	12	24	29	99+
35-49	271	9.7	38	4	5	8	11	17	19	36
50-64	5250	10.6	47	5	5	9	13	18	23	38
65+	16023	13.1	77	5	6	10	16	24	30	47
TOT. SINGLE DX	8393	8.6	19	4	5	8	10	13	16	24
" MULTIPLE DX	21609	12.4	70	5	6	10	15	22	28	46
TOTAL 0-19 YRS	33	9.2	50	2	2	8	11	16	37	99+
20-34	53	9.0	45	2	3	7	11	22	26	97
35-49	428	8.8	29	4	5	7	10	15	18	32
50-64	7978	9.6	37	4	5	8	11	16	20	33
65+	21510	12.0	66	5	6	10	14	21	28	44
GRAND TOTAL	30002	11.3	59	5	5	9	13	20	26	42

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.4	13	2	3	7	11	74	99+	99+
20-34	14	6.8	14	1	2	6	9	11	15	16
35-49	157	7.2	10	4	4	[illegible]	8	10	13	21
50-64	2728	7.7	12	4	5	7	9	12	13	20
65+	5487	9.0	23	5	5	[illegible]	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	26	9.7	60	2	2	8	11	16	22	42
20-34	39	9.7	54	2	3	8	12	24	29	99+
35-49	271	9.7	38	4	5	8	11	17	19	36
50-64	5250	10.6	47	5	5	9	13	18	23	38
65+	16023	13.1	77	5	6	10	16	24	30	47
TOT. SINGLE DX	8393	8.6	19	4	5	8	10	13	16	24
" MULTIPLE DX	21609	12.4	70	5	6	10	15	22	28	46
TOTAL 0-19 YRS	33	9.2	50	2	2	8	11	16	37	99+
20-34	53	9.0	45	2	3	7	11	22	26	97
35-49	428	8.8	29	4	5	7	10	15	18	32
50-64	7978	9.6	37	4	5	8	11	16	20	33
65+	21510	12.0	66	5	6	10	14	21	28	44
GRAND TOTAL	30002	11.3	59	5	5	9	13	20	26	42

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November the UR coordinator, the physician advisor, the UR committee, or other group responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., 75th percentile (as suggested in the PSRO *Program Manual*, paragraph 705.26).

Subsequent extended stay review dates would ordinarily be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

642 PAS Hospitals, North Central Region, 1979, by Operation

Summary of all patients in operation groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202270	3.3	14	1	1	2	4	6	8	19
20-34	354781	4.1	14	1	1	3	5	7	10	19
35-49	153453	5.5	29	1	1	4	7	11	15	26
50-64	139427	6.7	42	1	2	5	9	14	18	31
65+	108744	8.3	64	2	2	6	11	18	23	38
2. MULTIPLE DX										
0-19 YRS	121234	5.3	60	1	1	3	6	11	17	48
20-34	294236	6.1	43	1	2	5	7	11	16	36
35-49	202945	8.2	66	2	2	6	10	16	22	44
50-64	233648	10.6	103	2	2	8	14	22	30	56
65+	258727	14.1	147	2	3	11	19	29	38	64
TOT. SINGLE DX	958675	5.0	29	1	1	3	6	10	15	27
" MULTIPLE DX	1110790	9.2	96	1	2	6	11	20	28	53
TOTAL 0-19 YRS	323504	4.0	32	1	1	2	4	8	12	31
20-34	649017	5.0	28	1	2	4	6	9	13	27
35-49	356398	7.0	51	1	2	5	9	14	19	37
50-64	373075	9.1	84	2	2	7	12	19	26	49
65+	367471	12.4	130	2	2	9	17	26	34	59
GRAND TOTAL	**2069465**	**7.3**	**69**	**1**	**2**	**5**	**9**	**16**	**23**	**44**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	153	13.2	170	2	3	10	16	23	39	94
20-34	198	14.3	101	2	4	12	17	26	37	52
35-49	221	17.7	159	4	6	15	22	34	45	60
50-64	348	19.0	162	3	7	16	24	36	45	78
65+	221	22.6	239	7	9	18	29	43	56	78
2. MULTIPLE DX										
0-19 YRS	176	20.6	226	3	4	17	30	41	59	99+
20-34	155	22.5	318	3	7	17	29	58	73	99+
35-49	234	26.5	350	7	10	20	33	60	75	99+
50-64	467	26.1	344	8	10	21	33	59	75	99+
65+	476	30.0	364	8	11	25	41	63	78	99+
TOT. SINGLE DX	1141	17.9	177	3	6	15	22	34	45	76
" MULTIPLE DX	1508	26.4	343	7	9	21	34	59	74	99+
TOTAL 0-19 YRS	329	17.1	213	2	3	13	22	36	54	99+
20-34	353	17.9	213	2	5	14	21	38	58	99
35-49	455	22.2	276	5	8	17	27	51	63	99
50-64	815	23.1	278	6	9	19	28	50	64	99+
65+	697	27.7	336	8	10	23	36	59	72	99+
GRAND TOTAL	**2649**	**22.7**	**289**	**4**	**7**	**18**	**29**	**50**	**64**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	12.6	82	4	5	9	17	24	30	48
20-34	133	16.1	171	4	6	12	18	35	48	72
35-49	139	17.8	147	5	8	15	20	32	43	69
50-64	183	20.0	198	7	8	17	26	41	65	99+
65+	168	20.9	202	6	8	17	27	40	53	70
2. MULTIPLE DX										
0-19 YRS	147	22.6	341	5	6	17	35	65	99+	99+
20-34	180	25.6	391	7	8	19	38	59	94	99+
35-49	193	25.4	290	7	9	21	34	58	84	99+
50-64	310	29.4	427	8	10	24	42	71	92	99+
65+	338	29.5	356	9	12	25	38	61	79	99+
TOT. SINGLE DX	759	17.8	172	5	6	14	22	35	48	85
" MULTIPLE DX	1168	27.3	373	7	9	23	38	65	91	99+
TOTAL 0-19 YRS	283	17.8	241	4	5	13	25	47	67	99+
20-34	313	21.6	319	5	7	15	31	53	73	99+
35-49	332	22.2	244	6	9	18	29	45	66	99+
50-64	493	25.9	362	7	9	21	35	66	87	99+
65+	506	26.6	320	8	10	22	35	54	72	99+
GRAND TOTAL	**1927**	**23.6**	**315**	**6**	**8**	**18**	**32**	**53**	**75**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	220	7.8	52	2	3	7	9	12	16	43
20-34	102	8.0	22	2	3	8	10	13	16	27
35-49	60	8.5	32	2	3	7	10	16	23	26
50-64	30	11.1	189	4	4	8	11	15	25	80
65+	12	13.1	82	5	6	9	15	30	33	33
2. MULTIPLE DX										
0-19 YRS	172	12.2	114	3	4	9	14	25	36	99+
20-34	140	12.1	117	2	3	9	16	32	50	99+
35-49	64	11.9	98	3	4	10	14	30	68	99+
50-64	62	13.2	83	4	5	10	18	26	38	92
65+	25	18.6	224	4	5	11	27	38	47	64
TOT. SINGLE DX	424	8.3	53	2	3	7	10	13	18	38
" MULTIPLE DX	463	12.6	116	3	4	10	16	29	41	99+
TOTAL 0-19 YRS	392	9.8	84	2	3	8	11	18	26	74
20-34	242	10.4	80	2	3	8	12	21	34	99+
35-49	124	10.3	69	3	3	9	13	2[illegible]	31	99+
50-64	92	12.5	117	4	4	9	15	25	38	91
65+	37	16.8	181	5	5	10	26	35	40	64
GRAND TOTAL	**887**	**10.6**	**90**	**3**	**3**	**8**	**12**	**22**	**33**	**99+**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	11.7	52	4	5	10	15	19	30	75
20-34	36	12.5	17	7	8	12	16	17	21	22
35-49	29	15.9	105	5	6	15	19	25	31	57
50-64	44	20.5	242	7	9	16	23	40	46	87
65+	49	21.3	143	7	8	20	27	37	45	64
2. MULTIPLE DX										
0-19 YRS	154	19.5	261	5	6	14	28	53	99+	99+
20-34	52	21.5	266	6	8	17	31	76	99+	99+
35-49	38	25.6	499	8	8	17	41	74	96	99+
50-64	87	28.4	412	8	8	22	44	60	76	99+
65+	136	32.3	314	11	13	28	40	59	70	95
TOT. SINGLE DX	254	15.7	119	5	6	13	19	28	39	64
" MULTIPLE DX	467	25.6	350	6	8	21	38	60	87	99+
TOTAL 0-19 YRS	250	16.5	194	5	6	12	21	42	71	99+
20-34	88	17.8	183	6	8	14	21	51	97	99+
35-49	67	21.4	348	6	8	15	24	57	88	99+
50-64	131	25.8	367	7	9	20	37	57	73	99+
65+	185	29.4	291	8	11	26	39	52	65	93
GRAND TOTAL	**721**	**22.1**	**291**	**6**	**7**	**17**	**30**	**52**	**69**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	10.0	108	2	3	7	12	20	26	75
20-34	54	14.8	149	3	4	11	20	40	56	99+
35-49	33	12.3	122	2	2	10	17	20	27	61
50-64	36	12.9	108	1	2	10	17	27	33	45
65+	24	17.2	251	2	3	13	24	37	50	69
2. MULTIPLE DX										
0-19 YRS	374	14.7	185	2	3	10	19	36	54	99+
20-34	98	22.9	348	4	5	19	36	61	99+	99+
35-49	57	20.2	250	3	4	17	26	50	91	99+
50-64	66	22.6	292	4	6	19	32	50	75	99+
65+	82	25.3	318	5	6	21	35	49	65	77
TOT. SINGLE DX	343	11.8	129	2	3	9	15	25	37	85
" MULTIPLE DX	677	18.4	257	3	4	14	25	46	64	99+
TOTAL 0-19 YRS	570	13.1	163	2	3	9	17	29	47	99+
20-34	152	20.0	291	4	5	15	29	54	96	99+
35-49	90	17.3	216	2	3	16	23	46	60	99+
50-64	102	19.2	247	3	4	14	27	45	53	99+
65+	106	23.5	311	4	5	19	34	46	64	76
GRAND TOTAL	1020	16.2	224	2	4	12	22	40	56	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	12.6	65	5	5	10	14	26	32	38
20-34	434	13.1	60	6	6	11	16	21	28	87
35-49	843	13.4	49	6	7	12	16	22	27	40
50-64	698	14.5	66	6	7	13	17	24	28	49
65+	196	18.1	94	7	9	15	23	33	39	48
2. MULTIPLE DX										
0-19 YRS	49	27.0	470	6	7	18	47	67	70	99+
20-34	291	18.3	202	6	7	15	21	33	61	99+
35-49	667	16.6	126	6	7	14	20	30	40	78
50-64	968	20.9	195	7	8	17	26	40	51	95
65+	537	27.2	292	9	11	24	35	54	70	99+
TOT. SINGLE DX	2208	14.1	63	6	7	12	17	24	29	47
" MULTIPLE DX	2512	20.9	218	7	8	17	26	41	56	99+
TOTAL 0-19 YRS	86	20.8	344	5	6	13	26	55	68	95
20-34	725	15.2	123	6	7	12	18	27	39	99+
35-49	1510	14.8	85	6	7	12	18	25	33	59
50-64	1666	18.2	151	7	8	15	23	33	44	87
65+	733	24.8	255	9	10	21	32	48	63	99+
GRAND TOTAL	4720	17.7	157	6	8	14	22	33	45	89

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	12.1	129	2	4	9	14	22	31	64
20-34	221	10.9	109	1	2	8	14	24	32	57
35-49	241	10.6	77	2	2	8	14	24	29	39
50-64	167	10.6	105	2	2	8	13	22	34	52
65+	51	18.2	244	2	4	13	22	43	46	72
2. MULTIPLE DX										
0-19 YRS	76	17.6	260	2	3	15	25	39	81	99+
20-34	219	14.7	225	2	2	11	18	36	51	99+
35-49	302	13.6	165	2	3	10	17	30	38	78
50-64	309	16.7	200	2	3	14	22	37	54	99+
65+	158	24.3	299	3	5	22	35	50	62	98
TOT. SINGLE DX	729	11.3	111	2	2	8	14	24	33	54
" MULTIPLE DX	1064	16.6	225	2	3	13	22	38	53	99+
TOTAL 0-19 YRS	125	15.4	214	2	4	12	21	32	64	99+
20-34	440	12.8	170	2	2	9	16	29	41	99+
35-49	543	12.3	128	2	2	10	15	27	34	60
50-64	476	14.5	175	2	3	11	19	33	47	95
65+	209	22.8	292	3	4	19	33	47	60	91
GRAND TOTAL	1793	14.4	186	2	3	11	19	33	45	90

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	3.1	4	1	1	3	4	5	8	11
20-34	663	3.7	11	1	2	3	4	6	9	22
35-49	785	3.6	10	1	2	3	4	6	9	20
50-64	911	3.9	14	1	2	3	4	6	10	23
65+	366	4.2	12	2	2	3	5	8	11	21
2. MULTIPLE DX										
0-19 YRS	71	4.7	26	1	2	3	6	9	21	99+
20-34	330	5.2	42	1	2	3	5	10	17	46
35-49	457	5.6	37	2	2	4	6	12	17	27
50-64	648	6.0	66	2	2	4	6	11	16	58
65+	248	8.2	76	2	2	5	10	21	26	42
TOT. SINGLE DX	2869	3.8	12	1	2	3	4	6	9	21
" MULTIPLE DX	1754	6.0	55	2	2	4	6	12	19	41
TOTAL 0-19 YRS	215	3.7	12	1	2	3	4	7	9	56
20-34	993	4.2	22	1	2	3	4	8	11	30
35-49	1242	4.3	21	1	2	3	5	8	12	25
50-64	1559	4.8	37	2	2	3	5	9	13	29
65+	614	5.8	42	2	2	4	6	12	21	33
GRAND TOTAL	4623	4.6	29	1	2	3	5	8	13	28

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	363	3.2	9	1	1	2	4	5	8	21
20-34	2652	2.8	6	1	1	2	3	4	6	12
35-49	3465	3.1	11	1	1	2	3	5	7	16
50-64	3415	3.1	9	1	2	2	3	5	7	14
65+	1289	3.6	12	1	2	3	4	6	10	20
2. MULTIPLE DX										
0-19 YRS	316	3.3	14	1	1	2	4	6	10	23
20-34	1069	4.3	23	1	1	3	5	9	12	24
35-49	1496	5.7	44	1	2	3	6	13	18	34
50-64	2033	5.4	30	2	2	3	6	12	16	31
65+	1114	6.7	60	2	2	4	8	15	20	34
TOT. SINGLE DX	11184	3.1	9	1	1	2	3	5	7	15
" MULTIPLE DX	6028	5.4	37	1	2	3	6	12	17	31
TOTAL 0-19 YRS	679	3.3	11	1	1	2	4	6	8	22
20-34	3721	3.2	11	1	1	2	3	5	8	20
35-49	4961	3.9	22	1	2	3	4	7	12	26
50-64	5448	3.9	18	1	2	3	4	8	12	22
65+	2403	5.0	36	1	2	3	5	11	15	29
GRAND TOTAL	17212	3.9	20	1	2	3	4	7	12	24

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	8.7	175	1	1	6	7	24	46	48
20-34	68	7.2	23	2	2	6	9	13	15	29
35-49	71	9.5	49	2	3	8	12	17	25	36
50-64	82	11.0	43	2	4	10	13	18	25	32
65+	72	15.7	184	5	7	11	18	28	38	82
2. MULTIPLE DX										
0-19 YRS	9	6.2	3	4	4	6	7	9	10	10
20-34	59	11.0	74	4	5	8	11	21	29	46
35-49	89	15.7	155	4	4	12	20	32	39	68
50-64	215	17.2	188	5	6	13	21	32	47	81
65+	344	21.0	206	7	8	17	26	39	48	83
TOT. SINGLE DX	304	10.8	86	2	3	9	13	20	27	43
" MULTIPLE DX	716	18.2	191	5	6	15	23	35	46	77
TOTAL 0-19 YRS	20	7.6	95	1	2	6	7	9	29	48
20-34	127	8.9	50	2	3	7	10	15	23	44
35-49	160	13.0	117	2	3	10	17	26	35	54
50-64	297	15.5	156	4	5	12	19	29	40	72
65+	416	20.1	206	6	8	16	25	37	46	84
GRAND TOTAL	1020	16.0	171	4	5	12	20	31	42	73

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	3.8	4	1	1	5	5	6	7	7
20-34	67	8.1	108	1	1	5	10	17	22	67
35-49	75	7.3	32	1	2	6	10	14	18	83
50-64	76	7.7	50	1	1	5	10	16	18	40
65+	29	13.0	240	3	3	9	13	32	43	77
2. MULTIPLE DX										
0-19 YRS	20	7.4	124	<1	1	2	7	28	34	39
20-34	65	8.3	48	1	1	6	12	16	25	31
35-49	83	11.8	89	2	2	11	15	25	35	82
50-64	110	12.0	61	2	4	10	16	22	29	38
65+	101	15.1	170	3	4	11	19	28	40	75
TOT. SINGLE DX	258	8.1	81	1	1	6	10	16	23	73
" MULTIPLE DX	379	11.9	102	1	2	10	16	25	31	48
TOTAL 0-19 YRS	31	6.1	83	1	1	2	5	18	29	39
20-34	132	8.2	78	1	1	6	11	17	24	39
35-49	158	9.7	67	2	2	8	13	19	27	95
50-64	186	10.3	61	1	2	8	14	19	26	38
65+	130	14.6	185	3	3	10	18	28	41	79
GRAND TOTAL	637	10.4	97	1	2	8	14	22	28	50

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	5.1	9	2	3	4	6	8	11	18
20-34	1453	5.0	9	3	3	4	5	7	9	17
35-49	1407	5.1	6	3	3	5	6	7	9	15
50-64	1179	5.5	6	3	3	5	6	8	10	17
65+	374	6.3	13	3	3	5	7	10	14	24
2. MULTIPLE DX										
0-19 YRS	98	7.2	44	3	3	5	8	13	17	44
20-34	610	6.4	29	3	3	5	7	11	15	33
35-49	894	7.0	42	3	3	5	7	12	16	28
50-64	1004	8.1	43	3	4	6	9	15	20	33
65+	587	10.7	77	4	4	8	13	20	28	48
TOT. SINGLE DX	4693	5.3	8	3	3	5	6	8	10	17
" MULTIPLE DX	3193	7.9	49	3	4	6	9	15	20	37
TOTAL 0-19 YRS	378	5.6	19	2	3	5	6	9	13	24
20-34	2063	5.4	15	3	3	5	6	8	11	23
35-49	2301	5.8	21	3	3	5	6	9	12	23
50-64	2183	6.7	25	3	4	5	7	12	15	27
65+	961	9.0	57	3	4	6	10	17	23	41
GRAND TOTAL	7886	6.3	26	3	3	5	7	11	15	27

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	353	2.9	5	1	1	3	3	4	5	16
20-34	221	4.0	9	2	2	3	5	6	9	20
35-49	181	4.3	6	2	2	4	5	7	9	11
50-64	168	6.3	80	2	2	5	7	10	11	61
65+	90	7.0	26	2	2	6	9	12	19	24
2. MULTIPLE DX										
0-19 YRS	68	5.5	48	2	2	3	6	10	19	44
20-34	133	8.4	79	2	3	6	9	15	23	53
35-49	173	9.0	68	3	3	7	9	20	26	44
50-64	234	9.5	65	3	4	7	11	19	27	46
65+	170	14.3	138	4	5	10	18	28	37	65
TOT. SINGLE DX	1013	4.3	22	1	2	3	5	7	10	21
" MULTIPLE DX	778	9.9	89	2	3	7	12	21	28	50
TOTAL 0-19 YRS	421	3.4	13	1	1	3	4	5	7	19
20-34	354	5.7	39	2	2	4	6	10	15	29
35-49	354	6.6	41	2	2	5	8	10	20	35
50-64	402	8.2	74	2	3	6	9	15	24	49
65+	260	11.8	111	2	3	8	15	23	31	53
GRAND TOTAL	1791	6.8	59	2	2	4	8	14	21	42

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	12.9	109	2	4	10	15	24	37	49
20-34	77	12.8	42	4	7	11	17	23	25	33
35-49	41	12.3	34	4	6	11	15	20	26	29
50-64	43	13.8	32	3	7	13	17	22	23	25
65+	16	18.6	268	2	4	16	19	28	60	74
2. MULTIPLE DX										
0-19 YRS	14	15.6	79	5	9	13	23	34	83	99+
20-34	58	16.6	259	6	7	12	18	24	44	95
35-49	92	18.4	166	6	9	14	21	35	47	70
50-64	99	19.5	127	8	9	16	26	34	44	84
65+	58	25.0	291	6	9	21	28	49	63	87
TOT. SINGLE DX	197	13.4	64	3	6	12	16	23	26	42
" MULTIPLE DX	321	19.5	195	7	9	15	24	37	47	91
TOTAL 0-19 YRS	34	14.0	95	3	5	11	17	32	45	99+
20-34	135	14.4	137	5	7	12	17	23	27	86
35-49	133	16.5	132	5	8	13	19	29	40	64
50-64	142	17.7	104	7	8	15	23	32	42	70
65+	74	23.6	289	5	8	19	27	47	64	85
GRAND TOTAL	518	17.2	153	5	8	14	21	31	43	78

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	394	1.5	1	<1	<1	1	2	2	3	4
20-34	92	2.4	3	<1	1	2	3	4	7	9
35-49	104	2.4	3	<1	1	2	3	4	6	10
50-64	164	2.3	4	<1	1	2	3	4	5	17
65+	212	2.6	5	1	1	2	3	4	7	14
2. MULTIPLE DX										
0-19 YRS	78	4.9	138	<1	<1	2	3	6	26	70
20-34	61	7.8	82	1	1	5	9	21	33	39
35-49	130	6.4	39	1	1	4	9	14	20	30
50-64	235	6.4	61	1	1	3	8	16	25	39
65+	278	6.4	40	1	2	4	9	15	19	37
TOT. SINGLE DX	966	2.0	3	<1	1	2	2	3	4	10
" MULTIPLE DX	782	6.4	59	1	1	3	8	15	23	38
TOTAL 0-19 YRS	472	2.0	25	<1	<1	1	2	2	3	23
20-34	153	4.5	41	1	1	2	5	9	15	36
35-49	234	4.6	27	1	1	2	5	11	14	27
50-64	399	4.7	41	1	1	2	4	11	20	36
65+	490	4.8	28	1	1	2	5	12	16	28
GRAND TOTAL	**1748**	**4.0**	**33**	**<1**	**1**	**2**	**4**	**9**	**14**	**31**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	506	2.2	2	<1	1	2	2	4	4	9
20-34	214	2.2	2	1	1	2	3	4	5	8
35-49	313	2.3	3	<1	1	2	3	3	5	10
50-64	570	2.3	2	1	1	2	2	4	4	10
65+	677	2.3	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	502	3.5	21	1	1	2	4	7	9	22
20-34	515	4.1	33	<1	1	2	5	9	12	33
35-49	560	4.2	25	1	1	3	4	8	12	33
50-64	803	4.0	20	1	1	3	4	7	11	24
65+	910	5.7	55	1	2	3	6	14	20	41
TOT. SINGLE DX	2280	2.3	2	<1	1	2	2	4	5	9
" MULTIPLE DX	3290	4.4	33	1	1	3	5	9	14	33
TOTAL 0-19 YRS	1008	2.8	12	<1	1	2	3	5	7	15
20-34	729	3.5	24	<1	1	2	4	7	10	26
35-49	873	3.5	18	1	1	2	3	7	10	31
50-64	1373	3.3	14	1	1	2	3	5	8	21
65+	1587	4.3	35	1	1	2	4	9	15	33
GRAND TOTAL	**5570**	**3.5**	**22**	**1**	**1**	**2**	**4**	**7**	**10**	**26**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	2.0	1	<1	1	2	2	4	4	5
20-34	72	2.3	1	1	1	2	3	4	4	79
35-49	59	2.7	2	<1	1	2	3	5	6	7
50-64	80	3.0	6	1	2	3	3	5	5	17
65+	137	3.5	31	2	2	3	3	5	5	27
2. MULTIPLE DX										
0-19 YRS	43	3.3	5	1	1	2	4	7	9	10
20-34	38	3.9	10	1	2	3	4	7	10	18
35-49	32	3.2	1	2	2	3	4	5	5	6
50-64	58	4.4	13	1	2	3	4	11	12	17
65+	118	5.2	25	2	2	3	6	12	15	27
TOT. SINGLE DX	433	2.8	12	1	1	2	3	4	5	11
" MULTIPLE DX	289	4.4	16	2	2	3	5	9	12	20
TOTAL 0-19 YRS	128	2.4	3	1	1	2	3	4	6	9
20-34	110	2.9	5	1	1	2	3	4	7	50
35-49	91	2.9	2	1	2	3	4	5	5	7
50-64	138	3.6	9	1	2	3	4	6	11	17
65+	255	4.3	29	2	2	3	4	7	12	23
GRAND TOTAL	**722**	**3.4**	**14**	**1**	**2**	**3**	**4**	**5**	**9**	**19**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	1.7	1	<1	1	2	2	2	3	8
20-34	34	2.5	11	1	1	2	3	3	4	21
35-49	21	2.0	2	<1	<1	2	2	4	6	7
50-64	26	3.8	42	<1	1	2	3	7	16	34
65+	31	2.7	8	1	1	2	3	4	5	17
2. MULTIPLE DX										
0-19 YRS	20	2.9	8	1	1	2	3	5	9	13
20-34	19	2.8	5	<1	1	2	4	6	8	9
35-49	20	4.1	11	1	1	3	5	9	13	13
50-64	17	7.7	93	1	2	4	8	27	33	34
65+	40	5.4	23	1	2	3	7	12	15	22
TOT. SINGLE DX	177	2.4	11	<1	1	2	2	4	5	20
" MULTIPLE DX	116	4.6	27	1	1	3	5	10	14	31
TOTAL 0-19 YRS	85	2.0	3	<1	1	2	2	3	4	12
20-34	53	2.6	9	1	1	2	3	4	6	21
35-49	41	3.0	8	<1	1	2	4	6	10	13
50-64	43	5.3	64	1	1	2	4	11	31	34
65+	71	4.2	18	1	1	2	4	10	15	21
GRAND TOTAL	**293**	**3.3**	**18**	**1**	**1**	**2**	**3**	**6**	**10**	**27**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	5.5	8	2	3	5	7	9	11	15
20-34	80	5.0	6	3	3	4	6	8	9	17
35-49	56	5.0	9	2	3	4	6	8	10	20
50-64	77	4.5	5	2	3	4	5	7	10	12
65+	167	4.7	4	3	3	4	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	12	4.6	1	3	3	5	6	6	6	6
20-34	26	5.8	24	2	2	4	7	9	15	26
35-49	32	7.9	106	3	3	5	7	14	34	52
50-64	84	6.7	36	3	3	5	7	12	25	77
65+	253	6.3	31	3	3	5	7	10	15	31
TOT. SINGLE DX	404	4.8	6	3	3	4	5	8	9	15
" MULTIPLE DX	407	6.5	36	3	3	5	7	10	15	35
TOTAL 0-19 YRS	36	5.2	6	3	3	5	6	8	9	15
20-34	106	5.2	11	2	3	4	6	9	10	22
35-49	88	6.1	46	2	3	5	6	9	13	46
50-64	161	5.6	22	2	3	5	6	10	13	35
65+	420	5.7	21	3	3	5	6	9	12	30
GRAND TOTAL	811	5.6	22	3	3	5	6	9	12	32

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	3.9	8	1	1	3	5	7	10	15
20-34	259	2.6	3	1	1	2	3	5	6	11
35-49	212	2.3	3	1	1	2	2	3	4	12
50-64	150	2.5	2	1	1	2	3	4	5	9
65+	144	3.0	9	<1	1	2	3	6	7	15
2. MULTIPLE DX										
0-19 YRS	123	4.8	7	2	2	4	6	8	10	14
20-34	120	5.0	18	1	2	4	6	9	12	24
35-49	77	4.2	14	1	2	3	5	8	11	24
50-64	95	4.4	19	1	2	3	5	7	12	26
65+	146	5.2	41	1	2	3	5	14	19	40
TOT. SINGLE DX	903	2.8	5	1	1	2	3	5	6	13
" MULTIPLE DX	561	4.8	21	1	2	3	6	9	13	26
TOTAL 0-19 YRS	261	4.4	8	1	2	4	6	8	10	15
20-34	379	3.3	9	1	1	2	4	6	8	17
35-49	289	2.8	7	1	1	2	3	5	7	16
50-64	245	3.2	10	1	1	2	4	6	7	17
65+	290	4.1	26	1	1	3	4	8	14	27
GRAND TOTAL	1464	3.6	12	1	1	2	4	7	9	19

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	3.7	9	1	2	3	4	6	10	18
20-34	36	5.8	103	<1	1	3	5	9	16	62
35-49	84	4.2	5	2	2	4	5	7	9	11
50-64	246	4.4	20	2	2	4	5	7	9	16
65+	448	4.5	13	2	2	3	5	8	11	18
2. MULTIPLE DX										
0-19 YRS	20	4.5	13	2	2	3	5	9	13	17
20-34	31	5.6	45	1	2	4	6	10	13	38
35-49	68	6.6	42	2	2	5	8	13	17	40
50-64	197	5.4	14	2	2	4	7	10	13	19
65+	397	5.8	24	2	2	4	7	11	14	24
TOT. SINGLE DX	855	4.5	18	2	2	3	5	8	10	18
" MULTIPLE DX	713	5.7	24	2	2	4	7	11	14	23
TOTAL 0-19 YRS	61	4.0	11	1	2	3	4	7	11	18
20-34	67	5.7	75	<1	2	4	5	9	14	58
35-49	152	5.3	23	2	2	4	6	9	12	23
50-64	443	4.8	18	2	2	4	6	9	11	18
65+	845	5.1	19	2	2	4	6	10	12	22
GRAND TOTAL	1568	5.0	21	2	2	4	6	9	12	22

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	4.5	13	1	1	3	6	9	11	18
20-34	91	3.4	7	1	1	3	4	6	12	14
35-49	121	3.5	5	1	2	3	4	7	8	11
50-64	317	3.6	8	1	2	3	4	7	9	16
65+	515	3.9	10	1	2	3	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	71	6.3	23	2	2	4	9	13	15	23
20-34	79	5.4	10	1	2	5	7	10	11	18
35-49	59	6.2	19	2	2	5	8	11	15	23
50-64	203	5.7	27	1	2	4	7	12	17	26
65+	379	5.9	47	2	2	4	7	12	17	37
TOT. SINGLE DX	1126	3.8	9	1	2	3	4	7	9	16
" MULTIPLE DX	791	5.9	34	2	2	4	7	12	16	28
TOTAL 0-19 YRS	153	5.3	18	1	2	4	7	11	14	18
20-34	170	4.3	10	1	1	4	5	9	12	14
35-49	180	4.4	11	1	2	3	6	8	10	19
50-64	520	4.4	16	1	2	3	5	9	12	22
65+	894	4.8	26	1	2	3	5	9	13	26
GRAND TOTAL	1917	4.6	20	1	2	3	5	9	12	22

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	5.1	18	2	2	4	6	9	14	23
20-34	34	3.8	4	1	2	3	4	5	8	12
35-49	756	3.7	9	2	2	3	4	5	7	12
50-64	5164	3.7	5	2	2	3	4	5	7	12
65+	15888	3.9	6	2	2	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	21	5.0	12	2	2	4	6	11	14	15
20-34	37	4.7	14	2	2	4	5	8	14	19
35-49	459	4.9	17	2	2	4	5	9	12	26
50-64	3740	4.8	16	2	2	4	5	8	11	23
65+	13847	5.1	21	2	2	4	5	9	12	24
TOT. SINGLE DX	21878	3.9	6	2	2	3	4	6	7	12
" MULTIPLE DX	18104	5.0	20	2	2	4	5	9	12	24
TOTAL 0-19 YRS	57	5.0	16	2	2	4	6	9	14	22
20-34	71	4.3	9	2	2	4	4	7	12	18
35-49	1215	4.2	12	2	2	3	4	7	9	23
50-64	8904	4.2	10	2	2	3	4	6	9	17
65+	29735	4.5	14	2	2	4	5	7	10	19
GRAND TOTAL	**39982**	**4.4**	**13**	**2**	**2**	**4**	**5**	**7**	**10**	**19**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	221	2.9	5	1	1	2	3	4	6	12
20-34	146	2.7	2	1	2	2	3	4	5	8
35-49	426	2.7	3	1	2	2	3	4	5	11
50-64	1288	2.6	2	1	2	2	3	4	5	10
65+	2888	3.0	3	2	2	3	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	123	3.7	8	2	2	3	4	7	9	15
20-34	88	4.0	19	1	2	3	5	7	10	28
35-49	198	3.4	6	1	2	3	4	6	8	13
50-64	709	3.7	9	2	2	3	4	6	10	18
65+	1405	4.6	24	2	2	3	5	8	12	25
TOT. SINGLE DX	4969	2.9	3	2	2	2	3	4	5	10
" MULTIPLE DX	2523	4.2	17	2	2	3	4	7	11	22
TOTAL 0-19 YRS	344	3.2	6	1	2	3	3	5	8	14
20-34	234	3.2	9	1	2	2	3	6	7	12
35-49	624	2.9	4	1	2	2	3	5	6	12
50-64	1997	3.0	5	1	2	2	3	5	6	14
65+	4293	3.5	10	2	2	3	4	5	8	18
GRAND TOTAL	**7492**	**3.3**	**8**	**2**	**2**	**3**	**3**	**5**	**7**	**15**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	4.0	11	2	2	2	5	10	11	11
20-34	7	3.7	2	2	2	3	5	5	5	5
35-49	34	3.8	15	1	2	3	4	5	7	24
50-64	227	3.0	2	1	2	3	3	4	5	9
65+	766	3.4	6	2	2	3	4	5	6	11
2. MULTIPLE DX										
0-19 YRS	5	3.4	1	2	2	3	4	5	5	5
20-34	6	3.7	1	3	3	3	4	6	6	6
35-49	11	6.2	30	3	3	4	6	14	21	22
50-64	133	4.3	13	2	2	3	4	7	13	19
65+	495	4.9	22	2	2	3	5	9	13	27
TOT. SINGLE DX	1041	3.3	5	2	2	3	4	5	6	11
" MULTIPLE DX	650	4.7	20	2	2	3	5	8	13	24
TOTAL 0-19 YRS	12	3.8	7	2	2	3	4	7	10	11
20-34	13	3.7	1	2	2	3	5	5	6	6
35-49	45	4.4	19	1	2	3	4	7	11	24
50-64	360	3.5	7	1	2	3	4	5	7	15
65+	1261	4.0	13	2	2	3	4	6	9	23
GRAND TOTAL	**1691**	**3.9**	**11**	**2**	**2**	**3**	**4**	**6**	**8**	**22**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	5.2	11	2	2	5	6	9	11	18
20-34	191	5.2	8	2	2	5	6	9	11	13
35-49	175	5.0	8	2	2	5	5	8	9	18
50-64	618	5.2	11	2	2	5	6	8	10	23
65+	597	5.6	8	2	3	5	7	9	10	16
2. MULTIPLE DX										
0-19 YRS	61	5.6	12	2	2	5	7	9	15	18
20-34	104	6.1	19	2	2	5	8	10	13	26
35-49	137	6.4	21	2	2	5	8	13	15	22
50-64	540	6.0	13	2	2	5	7	10	12	19
65+	600	6.5	21	2	3	5	8	11	15	25
TOT. SINGLE DX	1704	5.3	9	2	2	5	6	8	10	18
" MULTIPLE DX	1442	6.2	17	2	2	5	8	11	14	22
TOTAL 0-19 YRS	184	5.3	11	2	2	5	6	9	12	17
20-34	295	5.5	12	2	2	5	7	9	11	19
35-49	312	5.6	14	2	2	5	6	9	13	22
50-64	1158	5.6	12	2	2	5	7	9	11	21
65+	1197	6.0	15	2	3	5	7	10	13	22
GRAND TOTAL	**3146**	**5.7**	**13**	**2**	**2**	**5**	**7**	**9**	**12**	**21**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	4.0	20	1	1	3	4	5	7	27
20-34	52	4.8	18	<1	1	4	6	10	14	22
35-49	37	5.0	14	1	2	4	6	9	13	20
50-64	79	4.6	12	1	1	3	6	9	12	18
65+	139	4.3	10	1	2	4	5	7	9	16
2. MULTIPLE DX										
0-19 YRS	28	5.4	17	1	2	4	6	12	17	17
20-34	101	6.9	40	3	3	5	8	12	16	38
35-49	69	5.8	14	2	2	5	6	10	14	21
50-64	178	6.0	42	2	2	4	6	11	14	42
65+	238	5.6	22	2	2	4	7	11	13	24
TOT. SINGLE DX	338	4.5	13	1	2	4	5	7	12	20
" MULTIPLE DX	614	6.0	29	2	2	5	7	11	14	28
TOTAL 0-19 YRS	59	4.7	19	1	2	4	5	8	15	26
20-34	153	6.2	33	1	2	5	7	11	16	22
35-49	106	5.5	14	2	2	5	6	10	13	21
50-64	257	5.6	33	1	2	4	6	11	14	33
65+	377	5.2	18	2	2	4	6	9	12	22
GRAND TOTAL	952	5.4	24	1	2	4	6	10	14	24

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4315	1.9	4	1	1	2	2	2	2	4
20-34	676	2.1	2	1	1	2	2	3	3	4
35-49	306	2.2	1	1	1	2	2	3	4	7
50-64	139	2.2		1	2	2	2	3	4	5
65+	66	2.3	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	784	2.1	6	1	1	2	2	2	3	10
20-34	205	2.5	3	1	2	2	3	3	5	11
35-49	127	2.8	7	1	2	2	3	4	7	17
50-64	116	2.6	4	1	2	2	3	4	4	14
65+	65	2.8	5	1	2	2	3	4	5	15
TOT. SINGLE DX	5502	1.9	4	1	1	2	2	2	3	4
" MULTIPLE DX	1297	2.3	5	1	1	2	2	3	4	12
TOTAL 0-19 YRS	5099	1.9	4	1	1	2	2	2	2	4
20-34	881	2.2	2	1	1	2	2	3	3	8
35-49	433	2.4	3	1	1	2	2	3	4	11
50-64	255	2.4	2	1	2	2	2	3	4	6
65+	131	2.6	3	1	2	2	3	4	5	13
GRAND TOTAL	6799	2.0	4	1	1	2	2	2	3	6

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	1.7		1	1	2	2	2	3	3
20-34	13	3.0	10	<1	1	2	3	6	12	13
35-49	2	14.0	162	5	5	14	23	23	23	23
50-64	6	2.7	1	2	2	2	4	4	4	4
65+	4	12.3	64	1	1	14	17	20	20	20
2. MULTIPLE DX										
0-19 YRS	11	2.2		2	2	2	2	3	3	3
20-34	5	10.0	87	2	2	5	19	22	22	22
35-49	4	8.8	149	2	2	3	15	27	27	27
50-64	5	8.2	163	2	2	2	11	31	31	31
65+	5	11.0	130	1	1	4	21	27	27	27
TOT. SINGLE DX	40	3.9	27	1	1	2	3	13	17	23
" MULTIPLE DX	30	6.8	82	2	2	2	4	24	27	31
TOTAL 0-19 YRS	26	1.9		1	1	2	2	3	3	3
20-34	18	4.9	37	1	2	2	4	16	20	22
35-49	6	10.5	129	2	2	4	23	27	27	27
50-64	11	5.2	74	2	2	2	4	15	30	31
65+	9	11.6	89	1	1	14	19	24	27	27
GRAND TOTAL	70	5.2	52	1	1	2	4	18	23	30

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	3.2	9	<1	1	2	4	7	9	17
20-34	191	3.6	7	1	1	3	4	7	9	14
35-49	111	4.9	79	1	2	3	4	7	11	61
50-64	168	4.1	13	1	2	3	5	7	8	24
65+	179	4.9	44	1	2	3	5	9	13	40
2. MULTIPLE DX										
0-19 YRS	145	5.1	24	1	2	4	6	10	14	31
20-34	185	5.8	31	1	2	4	7	11	14	28
35-49	117	7.5	82	2	2	4	9	17	30	67
50-64	206	6.8	65	2	2	4	8	15	19	36
65+	341	7.6	61	2	2	5	9	17	24	44
TOT. SINGLE DX	852	4.0	26	1	1	3	4	7	10	21
" MULTIPLE DX	994	6.7	54	2	2	4	8	14	21	40
TOTAL 0-19 YRS	348	4.0	16	1	1	3	5	8	11	22
20-34	376	4.7	20	1	2	3	5	9	12	23
35-49	228	6.2	82	2	2	4	6	12	19	58
50-64	374	5.6	43	1	2	4	6	11	17	32
65+	520	6.7	57	1	2	4	8	14	21	45
GRAND TOTAL	1846	5.5	43	1	2	3	6	11	17	34

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	762	2.2	5	<1	1	2	2	3	4	8
20-34	300	2.4	2	1	1	2	3	4	5	9
35-49	116	3.3	23	1	1	2	3	5	8	30
50-64	126	3.8	46	<1	1	2	4	6	12	37
65+	202	4.0	13	1	1	3	5	9	11	19
2. MULTIPLE DX										
0-19 YRS	465	3.8	20	1	1	3	4	7	10	22
20-34	269	6.1	89	1	1	3	6	14	26	83
35-49	160	6.2	74	1	1	4	7	12	19	79
50-64	234	7.7	88	1	2	4	9	17	24	49
65+	330	8.5	68	1	2	6	12	19	27	54
TOT. SINGLE DX	1506	2.7	11	<1	1	2	3	4	6	16
" MULTIPLE DX	1458	6.2	64	1	1	3	7	14	20	49
TOTAL 0-19 YRS	1227	2.8	11	<1	1	2	3	5	7	15
20-34	569	4.1	47	1	1	2	4	8	13	46
35-49	276	5.0	54	1	1	3	6	11	17	41
50-64	360	6.4	77	1	1	3	7	14	20	46
65+	532	6.8	52	1	2	4	9	15	20	39
GRAND TOTAL	**2964**	**4.4**	**40**	**1**	**1**	**2**	**4**	**9**	**15**	**36**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	2.3	1	1	1	2	3	3	4	8
20-34	519	2.6	1	2	2	2	3	4	4	5
35-49	653	2.7	2	2	2	3	3	4	4	6
50-64	731	2.8	2	2	2	3	3	4	4	7
65+	287	3.0	5	2	2	3	3	4	4	11
2. MULTIPLE DX										
0-19 YRS	69	2.1	2	<1	<1	2	2	3	4	8
20-34	142	3.0	7	2	2	3	3	4	5	14
35-49	201	3.7	41	2	2	3	3	5	8	24
50-64	244	3.3	7	2	2	3	3	4	7	18
65+	89	3.6	8	2	2	3	4	7	8	18
TOT. SINGLE DX	2318	2.8	2	2	2	3	3	4	4	6
" MULTIPLE DX	745	3.3	16	1	2	3	3	4	7	17
TOTAL 0-19 YRS	197	2.2	1	<1	1	2	3	3	3	8
20-34	661	2.7	2	2	2	3	3	4	4	6
35-49	854	3.0	11	2	2	3	3	4	5	10
50-64	975	2.9	3	2	2	3	3	4	5	10
65+	376	3.2	6	2	2	3	3	4	6	12
GRAND TOTAL	**3063**	**2.9**	**5**	**2**	**2**	**3**	**3**	**4**	**5**	**9**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1219	2.2	2	1	1	2	2	3	3	5
20-34	922	2.4	2	1	2	2	3	3	4	9
35-49	712	2.4	1	1	2	2	3	3	4	6
50-64	651	2.5	1	1	2	2	3	3	4	5
65+	161	2.6	4	1	2	2	3	3	4	9
2. MULTIPLE DX										
0-19 YRS	940	2.5	3	1	2	2	3	3	4	8
20-34	772	2.7	5	1	2	2	3	4	5	11
35-49	683	3.0	10	2	2	2	3	4	5	12
50-64	629	3.1	9	2	2	2	3	4	6	14
65+	192	2.8	2	2	2	2	3	4	5	8
TOT. SINGLE DX	3665	2.4	2	1	2	2	3	3	4	7
" MULTIPLE DX	3216	2.8	6	1	2	2	3	4	5	11
TOTAL 0-19 YRS	2159	2.3	2	1	1	2	3	3	4	7
20-34	1694	2.6	4	1	2	2	3	3	4	11
35-49	1395	2.7	6	2	2	2	3	4	4	10
50-64	1280	2.8	5	2	2	2	3	4	5	11
65+	353	2.7	3	2	2	2	3	4	5	9
GRAND TOTAL	**6881**	**2.5**	**4**	**1**	**2**	**2**	**3**	**3**	**4**	**9**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6079	1.3	2	<1	<1	1	1	2	2	6
20-34	259	2.1	10	<1	<1	2	2	3	3	7
35-49	178	2.1	2	1	1	2	2	3	5	7
50-64	161	2.2	16	<1	1	2	2	3	5	15
65+	92	2.1	8	1	1	2	2	3	5	67
2. MULTIPLE DX										
0-19 YRS	4587	2.2	9	<1	<1	2	2	3	7	14
20-34	193	3.9	65	<1	1	2	3	7	15	33
35-49	158	4.3	29	1	1	2	5	9	11	33
50-64	180	5.1	31	1	1	3	6	13	18	26
65+	105	7.2	81	1	1	3	9	21	26	48
TOT. SINGLE DX	6769	1.4	3	<1	<1	1	1	2	2	6
" MULTIPLE DX	5223	2.5	15	<1	1	2	2	4	8	20
TOTAL 0-19 YRS	10666	1.7	5	<1	<1	1	2	2	3	11
20-34	452	2.8	34	<1	1	2	2	4	7	23
35-49	336	3.1	16	1	1	2	3	6	9	21
50-64	341	3.7	26	<1	1	2	3	9	14	23
65+	197	4.9	53	1	1	2	4	12	22	49
GRAND TOTAL	**11992**	**1.9**	**8**	**<1**	**<1**	**1**	**2**	**2**	**5**	**14**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	302	3.1	31	1	2	2	3	4	6	14
20-34	194	2.9	3	1	2	3	3	5	5	15
35-49	206	2.9	2	2	2	3	3	4	6	10
50-64	135	3.2	3	2	2	3	3	5	9	10
65+	61	4.8	13	2	2	3	6	10	13	18
2. MULTIPLE DX										
0-19 YRS	522	3.4	17	2	2	3	3	5	7	20
20-34	427	3.2	5	2	2	3	4	5	7	13
35-49	365	3.9	18	2	2	3	4	5	9	25
50-64	323	4.4	43	2	2	3	4	7	11	31
65+	133	6.7	100	2	2	3	6	16	25	73
TOT. SINGLE DX	898	3.2	13	2	2	3	3	5	7	13
" MULTIPLE DX	1770	3.9	26	2	2	3	4	6	9	25
TOTAL 0-19 YRS	824	3.3	22	2	2	2	3	4	7	18
20-34	621	3.1	5	2	2	3	3	5	6	13
35-49	571	3.5	12	2	2	3	4	5	8	22
50-64	458	4.1	32	2	2	3	4	6	9	23
65+	194	6.1	73	2	2	3	6	13	20	61
GRAND TOTAL	**2668**	**3.6**	**22**	**2**	**2**	**3**	**4**	**5**	**8**	**22**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	372	1.7	1	<1	<1	1	2	3	3	6
20-34	191	3.0	5	1	1	2	3	5	8	18
35-49	218	3.4	11	2	2	3	3	5	9	19
50-64	201	4.0	19	2	2	3	4	7	12	28
65+	63	4.6	32	2	2	3	4	8	12	38
2. MULTIPLE DX										
0-19 YRS	321	2.2	3	<1	1	2	2	3	5	9
20-34	173	3.6	27	1	2	2	3	5	10	45
35-49	147	3.9	16	2	2	3	4	7	9	30
50-64	161	4.7	26	1	2	3	5	10	16	29
65+	71	7.6	114	1	2	3	8	20	32	55
TOT. SINGLE DX	1045	2.9	10	<1	1	2	3	5	7	18
" MULTIPLE DX	873	3.7	25	1	1	2	3	6	10	31
TOTAL 0-19 YRS	693	1.9	2	<1	<1	2	2	3	4	7
20-34	364	3.3	16	1	2	2	3	5	9	30
35-49	365	3.6	13	2	2	3	3	6	9	22
50-64	362	4.4	22	2	2	3	4	8	13	29
65+	134	6.2	77	1	2	3	5	13	25	50
GRAND TOTAL	**1918**	**3.3**	**17**	**<1**	**1**	**2**	**3**	**5**	**9**	**25**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	397	2.6	1	1	2	2	3	4	4	6
20-34	937	2.7	2	1	2	2	3	4	5	6
35-49	409	2.8	3	1	2	3	3	4	5	9
50-64	248	2.8	3	1	2	3	3	4	5	24
65+	51	3.6	4	1	2	3	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	712	3.4	11	1	2	3	4	5	6	14
20-34	1789	3.6	6	1	2	3	4	6	7	13
35-49	925	4.0	15	2	2	3	4	7	9	18
50-64	564	4.1	16	2	2	3	4	7	9	21
65+	156	4.3	10	2	2	3	5	8	10	20
TOT. SINGLE DX	2042	2.7	2	1	2	2	3	4	5	8
" MULTIPLE DX	4146	3.8	10	2	2	3	4	6	8	16
TOTAL 0-19 YRS	1109	3.1	8	1	2	3	4	5	5	12
20-34	2726	3.3	5	1	2	3	4	5	7	11
35-49	1334	3.7	12	1	2	3	4	6	8	16
50-64	812	3.7	13	2	2	3	4	6	9	22
65+	207	4.2	9	2	2	3	5	7	9	18
GRAND TOTAL	**6188**	**3.4**	**8**	**1**	**2**	**3**	**4**	**5**	**7**	**14**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1216	2.7	5	1	1	2	3	4	5	9
20-34	2401	2.7	4	1	1	2	3	4	5	8
35-49	996	2.7	2	1	1	2	3	4	5	8
50-64	479	2.9	5	1	2	2	3	4	5	11
65+	123	3.1	4	1	2	3	4	5	7	12
2. MULTIPLE DX										
0-19 YRS	1603	3.3	8	1	2	3	4	5	6	13
20-34	3832	3.4	9	1	2	3	4	5	6	13
35-49	1901	3.7	14	2	2	3	4	5	8	17
50-64	1136	4.0	11	2	2	3	4	6	10	18
65+	354	5.4	37	1	2	3	6	11	15	29
TOT. SINGLE DX	5215	2.7	4	1	1	2	3	4	5	9
" MULTIPLE DX	8826	3.6	12	1	2	3	4	5	7	17
TOTAL 0-19 YRS	2819	3.1	7	1	2	3	4	5	5	11
20-34	6233	3.1	7	1	2	3	4	5	5	12
35-49	2897	3.4	10	1	2	3	4	5	6	15
50-64	1615	3.6	9	1	2	3	4	6	9	17
65+	477	4.8	30	1	2	3	5	10	13	27
GRAND TOTAL	**14041**	**3.3**	**9**	**1**	**2**	**3**	**4**	**5**	**6**	**14**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	242	2.2	2	1	1	2	2	4	5	9
20-34	285	2.4	2	1	1	2	3	4	5	8
35-49	329	2.6	4	1	1	2	3	4	5	12
50-64	464	3.0	11	1	1	2	3	5	8	22
65+	456	3.4	18	1	1	2	4	6	9	24
2. MULTIPLE DX										
0-19 YRS	287	3.1	18	1	1	2	3	5	7	15
20-34	519	3.4	9	1	2	3	4	6	9	15
35-49	551	3.8	11	1	2	3	4	7	10	21
50-64	844	4.4	22	1	2	3	5	9	13	25
65+	787	7.3	70	2	2	4	9	16	21	41
TOT. SINGLE DX	1776	2.8	9	1	1	2	3	5	7	13
" MULTIPLE DX	2988	4.8	33	1	2	3	5	10	14	27
TOTAL 0-19 YRS	529	2.7	11	1	1	2	3	4	6	13
20-34	804	3.0	7	1	1	2	3	5	7	13
35-49	880	3.3	9	1	1	2	4	6	9	18
50-64	1308	3.9	19	1	1	3	4	8	11	24
65+	1243	5.9	55	1	2	3	7	13	18	37
GRAND TOTAL	**4764**	**4.0**	**25**	**1**	**1**	**3**	**4**	**8**	**12**	**24**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1081	2.0	4	<1	<1	2	2	3	4	9
20-34	826	2.5	6	<1	1	2	3	5	6	10
35-49	268	3.5	6	1	1	3	5	7	8	11
50-64	263	4.7	14	1	2	4	6	9	11	21
65+	172	4.2	6	1	1	4	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	724	3.5	17	1	1	3	4	6	8	25
20-34	893	4.5	25	1	1	3	5	8	11	31
35-49	376	5.4	32	1	2	4	7	10	12	28
50-64	476	6.6	32	2	2	5	8	13	17	27
65+	541	7.7	47	2	2	6	10	16	22	35
TOT. SINGLE DX	2610	2.7	7	<1	1	2	3	5	7	12
" MULTIPLE DX	3010	5.3	31	1	1	4	6	10	14	30
TOTAL 0-19 YRS	1805	2.6	10	<1	1	2	3	5	6	14
20-34	1719	3.6	17	1	1	2	4	7	9	21
35-49	644	4.6	22	1	1	3	6	8	11	18
50-64	739	5.9	26	1	2	5	7	11	15	26
65+	713	6.8	39	1	2	5	8	14	19	31
GRAND TOTAL	**5620**	**4.1**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	3.1	5	1	1	3	3	5	10	12
20-34	265	3.3	6	1	2	3	4	5	6	16
35-49	248	3.1	3	1	2	3	4	4	6	12
50-64	181	4.0	8	2	2	3	4	6	8	16
65+	66	3.7	7	2	2	3	4	6	8	16
2. MULTIPLE DX										
0-19 YRS	79	5.2	71	2	2	3	4	10	13	58
20-34	270	5.2	35	2	2	3	5	10	16	39
35-49	251	4.8	20	2	2	3	5	9	13	25
50-64	239	5.6	31	2	2	4	6	11	17	30
65+	127	8.8	103	2	2	5	10	20	29	57
TOT. SINGLE DX	841	3.4	6	1	2	3	4	5	7	15
" MULTIPLE DX	966	5.7	43	2	2	4	6	11	17	37
TOTAL 0-19 YRS	160	4.2	38	1	2	3	4	8	11	29
20-34	535	4.3	22	2	2	3	4	6	11	26
35-49	499	4.0	12	2	2	3	4	7	10	21
50-64	420	4.9	21	2	2	4	5	9	13	26
65+	193	7.0	76	2	2	4	7	15	24	49
GRAND TOTAL	**1807**	**4.6**	**27**	**2**	**2**	**3**	**5**	**8**	**13**	**29**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	3.5	15	<1	1	2	4	8	9	23
20-34	298	3.4	12	1	1	2	4	6	10	17
35-49	203	4.1	18	1	1	3	4	9	13	24
50-64	177	4.0	19	1	2	3	4	8	11	23
65+	84	4.8	44	1	2	3	4	11	18	40
2. MULTIPLE DX										
0-19 YRS	200	4.7	41	1	1	3	5	10	14	22
20-34	356	5.0	30	1	2	3	6	10	14	40
35-49	337	5.0	25	1	2	3	5	11	13	31
50-64	317	6.6	67	2	2	4	8	14	23	39
65+	202	8.4	84	2	2	5	11	18	24	48
TOT. SINGLE DX	931	3.8	18	1	1	2	4	8	11	23
" MULTIPLE DX	1412	5.8	48	1	2	3	7	12	17	36
TOTAL 0-19 YRS	369	4.1	29	1	1	2	5	9	13	23
20-34	654	4.3	22	1	1	3	5	9	12	31
35-49	540	4.7	23	1	2	3	5	10	13	28
50-64	494	5.7	51	1	2	3	6	12	19	35
65+	286	7.3	75	2	2	4	9	17	23	48
GRAND TOTAL	**2343**	**5.0**	**37**	**1**	**2**	**3**	**5**	**11**	**15**	**31**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4830	2.0	4	1	1	2	2	2	3	8
20-34	4511	2.1	5	1	1	2	2	2	3	7
35-49	1028	2.3	7	1	1	2	2	3	3	12
50-64	682	2.5	7	1	1	2	2	3	4	14
65+	231	3.0	16	1	1	2	3	4	8	30
2. MULTIPLE DX										
0-19 YRS	1711	2.8	22	1	1	2	2	4	7	23
20-34	3290	3.5	33	1	1	2	3	5	11	31
35-49	2406	4.1	41	1	2	2	3	9	13	34
50-64	2384	4.7	39	1	2	2	4	11	16	31
65+	1396	7.1	81	2	2	3	8	17	24	52
TOT. SINGLE DX	11282	2.1	5	1	1	2	2	2	3	9
" MULTIPLE DX	11187	4.2	42	1	1	2	3	9	15	34
TOTAL 0-19 YRS	6541	2.2	9	1	1	2	2	3	3	13
20-34	7801	2.7	17	1	1	2	2	3	5	22
35-49	3434	3.6	31	1	1	2	3	6	11	29
50-64	3066	4.2	33	1	2	2	4	9	15	29
65+	1627	6.5	73	2	2	3	8	16	22	49
GRAND TOTAL	**22469**	**3.2**	**25**	**1**	**1**	**2**	**2**	**5**	**10**	**26**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	690	1.3	1	<1	<1	1	1	2	2	4
20-34	107	2.7	6	<1	<1	2	4	5	8	54
35-49	32	2.1	1	<1	<1	2	3	4	4	5
50-64	14	2.6	3	<1	<1	2	4	5	7	7
65+	3	1.7		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	267	2.3	26	<1	<1	1	2	2	4	29
20-34	88	3.9	68	<1	1	2	3	6	12	56
35-49	31	3.5	39	<1	<1	2	3	5	13	35
50-64	12	4.3	28	<1	<1	3	5	10	19	20
65+	7	4.1	23	2	2	2	3	13	15	15
TOT. SINGLE DX	846	1.5	2	<1	<1	1	2	2	4	8
" MULTIPLE DX	405	2.8	37	<1	1	2	2	4	6	37
TOTAL 0-19 YRS	957	1.5	8	<1	<1	1	2	2	2	8
20-34	195	3.2	34	<1	1	2	3	5	8	54
35-49	63	2.8	20	<1	<1	2	3	4	5	32
50-64	26	3.4	14	<1	<1	2	5	5	10	20
65+	10	3.4	17	<1	1	2	3	9	15	15
GRAND TOTAL	**1251**	**1.9**	**13**	**<1**	**<1**	**1**	**2**	**3**	**4**	**19**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	1.8	2	<1	<1	2	2	3	4	7
20-34	249	2.4	7	1	1	2	2	3	4	9
35-49	364	2.5	25	1	1	2	2	3	4	12
50-64	247	2.7	6	1	1	2	3	4	6	17
65+	53	3.7	11	1	2	3	4	6	7	24
2. MULTIPLE DX										
0-19 YRS	182	3.5	58	1	1	2	3	5	8	28
20-34	222	3.6	29	1	1	2	3	8	10	27
35-49	247	3.7	13	2	2	2	4	7	11	24
50-64	248	4.5	22	2	2	3	5	10	13	22
65+	133	8.7	79	2	2	5	11	19	29	43
TOT. SINGLE DX	1104	2.5	12	1	1	2	2	4	5	11
" MULTIPLE DX	1032	4.5	38	1	2	2	4	9	14	31
TOTAL 0-19 YRS	373	2.6	30	<1	1	2	2	4	7	23
20-34	471	3.0	18	1	1	2	3	5	8	22
35-49	611	3.0	20	1	1	2	3	5	7	22
50-64	495	3.6	15	1	2	2	4	7	11	20
65+	186	7.2	65	2	2	4	8	15	25	39
GRAND TOTAL	**2136**	**3.4**	**25**	**1**	**1**	**2**	**3**	**6**	**10**	**25**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	228	3.3	9	1	1	3	4	5	7	13
20-34	486	3.5	3	1	2	3	4	5	6	9
35-49	530	4.0	5	2	2	3	5	7	8	13
50-64	606	4.5	15	2	2	4	5	7	10	16
65+	395	4.8	9	2	2	4	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	65	4.4	9	2	2	3	6	9	11	15
20-34	176	4.8	15	1	2	4	5	9	13	21
35-49	263	5.4	30	2	2	4	6	10	12	30
50-64	407	6.2	27	2	2	5	7	12	16	27
65+	421	9.2	68	3	3	6	11	18	26	42
TOT. SINGLE DX	2245	4.1	9	2	2	4	5	7	8	15
" MULTIPLE DX	1332	6.7	41	2	2	5	8	13	18	32
TOTAL 0-19 YRS	293	3.5	10	1	1	3	4	6	8	14
20-34	662	3.8	6	1	2	3	4	6	8	15
35-49	793	4.5	14	2	2	4	5	7	10	19
50-64	1013	5.2	21	2	2	4	6	9	13	23
65+	816	7.1	44	2	3	5	8	14	19	36
GRAND TOTAL	**3577**	**5.1**	**22**	**2**	**2**	**4**	**6**	**9**	**13**	**26**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	344	4.2	6	1	1	4	6	8	8	11
20-34	15	4.0	3	1	2	4	5	6	7	7
35-49	9	5.0	17	2	2	4	6	12	15	15
50-64	6	7.2	63	2	2	4	7	21	23	23
65+	3	4.7	8	3	3	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	180	4.6	9	1	2	4	6	8	10	15
20-34	16	5.5	13	2	2	4	7	12	13	13
35-49	13	6.1	24	2	3	5	6	12	19	21
50-64	10	6.5	35	2	2	4	8	15	22	22
65+	5	8.2	30	1	1	11	12	14	14	14
TOT. SINGLE DX	377	4.2	7	1	1	4	6	8	8	14
" MULTIPLE DX	224	4.9	12	1	2	4	6	9	11	21
TOTAL 0-19 YRS	524	4.3	7	1	1	4	6	8	9	15
20-34	31	4.8	8	2	2	4	6	9	12	13
35-49	22	5.6	21	2	2	4	6	11	17	21
50-64	16	6.8	42	2	2	4	7	21	23	23
65+	8	6.9	23	1	2	6	11	13	14	14
GRAND TOTAL	**601**	**4.5**	**9**	**1**	**1**	**4**	**6**	**8**	**9**	**16**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1031	3.0	16	<1	1	2	4	6	8	13
20-34	309	3.4	10	1	1	2	4	7	10	17
35-49	301	4.1	17	1	1	3	5	9	12	18
50-64	515	4.5	27	1	1	3	5	9	13	29
65+	474	4.4	27	1	1	3	5	9	12	29
2. MULTIPLE DX										
0-19 YRS	789	3.8	19	1	1	3	5	8	10	21
20-34	503	6.0	91	1	1	3	6	11	20	57
35-49	414	7.3	89	1	1	4	8	16	23	58
50-64	786	9.1	112	1	2	5	11	20	28	59
65+	847	9.2	100	2	2	6	11	20	26	55
TOT. SINGLE DX	2630	3.7	20	1	1	2	4	8	11	20
" MULTIPLE DX	3339	7.2	86	1	1	4	8	16	23	55
TOTAL 0-19 YRS	1820	3.4	17	<1	1	2	4	7	9	15
20-34	812	5.0	62	1	1	3	5	10	16	51
35-49	715	6.0	61	1	1	3	7	13	18	48
50-64	1301	7.3	83	1	2	4	9	17	23	49
65+	1321	7.5	79	1	2	4	9	17	23	47
GRAND TOTAL	**5969**	**5.7**	**60**	**1**	**1**	**3**	**6**	**12**	**18**	**43**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13741	2.1	3	1	1	2	2	3	3	5
20-34	9095	2.3	2	1	1	2	3	3	4	7
35-49	721	2.5	2	1	1	2	3	4	5	8
50-64	133	3.1	9	1	1	2	3	5	9	18
65+	55	4.0	25	1	2	2	4	9	11	31
2. MULTIPLE DX										
0-19 YRS	2504	2.5	10	1	1	2	2	4	5	12
20-34	1697	3.1	7	1	2	2	3	5	7	13
35-49	229	3.9	14	1	2	3	4	8	11	19
50-64	74	4.7	30	1	1	3	5	10	15	33
65+	26	9.7	188	2	2	4	14	38	66	99+
TOT. SINGLE DX	23745	2.2	2	1	1	2	2	3	4	6
" MULTIPLE DX	4530	2.8	11	1	1	2	3	4	7	15
TOTAL 0-19 YRS	16245	2.2	4	1	1	2	2	3	3	7
20-34	10792	2.5	3	1	1	2	3	3	4	9
35-49	950	2.8	5	1	1	2	3	4	6	14
50-64	207	3.7	17	1	1	2	4	8	11	20
65+	81	5.8	83	1	2	3	4	16	26	87
GRAND TOTAL	**28275**	**2.3**	**4**	**1**	**1**	**2**	**2**	**3**	**4**	**9**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29029	1.9	3	1	1	2	2	2	3	5
20-34	829	2.4	1	1	2	2	3	3	4	5
35-49	62	2.7	2	1	2	2	3	4	6	88
50-64	29	2.0		1	1	2	2	3	4	99+
65+	59	1.7	1	1	1	2	2	2	2	7
2. MULTIPLE DX										
0-19 YRS	16404	1.9	3	1	1	2	2	2	3	8
20-34	223	3.2	14	1	1	2	3	5	8	24
35-49	30	5.0	93	1	1	3	4	7	14	54
50-64	19	2.1	1	<1	1	2	2	3	4	4
65+	24	2.1	4	1	1	2	2	2	5	11
TOT. SINGLE DX	30008	1.9	2	1	1	2	2	2	3	5
" MULTIPLE DX	16700	1.9	4	1	1	2	2	2	3	8
TOTAL 0-19 YRS	45433	1.9	3	1	1	2	2	2	3	6
20-34	1052	2.6	4	1	2	2	3	4	4	9
35-49	92	3.4	32	1	1	2	3	5	9	80
50-64	48	2.0		1	1	2	2	3	4	99+
65+	83	1.9	2	1	1	2	2	2	2	10
GRAND TOTAL	**46708**	**1.9**	**3**	**1**	**1**	**2**	**2**	**2**	**3**	**6**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2291	1.6	2	<1	<1	2	2	2	2	3
20-34	26	2.1	1	<1	1	2	3	3	4	5
35-49	6	1.7		1	1	2	2	2	2	2
50-64	5	1.2		1	1	1	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	6238	1.6	3	<1	<1	2	2	2	2	4
20-34	26	2.3	2	<1	<1	2	3	4	5	8
35-49	8	3.0	9	<1	<1	2	3	8	10	10
50-64	11	3.4	10	<1	<1	2	4	8	12	12
65+	16	1.4		<1	<1	1	2	2	2	2
TOT. SINGLE DX	2330	1.6	2	<1	<1	2	2	2	2	3
" MULTIPLE DX	6299	1.6	3	<1	<1	2	2	2	2	4
TOTAL 0-19 YRS	8529	1.6	2	<1	<1	2	2	2	2	4
20-34	52	2.2	1	<1	1	2	3	3	4	8
35-49	14	2.4	5	<1	1	2	2	4	9	10
50-64	16	2.7	8	<1	1	2	3	6	10	12
65+	18	1.4		<1	<1	1	2	2	2	2
GRAND TOTAL	**8629**	**1.6**	**2**	**<1**	**<1**	**2**	**2**	**2**	**2**	**4**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	842	2.5	7	1	1	2	3	4	5	9
20-34	599	2.8	3	1	1	2	3	5	6	10
35-49	197	3.5	10	1	1	2	4	6	11	15
50-64	207	4.6	58	1	1	3	5	9	14	37
65+	134	7.1	62	1	2	4	9	17	24	39
2. MULTIPLE DX										
0-19 YRS	253	3.4	9	1	1	2	4	6	9	19
20-34	174	4.8	21	1	2	4	6	9	14	27
35-49	135	6.3	64	1	2	4	8	11	15	48
50-64	250	8.4	82	1	2	5	11	22	28	53
65+	235	12.3	187	2	2	8	16	28	40	63
TOT. SINGLE DX	1979	3.2	17	1	1	2	3	6	8	18
" MULTIPLE DX	1047	7.2	86	1	2	4	8	17	25	53
TOTAL 0-19 YRS	1095	2.7	8	1	1	2	3	5	6	11
20-34	773	3.2	8	1	1	2	4	6	7	16
35-49	332	4.7	34	1	1	3	5	10	13	30
50-64	457	6.7	75	1	2	3	8	16	24	48
65+	369	10.4	148	2	2	6	13	25	35	60
GRAND TOTAL	**3026**	**4.6**	**44**	**1**	**1**	**3**	**5**	**10**	**15**	**36**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.3	15	<1	<1	2	3	10	12	13
20-34	11	4.2	5	1	1	4	6	7	7	7
35-49	10	3.8	7	1	1	3	6	7	8	8
50-64	19	4.1	24	<1	1	3	5	6	15	23
65+	13	2.9	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	21	2.4	5	<1	<1	1	3	5	7	10
20-34	13	4.4	9	<1	1	3	6	9	11	11
35-49	18	5.3	8	1	2	5	7	9	11	11
50-64	49	7.1	29	2	2	6	8	12	17	29
65+	39	8.4	44	1	2	7	11	20	21	28
TOT. SINGLE DX	69	3.7	12	1	1	2	5	7	10	21
" MULTIPLE DX	140	6.3	29	<1	1	5	8	12	19	28
TOTAL 0-19 YRS	37	2.8	9	<1	<1	2	3	9	10	13
20-34	24	4.3	7	1	2	4	6	7	10	11
35-49	28	4.8	8	1	1	5	7	8	10	11
50-64	68	6.2	29	1	2	5	8	12	17	28
65+	52	7.0	39	1	2	5	8	19	20	28
GRAND TOTAL	209	5.4	25	1	1	4	7	11	16	26

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	243	2.2	33	<1	1	2	2	2	3	12
20-34	485	2.0	2	1	1	2	2	2	3	10
35-49	685	2.3	10	1	1	2	2	3	4	14
50-64	1056	2.7	12	1	1	2	2	4	7	23
65+	501	3.0	18	1	1	2	2	4	7	29
2. MULTIPLE DX										
0-19 YRS	67	3.3	46	<1	1	2	2	4	8	43
20-34	197	3.3	22	1	1	2	3	5	9	26
35-49	451	4.3	27	1	1	2	4	10	15	25
50-64	797	5.1	42	1	1	2	6	12	17	30
65+	536	6.6	74	1	2	3	8	16	22	57
TOT. SINGLE DX	2970	2.5	13	1	1	2	2	3	5	19
" MULTIPLE DX	2048	5.1	46	1	1	2	5	12	17	39
TOTAL 0-19 YRS	310	2.5	36	<1	1	2	2	3	4	28
20-34	682	2.4	8	1	1	2	2	3	5	16
35-49	1136	3.1	18	1	1	2	2	5	10	23
50-64	1853	3.7	26	1	1	2	3	8	13	28
65+	1037	4.8	50	1	2	2	4	11	17	45
GRAND TOTAL	5018	3.6	28	1	1	2	3	7	12	29

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	3.6	33	<1	1	2	2	9	20	23
20-34	17	5.5	26	1	1	2	10	13	15	16
35-49	40	6.1	54	1	2	2	9	16	20	37
50-64	84	10.0	127	1	2	8	13	23	28	64
65+	51	14.4	127	2	2	13	18	31	45	99
2. MULTIPLE DX										
0-19 YRS	9	15.7	1006	2	2	3	10	67	99	99+
20-34	19	6.5	35	1	1	3	13	16	18	18
35-49	24	14.9	137	2	2	11	24	33	36	38
50-64	93	14.3	136	2	2	13	19	35	42	99+
65+	68	18.6	219	2	3	16	23	40	56	96
TOT. SINGLE DX	206	9.5	109	1	2	7	14	21	29	65
" MULTIPLE DX	213	15.1	195	2	2	13	19	35	45	99+
TOTAL 0-19 YRS	23	8.3	422	<1	1	2	4	20	50	99
20-34	36	6.0	30	1	1	3	12	14	17	18
35-49	64	9.4	102	1	2	5	12	27	34	38
50-64	177	12.3	136	2	2	11	17	26	36	99+
65+	119	16.8	183	2	3	15	21	38	51	99+
GRAND TOTAL	419	12.4	160	2	2	10	17	28	38	99+

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	17	19.6	76	8	9	20	24	34	35	35
50-64	94	18.5	104	10	11	16	21	28	40	64
65+	49	20.5	122	10	11	16	25	38	45	50
2. MULTIPLE DX										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	1	10.0		10	10	10	10	10	10	10
35-49	18	24.6	194	12	13	22	29	35	58	72
50-64	133	24.4	249	10	11	19	27	46	53	87
65+	133	28.4	384	11	12	21	36	61	81	99+
TOT. SINGLE DX	160	19.2	106	10	11	16	22	34	42	50
" MULTIPLE DX	287	26.1	311	10	11	20	31	52	69	96
TOTAL 0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	1	10.0		10	10	10	10	10	10	10
35-49	35	22.2	139	9	12	21	27	34	36	72
50-64	227	21.9	197	10	11	18	24	40	48	82
65+	182	26.3	325	10	11	20	33	55	69	99
GRAND TOTAL	447	23.6	248	10	11	18	27	45	59	92

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	3	23.7	1408	2	2	2	51	67	67	67
35-49										
50-64	8	20.6	425	1	1	18	33	53	58	58
65+	7	9.6	9	7	7	8	11	14	15	15
2. MULTIPLE DX										
0-19 YRS	7	25.4	480	7	9	20	74	99+	99+	99+
20-34	11	24.4	474	2	3	14	43	58	65	66
35-49	11	28.3	392	4	5	26	55	71	96	99+
50-64	44	26.7	383	4	7	25	34	66	77	99+
65+	50	34.1	448	7	9	33	54	98	99+	99+
TOT. SINGLE DX	20	15.3	363	<1	1	8	18	50	62	67
" MULTIPLE DX	123	29.6	424	5	7	27	52	67	99+	99+
TOTAL 0-19 YRS	9	20.1	471	<1	1	16	60	99+	99+	99+
20-34	14	24.2	582	2	2	13	48	66	67	67
35-49	11	28.3	392	4	5	26	55	71	96	99+
50-64	52	25.8	386	2	5	24	34	64	70	99+
65+	57	31.1	459	7	8	31	52	88	99+	99+
GRAND TOTAL	**143**	**27.6**	**438**	**2**	**5**	**25**	**48**	**66**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	6.8	47	1	2	6	8	11	18	89
20-34	49	13.8	451	1	1	5	14	43	57	97
35-49	46	7.6	107	1	1	4	7	22	32	49
50-64	74	11.9	278	1	2	6	15	37	64	95
65+	67	10.1	171	2	2	5	12	24	45	65
2. MULTIPLE DX										
0-19 YRS	141	16.4	363	1	2	11	28	61	99+	99+
20-34	132	29.3	688	2	2	25	58	98	99+	99+
35-49	132	23.7	423	2	3	19	38	71	97	99+
50-64	287	29.2	550	2	3	28	48	89	99+	99+
65+	338	35.8	606	3	5	35	53	82	93	99+
TOT. SINGLE DX	309	9.9	206	1	2	5	10	25	45	91
" MULTIPLE DX	1030	28.9	582	2	2	26	48	84	99+	99+
TOTAL 0-19 YRS	214	13.1	276	1	2	7	18	54	99+	99+
20-34	181	25.1	669	2	2	16	52	88	99+	99+
35-49	178	19.6	391	2	2	13	32	51	86	99+
50-64	361	25.7	542	2	2	20	44	79	99+	99+
65+	405	31.5	624	2	3	29	48	79	90	99+
GRAND TOTAL	**1339**	**24.5**	**559**	**2**	**2**	**18**	**42**	**76**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	5.8	21	1	1	4	8	13	16	18
20-34	194	7.2	70	1	2	5	10	15	17	38
35-49	301	7.5	45	1	2	6	10	15	18	32
50-64	816	9.1	60	2	2	7	12	18	23	43
65+	717	10.1	84	2	2	7	14	21	27	49
2. MULTIPLE DX										
0-19 YRS	51	9.8	46	2	3	9	12	21	23	27
20-34	285	10.3	66	2	2	9	13	20	27	46
35-49	721	12.2	115	2	3	9	15	25	34	54
50-64	2371	13.5	119	2	3	11	17	27	34	60
65+	2911	14.9	131	3	4	12	19	29	38	61
TOT. SINGLE DX	2069	9.0	67	2	2	7	12	18	24	43
" MULTIPLE DX	6339	13.8	123	2	4	11	18	27	35	59
TOTAL 0-19 YRS	92	8.0	38	1	2	7	11	18	22	27
20-34	479	9.1	70	2	2	7	12	18	24	44
35-49	1022	10.8	99	2	2	8	14	22	30	51
50-64	3187	12.4	108	2	3	10	16	24	32	58
65+	3628	14.0	126	2	3	11	18	28	36	58
GRAND TOTAL	**8408**	**12.6**	**114**	**2**	**3**	**10**	**16**	**25**	**33**	**56**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	3	11.7	2	10	10	12	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	3	11.3	209	2	2	4	22	28	28	28
35-49	5	11.8	27	6	6	12	14	20	20	20
50-64	4	12.8	52	6	6	11	17	23	23	23
65+	10	13.5	49	4	5	12	19	24	25	25
TOT. SINGLE DX	6	7.3	26	1	1	8	12	13	13	13
" MULTIPLE DX	22	12.7	55	3	4	11	19	24	26	28
TOTAL 0-19 YRS										
20-34	6	7.2	107	1	1	3	6	26	28	28
35-49	8	11.8	16	6	7	12	13	18	20	20
50-64	4	12.8	52	6	6	11	17	23	23	23
65+	10	13.5	49	4	5	12	19	24	25	25
GRAND TOTAL	**28**	**11.5**	**52**	**2**	**3**	**11**	**14**	**23**	**25**	**28**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	9.9	27	1	2	9	13	18	20	21
20-34	193	12.5	62	4	6	10	16	21	25	44
35-49	257	12.3	82	3	4	10	15	22	28	49
50-64	510	14.1	92	3	5	12	18	25	31	48
65+	363	14.1	87	2	3	12	19	26	31	53
2. MULTIPLE DX										
0-19 YRS	70	17.4	173	6	7	13	20	39	48	93
20-34	206	15.3	190	5	5	12	18	26	35	96
35-49	416	16.9	163	4	6	13	21	32	45	78
50-64	1241	18.7	155	5	7	16	24	34	42	74
65+	1223	18.7	149	4	6	16	24	34	43	67
TOT. SINGLE DX	1360	13.4	84	3	4	11	17	24	30	46
" MULTIPLE DX	3156	18.2	157	4	6	16	23	33	43	74
TOTAL 0-19 YRS	107	14.8	135	4	6	11	18	29	42	81
20-34	399	14.0	130	4	6	11	17	23	32	84
35-49	673	15.1	137	3	5	12	18	27	39	65
50-64	1751	17.4	141	4	6	15	22	31	39	70
65+	1586	17.7	139	3	5	16	23	32	40	63
GRAND TOTAL	4516	16.8	140	4	6	14	21	31	39	69

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	13.6	65	5	5	12	21	25	25	25
20-34	23	19.3	185	7	8	15	26	30	44	70
35-49	96	16.7	70	8	9	14	20	28	33	48
50-64	386	16.9	54	9	10	15	21	26	32	39
65+	209	18.1	75	9	10	16	22	29	32	63
2. MULTIPLE DX										
0-19 YRS	18	33.7	778	8	8	22	46	86	94	96
20-34	36	17.0	127	6	7	14	20	32	41	61
35-49	164	19.2	126	9	10	17	22	31	40	63
50-64	678	20.9	124	10	11	18	25	35	41	70
65+	507	23.0	120	10	11	21	29	37	43	58
TOT. SINGLE DX	722	17.3	67	9	10	15	21	28	32	47
" MULTIPLE DX	1403	21.6	134	10	11	19	26	36	42	70
TOTAL 0-19 YRS	26	27.5	636	6	7	21	27	73	91	96
20-34	59	17.9	148	6	8	15	22	30	40	69
35-49	260	18.3	106	9	10	16	21	30	38	61
50-64	1064	19.5	102	9	10	17	23	32	38	62
65+	716	21.6	112	9	11	19	27	35	41	59
GRAND TOTAL	2125	20.1	115	9	10	18	24	33	40	63

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	286	4.8	36	1	1	3	6	11	15	25
20-34	382	6.9	48	1	2	4	9	15	21	31
35-49	588	7.0	46	1	2	5	9	15	20	39
50-64	1025	7.7	52	1	2	6	10	17	21	32
65+	754	9.4	73	1	2	7	13	20	26	39
2. MULTIPLE DX										
0-19 YRS	269	9.3	60	1	2	7	13	21	28	99+
20-34	604	10.5	92	2	2	8	14	22	28	56
35-49	1194	11.1	106	2	3	8	14	21	29	53
50-64	2826	12.5	118	2	3	9	16	25	33	55
65+	2955	14.9	151	2	4	12	19	29	38	66
TOT. SINGLE DX	3035	7.6	56	1	2	5	10	17	22	34
" MULTIPLE DX	7848	12.9	128	2	3	10	17	26	34	60
TOTAL 0-19 YRS	555	7.0	53	1	1	4	10	17	23	46
20-34	986	9.1	78	1	2	7	12	20	25	49
35-49	1782	9.7	90	2	2	7	12	20	27	50
50-64	3851	11.2	105	2	2	8	15	23	30	51
65+	3709	13.8	140	2	3	11	18	28	36	62
GRAND TOTAL	10883	11.4	113	2	2	9	15	24	31	55

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	6.9	30	2	2	5	9	16	18	25
20-34	119	7.1	29	2	3	5	8	13	19	30
35-49	42	7.3	20	2	3	6	11	12	17	20
50-64	34	11.2	99	2	3	8	13	27	33	41
65+	27	17.6	504	3	4	10	15	45	78	98
2. MULTIPLE DX										
0-19 YRS	73	10.3	152	2	3	7	13	21	31	99
20-34	63	10.3	71	3	4	8	14	18	31	93
35-49	72	14.6	156	3	4	11	17	29	39	72
50-64	106	17.9	203	3	5	15	23	36	51	61
65+	113	19.0	282	4	5	13	24	46	63	90
TOT. SINGLE DX	275	8.6	92	2	3	6	10	17	25	47
" MULTIPLE DX	427	15.2	200	3	4	11	18	33	49	86
TOTAL 0-19 YRS	126	8.8	103	2	2	6	10	17	24	97
20-34	182	8.2	45	2	3	6	9	16	20	48
35-49	114	11.9	118	3	3	9	15	26	33	56
50-64	140	16.3	185	3	4	12	22	35	48	59
65+	140	18.7	322	4	5	13	24	47	64	98
GRAND TOTAL	702	12.6	168	2	3	8	15	27	40	77

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	276	6.6	18	2	3	5	8	12	15	23
20-34	827	7.0	28	2	3	6	9	12	16	28
35-49	338	8.5	53	3	3	7	9	15	20	41
50-64	294	13.6	123	3	4	11	17	25	33	66
65+	165	12.7	99	3	4	10	16	24	32	47
2. MULTIPLE DX										
0-19 YRS	516	14.1	234	3	4	9	16	36	58	99+
20-34	768	11.4	117	3	4	8	14	23	33	66
35-49	624	13.5	138	3	4	10	17	28	39	63
50-64	1039	16.7	175	4	5	13	22	33	44	82
65+	1147	18.2	169	4	6	15	24	35	45	68
TOT. SINGLE DX	1900	8.7	58	3	3	6	10	17	22	40
" MULTIPLE DX	4094	15.3	170	4	4	11	19	32	43	75
TOTAL 0-19 YRS	792	11.5	171	3	3	7	13	24	42	98
20-34	1595	9.2	76	3	3	7	11	17	25	50
35-49	962	11.8	113	3	4	8	14	23	35	60
50-64	1333	16.0	165	4	5	12	20	32	42	79
65+	1312	17.5	164	4	5	14	23	34	43	68
GRAND TOTAL	**5994**	**13.2**	**144**	**3**	**4**	**9**	**17**	**28**	**37**	**70**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	6.2	42	1	1	5	9	11	14	23
20-34	292	8.2	46	2	2	7	11	17	21	34
35-49	225	8.6	60	2	2	6	12	20	23	58
50-64	293	9.8	66	2	2	8	12	22	27	37
65+	203	11.4	86	2	2	10	16	21	31	48
2. MULTIPLE DX										
0-19 YRS	100	11.1	101	1	2	9	15	24	35	76
20-34	356	11.9	116	2	2	9	15	25	34	62
35-49	403	12.8	120	2	2	10	17	28	32	63
50-64	834	15.6	194	2	3	12	21	31	42	72
65+	975	17.5	178	3	4	15	24	36	44	72
TOT. SINGLE DX	1207	8.9	62	2	2	7	11	19	24	40
" MULTIPLE DX	2668	15.2	168	2	3	12	20	31	41	71
TOTAL 0-19 YRS	294	7.9	67	1	2	6	10	15	23	51
20-34	648	10.2	88	2	2	8	13	21	29	46
35-49	628	11.3	102	2	2	9	16	24	31	62
50-64	1127	14.1	167	2	3	11	19	29	37	70
65+	1178	16.4	167	3	4	13	22	34	42	66
GRAND TOTAL	**3875**	**13.2**	**143**	**2**	**2**	**10**	**18**	**28**	**36**	**65**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	10.7	19	7	7	10	12	14	17	30
20-34	106	13.4	36	5	8	12	16	23	26	31
35-49	178	15.0	42	8	9	13	17	24	29	36
50-64	244	16.1	39	10	11	14	18	25	30	39
65+	110	18.1	67	11	12	16	21	28	35	47
2. MULTIPLE DX										
0-19 YRS	215	15.6	127	7	8	12	18	26	32	79
20-34	134	16.3	102	8	9	13	18	29	42	72
35-49	302	19.1	112	9	10	16	23	32	39	66
50-64	696	21.3	144	10	11	18	26	38	47	74
65+	491	24.9	203	11	13	21	29	44	53	93
TOT. SINGLE DX	782	14.8	45	8	9	13	17	24	29	39
" MULTIPLE DX	1838	20.8	159	9	10	17	25	37	47	81
TOTAL 0-19 YRS	359	13.6	89	7	8	11	14	23	29	74
20-34	240	15.0	75	8	9	13	17	24	31	60
35-49	480	17.6	90	9	10	15	20	30	35	60
50-64	940	19.9	122	10	11	17	24	33	43	70
65+	601	23.6	185	11	12	20	28	41	50	89
GRAND TOTAL	**2620**	**19.0**	**132**	**9**	**10**	**16**	**23**	**32**	**43**	**76**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.0	1	11	11	12	13	13	13	13
20-34	27	14.6	55	7	9	13	17	21	28	44
35-49	697	14.1	24	9	9	13	16	20	22	33
50-64	1887	14.9	39	9	10	13	17	21	25	38
65+	503	17.0	48	10	11	16	20	24	28	44
2. MULTIPLE DX										
0-19 YRS	4	17.3	62	10	10	17	24	25	25	25
20-34	67	14.4	32	9	10	13	17	20	26	37
35-49	1505	15.1	47	9	10	13	17	23	28	40
50-64	4621	16.8	70	9	10	14	19	27	32	50
65+	1564	19.7	113	10	11	17	23	31	40	80
TOT. SINGLE DX	3118	15.1	38	9	10	13	17	21	25	38
" MULTIPLE DX	7761	17.0	76	9	10	15	19	27	33	56
TOTAL 0-19 YRS	8	14.6	35	10	10	12	18	24	25	25
20-34	94	14.5	38	9	10	13	17	21	25	41
35-49	2202	14.8	40	9	10	13	17	22	26	38
50-64	6508	16.2	62	9	10	14	18	25	30	48
65+	2067	19.0	99	10	11	17	22	30	38	70
GRAND TOTAL	**10879**	**16.5**	**66**	**9**	**10**	**14**	**19**	**25**	**31**	**51**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	542	2.8	7	1	2	2	3	3	6	17
20-34	486	3.7	13	2	2	2	4	8	10	19
35-49	2512	3.8	14	2	2	2	4	8	12	19
50-64	4312	3.9	19	2	2	2	4	8	12	20
65+	878	4.7	27	2	2	3	5	10	15	25
2. MULTIPLE DX										
0-19 YRS	711	4.3	35	2	2	2	4	9	13	32
20-34	768	6.2	56	2	2	3	8	14	17	40
35-49	5407	5.8	37	2	2	3	7	13	17	29
50-64	11882	6.0	37	2	2	3	8	14	18	29
65+	3784	8.3	63	2	2	6	11	18	24	38
TOT. SINGLE DX	8730	3.9	18	2	2	2	4	8	12	21
" MULTIPLE DX	22552	6.3	43	2	2	4	8	14	18	32
TOTAL 0-19 YRS	1253	3.6	24	2	2	2	3	7	11	26
20-34	1254	5.2	41	2	2	3	6	11	16	33
35-49	7919	5.1	31	2	2	3	6	12	15	26
50-64	16194	5.5	33	2	2	3	7	13	17	28
65+	4662	7.7	59	2	2	5	10	17	22	37
GRAND TOTAL	**31282**	**5.6**	**37**	**2**	**2**	**3**	**7**	**13**	**17**	**29**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	5.7	6	2	2	6	8	8	10	10
20-34	35	7.6	36	1	2	6	11	17	21	22
35-49	91	8.0	47	1	2	6	11	19	21	32
50-64	487	7.4	38	1	2	5	10	16	20	30
65+	1823	7.1	45	2	2	5	9	15	21	31
2. MULTIPLE DX										
0-19 YRS	35	11.9	163	2	2	8	15	24	61	99+
20-34	82	11.7	135	2	2	10	15	21	25	72
35-49	304	14.4	107	3	4	13	19	25	33	48
50-64	1814	14.2	97	3	4	13	19	26	32	50
65+	8262	14.3	108	3	4	12	19	28	34	53
TOT. SINGLE DX	2451	7.2	43	2	2	5	9	15	20	31
" MULTIPLE DX	10497	14.2	107	3	4	12	19	27	33	53
TOTAL 0-19 YRS	50	10.0	123	2	2	7	11	23	40	99+
20-34	117	10.5	108	2	2	8	14	21	24	71
35-49	395	12.9	100	2	3	11	18	24	31	45
50-64	2301	12.8	92	2	3	11	18	24	31	46
65+	10085	13.0	104	2	3	11	17	26	32	51
GRAND TOTAL	**12948**	**12.9**	**102**	**2**	**3**	**11**	**17**	**26**	**32**	**50**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	9.7	27	2	5	9	10	12	18	31
20-34	30	9.1	29	2	3	9	11	14	22	26
35-49	32	12.2	44	4	6	10	15	19	29	33
50-64	57	12.6	84	2	3	11	16	21	30	53
65+	32	11.6	78	2	5	10	14	19	24	51
2. MULTIPLE DX										
0-19 YRS	37	16.9	286	5	6	11	16	37	54	87
20-34	65	14.8	154	2	5	12	18	28	45	96
35-49	128	15.8	134	4	5	13	19	28	36	65
50-64	301	17.4	163	3	5	15	21	33	43	98
65+	218	20.4	184	6	8	18	25	35	45	80
TOT. SINGLE DX	176	11.3	59	2	4	10	14	19	25	47
" MULTIPLE DX	749	17.8	172	4	6	15	21	33	44	85
TOTAL 0-19 YRS	62	14.0	192	4	6	10	14	31	41	84
20-34	95	13.0	121	2	4	11	15	25	39	90
35-49	160	15.1	118	4	5	13	18	27	34	59
50-64	358	16.7	154	3	4	15	21	32	41	94
65+	250	19.3	178	6	7	16	24	34	45	79
GRAND TOTAL	**925**	**16.5**	**157**	**3**	**5**	**14**	**20**	**31**	**41**	**80**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108	4.4	32	1	1	2	5	12	19	28
20-34	179	3.9	60	1	1	2	3	8	12	30
35-49	249	3.3	17	1	1	2	3	6	12	28
50-64	368	4.8	78	1	1	2	3	12	19	46
65+	238	5.4	46	1	2	2	6	14	19	35
2. MULTIPLE DX										
0-19 YRS	110	8.6	167	1	1	4	9	19	35	71
20-34	132	10.1	141	1	2	5	15	27	32	62
35-49	276	9.0	122	1	2	5	12	21	32	63
50-64	601	11.6	140	2	2	8	17	28	35	54
65+	671	16.6	198	2	2	14	23	36	44	87
TOT. SINGLE DX	1142	4.4	51	1	1	2	3	11	17	35
" MULTIPLE DX	1790	12.8	170	2	2	9	18	30	39	72
TOTAL 0-19 YRS	218	6.5	104	1	1	3	7	15	25	61
20-34	311	6.5	104	1	1	2	7	17	27	53
35-49	525	6.3	80	1	1	2	7	16	24	52
50-64	969	9.0	127	1	2	3	13	23	31	53
65+	909	13.7	183	2	2	10	19	32	41	81
GRAND TOTAL	**2932**	**9.5**	**141**	**1**	**2**	**4**	**14**	**24**	**34**	**61**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	4.3	8	2	2	4	5	7	10	16
20-34	1373	4.4	4	2	2	4	5	7	8	13
35-49	2010	5.0	9	2	3	4	6	8	9	17
50-64	1587	5.6	13	2	3	5	6	9	12	20
65+	322	7.4	46	3	3	5	8	13	21	38
2. MULTIPLE DX										
0-19 YRS	16	7.6	91	3	3	4	8	12	33	42
20-34	395	6.1	20	3	3	5	7	10	14	23
35-49	857	7.6	38	3	3	6	9	14	18	37
50-64	1037	9.2	64	3	3	7	11	18	23	40
65+	358	12.5	110	3	4	9	16	26	39	55
TOT. SINGLE DX	5361	5.2	12	2	3	4	6	8	10	19
" MULTIPLE DX	2663	8.7	59	3	3	6	10	17	22	43
TOTAL 0-19 YRS	85	4.9	24	2	2	4	5	8	11	33
20-34	1768	4.8	8	2	3	4	5	7	9	16
35-49	2867	5.8	19	2	3	5	6	9	13	24
50-64	2624	7.0	36	3	3	5	8	13	18	34
65+	680	10.1	86	3	3	7	12	22	30	54
GRAND TOTAL	**8024**	**6.3**	**30**	**2**	**3**	**5**	**7**	**11**	**16**	**31**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	9.2	25	2	3	9	12	15	19	21
20-34	63	9.3	68	2	3	8	11	20	24	47
35-49	195	11.1	39	3	4	10	13	18	25	32
50-64	788	13.2	49	5	7	12	16	20	25	50
65+	521	14.5	68	6	7	13	17	23	29	50
2. MULTIPLE DX										
0-19 YRS	84	14.7	101	3	5	11	21	28	36	86
20-34	209	15.1	192	2	3	11	19	34	43	82
35-49	600	16.0	135	3	5	13	20	31	38	82
50-64	2207	17.8	144	5	8	15	21	33	43	72
65+	2149	22.3	219	7	9	18	27	42	54	82
TOT. SINGLE DX	1593	13.1	56	4	6	12	16	21	26	48
" MULTIPLE DX	5249	19.3	182	5	8	16	23	37	42	78
TOTAL 0-19 YRS	110	13.4	88	2	4	11	18	25	35	76
20-34	272	13.8	169	2	3	10	17	31	41	70
35-49	795	14.8	116	3	5	12	18	28	36	73
50-64	2995	16.6	123	5	7	14	19	30	39	64
65+	2670	20.8	199	7	9	17	25	39	52	78
GRAND TOTAL	**6842**	**17.8**	**159**	**5**	**7**	**14**	**21**	**33**	**44**	**73**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	14.3	1	13	13	15	15	15	15	15
20-34	2	11.0		11	11	11	11	11	11	11
35-49	4	12.0	53	2	2	13	17	19	19	19
50-64	10	14.9	11	11	11	14	18	19	20	20
65+	2	16.0	18	13	13	16	19	19	19	19
2. MULTIPLE DX										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	1	33.0		33	33	33	33	33	33	33
35-49	10	16.9	37	11	11	14	21	27	29	29
50-64	50	19.0	85	11	12	18	23	27	35	99+
65+	9	24.6	116	12	14	23	29	42	44	44
TOT. SINGLE DX	21	14.0	16	7	11	13	17	19	20	20
" MULTIPLE DX	71	19.8	86	11	12	18	24	32	39	93
TOTAL 0-19 YRS	4	18.8	79	13	13	15	24	32	32	32
20-34	3	18.3	161	11	11	11	28	33	33	33
35-49	14	15.5	43	4	10	14	19	25	28	29
50-64	60	18.4	74	11	12	17	21	27	34	96
65+	11	23.0	106	12	13	19	25	42	44	44
GRAND TOTAL	**92**	**18.5**	**76**	**11**	**12**	**16**	**23**	**28**	**35**	**86**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	10.5	111	<1	1	7	15	28	32	32
20-34	24	6.0	12	1	2	5	9	10	12	13
35-49	34	6.2	120	<1	<1	3	8	12	13	64
50-64	54	6.4	56	<1	<1	4	8	15	26	31
65+	26	7.6	48	1	1	5	12	15	19	32
2. MULTIPLE DX										
0-19 YRS	137	6.7	39	1	2	5	8	15	18	27
20-34	507	6.1	31	<1	1	5	8	13	17	28
35-49	608	7.4	66	<1	1	5	9	15	19	45
50-64	1001	7.7	63	<1	1	5	10	16	22	40
65+	566	9.3	94	1	2	6	11	20	28	49
TOT. SINGLE DX	146	6.7	64	<1	<1	4	9	13	24	33
" MULTIPLE DX	2819	7.6	64	<1	1	5	9	16	21	42
TOTAL 0-19 YRS	145	6.9	43	1	2	5	8	15	18	33
20-34	531	6.1	31	<1	1	5	8	13	17	27
35-49	642	7.3	68	<1	1	5	9	15	19	51
50-64	1055	7.7	62	<1	1	5	9	16	22	39
65+	592	9.2	92	1	2	6	11	19	28	49
GRAND TOTAL	**2965**	**7.6**	**64**	**<1**	**1**	**5**	**9**	**16**	**21**	**42**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	411	9.0	78	1	2	7	12	17	24	41
20-34	440	7.7	90	1	1	4	9	19	25	48
35-49	538	10.6	97	1	2	8	15	21	29	53
50-64	1605	11.1	61	3	4	10	14	19	25	43
65+	1737	12.3	61	4	5	11	15	21	26	42
2. MULTIPLE DX										
0-19 YRS	2382	18.7	342	1	3	12	26	50	69	99+
20-34	931	12.4	188	1	2	8	16	30	42	85
35-49	1391	15.7	214	2	3	12	21	33	48	91
50-64	4799	15.8	156	3	5	13	19	30	41	75
65+	6263	18.6	182	5	6	15	23	36	47	74
TOT. SINGLE DX	4731	11.0	71	2	3	9	14	20	26	45
" MULTIPLE DX	15766	17.1	205	3	4	13	22	36	49	85
TOTAL 0-19 YRS	2793	17.3	315	1	3	11	23	46	65	99+
20-34	1371	10.9	161	1	1	7	14	26	38	77
35-49	1929	14.3	187	2	3	11	19	31	44	85
50-64	6404	14.6	137	3	4	12	18	27	38	72
65+	8000	17.2	162	4	6	14	21	33	43	70
GRAND TOTAL	**20497**	**15.7**	**181**	**2**	**4**	**12**	**20**	**32**	**44**	**80**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	858	3.6	13	<1	1	2	4	8	11	18
20-34	1018	5.2	30	1	1	3	6	12	17	27
35-49	586	6.5	55	1	2	4	8	14	19	35
50-64	687	7.4	47	1	2	5	10	16	20	35
65+	491	9.5	77	2	2	8	12	19	24	41
2. MULTIPLE DX										
0-19 YRS	349	6.3	44	1	2	4	8	13	18	38
20-34	667	8.1	54	2	2	6	11	17	22	34
35-49	699	10.0	96	2	2	7	13	22	28	47
50-64	1440	12.1	119	2	3	9	16	24	34	54
65+	1617	13.9	120	2	3	11	18	27	36	59
TOT. SINGLE DX	3640	6.0	43	1	1	3	8	14	18	31
" MULTIPLE DX	4772	11.4	107	2	2	9	15	24	31	53
TOTAL 0-19 YRS	1207	4.4	24	1	1	3	5	10	13	24
20-34	1685	6.3	41	1	2	4	8	14	19	30
35-49	1285	8.4	80	2	2	6	11	18	25	40
50-64	2127	10.6	101	2	2	8	14	22	30	53
65+	2108	12.9	113	2	3	10	17	26	34	57
GRAND TOTAL	**8412**	**9.1**	**87**	**1**	**2**	**6**	**12**	**20**	**26**	**47**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	3.6	15	1	1	2	4	7	9	23
20-34	65	7.4	51	2	2	5	9	19	29	89
35-49	76	9.7	82	2	3	8	12	16	20	58
50-64	121	10.5	37	3	4	9	13	18	23	33
65+	103	11.8	87	3	4	9	14	22	29	84
2. MULTIPLE DX										
0-19 YRS	22	10.0	88	1	2	8	12	15	29	47
20-34	82	9.5	36	2	3	9	12	16	19	34
35-49	105	11.6	69	3	4	9	15	24	29	68
50-64	348	14.2	103	3	5	11	19	27	35	62
65+	315	16.0	176	4	5	12	20	35	43	88
TOT. SINGLE DX	401	9.6	64	2	2	8	12	18	25	55
" MULTIPLE DX	872	14.0	123	3	4	11	18	28	37	62
TOTAL 0-19 YRS	58	6.0	51	1	1	4	8	13	16	45
20-34	147	8.5	43	2	2	7	11	16	25	37
35-49	181	10.8	75	2	3	9	13	21	28	57
50-64	469	13.2	89	3	4	10	17	25	33	51
65+	418	14.9	157	4	5	11	19	30	41	88
GRAND TOTAL	**1273**	**12.6**	**108**	**2**	**3**	**10**	**16**	**25**	**35**	**62**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	6.3	44	2	2	3	11	14	14	14
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	2	24.0	882	3	3	24	45	45	45	45
20-34	2	11.5	85	5	5	11	18	18	18	18
35-49	1	6.0		6	6	53	99+	99+	99+	99+
50-64	2	11.5	145	3	3	11	20	20	20	20
65+	1	23.0		23	23	23	23	23	23	23
TOT. SINGLE DX	5	4.8	27	2	2	3	6	14	14	14
" MULTIPLE DX	8	15.4	209	3	3	18	28	78	99+	99+
TOTAL 0-19 YRS	2	24.0	882	3	3	24	45	45	45	45
20-34	5	8.4	51	2	2	5	15	18	18	18
35-49	2	4.5	5	3	3	6	76	99+	99+	99+
50-64	3	8.3	102	2	2	3	16	20	20	20
65+	1	23.0		23	23	23	23	23	23	23
GRAND TOTAL	**13**	**11.3**	**160**	**2**	**2**	**5**	**20**	**50**	**89**	**99+**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	4.5	2	2	3	4	5	7	7	7
20-34	3	4.0	3	3	3	3	5	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	6.0	8	4	4	6	8	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	5	14.4	262	4	4	8	19	43	43	43
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
TOT. SINGLE DX	17	4.5	3	2	3	4	5	7	8	8
" MULTIPLE DX	8	12.5	159	4	5	8	11	34	43	43
TOTAL 0-19 YRS	13	5.4	7	2	3	4	7	10	12	12
20-34	8	10.5	180	3	3	6	9	33	43	43
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	2	6.0	8	4	4	6	8	8	8	8
65+										
GRAND TOTAL	25	7.0	63	2	3	5	7	11	20	43

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	695	8.0	53	1	2	6	9	15	21	40
20-34	663	9.7	86	2	3	7	11	19	25	55
35-49	505	9.9	87	2	3	8	11	20	27	50
50-64	770	10.9	104	2	3	8	13	22	31	52
65+	856	11.2	97	2	3	9	14	22	28	56
2. MULTIPLE DX										
0-19 YRS	799	11.4	131	2	3	8	13	22	35	72
20-34	1247	13.6	168	3	4	10	16	28	40	88
35-49	1443	13.5	139	3	4	10	16	28	38	70
50-64	3204	13.9	129	3	4	11	18	28	37	61
65+	6748	14.9	133	4	5	12	19	29	38	61
TOT. SINGLE DX	3489	10.0	88	2	3	8	12	20	27	50
" MULTIPLE DX	13441	14.2	136	3	4	11	18	28	38	65
TOTAL 0-19 YRS	1494	9.9	97	2	3	7	11	19	29	59
20-34	1910	12.3	143	3	4	9	14	25	35	74
35-49	1948	12.5	128	3	4	9	15	25	37	67
50-64	3974	13.3	125	3	4	10	17	27	36	60
65+	7604	14.5	130	3	4	11	18	28	37	60
GRAND TOTAL	16930	13.4	129	3	4	10	17	27	36	63

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	10.2	88	3	3	6	13	26	46	99+
20-34	24	14.2	182	2	2	9	21	37	45	51
35-49	29	14.9	308	1	2	10	21	29	38	93
50-64	31	11.6	42	3	4	10	18	21	22	23
65+	25	18.4	173	3	5	15	28	39	40	41
2. MULTIPLE DX										
0-19 YRS	158	12.6	187	3	4	8	15	26	39	81
20-34	102	14.2	157	3	3	10	20	31	36	65
35-49	109	18.7	335	2	4	12	24	50	63	93
50-64	206	19.2	231	3	5	16	25	37	56	75
65+	280	22.3	263	5	6	18	30	44	58	79
TOT. SINGLE DX	135	13.8	160	2	3	9	20	29	38	94
" MULTIPLE DX	855	18.3	250	3	4	14	25	38	53	83
TOTAL 0-19 YRS	184	12.2	173	3	3	8	15	26	38	89
20-34	126	14.2	160	3	3	10	20	34	38	59
35-49	138	17.9	329	2	4	12	23	47	62	94
50-64	237	18.3	212	3	5	15	24	35	55	75
65+	305	22.0	256	5	6	18	30	43	54	78
GRAND TOTAL	990	17.7	240	3	4	13	24	37	51	85

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	4.7	16	1	1	4	6	10	13	18
20-34	125	6.6	31	1	2	5	9	14	19	25
35-49	185	7.0	40	1	2	5	9	13	20	32
50-64	296	8.4	94	1	1	5	10	18	28	53
65+	368	8.1	94	1	1	5	10	18	25	52
2. MULTIPLE DX										
0-19 YRS	72	13.0	293	2	2	7	16	33	63	97
20-34	299	9.1	60	2	2	7	11	18	23	57
35-49	543	10.3	86	2	3	8	13	20	26	44
50-64	1273	11.3	121	2	3	8	14	23	31	66
65+	1761	12.4	137	2	3	9	15	25	37	58
TOT. SINGLE DX	1021	7.7	73	1	1	5	9	16	23	46
" MULTIPLE DX	3948	11.5	123	2	3	8	14	23	33	64
TOTAL 0-19 YRS	119	9.7	199	1	1	6	10	21	37	92
20-34	424	8.3	53	1	2	7	10	17	21	37
35-49	728	9.4	76	2	2	7	12	19	25	43
50-64	1569	10.8	117	2	2	8	14	22	31	64
65+	2129	11.6	132	2	2	8	15	24	35	58
GRAND TOTAL	4969	10.7	115	2	2	8	14	22	31	58

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	760	4.6	7	2	2	4	5	7	9	15
20-34	13	14.4	179	4	4	8	21	32	47	50
35-49	10	13.4	47	8	8	10	22	24	25	25
50-64	16	19.6	583	1	4	11	18	51	84	97
65+	10	21.0	319	7	8	14	20	51	67	67
2. MULTIPLE DX										
0-19 YRS	182	7.1	32	2	3	6	8	12	19	42
20-34	21	15.4	180	5	6	11	17	33	51	58
35-49	25	18.2	134	6	7	14	28	32	40	45
50-64	34	20.1	221	8	9	15	26	44	68	99+
65+	46	28.6	363	9	10	22	39	61	69	77
TOT. SINGLE DX	809	5.4	34	2	2	4	6	8	11	26
" MULTIPLE DX	308	13.2	184	3	3	8	15	32	45	73
TOTAL 0-19 YRS	942	5.1	13	2	2	4	6	8	10	23
20-34	34	15.0	174	4	5	11	18	30	49	58
35-49	35	16.8	111	6	7	12	26	32	37	45
50-64	50	19.9	328	5	7	14	23	48	70	99+
65+	56	27.3	358	8	10	19	37	61	68	77
GRAND TOTAL	1117	7.5	87	2	3	5	7	14	25	59

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	20.0	266	2	4	14	32	46	46	46
20-34	8	17.1	254	2	3	16	53	99+	99+	99+
35-49	14	15.5	75	5	7	13	17	33	33	33
50-64	28	20.4	335	5	5	14	27	58	77	99+
65+	68	20.5	185	5	7	18	27	34	44	78
2. MULTIPLE DX										
0-19 YRS	35	29.0	524	[illegible]	8	25	71	99+	99+	99+
20-34	37	28.0	585	5	6	19	60	99+	99+	99+
35-49	63	29.2	414	5	6	24	41	63	68	77
50-64	156	27.2	376	6	8	22	42	75	99+	99+
65+	519	28.8	329	7	10	26	39	57	73	99+
TOT. SINGLE DX	128	19.7	212	5	6	16	27	44	64	99+
" MULTIPLE DX	810	28.5	363	6	9	25	41	66	85	99+
TOTAL 0-19 YRS	45	27.0	474	7	7	24	57	99+	99+	99+
20-34	45	26.1	537	4	5	18	58	99+	99+	99+
35-49	77	26.7	379	5	6	23	34	61	68	76
50-64	184	25.1	374	6	8	21	41	69	99+	99+
65+	587	27.9	319	7	10	24	37	55	73	99+
GRAND TOTAL	938	27.3	351	6	8	23	40	65	84	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	5.8	13	2	2	5	8	10	11	21
20-34	218	6.8	18	2	2	6	9	12	14	22
35-49	347	7.6	27	2	3	7	9	15	18	25
50-64	487	8.0	44	2	2	7	10	15	18	31
65+	395	9.6	59	2	3	8	12	18	22	41
2. MULTIPLE DX										
0-19 YRS	92	9.4	81	2	3	7	11	17	23	57
20-34	654	8.6	43	2	3	7	11	15	20	40
35-49	1337	9.9	57	3	4	8	12	18	23	38
50-64	2349	10.8	59	3	4	9	13	19	24	42
65+	3181	12.4	73	3	4	10	16	23	28	45
TOT. SINGLE DX	1503	8.1	40	2	2	7	10	15	19	31
" MULTIPLE DX	7613	11.1	65	3	4	9	14	20	26	42
TOTAL 0-19 YRS	148	8.0	58	2	2	6	10	14	21	45
20-34	872	8.2	37	2	3	7	10	14	18	39
35-49	1684	9.4	52	3	4	8	11	17	21	35
50-64	2836	10.3	58	2	3	9	13	18	23	42
65+	3576	12.1	73	3	4	10	15	22	28	44
GRAND TOTAL	9116	10.6	62	3	4	9	13	19	25	41

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	13.6	138	2	3	10	17	30	43	43
20-34	123	10.9	23	3	4	11	14	17	19	26
35-49	249	14.4	50	8	8	13	17	23	28	41
50-64	304	14.8	41	8	9	13	18	23	27	37
65+	213	18.7	78	9	11	17	23	27	33	51
2. MULTIPLE DX										
0-19 YRS	13	23.5	219	7	9	18	43	56	90	99+
20-34	138	16.7	75	6	8	15	19	29	32	48
35-49	417	18.7	115	8	9	16	22	33	40	72
50-64	716	21.0	144	9	10	18	26	36	44	85
65+	907	25.1	179	11	12	22	30	43	52	87
TOT. SINGLE DX	899	15.1	56	7	8	13	18	24	28	40
" MULTIPLE DX	2191	22.0	157	9	10	19	27	38	48	85
TOTAL 0-19 YRS	23	19.2	201	3	6	16	29	46	66	99+
20-34	261	14.0	59	4	6	13	17	23	30	41
35-49	666	17.1	95	8	9	15	20	29	37	61
50-64	1020	19.2	121	8	10	16	23	33	41	68
65+	1120	23.9	166	10	12	21	29	40	50	85
GRAND TOTAL	3090	20.0	137	8	10	17	24	35	43	74

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	24.0		24	24	24	24	24	24	24
35-49	13	21.7	99	4	11	19	30	34	39	40
50-64	30	22.8	87	11	12	22	28	36	40	44
65+	21	23.6	200	5	11	20	27	38	59	70
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	24.5	102	13	13	26	33	33	33	33
35-49	19	23.9	188	12	12	19	28	42	57	66
50-64	93	28.6	336	7	10	25	36	53	85	99+
65+	114	27.7	189	12	13	24	36	51	58	64
TOT. SINGLE DX	66	22.6	124	5	12	20	28	35	41	67
" MULTIPLE DX	231	27.6	247	10	12	24	35	51	61	93
TOTAL 0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	5	24.4	77	13	13	24	33	33	33	33
35-49	32	23.0	148	12	12	19	29	36	46	66
50-64	123	27.2	280	8	11	25	34	48	69	99+
65+	135	27.1	192	12	13	23	35	50	58	70
GRAND TOTAL	297	26.5	224	9	12	24	33	47	58	91

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	11.9	22	5	6	11	16	18	18	18
20-34	148	11.7	28	7	7	10	13	19	25	29
35-49	212	12.7	25	6	7	12	15	19	23	29
50-64	194	13.5	44	8	8	12	16	21	25	35
65+	94	16.2	67	8	9	14	20	25	30	50
2. MULTIPLE DX										
0-19 YRS	6	12.3	82	3	3	12	15	27	28	28
20-34	125	14.8	63	8	8	13	17	22	25	57
35-49	263	15.8	74	8	9	14	18	26	33	45
50-64	372	18.3	152	8	9	15	22	30	39	79
65+	314	23.2	182	10	11	20	27	42	51	82
TOT. SINGLE DX	656	13.2	39	7	8	12	15	21	25	33
" MULTIPLE DX	1080	18.7	141	8	9	16	22	32	42	74
TOTAL 0-19 YRS	14	12.1	44	3	4	12	15	19	26	28
20-34	273	13.1	46	7	8	11	15	20	25	36
35-49	475	14.4	54	7	8	13	17	23	29	41
50-64	566	16.7	120	8	8	14	19	28	35	61
65+	408	21.6	164	9	10	18	25	40	51	78
GRAND TOTAL	1736	16.6	109	7	8	14	19	28	36	59

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	8.4	19	3	4	8	10	13	17	25
20-34	728	9.3	16	5	6	8	10	14	16	28
35-49	606	10.0	23	5	6	9	11	15	18	30
50-64	282	12.8	54	6	7	10	14	22	30	44
65+	178	15.2	71	7	8	13	19	25	30	48
2. MULTIPLE DX										
0-19 YRS	122	15.2	158	5	6	12	18	35	66	99+
20-34	1001	11.3	50	4	5	10	13	19	26	45
35-49	1337	13.0	79	4	6	10	15	23	31	53
50-64	958	16.9	139	6	8	13	20	31	46	75
65+	858	22.4	194	8	9	19	28	40	52	77
TOT. SINGLE DX	1907	10.5	33	5	6	9	12	16	21	37
" MULTIPLE DX	4276	15.4	127	5	7	12	18	29	39	73
TOTAL 0-19 YRS	235	12.0	103	4	5	9	15	23	35	99+
20-34	1729	10.5	37	4	6	9	12	16	22	36
35-49	1943	12.1	63	5	6	10	14	21	28	49
50-64	1240	16.0	122	6	7	13	19	29	40	73
65+	1036	21.1	180	8	9	17	26	38	50	74
GRAND TOTAL	6183	13.9	103	5	6	11	16	26	35	64

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	224	6.0	20	1	2	5	8	11	15	25
20-34	574	7.1	45	1	2	6	9	13	17	27
35-49	528	6.3	36	1	1	4	9	13	17	34
50-64	906	5.4	31	1	1	3	8	12	16	30
65+	718	6.2	45	1	1	4	8	14	20	35
2. MULTIPLE DX										
0-19 YRS	248	8.4	57	2	2	7	10	14	21	81
20-34	788	9.4	59	2	3	8	12	17	24	40
35-49	1075	9.8	66	2	3	8	12	18	24	42
50-64	2337	9.7	73	2	2	8	12	19	25	46
65+	3210	12.0	102	2	2	10	16	24	31	51
TOT. SINGLE DX	2950	6.1	38	1	1	4	8	13	17	30
" MULTIPLE DX	7658	10.6	84	2	2	8	14	21	27	48
TOTAL 0-19 YRS	472	7.3	41	2	2	6	9	14	17	34
20-34	1362	8.4	54	2	2	7	10	16	21	37
35-49	1603	8.6	59	1	2	7	11	17	23	37
50-64	3243	8.5	65	1	2	7	11	17	22	40
65+	3928	11.0	97	1	2	9	15	22	30	50
GRAND TOTAL	10608	9.4	75	1	2	7	12	19	25	45

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	10.2	24	5	6	8	11	18	19	26
20-34	74	13.6	95	6	7	11	15	25	29	62
35-49	79	16.3	168	6	7	12	18	26	39	82
50-64	95	15.3	92	7	8	12	18	27	35	59
65+	118	16.5	96	8	9	14	19	27	32	61
2. MULTIPLE DX										
0-19 YRS	100	15.5	188	6	7	12	21	72	99+	99+
20-34	260	18.0	180	6	8	13	22	36	47	76
35-49	274	20.9	234	7	8	16	26	41	51	96
50-64	490	21.8	220	8	9	18	26	42	55	99
65+	777	24.5	225	9	11	20	30	46	58	93
TOT. SINGLE DX	400	15.1	105	6	7	12	18	26	32	62
" MULTIPLE DX	1901	21.9	224	8	9	18	27	43	57	99+
TOTAL 0-19 YRS	134	14.2	151	6	7	11	18	38	99+	99+
20-34	334	17.0	164	6	7	12	20	34	45	71
35-49	353	19.9	222	7	8	16	24	37	51	92
50-64	585	20.7	205	8	9	16	25	39	51	96
65+	895	23.5	215	9	10	19	29	44	57	92
GRAND TOTAL	2301	20.7	210	7	9	16	26	41	53	98

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	13.4	102	4	5	10	16	24	30	57
20-34	222	14.8	86	7	8	13	17	25	28	72
35-49	409	14.1	46	7	8	12	16	22	27	46
50-64	1033	15.0	47	8	9	13	17	22	27	45
65+	1354	17.4	68	9	10	15	20	27	32	51
2. MULTIPLE DX										
0-19 YRS	103	20.4	213	6	8	16	27	41	57	88
20-34	410	20.0	187	8	9	16	24	40	51	93
35-49	896	18.4	123	9	9	15	21	31	42	69
50-64	2926	19.3	117	9	10	16	23	32	41	72
65+	6020	22.6	142	11	12	20	27	37	47	71
TOT. SINGLE DX	3077	15.9	62	8	9	14	18	25	29	50
" MULTIPLE DX	10355	21.2	139	10	11	18	25	36	45	72
TOTAL 0-19 YRS	162	17.8	183	5	7	14	21	37	52	76
20-34	632	18.2	157	7	8	14	22	34	45	91
35-49	1305	17.0	103	8	9	14	20	29	39	66
50-64	3959	18.2	102	9	10	15	21	30	38	65
65+	7374	21.7	132	10	11	19	26	36	44	68
GRAND TOTAL	13432	20.0	126	9	10	17	24	34	42	68

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	6.1	9	3	3	6	8	11	12	13
20-34	29	12.8	41	6	6	13	15	20	24	36
35-49	53	13.6	85	6	6	11	15	28	32	47
50-64	73	13.8	42	6	7	13	18	22	25	37
65+	82	16.4	94	8	9	14	20	28	34	58
2. MULTIPLE DX										
0-19 YRS	34	20.0	365	6	7	12	24	42	61	91
20-34	70	17.7	84	7	8	15	23	32	36	45
35-49	109	17.5	126	6	8	16	22	29	33	66
50-64	227	21.3	158	8	10	17	27	40	54	99+
65+	430	23.2	196	9	11	20	28	41	56	95
TOT. SINGLE DX	252	14.1	71	5	6	12	17	24	29	47
" MULTIPLE DX	870	21.5	179	8	10	18	27	38	51	94
TOTAL 0-19 YRS	49	15.7	295	3	4	10	16	37	60	91
20-34	99	16.2	76	6	7	14	20	30	36	43
35-49	162	16.3	116	6	7	13	21	29	33	48
50-64	300	19.5	140	7	9	16	25	36	48	99+
65+	512	22.2	186	9	10	18	27	39	53	83
GRAND TOTAL	1122	19.8	164	7	8	16	25	36	46	80

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	167	8.4	28	3	3	7	11	16	18	27
20-34	290	11.0	37	3	5	10	13	16	23	38
35-49	282	11.3	27	5	6	10	13	17	22	34
50-64	360	10.9	34	5	6	10	13	17	21	34
65+	413	12.7	50	4	6	11	15	21	26	44
2. MULTIPLE DX										
0-19 YRS	218	11.9	137	3	4	9	13	26	42	99+
20-34	622	14.1	99	6	7	11	16	25	33	60
35-49	634	15.7	119	6	7	12	18	30	41	60
50-64	840	16.1	139	6	8	12	19	30	41	78
65+	1140	18.1	155	7	8	15	22	33	43	86
TOT. SINGLE DX	1512	11.2	39	4	5	10	13	18	23	38
" MULTIPLE DX	3454	16.1	136	6	7	12	19	30	41	74
TOTAL 0-19 YRS	385	10.4	92	3	4	8	12	18	30	99
20-34	912	13.1	81	5	6	11	15	21	30	50
35-49	916	14.3	95	6	7	11	16	26	35	55
50-64	1200	14.6	113	5	7	12	17	26	34	69
65+	1553	16.7	133	6	7	13	20	30	40	73
GRAND TOTAL	**4966**	**14.6**	**111**	**5**	**6**	**12**	**17**	**26**	**35**	**66**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	18.0	421	6	6	10	17	55	59	59
20-34	25	15.5	239	2	4	12	15	29	50	79
35-49	38	15.5	157	5	6	11	17	32	37	72
50-64	90	18.0	138	7	8	16	21	29	34	78
65+	130	21.1	128	7	10	19	26	34	40	61
2. MULTIPLE DX										
0-19 YRS	29	27.2	514	6	8	20	56	99+	99+	99+
20-34	71	23.3	224	8	10	18	29	48	61	94
35-49	175	23.0	262	7	9	18	28	44	55	77
50-64	489	22.8	180	9	10	19	28	39	51	77
65+	919	26.5	219	11	12	23	34	47	59	99
TOT. SINGLE DX	289	18.8	152	6	8	16	23	33	39	76
" MULTIPLE DX	1683	25.0	220	9	11	21	31	45	58	97
TOTAL 0-19 YRS	35	25.6	498	6	6	20	54	93	99+	99+
20-34	96	21.3	237	6	8	16	26	45	60	90
35-49	213	21.7	251	6	8	16	27	43	55	75
50-64	579	22.1	176	8	10	19	27	37	49	77
65+	1049	25.9	211	10	12	22	32	46	58	97
GRAND TOTAL	**1972**	**24.1**	**215**	**9**	**10**	**20**	**30**	**44**	**56**	**93**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12837	4.7	8	2	3	4	5	7	10	15
20-34	7729	4.9	7	2	3	4	6	8	9	15
35-49	2103	6.1	13	3	3	5	7	10	13	21
50-64	1129	7.4	16	3	4	6	9	13	15	21
65+	378	9.6	31	4	5	8	12	16	19	29
2. MULTIPLE DX										
0-19 YRS	3610	7.1	25	3	3	5	8	13	16	25
20-34	2762	7.4	28	3	3	6	9	13	17	27
35-49	1113	9.4	42	3	4	8	11	16	20	31
50-64	963	11.9	55	4	5	10	15	21	26	40
65+	695	15.0	92	5	6	13	19	27	31	52
TOT. SINGLE DX	24176	5.1	10	2	3	4	6	8	11	17
" MULTIPLE DX	9143	8.5	42	3	3	7	11	16	21	33
TOTAL 0-19 YRS	16447	5.2	13	2	3	4	6	9	12	19
20-34	10491	5.5	14	2	3	5	6	9	12	20
35-49	3216	7.2	26	3	3	6	9	13	16	26
50-64	2092	9.5	39	3	4	8	12	17	21	33
65+	1073	13.1	77	4	5	11	16	24	28	47
GRAND TOTAL	**33319**	**6.0**	**21**	**2**	**3**	**5**	**7**	**11**	**14**	**24**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	5.2	7	3	3	4	6	8	10	15
20-34	126	5.5	9	2	3	5	7	9	11	17
35-49	20	6.9	9	2	3	7	9	11	11	12
50-64	23	7.6	4	5	6	7	9	11	12	12
65+	5	9.0	4	6	6	9	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	56	7.0	17	2	3	5	9	14	17	94
20-34	102	8.4	58	3	4	7	9	15	18	49
35-49	34	11.1	90	3	4	8	13	17	37	47
50-64	29	9.5	16	4	5	8	13	15	20	99+
65+	18	14.2	28	6	7	14	18	22	23	24
TOT. SINGLE DX	318	5.6	8	3	3	5	7	10	11	16
" MULTIPLE DX	239	9.0	49	3	4	7	11	16	20	73
TOTAL 0-19 YRS	200	5.7	10	3	3	5	7	10	13	18
20-34	228	6.8	33	2	3	5	8	11	17	23
35-49	54	9.5	64	3	3	8	11	14	23	47
50-64	52	8.7	11	4	5	8	11	14	16	98
65+	23	13.1	27	6	7	12	16	21	23	24
GRAND TOTAL	**557**	**7.1**	**28**	**3**	**3**	**6**	**8**	**13**	**16**	**29**

605: Operations on Appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	7.8	19	2	3	7	11	13	16	21
20-34	28	7.8	9	4	5	7	9	12	13	16
35-49	17	7.8	27	2	2	7	10	14	19	22
50-64	16	10.7	35	3	3	10	14	19	22	23
65+	14	13.9	53	6	7	12	18	23	31	33
2. MULTIPLE DX										
0-19 YRS	20	12.1	32	3	5	11	17	19	22	24
20-34	20	13.5	172	5	6	9	15	27	48	60
35-49	21	17.2	148	7	7	15	19	33	49	56
50-64	18	18.6	68	7	8	18	27	30	32	32
65+	20	22.7	222	10	11	20	25	33	59	78
TOT. SINGLE DX	137	8.8	26	2	3	8	11	15	19	24
" MULTIPLE DX	99	16.8	139	6	7	15	20	28	38	69
TOTAL 0-19 YRS	82	8.8	25	2	3	8	11	16	19	23
20-34	48	10.2	83	5	5	8	11	17	21	60
35-49	38	13.0	114	2	3	10	17	22	36	56
50-64	34	14.9	67	3	5	13	19	29	31	32
65+	34	19.1	167	7	9	16	22	28	39	78
GRAND TOTAL	**236**	**12.1**	**89**	**3**	**4**	**10**	**15**	**22**	**27**	**57**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	286	4.9	24	1	1	4	6	9	13	23
20-34	433	5.1	33	1	2	4	6	9	11	28
35-49	275	6.4	55	1	2	4	7	14	17	44
50-64	450	5.2	43	1	1	4	6	10	14	24
65+	631	6.4	43	2	2	4	8	14	19	29
2. MULTIPLE DX										
0-19 YRS	188	7.3	70	1	2	5	8	13	17	54
20-34	373	7.5	32	2	3	6	9	14	19	32
35-49	469	7.8	45	2	3	6	9	16	21	38
50-64	1023	8.9	63	2	2	7	11	17	23	40
65+	1850	11.4	91	2	3	9	14	22	32	52
TOT. SINGLE DX	2075	5.7	40	1	2	4	7	11	15	28
" MULTIPLE DX	3903	9.8	74	2	3	7	12	20	27	46
TOTAL 0-19 YRS	474	5.9	44	1	2	4	7	11	14	42
20-34	806	6.2	34	2	2	5	7	11	15	32
35-49	744	7.3	49	1	2	5	9	15	20	40
50-64	1473	7.8	60	2	2	6	10	16	21	39
65+	2481	10.1	84	2	2	8	13	21	28	49
GRAND TOTAL	**5978**	**8.3**	**66**	**2**	**2**	**6**	**10**	**17**	**23**	**43**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	3.7	6	1	1	3	4	8	9	11
20-34	461	4.0	14	1	2	3	5	7	8	14
35-49	286	4.1	9	1	1	3	5	7	9	13
50-64	143	5.2	30	1	2	4	6	9	11	23
65+	51	6.2	28	2	2	5	7	13	16	30
2. MULTIPLE DX										
0-19 YRS	40	4.8	12	1	2	4	5	8	13	18
20-34	207	6.1	45	2	2	5	7	11	13	33
35-49	201	6.6	45	2	2	5	7	12	16	37
50-64	195	7.6	36	2	2	6	10	14	19	33
65+	135	11.6	94	3	4	8	15	23	28	54
TOT. SINGLE DX	1040	4.3	15	1	2	3	5	7	10	15
" MULTIPLE DX	778	7.5	53	2	2	5	9	14	21	39
TOTAL 0-19 YRS	139	4.0	8	1	1	3	5	8	10	17
20-34	668	4.7	24	1	2	4	5	8	10	20
35-49	487	5.2	25	1	2	4	6	9	12	26
50-64	338	6.6	35	2	2	5	8	12	16	31
65+	186	10.1	81	2	3	7	13	22	26	51
GRAND TOTAL	**1818**	**5.7**	**34**	**1**	**2**	**4**	**7**	**11**	**14**	**29**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	9.4	78	1	2	7	12	16	28	42
20-34	45	12.8	44	3	4	13	17	19	25	33
35-49	101	15.9	56	6	9	15	19	23	30	47
50-64	340	18.5	49	10	11	17	22	28	31	38
65+	401	20.3	92	9	12	18	24	31	37	52
2. MULTIPLE DX										
0-19 YRS	46	20.1	316	5	7	14	24	44	66	85
20-34	62	18.6	209	4	5	15	23	35	56	68
35-49	152	20.2	133	5	10	17	24	38	41	58
50-64	655	21.0	107	9	11	19	25	33	40	59
65+	1127	25.5	167	11	13	22	31	42	52	81
TOT. SINGLE DX	908	18.5	75	6	10	17	22	29	34	50
" MULTIPLE DX	2042	23.4	156	9	11	21	28	38	48	74
TOTAL 0-19 YRS	67	16.7	264	3	4	12	18	39	52	82
20-34	107	16.2	146	4	4	14	19	27	40	66
35-49	253	18.5	106	5	9	16	21	34	40	58
50-64	995	20.2	89	9	11	19	24	32	37	54
65+	1528	24.2	153	11	13	22	29	39	49	75
GRAND TOTAL	**2950**	**21.9**	**136**	**8**	**11**	**19**	**27**	**36**	**45**	**68**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	6.0	30	1	2	4	7	12	18	29
20-34	281	6.5	29	2	2	5	8	12	16	31
35-49	330	6.1	25	1	2	5	7	11	15	25
50-64	274	7.2	44	2	2	5	9	16	22	40
65+	214	8.4	58	2	2	7	11	17	20	54
2. MULTIPLE DX										
0-19 YRS	87	9.7	114	2	2	6	11	21	30	62
20-34	611	9.1	53	2	3	7	11	17	22	46
35-49	977	10.3	63	3	3	8	13	19	24	42
50-64	1272	11.5	100	2	3	9	14	21	30	54
65+	1535	13.8	107	3	4	11	18	27	34	54
TOT. SINGLE DX	1156	6.9	37	1	2	5	8	13	19	32
" MULTIPLE DX	4482	11.7	91	2	3	9	15	22	30	50
TOTAL 0-19 YRS	144	8.2	84	2	2	5	9	18	24	46
20-34	892	8.3	47	2	3	7	10	16	20	35
35-49	1307	9.2	56	2	3	7	12	18	22	40
50-64	1546	10.8	93	2	3	8	14	20	27	52
65+	1749	13.2	104	2	4	11	17	26	34	54
GRAND TOTAL	5638	10.7	84	2	3	8	14	21	28	48

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	3.3	4	1	1	3	4	6	7	10
20-34	554	4.3	8	2	2	4	5	7	8	12
35-49	503	4.4	6	2	2	4	5	7	8	13
50-64	318	4.8	33	2	3	4	5	7	9	14
65+	94	5.0	9	2	2	4	6	8	12	18
2. MULTIPLE DX										
0-19 YRS	44	5.0	6	2	3	5	6	8	11	13
20-34	486	5.4	12	2	3	4	6	9	11	21
35-49	551	5.5	10	2	3	5	6	9	11	20
50-64	480	6.4	16	3	3	5	8	12	14	21
65+	188	9.5	97	3	3	6	11	19	26	50
TOT. SINGLE DX	1548	4.4	13	2	2	4	5	7	9	13
" MULTIPLE DX	1749	6.1	23	2	3	5	7	11	14	24
TOTAL 0-19 YRS	123	3.9	5	1	2	3	5	7	9	12
20-34	1040	4.8	11	2	2	4	5	8	10	17
35-49	1054	5.0	8	2	3	4	6	8	10	16
50-64	798	5.8	24	2	3	5	7	10	13	20
65+	282	8.0	72	2	3	5	9	15	21	47
GRAND TOTAL	3297	5.3	19	2	3	4	6	9	12	21

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	2.9	3	<1	<1	2	4	5	7	40
20-34	643	3.3	6	1	2	3	4	5	6	11
35-49	329	4.0	28	1	2	3	4	6	8	11
50-64	202	4.4	9	2	2	4	5	7	8	21
65+	98	5.8	20	2	2	5	7	11	13	29
2. MULTIPLE DX										
0-19 YRS	65	4.4	5	1	2	4	5	7	8	15
20-34	706	5.5	25	2	3	5	6	8	11	29
35-49	704	6.0	26	2	3	5	7	10	13	24
50-64	574	6.4	18	3	3	5	8	11	13	24
65+	299	7.9	23	3	3	6	10	14	18	24
TOT. SINGLE DX	1387	3.8	13	1	2	3	4	6	8	14
" MULTIPLE DX	2348	6.2	23	2	3	5	7	10	13	24
TOTAL 0-19 YRS	180	3.4	5	<1	1	3	5	6	8	14
20-34	1349	4.5	17	1	2	4	5	7	9	21
35-49	1033	5.4	28	2	2	4	6	9	11	22
50-64	776	5.9	17	2	3	5	7	10	12	24
65+	397	7.4	23	2	3	6	9	13	17	25
GRAND TOTAL	3735	5.3	21	2	2	4	6	9	12	23

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	5.1	5	2	2	5	6	8	8	14
20-34	906	5.5	15	2	3	5	6	8	9	13
35-49	1123	5.8	14	3	3	5	7	9	10	15
50-64	697	5.9	8	3	3	5	7	9	10	15
65+	233	6.7	11	3	3	6	8	11	13	18
2. MULTIPLE DX										
0-19 YRS	171	5.7	11	3	3	5	6	8	9	23
20-34	3789	6.2	11	3	4	5	7	9	12	19
35-49	5192	6.8	15	3	4	6	8	10	13	22
50-64	4184	7.6	21	3	4	6	9	12	16	25
65+	1651	9.4	40	4	4	8	11	17	21	32
TOT. SINGLE DX	3018	5.8	13	3	3	5	7	9	10	15
" MULTIPLE DX	14987	7.1	19	3	4	6	8	12	15	25
TOTAL 0-19 YRS	230	5.6	9	2	3	5	6	8	9	17
20-34	4695	6.0	12	3	3	5	7	9	11	18
35-49	6315	6.7	15	3	4	6	8	10	13	22
50-64	4881	7.3	20	3	4	6	8	12	15	24
65+	1884	9.0	38	4	4	7	11	16	21	32
GRAND TOTAL	18005	6.9	18	3	4	6	8	11	14	24

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	3.9	7	1	1	3	5	7	9	15
20-34	600	4.1	15	1	2	4	5	7	8	16
35-49	431	4.6	19	1	2	4	6	8	10	18
50-64	281	4.8	13	1	2	4	6	8	12	18
65+	141	7.0	32	1	2	6	8	15	18	25
2. MULTIPLE DX										
0-19 YRS	74	6.9	28	2	3	5	8	13	20	26
20-34	390	5.8	22	2	2	5	7	10	13	28
35-49	434	7.0	55	2	2	5	8	14	18	38
50-64	426	8.1	54	2	3	6	9	16	23	44
65+	343	10.7	75	3	3	8	14	20	27	44
TOT. SINGLE DX	1599	4.6	17	1	2	4	5	8	10	20
" MULTIPLE DX	1667	7.8	53	2	3	6	9	15	21	42
TOTAL 0-19 YRS	220	4.9	16	1	2	4	6	9	12	25
20-34	990	4.8	18	1	2	4	6	8	11	24
35-49	865	5.8	39	2	2	4	6	11	14	31
50-64	707	6.8	40	2	2	5	8	14	19	36
65+	484	9.6	66	2	3	7	12	19	24	43
GRAND TOTAL	**3266**	**6.2**	**38**	**2**	**2**	**4**	**7**	**12**	**17**	**34**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	8.2	35	3	3	6	11	18	19	19
20-34	20	6.6	21	1	2	6	9	13	16	17
35-49	10	11.2	93	1	1	7	19	24	29	29
50-64	23	9.0	72	<1	1	6	14	24	26	27
65+	11	18.7	214	3	4	14	30	39	46	47
2. MULTIPLE DX										
0-19 YRS	11	14.8	115	4	5	12	17	35	37	37
20-34	27	17.1	334	2	3	10	20	41	50	87
35-49	49	14.4	138	3	4	11	17	30	41	59
50-64	67	13.3	123	2	2	10	20	25	36	58
65+	56	19.4	148	3	6	17	30	37	42	48
TOT. SINGLE DX	70	10.1	91	1	2	7	14	24	29	44
" MULTIPLE DX	210	15.7	163	2	3	12	21	35	41	60
TOTAL 0-19 YRS	17	12.5	94	3	4	11	15	30	36	37
20-34	47	12.6	225	2	2	9	13	28	42	87
35-49	59	13.9	130	2	3	11	18	29	41	57
50-64	90	12.2	112	1	2	10	18	24	34	53
65+	67	19.3	156	3	5	16	31	37	43	48
GRAND TOTAL	**280**	**14.3**	**150**	**2**	**2**	**10**	**19**	**32**	**39**	**56**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	7.6	41	1	2	6	10	15	18	33
20-34	544	6.4	35	1	1	4	9	14	17	32
35-49	443	8.0	48	1	2	6	11	17	23	32
50-64	473	7.9	54	1	1	6	11	18	20	33
65+	262	12.8	133	1	2	10	17	27	35	56
2. MULTIPLE DX										
0-19 YRS	172	13.5	160	2	3	10	17	26	40	73
20-34	885	12.3	121	2	2	10	15	25	33	58
35-49	1282	12.3	106	2	3	10	15	24	32	52
50-64	2078	13.7	113	2	3	11	18	27	34	53
65+	1756	16.5	144	3	5	14	21	31	38	62
TOT. SINGLE DX	1820	8.2	62	1	2	6	11	18	23	37
" MULTIPLE DX	6173	14.0	126	2	3	11	18	28	35	57
TOTAL 0-19 YRS	270	11.3	125	2	2	9	13	23	31	69
20-34	1429	10.1	97	1	2	8	13	21	29	51
35-49	1725	11.2	95	2	2	9	14	23	30	50
50-64	2551	12.7	107	2	2	10	17	25	32	51
65+	2018	16.0	144	2	4	13	21	30	38	61
GRAND TOTAL	**7993**	**12.7**	**117**	**2**	**2**	**10**	**17**	**25**	**33**	**53**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	642	8.1	16	5	5	7	10	12	14	20
20-34	7167	8.0	15	5	5	7	9	12	14	20
35-49	6205	8.5	12	5	5	8	10	13	15	21
50-64	6060	9.1	14	5	6	8	10	14	16	23
65+	2986	11.4	35	6	7	10	13	18	22	31
2. MULTIPLE DX										
0-19 YRS	389	10.6	40	5	6	9	12	16	19	37
20-34	5536	10.1	30	5	6	9	12	16	19	30
35-49	6650	11.1	38	5	6	9	13	18	22	35
50-64	9545	12.9	58	6	7	11	15	21	26	43
65+	9115	16.7	88	7	8	14	20	28	35	53
TOT. SINGLE DX	23060	8.9	18	5	6	8	10	13	16	24
" MULTIPLE DX	31235	13.1	64	6	6	11	16	22	28	45
TOTAL 0-19 YRS	1031	9.1	26	5	5	8	11	14	16	26
20-34	12703	9.0	23	5	5	8	10	14	17	25
35-49	12855	9.8	27	5	6	8	11	16	19	30
50-64	15605	11.4	44	6	6	9	13	19	23	38
65+	12101	15.4	80	7	8	13	19	26	32	49
GRAND TOTAL	**54295**	**11.3**	**49**	**5**	**6**	**9**	**13**	**19**	**24**	**39**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	9.6	97	1	1	7	10	26	35	37
20-34	125	10.6	75	3	3	8	13	19	28	51
35-49	147	10.4	60	3	4	9	12	16	21	43
50-64	178	12.7	56	3	4	11	16	24	28	39
65+	299	16.7	91	3	5	16	22	28	34	50
2. MULTIPLE DX										
0-19 YRS	26	14.0	97	2	2	12	18	27	34	43
20-34	121	13.9	111	4	6	11	16	23	33	62
35-49	223	17.5	166	5	7	15	21	33	42	99
50-64	508	19.1	131	5	8	17	24	34	40	67
65+	1132	22.6	144	8	11	20	28	38	46	66
TOT. SINGLE DX	769	13.4	82	3	4	11	17	25	30	44
" MULTIPLE DX	2010	20.5	147	6	8	18	26	36	44	66
TOTAL 0-19 YRS	46	12.1	100	1	2	9	17	27	34	43
20-34	246	12.2	95	3	4	10	14	22	30	58
35-49	370	14.7	136	4	5	12	18	28	38	91
50-64	686	17.5	119	4	7	15	22	32	37	60
65+	1431	21.4	138	6	10	19	26	36	44	63
GRAND TOTAL	**2779**	**18.5**	**139**	**4**	**7**	**16**	**24**	**33**	**41**	**62**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	6.1	11	1	2	7	8	9	11	12
20-34	91	11.4	91	2	2	9	17	25	36	76
35-49	104	10.1	97	2	2	8	13	22	26	54
50-64	121	15.0	153	1	2	12	21	30	39	60
65+	87	19.3	224	2	3	16	26	39	50	69
2. MULTIPLE DX										
0-19 YRS	26	13.6	168	1	2	12	16	33	69	99+
20-34	147	15.7	192	2	3	11	22	37	54	99+
35-49	269	18.6	246	3	4	14	25	41	52	97
50-64	395	21.3	266	3	5	17	28	45	58	94
65+	405	21.0	207	3	6	18	29	41	49	88
TOT. SINGLE DX	419	13.6	148	2	2	10	19	28	38	63
" MULTIPLE DX	1242	19.8	235	3	4	16	27	41	54	99+
TOTAL 0-19 YRS	42	10.7	120	1	2	8	15	23	44	99+
20-34	238	14.1	157	2	3	10	20	34	43	99+
35-49	373	16.2	218	2	3	12	23	37	47	86
50-64	516	19.8	246	2	4	16	27	41	55	84
65+	492	20.7	210	3	5	18	28	40	49	87
GRAND TOTAL	**1661**	**18.2**	**220**	**2**	**4**	**15**	**25**	**39**	**51**	**88**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	5.7	19	1	1	5	8	11	13	24
20-34	272	6.7	26	2	2	5	8	12	17	27
35-49	241	7.4	43	1	2	6	8	16	23	31
50-64	333	8.2	66	1	2	5	11	19	24	45
65+	292	10.0	105	1	2	7	14	22	29	56
2. MULTIPLE DX										
0-19 YRS	85	9.6	71	2	3	7	12	19	22	52
20-34	581	9.0	61	3	3	7	11	17	21	39
35-49	825	9.5	47	3	3	8	12	18	22	36
50-64	1384	11.1	86	2	3	9	14	22	29	45
65+	1820	13.8	122	3	4	11	18	26	35	57
TOT. SINGLE DX	1230	7.9	60	1	2	6	10	17	23	38
" MULTIPLE DX	4695	11.6	93	3	3	9	15	23	30	49
TOTAL 0-19 YRS	177	7.6	47	1	2	6	9	15	19	34
20-34	853	8.3	51	2	3	6	10	16	20	38
35-49	1066	9.1	47	2	3	7	12	18	22	34
50-64	1717	10.6	84	2	3	8	14	21	28	45
65+	2112	13.2	121	2	3	10	17	26	34	57
GRAND TOTAL	**5925**	**10.8**	**88**	**2**	**3**	**8**	**14**	**22**	**28**	**48**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7334	2.6	4	1	1	2	3	4	5	8
20-34	6227	4.2	4	2	3	4	5	6	7	10
35-49	5239	4.7	6	2	3	4	5	7	8	12
50-64	7593	5.1	6	3	3	5	6	7	8	13
65+	4641	5.8	9	3	3	5	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	3968	3.2	14	1	1	2	4	5	8	17
20-34	2149	5.3	19	2	3	5	6	8	10	20
35-49	2880	5.9	14	3	3	5	7	9	12	22
50-64	5592	6.9	22	3	3	6	8	11	15	26
65+	6274	9.0	41	3	4	7	11	16	20	36
TOT. SINGLE DX	31034	4.4	7	1	2	4	5	7	8	12
" MULTIPLE DX	20863	6.5	29	2	2	5	8	12	16	29
TOTAL 0-19 YRS	11302	2.8	7	1	1	2	3	5	6	11
20-34	8376	4.5	8	2	3	4	5	6	8	13
35-49	8119	5.1	9	2	3	5	6	8	9	16
50-64	13185	5.8	13	3	3	5	7	9	11	20
65+	10915	7.7	30	3	4	6	9	13	17	30
GRAND TOTAL	**51897**	**5.2**	**17**	**2**	**2**	**4**	**6**	**9**	**11**	**22**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1099	2.4	6	1	1	2	3	4	5	8
20-34	637	4.9	4	3	3	5	6	7	8	11
35-49	836	5.2	4	3	3	5	6	7	8	12
50-64	1314	5.8	6	3	4	6	7	8	9	13
65+	690	6.9	15	3	4	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	879	3.8	73	1	1	2	3	6	9	63
20-34	299	5.9	20	3	3	5	7	9	12	21
35-49	568	6.4	10	3	4	6	7	10	13	20
50-64	1245	7.3	22	3	4	6	8	11	14	28
65+	1131	9.7	43	4	5	8	11	17	22	34
TOT. SINGLE DX	4576	4.9	9	1	2	5	6	8	9	13
" MULTIPLE DX	4122	7.0	41	2	2	6	8	12	16	32
TOTAL 0-19 YRS	1978	3.0	36	1	1	2	3	5	6	19
20-34	936	5.2	10	3	3	5	6	7	9	15
35-49	1404	5.7	7	3	3	5	7	8	10	16
50-64	2559	6.6	14	3	4	6	7	9	12	22
65+	1821	8.6	34	4	4	7	10	15	19	32
GRAND TOTAL	8698	5.9	25	1	2	5	7	10	13	25

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	3.1	2	1	1	3	4	5	6	7
20-34	139	4.7	10	2	3	4	5	6	8	15
35-49	227	5.1	10	2	3	5	6	8	9	18
50-64	285	5.5	7	3	3	5	6	8	10	16
65+	350	7.5	16	3	4	7	9	12	15	25
2. MULTIPLE DX										
0-19 YRS	18	9.3	190	1	2	6	9	15	44	62
20-34	64	6.4	44	3	3	5	7	9	11	44
35-49	135	6.9	19	2	3	6	8	12	16	24
50-64	235	7.5	25	3	3	6	9	12	19	32
65+	539	11.4	58	4	5	9	14	21	27	42
TOT. SINGLE DX	1053	5.9	12	2	3	5	7	9	12	21
" MULTIPLE DX	991	9.5	51	3	4	7	11	18	25	39
TOTAL 0-19 YRS	70	4.7	56	1	1	3	5	7	11	53
20-34	203	5.3	21	2	3	5	6	8	9	35
35-49	362	5.8	14	2	3	5	6	9	13	23
50-64	520	6.4	16	3	3	5	7	11	13	24
65+	889	9.8	45	3	4	8	11	18	25	38
GRAND TOTAL	2044	7.6	34	3	3	6	9	14	19	33

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1553	2.4	5	1	1	2	3	4	5	9
20-34	486	4.0	21	2	2	3	5	6	7	13
35-49	592	4.6	9	2	2	4	5	7	9	12
50-64	469	5.2	8	2	3	5	6	8	11	16
65+	176	6.2	12	2	3	5	8	11	13	22
2. MULTIPLE DX										
0-19 YRS	392	4.2	28	1	1	3	5	8	11	30
20-34	308	6.0	24	2	2	5	7	10	13	29
35-49	554	7.0	34	2	3	6	8	13	17	30
50-64	670	8.3	36	3	3	7	10	15	20	35
65+	471	10.8	61	3	4	9	14	20	26	42
TOT. SINGLE DX	3276	3.7	11	1	1	3	4	7	8	14
" MULTIPLE DX	2395	7.5	42	2	2	6	9	15	19	33
TOTAL 0-19 YRS	1945	2.8	10	1	1	2	3	4	6	15
20-34	794	4.8	23	2	2	4	5	8	10	19
35-49	1146	5.7	23	2	3	5	7	9	13	25
50-64	1139	7.1	27	2	3	6	8	13	16	29
65+	647	9.5	52	3	3	8	12	18	24	41
GRAND TOTAL	5671	5.3	28	1	2	4	6	10	14	27

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	290	2.9	5	1	1	2	3	5	6	10
20-34	792	4.7	7	2	2	4	6	8	10	15
35-49	1043	5.9	9	2	3	5	7	9	11	16
50-64	1260	6.9	12	3	3	6	9	11	13	19
65+	787	8.4	20	3	4	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	94	4.8	15	2	2	4	6	10	11	22
20-34	473	7.5	25	3	3	6	9	14	18	26
35-49	1111	9.1	44	3	4	7	11	16	20	35
50-64	1760	10.7	53	4	5	9	13	19	25	42
65+	1558	12.6	79	4	5	10	15	22	29	46
TOT. SINGLE DX	4172	6.2	14	2	3	6	8	10	13	21
" MULTIPLE DX	4996	10.5	59	3	4	9	13	19	25	41
TOTAL 0-19 YRS	384	3.4	8	1	1	3	4	6	8	12
20-34	1265	5.8	16	2	2	5	7	10	13	21
35-49	2154	7.5	29	3	3	6	9	13	17	29
50-64	3020	9.1	39	3	4	8	11	16	21	35
65+	2345	11.2	63	4	5	9	13	20	25	41
GRAND TOTAL	9168	8.6	43	2	3	7	10	15	20	34

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	4.1	9	<1	1	3	5	10	11	12
20-34	68	7.0	25	3	3	5	8	13	18	28
35-49	98	9.1	23	3	4	8	11	16	18	26
50-64	145	10.4	28	4	4	10	13	16	21	33
65+	97	12.0	45	4	5	11	14	20	24	39
2. MULTIPLE DX										
0-19 YRS	51	11.2	195	2	2	6	13	28	38	74
20-34	143	11.1	34	4	6	10	14	18	22	31
35-49	267	13.8	71	6	7	12	17	23	29	50
50-64	419	13.9	60	6	7	12	16	23	29	47
65+	328	18.4	112	7	9	16	22	32	37	63
TOT. SINGLE DX	449	9.4	33	3	3	8	12	16	20	30
" MULTIPLE DX	1208	14.6	85	5	7	12	18	25	32	52
TOTAL 0-19 YRS	92	8.0	123	1	2	4	9	20	29	65
20-34	211	9.8	34	3	4	9	12	16	21	30
35-49	365	12.6	62	4	6	10	15	21	27	48
50-64	564	13.0	54	5	6	11	15	22	27	44
65+	425	16.9	104	6	8	14	21	29	36	55
GRAND TOTAL	1657	13.2	76	4	5	11	16	23	29	48

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	379	4.5	17	1	1	3	5	10	12	21
20-34	503	5.5	26	1	2	4	7	10	12	30
35-49	440	7.2	44	2	2	5	9	14	18	42
50-64	425	9.1	67	2	2	7	12	20	25	51
65+	332	11.9	99	2	3	9	15	23	31	50
2. MULTIPLE DX										
0-19 YRS	211	7.8	72	1	2	6	9	18	21	57
20-34	573	9.4	80	2	3	7	11	19	25	49
35-49	638	12.6	136	2	3	9	16	25	37	73
50-64	1029	15.3	146	3	4	12	20	30	39	63
65+	1171	19.1	179	4	6	16	25	36	44	72
TOT. SINGLE DX	2079	7.4	54	1	2	5	9	15	22	38
" MULTIPLE DX	3622	14.7	155	2	3	11	20	30	39	67
TOTAL 0-19 YRS	590	5.7	39	1	1	4	7	12	17	33
20-34	1076	7.6	58	2	2	6	9	15	22	42
35-49	1078	10.4	105	2	3	7	13	22	31	58
50-64	1454	13.5	131	2	3	10	18	27	35	59
65+	1503	17.5	170	3	5	15	23	35	41	69
GRAND TOTAL	5701	12.1	130	2	2	8	16	26	35	58

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	581	6.9	20	2	3	6	9	12	16	23
20-34	1142	7.9	40	2	3	6	9	14	18	34
35-49	525	10.2	48	3	4	8	12	19	25	42
50-64	447	14.3	122	5	6	11	16	26	33	66
65+	349	16.5	88	6	7	15	21	30	33	49
2. MULTIPLE DX										
0-19 YRS	633	11.3	113	3	4	8	12	24	34	99+
20-34	1795	10.9	103	3	4	8	12	21	29	63
35-49	991	14.6	152	4	5	11	17	28	39	91
50-64	1234	19.6	189	6	7	16	24	37	46	88
65+	1507	22.9	200	8	10	19	28	42	53	83
TOT. SINGLE DX	3044	10.0	66	3	4	8	12	19	25	42
" MULTIPLE DX	6160	16.2	177	4	5	12	21	33	44	81
TOTAL 0-19 YRS	1214	9.2	73	3	3	7	10	17	26	61
20-34	2937	9.8	81	3	4	7	11	18	25	56
35-49	1516	13.1	120	4	5	10	15	25	34	78
50-64	1681	18.2	176	6	7	15	23	34	44	86
65+	1856	21.7	185	7	9	18	27	39	51	78
GRAND TOTAL	9204	14.2	149	4	5	10	18	29	39	72

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	851	3.7	9	1	1	3	5	7	9	14
20-34	3908	3.1	9	1	1	2	3	6	8	13
35-49	512	3.2	8	1	1	2	3	7	10	17
50-64	105	5.0	28	1	1	3	6	11	13	30
65+	38	5.5	47	1	1	3	6	14	22	32
2. MULTIPLE DX										
0-19 YRS	782	4.7	18	1	1	3	6	10	13	24
20-34	4497	4.0	20	1	1	2	5	9	12	21
35-49	744	5.3	40	1	1	3	7	12	16	30
50-64	194	8.8	76	1	2	6	13	19	23	48
65+	131	13.5	146	2	2	11	18	33	41	51
TOT. SINGLE DX	5414	3.2	10	1	1	2	4	7	9	14
" MULTIPLE DX	6348	4.6	29	1	1	3	6	10	14	26
TOTAL 0-19 YRS	1633	4.2	13	1	1	3	6	9	11	22
20-34	8405	3.6	15	1	1	2	4	8	10	18
35-49	1256	4.4	28	1	1	2	5	10	13	25
50-64	299	7.4	62	1	2	4	11	17	21	44
65+	169	11.7	135	1	2	8	16	28	40	49
GRAND TOTAL	11762	4.0	20	1	1	2	5	8	11	22

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	6.7	22	1	2	6	8	11	14	25
20-34	764	7.0	24	1	2	6	9	13	16	25
35-49	547	10.4	47	2	4	9	13	18	22	38
50-64	438	12.0	54	4	6	10	15	20	26	39
65+	328	14.0	60	6	7	12	17	23	27	46
2. MULTIPLE DX										
0-19 YRS	261	9.3	74	2	2	7	11	17	21	70
20-34	1789	8.4	53	2	2	7	9	16	21	41
35-49	1093	13.1	111	2	5	10	16	26	36	79
50-64	1073	17.7	154	5	7	14	22	35	45	77
65+	1215	20.7	168	8	9	17	26	38	48	74
TOT. SINGLE DX	2251	9.8	47	2	3	8	12	18	22	35
" MULTIPLE DX	5431	14.0	136	2	4	10	18	29	38	66
TOTAL 0-19 YRS	435	8.3	55	1	2	7	10	15	20	56
20-34	2553	8.0	45	2	2	7	9	15	20	36
35-49	1640	12.2	91	2	4	10	15	23	31	62
50-64	1511	16.0	132	5	6	13	20	31	41	73
65+	1543	19.2	153	7	8	16	24	34	46	71
GRAND TOTAL	7682	12.8	113	2	3	10	16	26	34	61

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	9.1	8	5	6	9	10	14	15	18
20-34	111	10.9	20	6	7	10	13	16	19	28
35-49	130	12.2	22	6	7	11	15	18	23	45
50-64	243	13.9	30	8	9	13	16	20	23	40
65+	192	16.2	47	8	9	15	20	24	29	37
2. MULTIPLE DX										
0-19 YRS	141	13.9	105	5	6	11	16	23	34	59
20-34	279	14.0	95	7	7	11	16	23	31	56
35-49	320	17.4	110	7	8	14	22	29	40	58
50-64	639	19.6	174	8	9	16	23	32	42	81
65+	791	21.2	128	9	10	19	25	34	42	70
TOT. SINGLE DX	730	13.4	35	7	8	12	16	21	24	36
" MULTIPLE DX	2170	18.8	140	8	9	16	22	32	40	74
TOTAL 0-19 YRS	195	12.6	83	5	6	10	14	22	27	59
20-34	390	13.1	75	6	7	11	15	20	27	50
35-49	450	15.9	90	7	8	13	18	27	37	55
50-64	882	18.0	141	8	9	15	21	30	39	80
65+	983	20.2	116	9	10	18	24	33	40	67
GRAND TOTAL	2900	17.4	119	7	8	15	21	30	37	67

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	8.0	27	2	2	8	11	15	17	24
20-34	523	9.9	49	2	3	9	12	17	23	35
35-49	522	10.8	50	2	3	10	13	18	23	35
50-64	487	11.1	46	2	4	10	14	19	22	37
65+	247	11.6	53	2	3	11	14	19	24	40
2. MULTIPLE DX										
0-19 YRS	324	13.8	148	2	3	11	17	26	43	64
20-34	736	15.3	166	2	3	12	19	31	42	73
35-49	746	15.3	123	3	5	13	19	28	36	67
50-64	1013	15.8	118	3	5	14	20	28	35	59
65+	779	17.4	151	3	5	14	23	33	41	59
TOT. SINGLE DX	2059	10.4	47	2	2	9	13	18	23	35
" MULTIPLE DX	3598	15.8	139	3	5	13	20	29	38	66
TOTAL 0-19 YRS	604	11.1	100	2	2	9	13	21	28	59
20-34	1259	13.1	125	2	3	10	16	25	33	65
35-49	1268	13.5	98	2	4	11	16	24	31	56
50-64	1500	14.3	99	3	5	12	18	25	32	54
65+	1026	16.0	133	3	4	13	20	30	38	56
GRAND TOTAL	5657	13.8	113	2	3	11	17	25	33	57

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	9.8	23	3	4	9	12	16	21	22
20-34	391	9.9	16	3	5	10	12	15	17	21
35-49	523	10.7	21	4	6	10	13	16	18	25
50-64	505	11.2	23	5	6	10	13	17	20	28
65+	220	11.9	26	4	6	11	14	18	22	27
2. MULTIPLE DX										
0-19 YRS	21	11.8	92	4	5	10	12	26	38	39
20-34	284	12.3	52	4	6	11	14	20	24	66
35-49	386	13.2	58	5	6	12	16	22	29	48
50-64	584	13.7	45	6	8	12	16	22	27	38
65+	431	15.7	85	6	8	13	19	25	31	51
TOT. SINGLE DX	1670	10.8	21	4	6	10	13	16	19	26
" MULTIPLE DX	1706	13.8	61	5	7	12	16	23	29	47
TOTAL 0-19 YRS	52	10.6	51	3	4	9	12	18	22	39
20-34	675	10.9	32	4	6	10	13	17	20	33
35-49	909	11.7	38	5	6	10	14	18	22	34
50-64	1089	12.5	36	5	7	11	15	20	24	32
65+	651	14.4	68	6	8	13	17	23	29	48
GRAND TOTAL	3376	12.3	44	5	6	11	15	20	24	38

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	230	10.5	10	7	8	10	11	14	16	21
20-34	37	12.9	21	6	7	12	16	19	21	23
35-49	34	14.9	38	8	9	13	16	25	29	35
50-64	31	18.6	74	8	10	18	22	27	38	45
65+	26	20.2	86	7	8	19	23	32	42	44
2. MULTIPLE DX										
0-19 YRS	339	11.7	48	6	7	10	13	18	22	42
20-34	94	18.2	101	8	9	16	22	34	39	79
35-49	81	20.7	155	9	10	18	24	35	57	90
50-64	129	21.8	150	7	8	20	27	38	46	86
65+	114	26.7	233	10	12	24	33	47	56	84
TOT. SINGLE DX	358	12.6	35	7	8	11	14	20	24	39
" MULTIPLE DX	757	17.4	143	7	8	13	22	34	41	69
TOTAL 0-19 YRS	569	11.2	33	7	7	10	12	16	20	33
20-34	131	16.7	84	7	8	14	20	31	36	61
35-49	115	19.0	127	9	10	16	22	33	41	80
50-64	160	21.2	136	7	9	19	27	37	45	80
65+	140	25.5	211	8	12	22	32	44	55	79
GRAND TOTAL	1115	15.9	113	7	8	12	19	30	37	60

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	4.9	11	1	1	4	7	10	11	16
20-34	723	5.6	10	2	2	5	7	9	12	16
35-49	801	5.4	10	2	2	5	7	9	11	17
50-64	608	6.0	16	2	2	5	7	10	13	23
65+	216	7.3	36	2	2	6	9	13	18	31
2. MULTIPLE DX										
0-19 YRS	113	8.5	95	1	1	7	12	16	21	96
20-34	389	7.0	25	2	2	6	8	12	16	24
35-49	507	7.0	35	2	2	6	8	13	17	29
50-64	578	8.5	44	2	3	7	10	15	21	38
65+	369	11.1	84	2	3	9	14	21	29	45
TOT. SINGLE DX	2464	5.7	14	2	2	5	7	10	12	20
" MULTIPLE DX	1956	8.3	50	2	3	7	10	15	21	38
TOTAL 0-19 YRS	229	6.7	56	1	1	5	9	13	17	39
20-34	1112	6.1	16	2	2	5	8	11	13	21
35-49	1308	6.1	20	2	2	5	8	11	13	23
50-64	1186	7.2	31	2	3	6	9	13	17	31
65+	585	9.7	70	2	3	7	12	19	25	42
GRAND TOTAL	4420	6.9	32	2	2	6	8	12	16	29

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2845	2.5	10	1	1	2	3	5	7	14
20-34	3455	3.9	14	1	1	3	5	8	11	17
35-49	3365	4.2	21	1	1	3	5	9	12	21
50-64	4365	4.1	21	1	1	2	5	9	12	22
65+	4464	4.9	31	1	1	3	6	11	15	27
2. MULTIPLE DX										
0-19 YRS	3499	3.7	20	1	1	2	5	8	10	20
20-34	5858	6.5	46	1	2	5	8	13	18	35
35-49	6417	7.5	60	1	2	5	9	16	21	38
50-64	10464	7.6	56	1	2	5	10	16	22	37
65+	15392	10.2	92	1	2	8	13	22	29	47
TOT. SINGLE DX	18494	4.0	21	1	1	2	5	9	12	22
" MULTIPLE DX	41630	8.1	69	1	2	6	11	18	24	42
TOTAL 0-19 YRS	6344	3.2	16	1	1	2	4	7	9	18
20-34	9313	5.5	36	1	1	4	7	12	16	30
35-49	9782	6.3	49	1	1	4	8	13	18	34
50-64	14829	6.6	49	1	1	4	9	15	20	33
65+	19856	9.0	83	1	2	6	12	20	27	45
GRAND TOTAL	60124	6.8	58	1	1	4	9	15	21	38

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	3.8	5	1	1	3	5	7	8	10
20-34	124	4.4	25	1	1	3	5	8	10	36
35-49	378	4.2	17	1	1	3	5	8	10	16
50-64	1441	4.4	13	1	2	4	5	8	10	19
65+	2592	5.5	20	2	2	4	7	11	14	23
2. MULTIPLE DX										
0-19 YRS	73	5.3	33	1	1	3	6	14	18	30
20-34	373	6.3	42	2	2	4	8	13	18	48
35-49	575	6.3	37	1	2	4	8	13	17	35
50-64	1884	6.9	45	1	2	5	9	14	19	35
65+	4680	9.0	71	2	2	7	11	19	24	43
TOT. SINGLE DX	4564	5.0	18	1	2	4	6	9	12	23
" MULTIPLE DX	7585	8.1	62	2	2	6	10	17	22	40
TOTAL 0-19 YRS	102	4.8	26	1	1	3	6	10	15	28
20-34	497	5.8	38	1	2	4	7	12	17	42
35-49	953	5.5	30	1	2	4	7	11	14	26
50-64	3325	5.8	33	1	2	4	7	12	16	30
65+	7272	7.8	56	2	2	6	9	16	21	39
GRAND TOTAL	**12149**	**7.0**	**47**	**2**	**2**	**5**	**8**	**14**	**20**	**36**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	139	7.5	61	1	2	6	9	13	19	52
20-34	225	7.4	43	1	2	6	9	15	19	34
35-49	283	7.8	46	1	2	5	11	17	23	33
50-64	537	8.1	46	2	2	6	12	17	22	30
65+	800	9.5	69	1	2	7	14	20	26	38
2. MULTIPLE DX										
0-19 YRS	292	10.6	130	2	3	8	12	24	40	81
20-34	469	12.5	222	2	2	7	15	30	50	90
35-49	572	10.6	124	2	2	8	13	24	33	64
50-64	1193	12.0	122	2	2	9	16	27	34	60
65+	2440	14.8	150	2	3	11	20	30	40	61
TOT. SINGLE DX	1984	8.5	57	1	2	6	12	18	23	35
" MULTIPLE DX	4966	13.2	148	2	2	10	18	29	38	64
TOTAL 0-19 YRS	431	9.6	110	1	2	7	11	19	32	58
20-34	694	10.8	169	2	2	7	13	24	36	82
35-49	855	9.7	100	2	2	7	12	21	30	54
50-64	1730	10.8	102	2	2	8	15	23	30	47
65+	3240	13.5	135	2	2	11	18	29	36	60
GRAND TOTAL	**6950**	**11.9**	**127**	**2**	**2**	**9**	**16**	**26**	**33**	**58**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	705	1.9	9	<1	1	1	2	3	4	10
20-34	61	2.9	4	1	1	2	3	5	7	12
35-49	42	2.8	4	1	1	2	3	6	7	11
50-64	33	3.6	5	2	2	3	4	7	8	12
65+	21	4.8	11	1	2	4	6	10	11	13
2. MULTIPLE DX										
0-19 YRS	628	2.5	10	<1	1	2	3	5	7	15
20-34	135	4.0	22	1	1	2	4	8	11	27
35-49	104	6.3	96	1	2	3	7	14	19	56
50-64	135	6.5	44	2	2	4	9	14	17	39
65+	125	8.4	56	2	2	7	12	17	21	34
TOT. SINGLE DX	862	2.1	8	<1	1	2	2	4	5	11
" MULTIPLE DX	1127	4.2	33	1	1	2	4	10	14	25
TOTAL 0-19 YRS	1333	2.2	9	<1	1	2	2	4	6	12
20-34	196	3.6	17	1	1	2	4	8	10	23
35-49	146	5.3	72	1	2	3	6	11	15	29
50-64	168	5.9	38	2	2	3	7	13	16	36
65+	146	7.9	51	2	2	6	11	17	21	28
GRAND TOTAL	**1989**	**3.3**	**23**	**1**	**1**	**2**	**3**	**7**	**11**	**21**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	490	5.9	21	1	1	5	9	12	14	21
20-34	372	3.9	13	1	1	2	5	9	11	17
35-49	205	6.2	19	1	2	4	9	13	15	17
50-64	230	5.9	29	2	2	4	8	12	14	31
65+	205	5.7	26	2	2	4	7	10	14	28
2. MULTIPLE DX										
0-19 YRS	415	5.3	39	1	1	3	8	12	16	33
20-34	480	5.0	26	1	1	3	6	12	15	26
35-49	406	6.6	41	1	2	4	9	14	18	38
50-64	544	7.6	68	2	2	5	10	16	21	43
65+	658	7.9	64	2	2	5	10	16	22	38
TOT. SINGLE DX	1502	5.4	21	1	1	4	8	11	14	21
" MULTIPLE DX	2503	6.6	51	1	1	4	9	14	19	35
TOTAL 0-19 YRS	905	5.6	29	1	1	4	9	12	15	26
20-34	852	4.5	21	1	1	3	6	10	13	23
35-49	611	6.4	34	1	2	4	9	13	16	27
50-64	774	7.1	57	2	2	5	9	15	19	35
65+	863	7.3	55	2	2	5	9	15	19	38
GRAND TOTAL	**4005**	**6.2**	**40**	**1**	**1**	**4**	**8**	**13**	**16**	**31**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	996	2.2	13	<1	1	2	2	3	6	13
20-34	601	3.1	8	1	1	2	4	6	9	15
35-49	455	3.5	11	1	1	2	4	7	9	16
50-64	475	4.0	18	1	1	2	5	8	11	25
65+	491	4.7	23	1	1	3	6	9	13	25
2. MULTIPLE DX										
0-19 YRS	1911	2.7	11	<1	1	2	3	6	8	12
20-34	1971	5.0	29	1	1	3	6	11	14	30
35-49	1749	6.2	46	1	2	4	8	14	19	33
50-64	2125	6.9	46	1	2	5	9	15	18	32
65+	3060	9.4	73	2	2	7	12	20	27	43
TOT. SINGLE DX	3018	3.3	15	1	1	2	4	7	9	20
" MULTIPLE DX	10816	6.4	50	1	1	4	8	14	19	35
TOTAL 0-19 YRS	2907	2.5	12	<1	1	2	3	5	7	12
20-34	2572	4.6	25	1	1	3	5	10	13	29
35-49	2204	5.7	40	1	1	3	7	12	17	31
50-64	2600	6.3	42	1	2	4	9	14	18	30
65+	3551	8.7	69	2	2	6	11	19	25	42
GRAND TOTAL	**13834**	**5.7**	**44**	**1**	**1**	**3**	**7**	**13**	**18**	**32**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	286	3.0	6	1	1	2	4	5	8	12
20-34	309	4.2	8	2	2	4	4	8	10	14
35-49	196	5.0	20	1	2	4	6	10	13	28
50-64	209	5.3	18	2	2	4	6	12	15	21
65+	185	5.6	17	2	2	5	7	10	14	22
2. MULTIPLE DX										
0-19 YRS	329	3.3	8	1	1	2	4	6	8	17
20-34	487	5.3	27	2	2	4	6	11	15	31
35-49	353	6.2	42	2	2	4	8	13	17	33
50-64	438	7.5	68	2	2	4	10	16	20	34
65+	515	9.6	81	2	3	7	12	20	26	47
TOT. SINGLE DX	1185	4.4	13	1	2	3	5	9	12	18
" MULTIPLE DX	2122	6.7	53	2	2	4	8	15	20	37
TOTAL 0-19 YRS	615	3.2	8	1	1	2	4	6	8	15
20-34	796	4.9	20	2	2	4	5	10	13	27
35-49	549	5.8	35	2	2	4	7	12	16	30
50-64	647	6.8	53	2	2	4	9	15	19	30
65+	700	8.6	67	2	2	6	10	17	24	44
GRAND TOTAL	**3307**	**5.9**	**40**	**1**	**2**	**4**	**7**	**12**	**17**	**31**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.0	12	4	4	10	11	12	12	12
20-34	117	7.4	6	3	5	7	9	11	12	16
35-49	478	8.8	7	5	6	8	10	12	14	19
50-64	405	9.8	11	6	7	9	11	14	16	21
65+	169	11.6	17	7	8	10	13	17	19	30
2. MULTIPLE DX										
0-19 YRS	10	7.6	14	3	3	7	11	13	13	13
20-34	230	9.5	26	4	5	8	11	14	19	33
35-49	803	10.5	23	6	7	9	12	16	19	32
50-64	773	11.8	31	6	7	10	14	18	24	30
65+	386	14.3	57	7	8	12	17	24	28	43
TOT. SINGLE DX	1173	9.4	11	5	6	9	11	13	16	21
" MULTIPLE DX	2202	11.5	34	6	7	10	13	18	23	34
TOTAL 0-19 YRS	14	8.0	13	3	3	8	11	13	13	13
20-34	347	8.8	21	4	5	8	10	13	16	30
35-49	1281	9.8	18	6	6	9	11	15	18	27
50-64	1178	11.1	25	6	7	10	13	17	21	28
65+	555	13.5	46	7	8	12	15	21	26	36
GRAND TOTAL	**3375**	**10.8**	**27**	**6**	**6**	**9**	**12**	**17**	**21**	**31**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	38	9.1	9	5	6	9	10	12	14	22
35-49	102	9.3	9	5	6	9	10	13	15	20
50-64	101	10.8	14	6	7	10	12	16	18	23
65+	43	11.3	15	5	6	11	14	17	17	18
2. MULTIPLE DX										
0-19 YRS										
20-34	32	9.9	11	4	6	10	12	13	14	20
35-49	145	10.0	21	4	5	9	12	16	18	23
50-64	170	12.2	54	5	7	10	13	20	29	38
65+	91	14.9	64	6	7	12	19	26	28	48
TOT. SINGLE DX	284	10.1	13	6	6	10	12	15	17	21
" MULTIPLE DX	438	11.9	45	5	6	10	13	20	26	34
TOTAL 0-19 YRS										
20-34	70	9.4	10	5	6	9	11	13	14	22
35-49	247	9.7	16	5	6	9	11	14	17	22
50-64	271	11.7	39	6	7	10	13	18	24	33
65+	134	13.7	51	6	7	12	17	21	27	45
GRAND TOTAL	**722**	**11.2**	**33**	**5**	**6**	**10**	**13**	**17**	**21**	**32**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	3.1	6	<1	<1	2	6	7	8	8
20-34	26	4.8	8	1	2	4	6	9	11	11
35-49	45	5.9	16	1	2	6	7	10	14	20
50-64	36	6.5	28	2	2	5	8	14	19	23
65+	20	5.5	12	1	2	5	8	10	12	13
2. MULTIPLE DX										
0-19 YRS	30	4.0	11	<1	<1	3	5	8	10	15
20-34	61	7.5	28	1	2	7	9	15	19	27
35-49	51	7.3	43	2	2	6	8	13	19	40
50-64	92	9.3	56	2	2	6	13	24	26	29
65+	102	12.1	119	2	2	10	15	24	28	63
TOT. SINGLE DX	144	5.5	17	1	1	5	7	11	13	20
" MULTIPLE DX	336	9.1	70	2	2	7	12	19	25	40
TOTAL 0-19 YRS	47	3.7	9	<1	<1	3	5	8	9	15
20-34	87	6.7	23	1	2	6	8	11	16	26
35-49	96	6.7	30	2	2	6	8	12	18	32
50-64	128	8.5	50	2	2	6	12	20	25	29
65+	122	11.1	107	2	2	9	13	21	27	56
GRAND TOTAL	**480**	**8.0**	**56**	**1**	**2**	**6**	**10**	**16**	**23**	**34**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.7	10	1	1	3	4	9	11	11
20-34	19	8.7	128	<1	1	7	9	34	76	99+
35-49	26	10.8	70	1	1	9	13	24	28	35
50-64	19	14.8	107	2	4	13	19	26	37	46
65+	17	9.7	144	1	2	6	12	15	40	53
2. MULTIPLE DX										
0-19 YRS	12	10.9	104	2	2	9	14	24	37	39
20-34	39	12.6	70	2	3	11	18	20	31	36
35-49	31	13.6	127	2	2	10	16	25	38	55
50-64	42	17.1	132	5	6	13	23	31	36	65
65+	63	12.8	157	2	2	8	20	29	34	62
TOT. SINGLE DX	90	10.3	103	1	2	8	13	24	35	81
" MULTIPLE DX	187	13.7	126	2	2	11	19	27	35	61
TOTAL 0-19 YRS	21	7.8	75	1	1	5	11	17	27	39
20-34	58	11.3	91	2	2	10	16	20	36	96
35-49	57	12.3	101	1	2	10	15	25	32	54
50-64	61	16.4	123	4	5	13	22	29	36	63
65+	80	12.2	154	1	2	8	17	28	34	61
GRAND TOTAL	**277**	**12.6**	**121**	**2**	**2**	**10**	**17**	**26**	**35**	**61**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.4	13	2	3	7	11	74	99+	99+
20-34	14	6.8	14	1	2	6	9	11	15	16
35-49	157	7.2	10	4	4	7	8	10	13	21
50-64	2728	7.7	12	4	5	7	9	12	13	20
65+	5487	9.0	23	5	5	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	26	9.7	60	2	2	8	11	16	22	42
20-34	39	9.7	54	2	3	8	12	24	29	99+
35-49	271	9.7	38	4	5	8	11	17	19	36
50-64	5250	10.6	47	5	5	9	13	18	23	38
65+	16023	13.1	77	5	6	10	16	24	30	47
TOT. SINGLE DX	8393	8.6	19	4	5	8	10	13	16	24
" MULTIPLE DX	21609	12.4	70	5	6	10	15	22	28	46
TOTAL 0-19 YRS	33	9.2	50	2	2	8	11	16	37	99+
20-34	53	9.0	45	2	3	7	11	22	26	97
35-49	428	8.8	29	4	5	7	10	15	18	32
50-64	7978	9.6	37	4	5	8	11	16	20	33
65+	21510	12.0	66	5	6	10	14	21	28	44
GRAND TOTAL	**30002**	**11.3**	**59**	**5**	**5**	**9**	**13**	**20**	**26**	**42**

BEST AVAILABLE COPY

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.5	20	2	2	4	8	12	12	12
20-34	3	9.3	89	2	2	6	16	20	20	20
35-49	12	9.5	37	2	2	10	13	17	20	21
50-64	327	13.6	30	6	8	13	16	20	23	34
65+	552	13.9	30	7	8	13	17	21	23	31
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	12	16.6	88	5	7	13	25	30	34	35
50-64	517	16.1	55	7	9	15	20	25	29	41
65+	1628	17.4	78	7	9	15	21	28	34	49
TOT. SINGLE DX	898	13.7	31	6	8	13	16	21	23	32
" MULTIPLE DX	2159	17.1	73	7	9	15	21	27	33	48
TOTAL 0-19 YRS	5	4.8	17	2	2	4	6	12	12	12
20-34	4	7.8	70	2	2	4	13	20	20	20
35-49	24	13.0	73	2	2	11	16	27	30	35
50-64	844	15.2	47	6	9	14	19	23	27	39
65+	2180	16.5	68	7	9	15	20	26	32	47
GRAND TOTAL	3057	16.1	63	6	9	15	19	26	31	43

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	4.9	25	1	1	3	7	14	15	15
20-34	23	3.8	6	1	2	3	5	7	9	11
35-49	105	4.3	36	1	2	3	5	8	9	38
50-64	646	3.6	10	1	2	3	4	6	10	19
65+	873	4.5	19	1	2	3	5	9	13	23
2. MULTIPLE DX										
0-19 YRS	6	3.0	2	1	1	3	4	5	5	5
20-34	47	6.1	41	1	1	4	8	11	13	42
35-49	134	5.6	18	1	2	4	8	12	14	20
50-64	842	7.4	57	2	2	5	10	16	22	40
65+	1646	9.5	86	2	2	7	13	20	26	43
TOT. SINGLE DX	1654	4.1	16	1	2	3	5	9	11	23
" MULTIPLE DX	2675	8.6	74	2	2	6	11	18	24	41
TOTAL 0-19 YRS	13	4.0	14	1	1	3	4	9	14	15
20-34	70	5.3	31	1	2	4	7	11	12	37
35-49	239	5.0	26	1	2	4	6	10	13	21
50-64	1488	5.8	40	1	2	3	7	12	17	30
65+	2519	7.8	68	2	2	5	10	17	23	40
GRAND TOTAL	4329	6.9	57	1	2	4	9	15	21	38

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	292	3.1	7	1	1	3	4	5	7	17
20-34	318	3.9	7	1	2	3	5	7	9	14
35-49	190	4.5	19	1	2	3	5	8	11	27
50-64	178	4.2	11	2	2	4	5	7	8	20
65+	108	5.0	8	2	2	4	6	9	11	15
2. MULTIPLE DX										
0-19 YRS	209	4.5	63	1	2	3	4	7	9	42
20-34	174	4.8	16	1	2	4	6	8	12	19
35-49	177	7.2	67	2	2	4	8	14	24	50
50-64	215	7.1	50	2	2	5	9	13	18	37
65+	206	10.5	101	2	3	7	14	23	28	57
TOT. SINGLE DX	1086	4.0	10	1	2	3	5	7	9	17
" MULTIPLE DX	981	6.9	65	2	2	4	8	14	19	43
TOTAL 0-19 YRS	501	3.7	31	1	1	3	4	6	8	19
20-34	492	4.2	10	1	2	3	5	7	10	17
35-49	367	5.8	43	2	2	4	6	11	17	37
50-64	393	5.8	34	2	2	4	6	10	15	31
65+	314	8.6	76	2	3	6	10	17	24	48
GRAND TOTAL	2067	5.3	38	1	2	4	6	10	15	33

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	273	4.3	16	2	2	3	4	8	10	25
20-34	359	5.5	18	2	2	4	6	10	15	24
35-49	192	5.4	14	2	2	4	7	10	13	20
50-64	148	6.1	21	2	3	5	7	10	14	24
65+	324	7.4	35	2	3	5	10	15	19	29
2. MULTIPLE DX										
0-19 YRS	298	4.2	20	2	2	3	4	7	10	16
20-34	278	7.2	60	2	2	5	8	15	22	41
35-49	158	7.0	34	2	2	5	9	15	18	32
50-64	353	10.4	84	3	3	7	14	22	30	42
65+	922	12.1	87	3	3	10	16	24	30	47
TOT. SINGLE DX	1296	5.8	22	2	2	4	7	11	15	25
" MULTIPLE DX	2009	9.5	77	2	3	6	12	20	27	41
TOTAL 0-19 YRS	571	4.3	18	2	2	3	4	7	10	24
20-34	637	6.3	37	2	2	4	7	13	17	30
35-49	350	6.1	23	2	2	5	8	12	16	28
50-64	501	9.2	69	2	3	6	11	20	25	40
65+	1246	10.9	77	2	3	9	15	22	28	41
GRAND TOTAL	3305	8.1	59	2	2	5	10	18	23	38

BEST AVAILABLE COPY

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1354	3.3	3	1	1	3	4	5	7	9
20-34	170	3.3	4	1	1	3	4	6	7	13
35-49	13	3.0	3	1	1	3	4	5	7	7
50-64	4	5.0	2	3	3	5	6	6	6	6
65+	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	1013	3.8	5	1	2	3	5	6	8	10
20-34	79	4.6	13	1	2	4	5	9	12	22
35-49	10	6.3	12	2	2	6	10	11	11	11
50-64	8	8.9	63	2	2	8	10	22	27	27
65+	7	7.1	23	2	2	6	11	14	15	15
TOT. SINGLE DX	1543	3.3	3	1	1	3	4	5	7	9
" MULTIPLE DX	1117	3.9	7	1	2	3	5	7	8	12
TOTAL 0-19 YRS	2367	3.5	4	1	2	3	4	6	7	9
20-34	249	3.7	7	1	2	3	4	6	8	13
35-49	23	4.4	9	1	1	3	6	10	11	11
50-64	12	7.6	44	2	3	6	9	15	25	27
65+	9	7.3	18	2	2	7	10	14	15	15
GRAND TOTAL	2660	3.5	5	1	2	3	4	6	8	10

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	269	2.9	5	1	1	2	3	5	8	11
20-34	290	3.0	5	1	1	2	3	5	7	12
35-49	59	3.0	3	1	1	3	4	5	6	9
50-64	29	3.6	3	1	1	4	4	6	7	9
65+	13	5.7	12	2	2	6	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	98	3.7	4	1	1	3	5	6	8	10
20-34	149	3.9	9	1	2	3	4	7	9	16
35-49	50	6.5	45	1	1	4	7	15	21	31
50-64	45	7.3	24	2	2	7	11	14	15	23
65+	23	12.8	219	2	2	6	15	30	50	62
TOT. SINGLE DX	660	3.0	5	1	1	2	4	5	7	11
" MULTIPLE DX	365	5.2	33	1	2	4	5	11	14	27
TOTAL 0-19 YRS	367	3.1	5	1	1	2	4	6	8	11
20-34	439	3.3	6	1	1	3	4	6	8	13
35-49	109	4.6	25	1	1	3	5	10	14	29
50-64	74	5.9	19	1	2	4	8	13	14	22
65+	36	10.3	154	2	2	6	11	25	38	62
GRAND TOTAL	1025	3.8	16	1	1	3	4	7	10	21

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.2	2	<1	<1	2	3	4	4	4
20-34	538	1.3	1	<1	<1	1	2	2	2	5
35-49	280	1.9	19	<1	<1	1	2	2	4	16
50-64	34	4.4	13	<1	1	3	7	9	11	12
65+	11	8.9	30	3	3	7	11	18	19	19
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	261	3.1	17	<1	1	2	3	6	11	28
35-49	234	4.2	26	1	1	2	5	9	14	27
50-64	65	6.8	30	1	1	6	10	15	17	23
65+	44	13.3	65	2	5	11	16	24	31	38
TOT. SINGLE DX	868	1.8	8	<1	<1	1	2	2	4	11
" MULTIPLE DX	605	4.7	32	<1	1	2	6	11	15	29
TOTAL 0-19 YRS	6	2.3	1	<1	<1	2	3	4	4	4
20-34	799	1.9	7	<1	<1	1	2	3	5	14
35-49	514	3.0	23	<1	1	2	3	6	9	24
50-64	99	6.0	25	<1	1	5	8	13	16	22
65+	55	12.4	60	2	3	11	16	23	28	38
GRAND TOTAL	1473	3.0	20	<1	<1	1	2	7	11	23

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	880	2.8	2	1	1	2	3	5	5	9
20-34	1275	3.1	3	1	2	3	4	5	6	9
35-49	800	3.5	15	2	2	3	4	5	8	14
50-64	681	4.1	7	2	2	4	5	7	8	14
65+	261	4.6	6	2	3	4	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	575	3.2	8	1	1	3	4	5	7	15
20-34	897	3.5	9	1	2	3	4	6	9	16
35-49	528	4.5	13	1	2	4	5	8	10	20
50-64	739	5.8	27	2	2	4	7	11	14	22
65+	449	7.1	26	2	3	5	9	14	17	24
TOT. SINGLE DX	3897	3.4	6	1	2	3	4	5	7	12
" MULTIPLE DX	3188	4.7	18	1	2	3	5	9	12	21
TOTAL 0-19 YRS	1455	2.9	5	1	1	3	3	5	6	10
20-34	2172	3.3	5	1	2	3	4	5	7	12
35-49	1328	3.9	14	2	2	3	4	7	9	16
50-64	1420	5.0	18	2	2	4	6	9	12	20
65+	710	6.2	20	2	3	5	7	11	15	22
GRAND TOTAL	7085	4.0	12	1	2	3	4	7	9	17

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	3.5	12	<1	<1	2	4	7	10	22
20-34	217	2.7	7	1	1	2	3	6	8	12
35-49	104	4.3	15	1	1	3	6	8	13	18
50-64	135	6.6	28	2	2	6	8	12	14	35
65+	62	6.5	50	1	2	5	8	12	17	46
2. MULTIPLE DX										
0-19 YRS	161	4.2	19	1	1	3	5	8	12	23
20-34	202	7.1	68	1	2	4	9	18	21	36
35-49	151	6.6	27	1	2	6	9	12	15	28
50-64	213	8.6	112	2	2	6	9	17	26	73
65+	146	9.7	50	2	3	7	14	19	26	29
TOT. SINGLE DX	655	4.3	20	1	1	3	6	9	12	23
" MULTIPLE DX	873	7.3	63	1	2	5	9	16	21	39
TOTAL 0-19 YRS	298	3.9	16	<1	1	3	5	8	10	23
20-34	419	4.8	41	1	1	2	5	12	18	33
35-49	255	5.7	23	1	1	4	8	11	14	28
50-64	348	7.8	80	2	2	6	9	13	23	51
65+	208	8.7	52	2	2	7	12	18	22	31
GRAND TOTAL	**1528**	**6.0**	**47**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	502	6.1	8	3	3	6	7	9	11	18
20-34	1582	6.1	7	3	4	6	7	9	10	16
35-49	235	7.2	10	3	4	7	9	11	13	19
50-64	48	9.7	45	2	3	8	12	18	24	36
65+	38	11.6	24	4	7	10	15	18	20	27
2. MULTIPLE DX										
0-19 YRS	569	6.8	19	3	4	6	8	10	12	24
20-34	2903	7.1	18	3	4	6	8	11	13	23
35-49	472	8.2	21	3	4	7	9	14	17	26
50-64	108	13.7	52	5	6	12	18	23	26	38
65+	133	18.8	140	7	8	16	23	32	42	77
TOT. SINGLE DX	2405	6.4	9	3	4	6	7	9	11	18
" MULTIPLE DX	4185	7.7	29	3	4	7	8	12	17	30
TOTAL 0-19 YRS	1071	6.5	14	3	4	6	7	10	12	20
20-34	4485	6.8	14	3	4	6	8	10	12	20
35-49	707	7.8	18	3	4	7	9	12	16	24
50-64	156	12.5	53	4	5	11	17	23	25	36
65+	171	17.2	123	7	8	15	21	31	36	71
GRAND TOTAL	**6590**	**7.2**	**22**	**3**	**4**	**6**	**8**	**11**	**15**	**27**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	347	6.6	5	4	4	6	8	9	10	14
20-34	1698	6.8	7	4	5	6	8	9	11	17
35-49	497	7.3	8	4	5	7	8	10	12	19
50-64	113	8.0	9	4	5	7	9	13	15	17
65+	61	11.9	45	5	6	10	14	20	24	38
2. MULTIPLE DX										
0-19 YRS	388	7.5	12	4	5	7	8	12	13	23
20-34	3105	7.8	16	4	5	7	8	12	15	26
35-49	1139	8.7	26	4	5	7	9	14	19	29
50-64	234	11.7	41	5	6	10	14	19	25	39
65+	177	17.1	74	7	8	15	23	31	33	41
TOT. SINGLE DX	2716	7.1	9	4	5	6	8	10	12	19
" MULTIPLE DX	5043	8.5	25	4	5	7	9	13	18	31
TOTAL 0-19 YRS	735	7.1	9	4	4	7	8	10	12	20
20-34	4803	7.4	13	4	5	7	8	11	13	24
35-49	1636	8.3	21	4	5	7	9	13	17	26
50-64	347	10.5	33	5	6	9	13	17	21	38
65+	238	15.8	72	7	7	14	21	29	33	39
GRAND TOTAL	7759	8.0	20	4	5	7	9	12	16	28

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	7.6	33	2	3	6	9	15	22	26
20-34	185	7.2	9	3	4	7	8	12	14	17
35-49	237	8.0	11	4	5	7	9	12	14	21
50-64	140	9.6	18	5	6	8	11	15	19	24
65+	67	12.0	26	7	8	10	14	21	22	28
2. MULTIPLE DX										
0-19 YRS	20	9.0	31	5	5	7	9	19	23	25
20-34	612	8.8	25	5	5	8	10	14	18	31
35-49	1040	10.0	42	5	6	8	11	16	21	37
50-64	439	13.1	77	6	6	11	15	22	27	64
65+	255	18.0	152	7	8	14	22	34	44	61
TOT. SINGLE DX	648	8.5	16	4	5	8	10	13	17	24
" MULTIPLE DX	2366	11.1	64	5	6	9	12	20	26	44
TOTAL 0-19 YRS	39	8.3	32	3	4	6	9	17	24	26
20-34	797	8.4	21	4	5	7	9	13	17	29
35-49	1277	9.6	37	5	5	8	11	16	20	35
50-64	579	12.2	65	6	6	10	14	21	26	39
65+	322	16.7	132	7	8	13	21	29	39	61
GRAND TOTAL	3014	10.6	54	5	5	8	12	18	24	40

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	5.0	12	1	2	4	6	10	13	15
20-34	328	4.1	10	1	1	3	6	8	10	15
35-49	39	3.6	5	1	1	3	5	7	9	10
50-64	3	6.0		6	6	6	6	6	6	6
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	94	5.8	15	2	2	5	7	10	14	20
20-34	728	5.4	14	1	2	5	7	9	11	19
35-49	120	7.4	31	2	2	6	10	14	18	28
50-64	18	10.9	192	<1	<1	9	12	15	44	63
65+	11	19.8	86	7	9	18	24	33	41	42
TOT. SINGLE DX	470	4.3	10	1	1	3	6	8	10	15
" MULTIPLE DX	971	6.0	23	1	2	5	7	10	14	26
TOTAL 0-19 YRS	193	5.4	13	2	2	5	7	10	13	17
20-34	1056	5.0	13	1	2	5	7	9	11	19
35-49	159	6.5	27	1	2	5	9	12	16	28
50-64	21	10.2	166	<1	1	8	12	14	37	63
65+	12	19.2	83	7	10	18	22	31	40	42
GRAND TOTAL	1441	5.4	19	1	2	5	7	10	13	22

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	1.7	2	<1	<1	1	2	3	4	8
20-34	7918	1.6	2	<1	<1	1	2	2	3	5
35-49	3339	1.5	1	<1	<1	1	2	2	2	4
50-64	15	1.4		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	64	2.2	2	<1	1	2	3	3	5	10
20-34	5987	2.2	8	<1	1	2	2	3	5	11
35-49	3061	2.2	5	<1	1	2	2	3	5	13
50-64	20	3.0	27	<1	<1	2	2	3	14	25
65+										
TOT. SINGLE DX	11324	1.6	2	<1	<1	1	2	2	3	5
" MULTIPLE DX	9132	2.2	7	<1	1	2	2	3	5	11
TOTAL 0-19 YRS	116	2.0	2	<1	<1	2	2	3	4	9
20-34	13905	1.9	5	<1	<1	2	2	3	4	8
35-49	6400	1.8	3	<1	<1	2	2	3	3	9
50-64	35	2.3	16	<1	<1	2	2	3	3	25
65+										
GRAND TOTAL	20456	1.9	4	<1	<1	2	2	3	4	8

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	3.8	15	1	1	3	4	6	7	23
20-34	5994	2.9	6	1	1	3	4	5	6	8
35-49	2192	2.8	4	1	1	2	3	5	6	9
50-64	15	2.6	2	1	1	2	4	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	118	5.0	11	2	2	4	6	9	12	18
20-34	8492	4.1	8	1	2	4	5	6	8	14
35-49	2630	4.1	12	1	2	3	5	7	8	16
50-64	26	6.5	33	1	2	4	9	18	19	19
65+										
TOT. SINGLE DX	8260	2.9	6	1	1	2	4	5	6	9
" MULTIPLE DX	11266	4.1	9	1	2	4	5	6	8	15
TOTAL 0-19 YRS	177	4.6	13	1	2	4	5	8	11	21
20-34	14486	3.6	8	1	2	3	4	6	7	12
35-49	4822	3.5	9	1	1	3	4	6	8	14
50-64	41	5.0	25	1	1	3	5	14	18	19
65+										
GRAND TOTAL	19526	3.6	8	1	2	3	4	6	7	13

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	5.8	7	2	3	6	7	9	10	16
20-34	2464	5.4	7	2	2	5	7	8	9	13
35-49	265	4.8	9	1	2	5	7	8	9	14
50-64	9	6.9	2	5	5	7	8	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	242	6.7	12	2	3	6	8	11	14	22
20-34	2748	6.1	13	2	2	6	7	9	11	20
35-49	398	6.3	20	1	2	6	8	11	14	30
50-64	20	11.7	29	4	5	11	14	20	22	23
65+	15	17.2	296	6	6	13	16	29	64	76
TOT. SINGLE DX	2926	5.4	7	1	2	5	7	8	9	13
" MULTIPLE DX	3423	6.2	16	2	2	6	7	10	12	21
TOTAL 0-19 YRS	429	6.3	10	2	3	6	7	10	12	20
20-34	5212	5.7	11	2	2	6	7	8	10	16
35-49	663	5.7	16	1	2	5	7	10	13	22
50-64	29	10.2	26	5	5	9	11	20	21	23
65+	16	16.3	291	3	6	12	15	28	62	76
GRAND TOTAL	6349	5.8	12	2	2	6	7	9	11	18

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	2.5	7	1	1	2	3	4	4	19
20-34	1593	2.7	5	1	1	2	3	4	4	9
35-49	545	2.8	3	1	1	2	3	4	6	11
50-64	212	3.4	47	1	1	2	3	5	7	20
65+	59	3.7	4	1	2	3	4	7	9	11
2. MULTIPLE DX										
0-19 YRS	65	2.6	1	1	1	2	3	4	5	7
20-34	1490	3.2	16	1	2	3	3	5	7	15
35-49	775	3.3	9	1	2	3	3	6	9	16
50-64	342	4.4	21	1	2	3	4	10	15	25
65+	144	6.5	48	2	2	4	8	14	22	33
TOT. SINGLE DX	2480	2.8	8	1	1	2	3	4	5	10
" MULTIPLE DX	2816	3.5	16	1	2	3	3	6	9	22
TOTAL 0-19 YRS	136	2.6	4	1	1	2	3	4	4	9
20-34	3083	2.9	10	1	1	2	3	4	5	12
35-49	1320	3.1	6	1	2	2	3	5	7	14
50-64	554	4.0	31	1	2	3	4	8	12	25
65+	203	5.7	37	2	2	3	6	12	21	31
GRAND TOTAL	5296	3.2	13	1	2	2	3	5	7	17

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	2.3	4	1	1	2	2	3	6	15
20-34	762	2.5	3	1	1	2	3	4	6	9
35-49	676	2.7	6	1	1	2	3	4	7	14
50-64	529	3.2	12	1	1	2	3	6	9	18
65+	217	5.1	33	1	2	3	7	10	11	32
2. MULTIPLE DX										
0-19 YRS	102	3.2	6	1	1	2	3	7	9	13
20-34	1476	3.4	12	1	1	2	3	6	9	18
35-49	1563	3.7	18	1	1	2	3	8	12	25
50-64	1069	4.6	26	1	1	3	5	10	14	24
65+	643	8.7	60	2	2	7	11	18	24	43
TOT. SINGLE DX	2265	3.0	9	1	1	2	3	5	8	14
" MULTIPLE DX	4853	4.4	26	1	1	3	5	10	14	28
TOTAL 0-19 YRS	183	2.8	6	1	1	2	3	6	8	14
20-34	2238	3.1	9	1	1	2	3	6	8	16
35-49	2239	3.4	15	1	1	2	3	7	11	22
50-64	1598	4.1	22	1	1	2	4	9	13	23
65+	860	7.8	55	2	2	6	10	16	22	42
GRAND TOTAL	7118	4.0	21	1	1	2	4	9	12	24

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	3.4	4	1	1	3	4	6	7	10
20-34	1312	3.3	6	1	2	3	4	5	6	10
35-49	101	3.4	12	1	2	3	4	5	6	25
50-64	6	3.7	11	1	1	2	5	9	10	10
65+	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	27	4.3	8	2	2	3	5	7	10	15
20-34	447	4.0	9	1	2	3	5	7	10	20
35-49	34	5.4	27	1	2	4	7	12	14	28
50-64	9	5.4	12	1	1	6	8	10	10	10
65+	10	9.6	20	5	5	8	10	17	19	19
TOT. SINGLE DX	1489	3.3	6	1	2	3	4	5	6	10
" MULTIPLE DX	527	4.2	11	1	2	3	5	8	11	21
TOTAL 0-19 YRS	95	3.7	5	1	2	3	4	6	8	13
20-34	1759	3.5	7	1	2	3	4	6	7	15
35-49	135	3.9	16	1	2	3	4	6	8	28
50-64	15	4.7	12	1	1	3	8	10	10	10
65+	12	8.8	21	3	4	8	10	17	19	19
GRAND TOTAL	**2016**	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	3.5	4	1	1	3	5	6	7	9
20-34	473	4.5	9	<1	1	5	7	8	9	13
35-49	146	4.2	10	1	1	3	6	8	9	17
50-64	64	3.6	17	1	1	2	3	8	14	23
65+	28	6.7	64	2	2	4	8	15	26	37
2. MULTIPLE DX										
0-19 YRS	42	7.6	158	1	2	5	7	11	30	68
20-34	749	5.5	13	1	1	6	8	9	11	16
35-49	281	5.9	22	1	2	5	8	11	14	25
50-64	147	5.6	37	1	1	3	8	12	17	52
65+	92	9.4	66	2	2	8	13	22	27	74
TOT. SINGLE DX	744	4.4	12	<1	1	3	6	8	9	16
" MULTIPLE DX	1311	5.9	27	1	1	5	8	11	14	27
TOTAL 0-19 YRS	75	5.8	93	1	2	4	6	8	12	64
20-34	1222	5.1	12	1	1	5	7	9	10	16
35-49	427	5.3	19	1	1	4	7	10	13	22
50-64	211	5.0	31	1	1	3	7	12	15	34
65+	120	8.8	66	2	2	6	12	21	26	57
GRAND TOTAL	**2055**	**5.4**	**22**	**1**	**1**	**5**	**7**	**10**	**13**	**24**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	8.3	13	2	4	8	11	13	15	16
20-34	2724	7.8	9	5	6	7	8	10	12	17
35-49	4194	8.1	9	6	6	8	9	10	12	19
50-64	1554	8.8	10	6	6	8	9	12	15	23
65+	516	10.8	28	6	7	9	12	16	19	30
2. MULTIPLE DX										
0-19 YRS	144	8.6	15	5	5	7	10	14	17	23
20-34	11196	8.5	14	5	6	8	9	12	15	23
35-49	23493	8.9	14	6	6	8	10	12	15	25
50-64	6867	10.0	25	6	6	9	11	15	18	30
65+	1900	13.3	57	7	7	11	15	22	28	44
TOT. SINGLE DX	9026	8.3	11	5	6	8	9	11	13	20
" MULTIPLE DX	43600	9.2	19	6	6	8	10	13	17	27
TOTAL 0-19 YRS	182	8.6	15	4	5	7	10	14	16	23
20-34	13920	8.4	13	5	6	8	9	11	14	22
35-49	27687	8.8	13	6	6	8	9	12	15	24
50-64	8421	9.8	22	6	6	8	10	14	18	29
65+	2416	12.8	52	7	7	11	15	20	26	42
GRAND TOTAL	**52626**	**9.0**	**17**	**6**	**6**	**8**	**10**	**13**	**16**	**26**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.0	8	5	5	7	11	11	11	11
20-34	1387	6.7	5	4	5	6	8	9	11	14
35-49	1374	7.2	7	5	5	7	8	10	12	16
50-64	689	9.0	11	5	6	8	10	13	16	22
65+	457	9.7	16	6	7	9	11	14	17	22
2. MULTIPLE DX										
0-19 YRS	16	7.9	9	5	5	7	10	13	13	13
20-34	4158	7.5	10	5	5	7	8	11	13	20
35-49	7261	8.2	13	5	5	7	9	12	14	21
50-64	2710	9.5	19	5	6	9	11	14	17	26
65+	1587	11.3	31	6	7	10	13	17	21	34
TOT. SINGLE DX	3912	7.7	9	5	5	7	9	11	13	19
" MULTIPLE DX	15732	8.6	16	5	5	8	10	13	15	24
TOTAL 0-19 YRS	21	8.0	8	5	5	7	11	12	13	13
20-34	5545	7.3	9	5	5	7	8	10	12	19
35-49	8635	8.1	12	5	5	7	9	12	14	21
50-64	3399	9.4	18	5	6	9	11	14	16	25
65+	2044	10.9	28	6	7	10	12	16	20	31
GRAND TOTAL	**19644**	**8.4**	**15**	**5**	**5**	**7**	**9**	**12**	**15**	**23**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	48	11.8	17	5	6	12	14	16	20	23
35-49	47	13.9	31	7	8	13	17	20	22	36
50-64	37	16.5	99	5	8	15	20	27	35	57
65+	18	19.4	52	10	12	18	23	30	35	37
2. MULTIPLE DX										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	38	13.7	34	6	7	12	16	20	24	35
35-49	66	15.6	120	6	7	13	20	28	37	96
50-64	63	20.6	225	8	10	15	26	36	71	97
65+	45	26.5	267	9	11	24	33	59	63	69
TOT. SINGLE DX	151	14.5	51	6	8	13	17	22	27	37
" MULTIPLE DX	213	19.1	185	7	8	15	24	35	56	86
TOTAL 0-19 YRS	2	19.0	50	14	14	19	24	24	24	24
20-34	86	12.6	25	6	6	12	15	19	21	31
35-49	113	14.9	83	7	7	13	18	26	29	87
50-64	100	19.1	181	8	9	15	22	32	52	89
65+	63	24.4	214	9	11	21	30	46	61	68
GRAND TOTAL	364	17.2	134	7	8	14	20	30	37	78

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	457	1.5	1	<1	<1	<1	2	2	3	8
20-34	1273	1.7	2	<1	<1	1	2	3	4	7
35-49	131	2.1	7	<1	<1	2	2	4	5	15
50-64	10	2.0		<1	1	2	2	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	97	3.9	23	<1	1	2	5	9	11	30
20-34	545	3.5	20	<1	1	2	4	8	12	21
35-49	186	2.9	7	<1	1	2	4	6	8	11
50-64	3	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	1871	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	831	3.4	18	<1	1	2	4	7	10	21
TOTAL 0-19 YRS	554	1.9	6	<1	<1	1	2	3	6	11
20-34	1818	2.3	8	<1	<1	2	2	4	7	15
35-49	317	2.6	7	<1	<1	2	3	5	7	11
50-64	13	2.0		<1	1	2	2	3	3	3
65+										
GRAND TOTAL	2702	2.2	8	<1	<1	1	2	4	7	13

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6343	2.1	5	<1	1	2	2	4	5	9
20-34	38189	2.1	5	<1	1	2	2	3	5	9
35-49	13620	2.1	3	<1	1	2	2	3	4	9
50-64	5432	2.3	5	<1	1	2	2	3	5	12
65+	1128	3.8	18	1	1	2	4	8	11	22
2. MULTIPLE DX										
0-19 YRS	2710	3.8	19	1	1	2	4	7	10	21
20-34	23394	3.4	15	1	1	2	4	7	9	18
35-49	16755	3.4	17	1	1	2	3	7	10	20
50-64	7430	3.8	24	1	1	2	4	8	12	24
65+	2264	6.3	67	1	2	3	8	14	19	43
TOT. SINGLE DX	64712	2.1	5	<1	1	2	2	3	5	10
" MULTIPLE DX	52553	3.6	20	1	1	2	4	8	11	21
TOTAL 0-19 YRS	9053	2.6	10	1	1	2	3	5	7	12
20-34	61583	2.6	9	<1	1	2	3	5	7	14
35-49	30375	2.8	11	<1	1	2	3	5	8	16
50-64	12862	3.2	17	1	1	2	3	6	10	20
65+	3392	5.5	52	1	2	3	6	12	17	37
GRAND TOTAL	117265	2.8	12	1	1	2	3	5	8	16

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1708	1.3	1	<1	<1	<1	1	2	2	4
20-34	4161	1.4	4	<1	<1	<1	2	2	2	5
35-49	426	1.3		<1	<1	<1	1	2	2	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	230	2.7	10	<1	<1	1	3	7	8	13
20-34	1098	3.0	15	<1	<1	2	3	7	9	23
35-49	354	2.3	6	<1	<1	2	2	4	6	13
50-64	3	2.7	2	<1	<1	3	4	4	4	4
65+										
TOT. SINGLE DX	6296	1.4	3	<1	<1	<1	1	2	2	5
" MULTIPLE DX	1685	2.8	12	<1	<1	2	3	6	8	20
TOTAL 0-19 YRS	1938	1.5	2	<1	<1	1	1	2	3	8
20-34	5259	1.8	6	<1	<1	1	2	3	4	11
35-49	780	1.7	3	<1	<1	1	2	3	4	12
50-64	4	2.5	2	<1	<1	2	3	4	4	4
65+										
GRAND TOTAL	7981	1.7	5	<1	<1	1	2	2	4	10

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	333	1.7	2	<1	<1	1	2	3	4	6
20-34	1828	1.7	2	<1	<1	1	2	3	4	8
35-49	183	2.1	25	<1	<1	1	2	3	4	10
50-64	10	4.9	32	1	1	3	4	15	18	18
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	87	2.9	4	<1	1	2	4	5	7	10
20-34	409	2.9	13	<1	1	2	3	5	8	17
35-49	75	3.2	10	<1	1	2	4	6	10	16
50-64	13	9.0	38	2	3	8	12	18	23	24
65+	18	9.8	29	2	3	10	15	17	19	20
TOT. SINGLE DX	2355	1.7	4	<1	<1	1	2	3	4	8
" MULTIPLE DX	602	3.3	14	<1	1	2	4	7	9	18
TOTAL 0-19 YRS	420	1.9	2	<1	<1	1	2	4	5	9
20-34	2237	1.9	4	<1	<1	1	2	3	5	10
35-49	258	2.4	21	<1	<1	1	2	4	6	13
50-64	23	7.2	38	1	1	5	11	17	20	24
65+	19	9.4	29	2	3	10	14	17	19	20
GRAND TOTAL	2957	2.0	6	<1	<1	1	2	4	5	11

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	4.7	7	1	1	4	7	8	8	8
20-34	66	5.2	6	1	1	5	6	8	9	12
35-49	9	7.1	14	2	2	7	9	12	13	13
50-64	5	10.2	9	7	7	11	13	13	13	13
65+	7	8.1	1	7	7	8	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	30	5.8	2	4	4	6	7	8	8	9
20-34	304	6.6	10	2	3	6	8	9	11	17
35-49	40	6.7	10	1	2	7	9	10	12	16
50-64	15	10.1	31	6	6	8	10	21	24	25
65+	11	12.2	71	3	4	11	18	52	93	99+
TOT. SINGLE DX	94	5.9	8	1	2	6	8	9	11	13
" MULTIPLE DX	400	6.8	13	2	4	6	8	10	12	24
TOTAL 0-19 YRS	37	5.6	3	2	4	6	7	8	8	9
20-34	370	6.3	9	2	3	6	8	9	11	16
35-49	49	6.8	11	2	2	7	9	10	13	16
50-64	20	10.1	25	6	6	8	12	17	23	25
65+	18	10.6	46	4	5	9	12	28	69	99+
GRAND TOTAL	494	6.6	12	2	3	6	8	10	12	22

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74	4.2	16	<1	1	4	6	8	8	26
20-34	372	3.1	6	<1	1	2	4	7	7	12
35-49	128	3.4	19	1	1	2	4	6	7	28
50-64	87	4.2	8	2	2	4	5	7	7	19
65+	51	5.1	6	2	2	5	6	9	10	12
2. MULTIPLE DX										
0-19 YRS	60	5.3	11	1	2	5	7	10	13	16
20-34	446	4.2	16	1	1	3	5	8	9	16
35-49	171	4.2	12	2	2	3	5	9	11	18
50-64	94	5.4	17	1	2	4	6	11	15	21
65+	80	5.6	31	2	3	4	5	10	18	81
TOT. SINGLE DX	712	3.5	10	<1	1	3	5	7	8	13
" MULTIPLE DX	851	4.5	17	1	2	4	5	8	11	22
TOTAL 0-19 YRS	134	4.7	14	1	1	4	6	8	12	18
20-34	818	3.7	12	<1	1	2	5	7	8	14
35-49	299	3.9	15	1	1	3	4	7	10	20
50-64	181	4.8	13	1	2	4	5	8	12	21
65+	131	5.4	21	2	3	4	5	10	12	51
GRAND TOTAL	1563	4.1	14	1	1	3	5	8	10	20

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.0	9	2	2	6	7	11	11	11
20-34	187	7.3	52	3	4	6	8	10	13	23
35-49	537	7.9	11	4	5	7	9	12	14	20
50-64	952	8.0	11	4	5	7	9	12	14	19
65+	536	8.6	12	4	5	8	10	13	15	21
2. MULTIPLE DX										
0-19 YRS	8	6.4	13	2	2	7	8	12	13	13
20-34	407	8.5	22	3	4	8	10	13	15	28
35-49	1257	9.6	21	5	6	9	11	15	18	26
50-64	1685	10.0	22	5	6	9	12	16	18	28
65+	1092	10.8	30	5	6	9	12	17	21	31
TOT. SINGLE DX	2218	8.0	15	4	5	7	9	12	14	20
" MULTIPLE DX	4449	9.9	24	5	6	9	12	16	19	29
TOTAL 0-19 YRS	14	6.2	11	2	2	6	8	11	13	13
20-34	594	8.1	32	3	4	7	9	13	14	27
35-49	1794	9.1	18	4	5	8	11	14	17	25
50-64	2637	9.3	19	5	5	8	11	15	17	27
65+	1628	10.1	25	5	6	9	12	16	20	29
GRAND TOTAL	6667	9.3	22	4	5	8	11	15	17	27

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	4.3	65	1	1	2	5	10	13	55
20-34	287	4.2	11	1	1	4	5	8	10	16
35-49	136	5.1	17	1	1	4	6	9	13	23
50-64	83	5.6	8	1	2	6	8	9	10	71
65+	44	8.7	51	2	3	7	10	17	23	37
2. MULTIPLE DX										
0-19 YRS	46	6.0	43	<1	1	3	7	14	19	31
20-34	190	5.5	19	1	1	4	7	12	14	21
35-49	125	8.3	83	1	2	6	9	15	18	59
50-64	138	9.7	78	2	3	8	12	17	24	39
65+	102	12.6	108	3	5	10	15	24	27	69
TOT. SINGLE DX	619	4.9	22	1	1	4	6	9	12	25
" MULTIPLE DX	601	8.3	69	1	2	7	10	16	22	42
TOTAL 0-19 YRS	115	5.0	56	1	1	3	6	11	15	43
20-34	477	4.7	15	1	1	4	6	10	12	20
35-49	261	6.6	51	1	2	5	8	12	16	47
50-64	221	8.2	56	1	2	7	10	14	21	47
65+	146	11.4	94	3	4	9	14	22	26	63
GRAND TOTAL	1220	6.6	48	1	1	5	8	13	17	32

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	323	2.5	9	<1	1	2	3	4	7	16
20-34	789	3.4	12	<1	1	2	4	7	10	18
35-49	299	4.7	23	1	1	3	6	12	16	22
50-64	248	5.1	24	1	1	4	7	10	13	28
65+	225	7.2	33	2	2	6	10	14	17	31
2. MULTIPLE DX										
0-19 YRS	229	4.6	22	1	1	3	5	9	13	33
20-34	625	5.4	37	1	1	4	7	11	14	28
35-49	341	7.3	61	1	2	5	9	15	22	39
50-64	495	8.2	62	2	2	7	10	16	22	40
65+	536	10.9	94	2	3	8	13	24	33	50
TOT. SINGLE DX	1884	4.1	20	<1	1	2	5	9	12	21
" MULTIPLE DX	2226	7.5	63	1	2	5	9	15	23	40
TOTAL 0-19 YRS	552	3.4	15	<1	1	2	4	7	10	24
20-34	1414	4.3	24	<1	1	3	5	9	13	24
35-49	640	6.1	45	1	1	4	8	13	19	32
50-64	743	7.2	51	1	2	6	9	14	19	37
65+	761	9.8	79	2	2	7	12	19	29	46
GRAND TOTAL	4110	6.0	46	1	1	4	8	13	18	35

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	506	2.7	3	<1	1	2	3	5	5	9
20-34	1948	2.7	3	1	1	2	3	4	5	10
35-49	784	2.8	5	1	1	2	3	5	6	10
50-64	363	3.1	7	1	1	2	4	5	7	13
65+	177	4.5	13	1	2	3	6	9	10	20
2. MULTIPLE DX										
0-19 YRS	196	4.1	19	1	1	3	5	8	10	19
20-34	760	4.4	20	1	2	3	5	8	11	22
35-49	456	5.2	26	1	2	3	6	10	16	24
50-64	331	6.7	65	1	2	4	8	14	24	45
65+	310	8.9	91	2	2	6	11	20	26	49
TOT. SINGLE DX	3778	2.8	5	1	1	2	3	5	6	11
" MULTIPLE DX	2053	5.6	42	1	2	3	6	11	17	25
TOTAL 0-19 YRS	702	3.1	8	1	1	2	4	5	7	12
20-34	2708	3.1	8	1	1	3	4	5	7	15
35-49	1240	3.7	14	1	1	3	4	7	10	21
50-64	694	4.8	38	1	1	3	5	10	15	38
65+	487	7.3	67	2	2	4	8	16	23	42
GRAND TOTAL	5831	3.8	19	1	1	3	4	7	10	23

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.5		2	2	2	3	3	3	3
20-34	29	5.6	57	2	2	3	5	12	26	35
35-49	35	9.0	63	2	2	5	15	18	24	[illegible]
50-64	46	9.0	42	2	2	7	14	18	23	25
65+	61	12.4	98	2	4	10	16	26	40	[illegible]
2. MULTIPLE DX										
0-19 YRS	3	5.7	22	2	2	4	9	11	11	[illegible]
20-34	14	9.6	76	1	3	6	12	20	32	[illegible]
35-49	34	11.4	111	1	2	9	15	29	33	[illegible]
50-64	53	18.5	207	3	5	15	25	36	45	[illegible]
65+	79	20.2	190	3	5	17	27	43	50	[illegible]
TOT. SINGLE DX	177	9.4	73	2	2	7	14	19	26	[illegible]
" MULTIPLE DX	183	17.0	184	2	3	12	24	37	45	[illegible]
TOTAL 0-19 YRS	9	3.6	8	2	2	3	3	8	11	[illegible]
20-34	43	6.9	65	2	2	4	7	15	28	[illegible]
35-49	69	10.2	87	1	2	7	15	24	30	[illegible]
50-64	99	14.1	152	2	3	9	15	29	38	[illegible]
65+	140	16.8	164	3	4	13	23	38	48	59
GRAND TOTAL	360	13.3	143	2	2	10	18	30	40	55

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	2.0	2	<1	1	2	3	3	5	7
20-34	138	3.0	4	<1	1	3	4	5	7	10
35-49	35	5.3	40	1	1	4	6	10	19	34
50-64	33	3.8	6	1	2	3	5	7	10	11
65+	10	6.9	21	1	1	6	11	13	14	14
2. MULTIPLE DX										
0-19 YRS	50	3.6	8	<1	1	3	5	7	10	12
20-34	108	5.2	88	1	2	4	5	7	12	52
35-49	48	6.2	20	2	3	5	8	11	12	29
50-64	53	7.6	60	2	2	6	9	13	18	46
65+	20	12.9	110	2	2	11	17	26	37	43
TOT. SINGLE DX	299	3.2	9	<1	1	3	4	6	8	15
" MULTIPLE DX	279	6.1	63	1	2	4	7	12	16	41
TOTAL 0-19 YRS	133	2.6	5	<1	1	2	3	5	7	12
20-34	246	4.0	42	1	1	3	4	6	9	16
35-49	83	5.8	28	1	2	4	7	11	13	32
50-64	86	6.2	42	2	2	4	8	11	15	42
65+	30	10.9	87	2	2	9	14	20	31	43
GRAND TOTAL	578	4.6	37	1	1	3	5	9	12	30

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	4.2	8	<1	1	4	6	8	10	10
20-34	17	2.9	4	<1	<1	2	3	6	8	9
35-49	6	3.3	4	2	2	3	4	7	7	7
50-64	4	3.0	1	2	2	3	4	4	4	4
65+	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	15	4.7	28	<1	1	2	7	11	18	20
20-34	24	6.3	64	1	2	4	6	14	23	38
35-49	10	4.7	15	1	1	3	7	11	12	12
50-64	10	13.1	123	2	3	8	20	31	33	33
65+	6	5.0	14	2	2	3	6	11	11	11
TOT. SINGLE DX	39	3.3	5	<1	1	2	4	6	8	10
" MULTIPLE DX	65	6.6	58	1	1	4	8	15	23	37
TOTAL 0-19 YRS	24	4.5	20	<1	1	3	6	10	14	20
20-34	41	4.9	41	<1	1	3	5	11	15	38
35-49	16	4.2	11	1	2	3	6	10	11	12
50-64	14	10.2	108	2	2	5	15	30	32	33
65+	9	4.3	11	1	1	3	6	10	11	11
GRAND TOTAL	104	5.4	40	1	1	3	6	11	18	35

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8387	3.5	3	2	2	3	4	5	5	8
20-34	34932	3.7	4	2	3	4	4	5	6	8
35-49	1254	3.8	2	2	3	4	4	5	6	8
50-64	13	3.5	1	2	2	3	4	5	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	4532	3.9	4	2	3	4	4	6	7	12
20-34	19963	4.2	6	2	3	4	5	6	7	13
35-49	1023	4.6	10	3	3	4	5	6	8	16
50-64	5	4.2	2	3	3	4	5	6	6	6
65+										
TOT. SINGLE DX	44586	3.7	4	2	2	3	4	5	5	8
" MULTIPLE DX	25523	4.2	6	2	3	4	5	6	7	13
TOTAL 0-19 YRS	12919	3.6	4	2	2	3	4	5	6	10
20-34	54895	3.9	5	2	3	4	4	5	6	9
35-49	2277	4.2	5	2	3	4	5	6	7	11
50-64	18	3.7	1	2	2	4	4	6	6	6
65+										
GRAND TOTAL	70109	3.9	5	2	3	4	4	5	6	10

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	3.7	12	1	2	3	4	5	5	26
20-34	972	3.6	14	2	2	3	4	5	5	8
35-49	55	3.6	1	2	2	4	4	5	5	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	210	3.6	4	1	2	3	4	5	7	11
20-34	1361	4.1	13	2	2	4	5	6	7	14
35-49	104	4.3	9	2	2	4	5	7	8	20
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
TOT. SINGLE DX	1148	3.7	13	2	2	3	4	5	5	9
" MULTIPLE DX	1677	4.0	12	2	2	4	5	6	7	14
TOTAL 0-19 YRS	331	3.6	7	1	2	3	4	5	7	13
20-34	2333	3.9	13	2	2	3	4	5	7	13
35-49	159	4.1	6	2	2	4	5	5	7	15
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
GRAND TOTAL	2825	3.9	12	2	2	3	4	5	7	13

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	788	3.8	3	2	3	3	4	5	6	10
20-34	3915	3.9	2	2	3	4	4	5	6	8
35-49	163	3.9	1	2	3	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	873	4.1	8	2	3	4	4	6	7	11
20-34	4398	4.3	5	2	3	4	5	6	7	12
35-49	229	4.8	12	2	3	4	5	7	8	15
50-64	2	4.0		4	4	4	4	4	4	4
65+										
TOT. SINGLE DX	4866	3.9	2	2	3	4	4	5	6	8
" MULTIPLE DX	5502	4.3	6	2	3	4	5	6	7	12
TOTAL 0-19 YRS	1661	3.9	6	2	3	4	4	5	7	10
20-34	8313	4.1	4	2	3	4	5	6	7	10
35-49	392	4.4	8	2	3	4	5	6	8	13
50-64	2	4.0		4	4	4	4	4	4	4
65+										
GRAND TOTAL	10368	4.1	4	2	3	4	5	6	7	10

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5249	3.4	3	2	2	3	4	5	5	8
20-34	30792	3.5	4	2	2	3	4	5	5	8
35-49	1163	3.7	3	2	2	4	4	5	6	8
50-64	14	3.1	1	1	2	3	3	4	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	2617	4.0	10	2	2	3	4	6	7	13
20-34	23215	4.3	6	2	3	4	5	6	7	12
35-49	1939	4.8	11	2	3	4	5	7	8	16
50-64	10	4.7	10	1	2	4	5	9	13	13
65+										
TOT. SINGLE DX	37218	3.5	4	2	2	3	4	5	5	8
" MULTIPLE DX	27781	4.3	7	2	3	4	5	6	7	13
TOTAL 0-19 YRS	7866	3.6	5	2	2	3	4	5	6	11
20-34	54007	3.8	5	2	2	4	4	5	6	10
35-49	3102	4.4	9	2	3	4	5	6	7	14
50-64	24	3.8	5	1	2	3	4	5	8	13
65+										
GRAND TOTAL	64999	3.8	5	2	2	4	4	5	6	11

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2610	6.3	8	4	5	6	7	8	9	14
20-34	17862	6.4	5	4	5	6	7	8	9	13
35-49	746	7.1	13	5	5	7	7	9	10	22
50-64	7	6.4	1	5	5	6	7	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	4322	7.3	16	4	5	6	8	10	13	22
20-34	29154	7.1	14	4	5	6	8	9	11	23
35-49	2253	7.8	20	5	5	7	8	10	14	29
50-64	18	7.9	19	3	4	7	8	16	18	19
65+										
TOT. SINGLE DX	21225	6.4	6	4	5	6	7	8	9	13
" MULTIPLE DX	35747	7.2	15	4	5	6	8	9	12	24
TOTAL 0-19 YRS	6932	6.9	13	4	5	6	7	9	12	20
20-34	47016	6.9	11	4	5	6	7	9	10	20
35-49	2999	7.6	18	5	5	7	8	10	13	28
50-64	25	7.5	14	3	4	7	7	14	17	19
65+										
GRAND TOTAL	56972	6.9	12	4	5	6	7	9	11	20

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	390	6.2	4	4	4	6	7	8	9	13
20-34	2116	6.3	5	4	5	6	7	8	9	13
35-49	84	7.1	18	4	5	7	8	9	10	32
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	481	7.5	15	4	5	7	8	11	13	22
20-34	2772	7.0	13	4	5	6	7	9	12	22
35-49	267	8.1	29	4	5	7	8	11	17	32
50-64										
65+										
TOT. SINGLE DX	2590	6.3	5	4	5	6	7	8	9	13
" MULTIPLE DX	3520	7.2	15	4	5	6	8	10	12	22
TOTAL 0-19 YRS	871	6.9	10	4	5	6	7	10	11	19
20-34	4888	6.7	10	4	5	6	7	9	10	19
35-49	351	7.9	26	4	5	7	8	10	15	33
50-64										
65+										
GRAND TOTAL	6110	6.8	11	4	5	6	7	9	11	19

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	6.0		6	6	6	6	6	6	6
20-34	38	5.8	3	3	4	5	7	9	9	10
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11	7.0	5	5	5	7	8	10	13	13
20-34	42	7.5	7	4	5	7	8	10	13	16
35-49	12	8.0	12	3	4	7	10	12	15	16
50-64										
65+										
TOT. SINGLE DX	42	5.8	3	3	4	6	7	8	9	10
" MULTIPLE DX	65	7.5	7	4	5	7	8	10	13	16
TOTAL 0-19 YRS	14	6.8	4	5	5	6	7	9	12	13
20-34	80	6.7	6	3	4	7	8	10	10	15
35-49	13	7.8	11	3	5	7	10	12	15	16
50-64										
65+										
GRAND TOTAL	107	6.9	6	4	4	7	8	10	11	16

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1008	1.7	1	1	1	2	2	2	3	4
20-34	910	1.7	1	1	1	2	2	3	3	5
35-49	89	1.7	1	1	1	2	2	3	3	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	85	2.6	17	1	1	2	2	5	6	28
20-34	132	3.0	28	1	1	2	3	4	7	27
35-49	20	3.1	9	1	1	2	3	6	10	14
50-64										
65+										
TOT. SINGLE DX	2008	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	237	2.9	23	1	1	2	3	5	7	23
TOTAL 0-19 YRS	1093	1.7	3	1	1	2	2	2	3	5
20-34	1042	1.9	5	1	1	2	2	3	3	8
35-49	109	2.0	2	1	1	2	2	3	4	10
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	2245	1.8	4	1	1	2	2	3	3	7

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	4.5	69	<1	<1	2	6	9	13	56
20-34	393	3.5	16	<1	<1	2	4	8	13	21
35-49	40	5.4	112	<1	1	2	5	8	17	66
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	41	6.0	32	1	2	4	7	12	14	33
20-34	285	5.2	42	<1	<1	3	6	11	16	33
35-49	30	6.3	37	<1	<1	5	9	12	24	26
50-64										
65+										
TOT. SINGLE DX	506	3.8	31	<1	<1	2	4	8	13	23
" MULTIPLE DX	356	5.4	40	<1	<1	4	7	12	16	33
TOTAL 0-19 YRS	114	5.1	56	<1	<1	3	6	11	13	46
20-34	673	4.2	28	<1	<1	2	5	10	14	25
35-49	70	5.8	79	<1	1	3	6	11	22	58
50-64										
65+										
GRAND TOTAL	862	4.5	36	<1	<1	3	5	10	14	26

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1720	2.8	3	<1	<1	3	3	4	5	7
20-34	7837	3.0	4	<1	<1	3	4	4	5	9
35-49	340	2.8	3	<1	<1	3	4	5	5	9
50-64	5	3.4	1	2	2	4	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	472	3.4	3	<1	1	3	4	5	6	10
20-34	2628	3.8	12	<1	1	3	4	6	7	14
35-49	211	3.6	4	<1	1	3	4	6	7	11
50-64	1	4.0		4	4	4	4	4	4	4
65+										
TOT. SINGLE DX	9902	2.9	4	<1	<1	3	4	4	5	9
" MULTIPLE DX	3312	3.7	10	<1	1	3	4	6	7	13
TOTAL 0-19 YRS	2192	2.9	3	<1	<1	3	4	4	5	8
20-34	10465	3.2	6	<1	<1	3	4	5	6	10
35-49	551	3.1	3	<1	<1	3	4	5	6	10
50-64	6	3.5	1	2	2	4	4	4	4	4
65+										
GRAND TOTAL	13214	3.1	5	<1	<1	3	4	5	6	10

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3348	3.3	9	2	2	3	4	4	5	7
20-34	17591	3.4	4	2	2	3	4	5	5	7
35-49	929	3.4	2	2	2	3	4	5	5	7
50-64	5	3.4	6	1	1	4	5	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	2047	3.7	6	2	2	3	4	5	7	12
20-34	10807	3.8	5	2	2	4	4	5	6	11
35-49	789	4.1	4	2	2	4	5	6	7	13
50-64	8	9.0	134	3	3	4	8	29	37	37
65+										
TOT. SINGLE DX	21873	3.4	4	2	2	3	4	5	5	7
" MULTIPLE DX	13651	3.8	5	2	2	3	4	5	6	11
TOTAL 0-19 YRS	5395	3.5	8	2	2	3	4	5	6	10
20-34	28398	3.5	4	2	2	3	4	5	6	9
35-49	1718	3.7	3	2	2	4	4	5	6	11
50-64	13	6.8	88	1	1	4	7	15	33	37
65+										
GRAND TOTAL	35524	3.5	5	2	2	3	4	5	6	9

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	3.5	5	1	2	3	4	6	8	12
20-34	95	3.6	7	1	2	3	4	6	9	17
35-49	52	4.6	25	1	2	3	4	12	15	25
50-64	71	6.4	41	2	2	4	9	12	17	39
65+	45	8.0	165	2	2	4	7	15	30	68
2. MULTIPLE DX										
0-19 YRS	24	4.3	5	1	2	4	6	6	8	10
20-34	45	5.2	13	2	2	4	7	11	12	19
35-49	66	6.1	140	1	2	3	6	16	60	99+
50-64	147	8.2	120	2	2	4	9	19	35	76
65+	98	11.7	131	2	3	8	17	25	34	62
TOT. SINGLE DX	339	4.9	39	1	2	3	5	10	13	28
" MULTIPLE DX	380	8.2	112	2	2	4	10	19	30	77
TOTAL 0-19 YRS	100	3.7	5	1	2	3	5	6	8	11
20-34	140	4.1	10	1	2	3	5	8	11	17
35-49	118	5.4	89	1	2	3	5	12	20	99+
50-64	218	7.6	95	2	2	4	9	17	29	60
65+	143	10.6	144	2	2	6	14	23	32	64
GRAND TOTAL	719	6.6	80	2	2	4	7	15	22	61

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	413	4.0	2	2	3	4	5	5	6	10
20-34	552	4.1	5	2	3	4	5	6	7	16
35-49	152	3.9	5	2	2	3	5	6	8	15
50-64	82	4.9	24	2	2	3	5	8	16	26
65+	13	7.1	33	1	2	5	9	16	21	22
2. MULTIPLE DX										
0-19 YRS	233	4.6	8	2	3	4	5	7	8	21
20-34	306	5.0	15	2	2	4	6	8	12	21
35-49	94	5.6	24	2	2	4	6	9	13	30
50-64	66	8.2	106	2	2	5	8	18	33	95
65+	22	14.0	270	2	3	7	18	31	58	69
TOT. SINGLE DX	1212	4.1	6	2	3	4	5	6	7	16
" MULTIPLE DX	721	5.5	33	2	3	4	6	8	15	34
TOTAL 0-19 YRS	646	4.2	4	2	3	4	5	6	7	15
20-34	858	4.4	9	2	3	4	5	6	8	18
35-49	246	4.6	13	2	2	4	5	8	9	22
50-64	148	6.4	62	2	2	4	7	15	23	71
65+	35	11.4	190	2	3	6	15	22	44	69
GRAND TOTAL	1933	4.7	16	2	3	4	5	7	9	24

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	417	3.1	4	1	1	3	4	5	7	10
20-34	582	3.4	6	1	1	3	4	6	8	12
35-49	91	4.3	19	1	2	3	5	7	9	29
50-64	40	3.7	6	1	1	3	5	7	8	14
65+	8	10.3	195	2	2	4	12	34	43	43
2. MULTIPLE DX										
0-19 YRS	444	5.8	70	1	2	4	6	10	14	62
20-34	582	6.2	57	2	2	4	7	12	16	46
35-49	160	8.1	50	2	2	6	11	15	21	39
50-64	62	10.0	72	2	3	8	12	19	30	94
65+	44	11.9	103	2	2	9	16	25	32	46
TOT. SINGLE DX	1138	3.4	8	1	1	3	4	6	8	13
" MULTIPLE DX	1292	6.7	65	1	2	4	7	13	19	51
TOTAL 0-19 YRS	861	4.5	40	1	1	3	5	8	11	47
20-34	1164	4.8	33	1	2	3	5	9	12	40
35-49	251	6.7	42	2	2	4	9	13	19	34
50-64	102	7.5	56	1	2	6	10	16	23	74
65+	52	11.6	114	2	2	8	15	25	35	46
GRAND TOTAL	2430	5.2	41	1	2	3	6	10	14	43

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	329	4.0	7	1	2	3	5	7	9	12
20-34	691	4.2	10	1	2	3	5	8	10	18
35-49	256	4.9	16	1	2	4	6	10	12	22
50-64	97	4.8	18	1	2	3	5	10	13	65
65+	36	7.3	32	2	2	6	9	18	20	25
2. MULTIPLE DX										
0-19 YRS	408	8.2	67	2	3	6	10	16	22	52
20-34	926	7.9	79	2	2	5	9	15	23	53
35-49	388	9.0	75	2	2	6	11	18	26	41
50-64	173	9.4	72	2	3	8	12	16	24	72
65+	105	12.5	102	3	4	9	14	25	32	55
TOT. SINGLE DX	1409	4.4	12	1	2	3	5	8	11	19
" MULTIPLE DX	2000	8.5	77	2	2	6	10	16	25	52
TOTAL 0-19 YRS	737	6.3	44	2	2	4	7	11	16	38
20-34	1617	6.3	53	2	2	4	7	12	17	47
35-49	644	7.4	56	2	2	5	9	15	20	34
50-64	270	7.7	57	2	2	6	10	14	20	73
65+	141	11.1	89	3	3	9	13	23	28	49
GRAND TOTAL	3409	6.8	54	2	2	5	8	13	19	42

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	4.4	20	1	1	3	6	9	13	23
20-34	45	4.8	16	<1	<1	4	7	9	12	21
35-49	32	4.8	10	1	1	4	7	10	10	12
50-64	16	5.0	8	1	2	4	6	9	11	12
65+	12	6.3	32	<1	1	4	8	17	18	18
2. MULTIPLE DX										
0-19 YRS	17	6.6	20	3	4	5	7	9	18	23
20-34	36	7.4	52	1	2	5	9	15	22	38
35-49	23	10.3	304	3	3	6	9	15	44	88
50-64	15	9.6	92	1	2	6	14	22	32	36
65+	14	7.6	87	1	2	4	9	14	33	38
TOT. SINGLE DX	134	4.9	16	<1	1	4	6	9	12	21
" MULTIPLE DX	105	8.3	110	2	2	5	9	15	23	61
TOTAL 0-19 YRS	46	5.2	21	1	2	4	6	9	14	23
20-34	81	6.0	33	<1	1	4	7	12	15	34
35-49	55	7.1	137	1	1	5	8	10	13	85
50-64	31	7.2	53	1	2	5	9	15	22	36
65+	26	7.0	60	1	1	4	9	16	22	38
GRAND TOTAL	239	6.4	60	1	1	4	7	12	17	38

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	917	6.5	40	2	2	5	8	12	19	32
20-34	1093	4.1	9	1	2	3	5	7	10	18
35-49	678	5.6	32	2	2	4	6	10	15	32
50-64	635	7.5	47	2	3	6	9	13	18	36
65+	207	11.4	109	3	3	8	14	23	32	64
2. MULTIPLE DX										
0-19 YRS	527	7.8	55	2	2	6	9	15	23	44
20-34	1381	5.1	33	2	2	4	5	9	12	32
35-49	976	5.6	33	2	2	4	6	10	14	34
50-64	960	7.9	56	2	3	6	9	15	22	46
65+	358	14.6	152	3	4	11	19	30	38	59
TOT. SINGLE DX	3530	6.0	37	2	2	4	7	11	16	32
" MULTIPLE DX	4202	7.0	58	2	2	5	8	14	22	44
TOTAL 0-19 YRS	1444	7.0	46	2	2	5	8	13	21	38
20-34	2474	4.6	22	2	2	3	5	8	11	24
35-49	1654	5.6	32	2	2	4	6	10	15	32
50-64	1595	7.7	53	2	3	6	9	14	21	39
65+	565	13.4	139	3	4	10	17	28	37	62
GRAND TOTAL	7732	6.6	49	2	2	4	7	13	19	39

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	485	4.4	12	2	2	4	5	5	7	11
20-34	1110	4.2	4	2	2	4	5	6	8	12
35-49	864	4.6	5	2	3	4	5	7	8	12
50-64	1121	5.1	7	2	3	5	6	8	10	14
65+	342	5.7	11	2	3	5	7	9	11	18
2. MULTIPLE DX										
0-19 YRS	557	4.7	4	2	3	4	5	7	9	13
20-34	2287	4.8	11	2	3	4	5	7	9	16
35-49	2193	5.3	11	2	3	5	6	8	10	19
50-64	3407	6.0	18	3	3	5	7	9	11	20
65+	1329	7.4	35	3	4	6	8	12	16	34
TOT. SINGLE DX	3922	4.7	7	2	3	4	6	7	9	13
" MULTIPLE DX	9773	5.7	17	2	3	5	6	9	11	21
TOTAL 0-19 YRS	1042	4.6	8	2	3	4	5	7	8	12
20-34	3397	4.6	9	2	2	4	5	7	8	14
35-49	3057	5.1	9	2	3	5	6	8	10	18
50-64	4528	5.8	15	3	3	5	7	9	11	18
65+	1671	7.0	30	3	3	6	8	11	15	31
GRAND TOTAL	13695	5.4	14	2	3	5	6	8	11	19

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2321	4.6	22	1	2	3	5	8	11	26
20-34	3242	5.0	29	1	2	4	5	8	12	33
35-49	2101	5.3	28	2	2	4	6	10	13	30
50-64	1721	6.3	49	2	2	4	7	12	18	37
65+	714	8.7	88	2	2	6	11	18	24	45
2. MULTIPLE DX										
0-19 YRS	1037	8.1	126	2	2	4	8	18	34	58
20-34	2307	8.0	120	2	2	4	8	18	31	77
35-49	1901	8.6	130	2	2	5	9	18	29	78
50-64	2457	9.9	124	2	2	6	12	23	33	64
65+	1466	16.0	225	2	3	12	21	36	48	84
TOT. SINGLE DX	10099	5.4	36	2	2	4	6	10	15	33
" MULTIPLE DX	9168	9.9	148	2	2	5	11	24	36	71
TOTAL 0-19 YRS	3358	5.7	57	1	2	4	6	10	17	47
20-34	5549	6.2	69	2	2	4	6	11	20	56
35-49	4002	6.9	79	2	2	4	7	13	21	53
50-64	4178	8.4	96	2	2	5	9	19	27	55
65+	2180	13.6	191	2	3	9	18	31	43	74
GRAND TOTAL	**19267**	**7.6**	**94**	**2**	**2**	**4**	**8**	**16**	**26**	**56**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	876	7.3	52	2	2	5	8	14	23	43
20-34	836	5.9	35	1	2	4	7	10	15	32
35-49	349	7.4	72	1	2	5	9	14	20	38
50-64	284	9.7	48	2	3	8	13	18	23	39
65+	459	18.0	107	4	6	17	23	30	38	58
2. MULTIPLE DX										
0-19 YRS	344	10.6	116	2	3	7	13	23	32	59
20-34	385	10.3	156	2	2	6	12	23	43	93
35-49	225	12.0	153	2	2	8	15	28	35	92
50-64	280	16.8	205	3	3	13	25	37	47	96
65+	750	22.6	180	7	10	19	28	40	51	93
TOT. SINGLE DX	2804	8.9	75	2	2	6	11	20	26	48
" MULTIPLE DX	1984	16.1	194	2	3	13	22	35	45	87
TOTAL 0-19 YRS	1220	8.2	72	2	3	5	9	18	26	47
20-34	1221	7.3	77	2	2	5	8	14	21	63
35-49	574	9.2	109	1	2	6	11	19	30	68
50-64	564	13.2	138	2	3	10	17	29	39	75
65+	1209	20.8	157	6	9	18	26	37	46	81
GRAND TOTAL	**4788**	**11.9**	**137**	**2**	**3**	**8**	**16**	**27**	**36**	**65**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1756	3.5	30	1	1	2	4	5	8	24
20-34	2429	3.3	15	1	1	3	4	5	8	20
35-49	1019	3.6	16	1	1	3	4	6	9	22
50-64	991	4.5	27	1	2	3	5	9	14	26
65+	709	7.3	59	2	2	5	9	16	21	40
2. MULTIPLE DX										
0-19 YRS	435	5.0	43	1	1	3	5	10	18	33
20-34	706	6.2	57	1	2	4	7	15	20	52
35-49	437	7.6	109	1	2	4	8	17	26	61
50-64	513	9.3	115	2	2	5	12	22	32	59
65+	814	15.0	171	2	3	11	21	33	44	88
TOT. SINGLE DX	6904	4.0	26	1	1	3	4	7	11	25
" MULTIPLE DX	2905	9.3	119	1	2	5	12	22	33	63
TOTAL 0-19 YRS	2191	3.8	33	1	1	3	4	6	10	29
20-34	3135	4.0	26	1	1	3	4	7	11	26
35-49	1456	4.8	47	1	2	3	5	10	15	47
50-64	1504	6.1	62	1	2	3	6	14	21	43
65+	1523	11.4	133	2	2	7	16	25	35	65
GRAND TOTAL	**9809**	**5.6**	**60**	**1**	**2**	**3**	**5**	**13**	**20**	**44**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	204	20.7	173	3	6	20	29	37	41	62
20-34	54	20.3	273	5	6	17	24	47	65	99
35-49	63	14.3	77	6	7	13	17	24	32	54
50-64	163	16.2	87	7	8	14	19	29	38	93
65+	736	18.5	75	8	10	17	22	29	36	77
2. MULTIPLE DX										
0-19 YRS	137	28.6	322	7	10	25	39	52	62	88
20-34	91	27.3	355	7	9	23	37	60	69	95
35-49	60	25.1	352	6	7	20	35	58	69	98
50-64	244	22.1	210	8	10	17	26	47	56	98
65+	1448	23.4	182	10	12	20	27	41	53	79
TOT. SINGLE DX	1220	18.4	104	6	8	16	23	33	39	69
" MULTIPLE DX	1980	23.8	210	9	11	20	28	44	55	81
TOTAL 0-19 YRS	341	23.9	247	4	6	22	35	44	54	71
20-34	145	24.7	334	6	8	21	32	55	68	99+
35-49	123	19.6	239	6	7	14	25	40	58	90
50-64	407	19.8	169	8	9	15	24	38	52	99
65+	2184	21.7	151	9	11	19	26	36	48	78
GRAND TOTAL	**3200**	**21.8**	**177**	**8**	**10**	**18**	**26**	**39**	**51**	**80**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	299	14.0	106	4	5	11	17	26	31	52
20-34	268	15.2	104	5	6	13	18	27	33	49
35-49	203	14.0	76	6	7	13	16	21	26	54
50-64	570	16.4	88	7	8	14	19	27	33	73
65+	2933	19.3	74	9	11	18	23	29	35	53
2. MULTIPLE DX										
0-19 YRS	362	22.8	277	7	9	18	28	49	63	99+
20-34	517	23.5	253	7	9	19	29	48	63	99+
35-49	300	24.7	264	7	9	20	34	49	62	99+
50-64	969	22.3	180	9	11	19	27	39	54	97
65+	6678	23.5	151	10	12	20	28	39	49	78
TOT. SINGLE DX	4273	18.0	84	7	9	16	22	28	34	55
" MULTIPLE DX	8826	23.4	170	10	11	20	28	40	51	85
TOTAL 0-19 YRS	661	18.8	219	5	6	15	23	37	54	93
20-34	785	20.6	218	6	8	17	25	41	54	99
35-49	503	20.3	216	7	8	16	25	43	57	99+
50-64	1539	20.1	154	8	9	17	24	35	46	94
65+	9611	22.2	131	10	12	19	26	36	45	72
GRAND TOTAL	13099	21.6	148	8	11	19	26	36	47	80

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	491	14.1	163	2	2	9	22	31	37	54
20-34	43	23.9	449	3	4	18	35	61	69	74
35-49	27	19.3	413	1	2	12	21	55	73	73
50-64	49	19.7	291	3	4	13	26	42	53	77
65+	151	20.7	178	5	7	18	25	37	48	96
2. MULTIPLE DX										
0-19 YRS	264	21.6	279	3	4	19	30	46	57	88
20-34	124	28.7	376	5	6	27	41	58	84	99+
35-49	58	28.1	367	4	5	22	39	57	60	85
50-64	79	27.9	420	5	7	21	39	60	69	83
65+	244	25.2	326	6	8	20	34	50	74	99+
TOT. SINGLE DX	761	16.5	209	2	3	13	23	35	44	72
" MULTIPLE DX	769	25.0	337	4	5	21	34	53	67	99+
TOTAL 0-19 YRS	755	16.7	216	2	3	13	25	36	46	77
20-34	167	27.4	397	4	5	25	41	59	74	99+
35-49	85	25.3	394	2	5	19	38	56	62	82
50-64	128	24.7	384	4	6	19	36	57	66	82
65+	395	23.5	273	5	8	19	30	48	66	99+
GRAND TOTAL	1530	20.8	291	2	4	17	29	45	57	93

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	667	6.2	49	1	1	3	7	17	22	33
20-34	601	4.6	21	1	1	3	6	9	12	23
35-49	397	5.5	39	1	1	4	6	10	15	37
50-64	408	6.2	56	1	1	4	7	12	18	40
65+	362	8.2	64	1	2	5	11	18	24	36
2. MULTIPLE DX										
0-19 YRS	294	9.2	90	1	2	6	14	22	32	99+
20-34	385	10.0	169	1	2	6	11	24	36	85
35-49	237	10.2	147	2	2	6	11	24	40	99+
50-64	323	11.9	190	1	2	7	15	27	45	78
65+	338	15.8	216	2	3	13	21	32	52	90
TOT. SINGLE DX	2435	6.0	45	1	1	4	7	14	20	33
" MULTIPLE DX	1577	11.5	171	1	2	7	15	26	43	90
TOTAL 0-19 YRS	961	7.2	63	1	1	4	9	19	24	43
20-34	986	6.7	86	1	1	4	8	13	22	56
35-49	634	7.2	84	1	2	4	8	16	25	64
50-64	731	8.7	123	1	2	5	10	19	29	67
65+	700	11.9	151	1	2	8	16	25	34	66
GRAND TOTAL	4012	8.2	102	1	1	5	10	19	27	60

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2636	4.3	15	1	1	3	5	8	11	18
20-34	3369	5.2	18	1	2	4	6	10	13	22
35-49	1943	6.3	26	2	2	5	8	12	15	25
50-64	1737	7.8	33	2	3	6	9	14	18	29
65+	1047	11.2	89	3	3	9	14	21	27	46
2. MULTIPLE DX										
0-19 YRS	1382	8.1	100	1	2	5	9	17	26	60
20-34	2483	9.7	124	2	2	6	11	21	33	71
35-49	1511	10.2	119	2	3	7	12	20	32	62
50-64	1740	11.7	123	3	3	9	14	23	32	75
65+	1493	16.5	159	4	5	13	21	32	42	69
TOT. SINGLE DX	10732	6.2	32	1	2	5	8	12	16	28
" MULTIPLE DX	8609	11.1	133	2	3	7	13	24	34	68
TOTAL 0-19 YRS	4018	5.6	47	1	2	4	6	11	15	42
20-34	5852	7.1	68	1	2	5	8	13	21	52
35-49	3454	8.0	70	2	2	6	9	15	21	49
50-64	3477	9.7	82	2	3	7	12	18	25	55
65+	2540	14.3	137	3	4	11	19	28	36	65
GRAND TOTAL	19341	8.4	83	1	2	6	10	17	25	53

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7848	2.8	13	1	1	2	3	5	8	19
20-34	2233	4.1	18	1	1	3	5	8	11	21
35-49	1474	4.7	30	1	1	3	5	9	12	25
50-64	1955	4.6	27	1	1	3	6	10	13	23
65+	1814	5.5	37	1	1	3	7	12	17	32
2. MULTIPLE DX										
0-19 YRS	2288	6.2	82	1	1	3	7	15	23	56
20-34	1775	8.7	135	1	1	5	10	19	34	68
35-49	1178	8.6	102	1	2	5	10	18	27	56
50-64	1690	9.0	107	1	2	6	11	19	29	63
65+	2379	10.9	107	2	2	8	14	24	31	55
TOT. SINGLE DX	15324	3.7	21	1	1	2	4	8	11	22
" MULTIPLE DX	9310	8.7	108	1	1	5	10	20	29	59
TOTAL 0-19 YRS	10136	3.6	30	1	1	2	4	7	12	27
20-34	4008	6.1	75	1	1	4	7	12	19	53
35-49	2652	6.4	66	1	1	4	7	13	20	44
50-64	3645	6.6	68	1	1	4	8	14	20	44
65+	4193	8.5	84	1	2	6	11	19	26	48
GRAND TOTAL	**24634**	**5.6**	**60**	**1**	**1**	**3**	**6**	**13**	**19**	**41**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	385	4.5	21	1	1	3	5	8	12	23
20-34	673	4.6	24	2	2	4	5	7	10	21
35-49	230	5.4	18	1	2	4	6	9	13	26
50-64	170	7.4	44	2	2	6	10	15	17	34
65+	116	14.5	91	2	3	14	19	29	34	45
2. MULTIPLE DX										
0-19 YRS	144	7.7	59	1	2	5	10	16	24	32
20-34	230	9.1	155	2	2	6	9	19	31	75
35-49	127	8.3	85	2	2	6	10	15	20	44
50-64	138	13.0	165	2	3	9	15	29	35	88
65+	169	20.0	209	4	6	16	25	39	55	78
TOT. SINGLE DX	1574	5.7	36	1	2	4	6	12	17	32
" MULTIPLE DX	808	11.7	161	2	2	7	14	25	35	70
TOTAL 0-19 YRS	529	5.4	33	1	2	4	6	11	17	27
20-34	903	5.8	61	2	2	4	6	9	14	39
35-49	357	6.4	44	2	2	5	7	12	16	27
50-64	308	9.9	105	2	3	7	12	19	29	63
65+	285	17.8	168	3	5	16	21	34	45	67
GRAND TOTAL	**2382**	**7.7**	**86**	**1**	**2**	**5**	**9**	**17**	**24**	**54**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	821	4.1	27	<1	1	2	5	10	16	25
20-34	581	3.5	24	<1	<1	2	4	7	10	24
35-49	292	3.3	17	<1	1	2	4	7	10	21
50-64	331	4.3	22	<1	1	3	5	11	13	21
65+	352	5.8	60	1	1	3	6	15	22	37
2. MULTIPLE DX										
0-19 YRS	336	7.5	103	1	1	4	9	20	26	67
20-34	412	9.4	132	1	1	5	11	22	38	56
35-49	242	10.0	181	1	1	5	11	28	41	65
50-64	328	10.2	166	1	1	5	12	27	42	72
65+	491	10.6	150	1	1	7	14	23	32	66
TOT. SINGLE DX	2377	4.1	30	<1	1	2	5	9	15	27
" MULTIPLE DX	1809	9.6	145	1	1	5	12	23	35	63
TOTAL 0-19 YRS	1157	5.1	51	<1	1	2	6	13	20	35
20-34	993	6.0	77	<1	1	3	6	14	22	51
35-49	534	6.3	102	<1	1	3	6	14	26	51
50-64	659	7.2	102	1	1	4	8	17	27	58
65+	843	8.6	118	1	1	4	11	21	28	56
GRAND TOTAL	**4186**	**6.5**	**87**	**<1**	**1**	**3**	**7**	**16**	**24**	**52**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1497	4.7	15	2	2	4	5	8	10	22
20-34	1714	4.7	15	2	2	4	5	8	10	21
35-49	792	5.5	32	2	2	4	6	10	13	27
50-64	529	7.5	55	2	2	5	8	17	24	38
65+	281	13.2	158	2	2	10	18	28	37	67
2. MULTIPLE DX										
0-19 YRS	749	7.0	62	2	2	5	7	14	20	41
20-34	1122	6.1	42	2	2	5	7	10	15	36
35-49	669	7.6	73	2	2	5	8	15	22	53
50-64	629	10.9	163	2	3	6	13	24	37	77
65+	460	20.2	276	3	5	16	27	43	57	84
TOT. SINGLE DX	4813	5.6	35	2	2	4	6	10	15	32
" MULTIPLE DX	3629	9.2	123	2	3	5	9	20	32	66
TOTAL 0-19 YRS	2246	5.5	32	2	2	4	6	9	15	30
20-34	2836	5.2	26	2	2	4	6	9	12	27
35-49	1461	6.4	52	2	2	5	7	12	17	47
50-64	1158	9.4	117	2	2	6	10	20	30	62
65+	741	17.6	242	2	4	13	23	38	51	77
GRAND TOTAL	**8442**	**7.2**	**76**	**2**	**2**	**5**	**7**	**14**	**22**	**49**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	192	11.1	40	5	5	9	13	20	26	36
20-34	3577	12.0	40	5	6	10	15	20	24	33
35-49	6032	12.4	37	6	7	11	15	20	24	33
50-64	3201	13.6	46	6	7	12	17	23	27	37
65+	511	16.7	76	7	8	15	20	27	34	50
2. MULTIPLE DX										
0-19 YRS	35	15.0	216	5	6	13	15	50	93	99+
20-34	1038	15.3	90	6	7	13	19	26	31	54
35-49	2489	15.5	79	6	7	13	19	26	32	47
50-64	2456	17.3	96	7	8	15	22	29	35	60
65+	818	21.9	156	8	10	19	27	38	47	71
TOT. SINGLE DX	13513	12.7	43	6	7	11	16	21	25	35
" MULTIPLE DX	6836	16.9	101	6	8	15	21	29	36	59
TOTAL 0-19 YRS	227	11.7	68	5	6	10	14	21	30	99+
20-34	4615	12.7	53	5	6	11	15	22	26	37
35-49	8521	13.3	51	6	7	11	16	22	27	39
50-64	5657	15.2	71	6	7	13	19	26	31	47
65+	1329	19.9	132	7	9	17	25	34	43	65
GRAND TOTAL	**20349**	**14.1**	**66**	**6**	**7**	**12**	**17**	**24**	**29**	**44**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2879	4.7	3	2	3	4	5	7	8	10
20-34	5576	4.8	6	2	3	4	6	7	8	13
35-49	2549	5.3	6	2	3	5	6	8	10	16
50-64	1390	5.9	8	3	3	5	7	9	11	16
65+	204	7.2	14	3	4	6	9	11	15	21
2. MULTIPLE DX										
0-19 YRS	1196	5.3	7	2	3	5	6	8	10	16
20-34	2850	5.7	17	3	3	5	6	9	11	22
35-49	1739	6.5	28	2	3	5	7	11	15	26
50-64	1634	7.3	28	3	3	6	8	13	16	28
65+	399	9.8	64	3	4	7	11	20	27	43
TOT. SINGLE DX	12598	5.0	6	2	3	5	6	7	9	14
" MULTIPLE DX	7818	6.4	24	3	3	5	7	10	14	27
TOTAL 0-19 YRS	4075	4.9	5	2	3	5	6	7	8	12
20-34	8426	5.1	10	2	3	5	6	8	9	16
35-49	4288	5.8	15	2	3	5	6	9	11	20
50-64	3024	6.6	19	3	3	6	8	11	14	24
65+	603	8.9	49	3	4	7	10	16	24	40
GRAND TOTAL	**20416**	**5.5**	**13**	**2**	**3**	**5**	**6**	**8**	**11**	**20**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2139	3.3	7	1	1	2	4	6	8	13
20-34	2857	3.6	12	1	1	3	4	6	8	16
35-49	1479	4.3	26	1	2	3	5	7	10	26
50-64	971	4.8	26	1	2	3	6	9	14	27
65+	286	7.3	70	1	2	4	9	18	23	30
2. MULTIPLE DX										
0-19 YRS	870	4.1	23	1	1	3	5	7	9	18
20-34	1608	4.8	29	1	2	4	5	9	13	29
35-49	1154	5.9	38	1	2	4	7	12	18	34
50-64	1125	7.3	65	1	2	5	9	16	25	48
65+	454	10.8	116	2	2	7	15	25	32	48
TOT. SINGLE DX	7732	3.9	18	1	1	3	5	7	10	22
" MULTIPLE DX	5211	6.0	49	1	2	4	7	12	19	39
TOTAL 0-19 YRS	3009	3.5	12	1	1	3	4	6	8	15
20-34	4465	4.1	19	1	1	3	5	7	10	23
35-49	2633	5.0	32	1	2	3	6	9	14	31
50-64	2096	6.1	48	1	2	4	7	13	19	40
65+	740	9.5	101	2	2	6	12	23	29	44
GRAND TOTAL	**12943**	**4.8**	**31**	**1**	**1**	**3**	**5**	**9**	**14**	**30**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	283	14.5	42	7	8	13	17	20	26	40
20-34	381	14.1	59	6	7	12	17	22	29	46
35-49	537	12.2	42	5	6	11	15	20	25	33
50-64	331	12.3	50	5	6	11	15	21	25	39
65+	25	12.5	35	6	6	10	16	23	24	24
2. MULTIPLE DX										
0-19 YRS	147	21.5	256	8	9	17	25	52	82	99+
20-34	250	21.3	312	7	8	17	27	58	99	99+
35-49	422	16.6	124	6	8	13	20	30	43	99+
50-64	353	19.5	201	6	8	16	23	39	57	99+
65+	80	24.8	278	8	9	20	32	53	72	99+
TOT. SINGLE DX	1557	13.1	49	5	6	12	16	21	26	40
" MULTIPLE DX	1252	19.5	213	7	8	16	23	42	64	99+
TOTAL 0-19 YRS	430	16.9	126	8	9	14	19	30	44	99+
20-34	631	17.0	172	6	8	14	20	33	52	99+
35-49	959	14.2	83	6	7	12	17	25	32	60
50-64	684	16.0	140	5	7	13	19	29	43	99+
65+	105	21.9	247	7	8	18	28	51	67	99+
GRAND TOTAL	**2809**	**15.9**	**132**	**6**	**7**	**13**	**19**	**29**	**42**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	287	4.7	10	1	2	4	6	8	10	16
20-34	548	5.0	12	2	2	4	6	9	11	16
35-49	408	6.0	36	2	2	5	8	11	14	23
50-64	537	6.2	37	2	2	4	7	12	16	32
65+	243	7.2	49	2	2	5	8	17	20	31
2. MULTIPLE DX										
0-19 YRS	192	6.3	18	2	2	5	8	12	15	23
20-34	390	6.1	39	2	2	5	7	11	16	39
35-49	334	7.3	34	2	2	6	9	13	18	33
50-64	540	8.3	64	2	3	6	10	16	25	41
65+	331	11.6	120	2	3	8	15	25	34	53
TOT. SINGLE DX	2023	5.7	28	2	2	4	7	11	15	25
" MULTIPLE DX	1787	8.0	62	2	2	6	10	16	23	42
TOTAL 0-19 YRS	479	5.3	14	2	2	4	7	10	13	21
20-34	938	5.5	24	2	2	4	6	10	13	24
35-49	742	6.6	35	2	2	5	8	12	15	27
50-64	1077	7.2	51	2	2	5	8	14	20	38
65+	574	9.7	94	2	2	6	13	21	29	48
GRAND TOTAL	**3810**	**6.8**	**45**	**2**	**2**	**5**	**8**	**13**	**18**	**35**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	15.0	18	11	11	14	16	22	23	23
20-34	103	16.4	85	6	8	15	18	26	34	54
35-49	269	16.2	52	9	10	15	18	24	30	48
50-64	1196	16.8	47	10	11	16	19	24	29	43
65+	1800	18.4	50	10	12	17	21	26	31	44
2. MULTIPLE DX										
0-19 YRS	14	17.3	139	4	8	14	21	29	48	53
20-34	120	18.0	147	8	9	16	20	25	50	96
35-49	269	18.9	136	9	10	16	20	31	43	62
50-64	1038	20.2	103	10	11	17	23	33	41	57
65+	2435	23.0	129	11	13	20	27	38	46	77
TOT. SINGLE DX	3374	17.6	51	10	11	16	20	25	30	44
" MULTIPLE DX	3876	21.8	125	11	12	19	25	36	45	73
TOTAL 0-19 YRS	20	16.6	101	6	10	14	20	24	39	53
20-34	223	17.2	119	7	9	15	19	26	39	71
35-49	538	17.6	96	9	10	15	19	28	38	60
50-64	2234	18.4	76	10	11	16	20	28	35	50
65+	4235	21.1	100	11	12	18	24	33	41	66
GRAND TOTAL	**7250**	**19.8**	**95**	**10**	**12**	**17**	**23**	**31**	**39**	**60**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	11.8	66	2	4	9	16	24	27	36
20-34	46	12.7	54	3	3	12	16	23	24	39
35-49	62	15.3	129	6	9	13	17	21	29	84
50-64	318	16.7	52	9	10	15	19	25	29	43
65+	1898	18.9	68	10	11	17	22	28	33	48
2. MULTIPLE DX										
0-19 YRS	24	20.8	280	3	8	16	25	34	53	84
20-34	32	20.7	193	4	9	17	25	40	51	64
35-49	106	21.1	200	5	9	17	26	41	45	85
50-64	504	22.5	197	9	11	19	26	41	56	99+
65+	4002	23.3	132	11	13	20	28	38	45	70
TOT. SINGLE DX	2377	18.3	69	8	10	17	21	27	33	45
" MULTIPLE DX	4668	23.1	142	10	12	20	27	38	46	74
TOTAL 0-19 YRS	77	14.6	147	3	4	12	21	27	33	72
20-34	78	16.0	125	3	4	14	19	27	39	61
35-49	168	19.0	180	5	9	16	22	36	41	89
50-64	822	20.2	149	9	11	17	23	34	45	84
65+	5900	21.9	115	10	12	19	26	35	42	66
GRAND TOTAL	**7045**	**21.5**	**122**	**10**	**12**	**19**	**25**	**35**	**42**	**70**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1065	5.5	7	3	3	5	6	8	10	16
20-34	1138	6.1	11	3	3	5	7	9	12	20
35-49	379	10.1	65	3	4	7	13	20	24	42
50-64	849	16.5	66	5	8	16	19	26	31	46
65+	1434	18.7	54	10	11	17	22	28	32	42
2. MULTIPLE DX										
0-19 YRS	677	6.4	26	3	4	5	7	9	12	24
20-34	1019	7.3	30	3	4	6	8	11	15	33
35-49	396	11.8	119	3	4	8	15	23	30	60
50-64	906	18.4	101	5	8	17	22	31	38	68
65+	1729	22.6	123	10	12	20	27	36	45	66
TOT. SINGLE DX	4865	11.8	71	3	4	9	17	23	27	39
" MULTIPLE DX	4727	15.3	132	4	5	13	20	29	37	60
TOTAL 0-19 YRS	1742	5.9	15	3	3	5	7	9	10	19
20-34	2157	6.7	20	3	4	6	7	10	13	25
35-49	775	11.0	94	3	4	8	14	21	27	50
50-64	1755	17.5	85	5	8	16	21	28	35	57
65+	3163	20.8	95	10	12	19	24	32	39	60
GRAND TOTAL	**9592**	**13.5**	**104**	**3**	**4**	**11**	**18**	**26**	**32**	**50**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1289	4.0	4	2	2	4	5	6	7	11
20-34	2489	4.0	6	2	2	4	5	6	7	12
35-49	868	4.4	8	2	2	4	5	7	9	17
50-64	849	5.6	18	2	2	4	7	10	14	23
65+	306	7.6	35	2	2	5	10	16	21	28
2. MULTIPLE DX										
0-19 YRS	313	4.6	14	2	2	4	5	8	10	23
20-34	1138	4.8	24	2	2	4	5	9	13	25
35-49	738	5.2	25	2	2	4	6	9	11	29
50-64	947	7.0	53	2	3	5	8	12	18	35
65+	461	10.8	96	2	3	8	14	24	31	50
TOT. SINGLE DX	5801	4.5	[illegible]	2	2	4	5	7	9	18
" MULTIPLE DX	3597	6.2	[illegible]	2	2	4	7	11	18	35
TOTAL 0-19 YRS	1602	4.2	5	2	2	4	5	6	7	13
20-34	3627	4.3	12	2	2	4	5	7	9	18
35-49	1606	4.8	16	2	2	4	5	8	10	19
50-64	1796	6.4	37	2	2	5	7	11	16	26
65+	767	9.5	74	2	3	7	12	21	27	47
GRAND TOTAL	**9398**	**5.2**	**24**	**2**	**2**	**4**	**6**	**9**	**12**	**25**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	674	4.5	25	1	1	3	5	9	13	24
20-34	769	3.8	12	1	1	3	5	7	9	20
35-49	620	3.7	14	1	1	3	4	6	9	17
50-64	643	3.2	13	1	1	2	3	5	8	19
65+	162	4.2	24	1	1	3	5	8	13	44
2. MULTIPLE DX										
0-19 YRS	392	7.3	58	1	2	5	9	17	23	44
20-34	423	7.1	67	1	2	4	8	16	24	50
35-49	404	7.0	55	2	2	4	9	17	24	44
50-64	458	7.3	73	1	2	4	8	16	24	40
65+	223	11.8	148	2	2	7	17	27	39	53
TOT. SINGLE DX	2868	3.8	17	1	1	3	4	7	10	20
" MULTIPLE DX	1900	7.7	76	1	2	5	9	18	25	47
TOTAL 0-19 YRS	1066	5.5	39	1	1	4	6	12	17	33
20-34	1192	5.0	34	1	1	3	5	10	15	33
35-49	1024	5.0	33	1	2	3	5	10	16	33
50-64	1101	4.9	42	1	1	3	5	10	16	36
65+	385	8.6	110	1	2	5	10	21	31	53
GRAND TOTAL	**4768**	**5.4**	**44**	**1**	**1**	**3**	**6**	**11**	**18**	**38**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1882	2.4	5	<1	1	2	3	4	5	10
20-34	3110	2.6	8	1	1	2	3	4	5	12
35-49	1718	3.0	9	1	1	2	3	5	8	18
50-64	1270	3.6	12	1	1	3	4	6	10	20
65+	415	5.2	52	1	2	3	6	11	15	30
2. MULTIPLE DX										
0-19 YRS	294	4.6	33	1	1	3	5	9	15	35
20-34	896	5.2	48	1	2	3	5	11	17	32
35-49	906	6.6	49	1	2	4	8	15	22	38
50-64	1017	7.9	77	2	2	5	10	17	24	49
65+	583	12.0	153	2	2	9	15	26	35	64
TOT. SINGLE DX	8395	2.9	11	1	1	2	3	5	7	16
" MULTIPLE DX	3696	7.3	77	1	2	4	9	17	24	48
TOTAL 0-19 YRS	2176	2.7	9	1	1	2	3	4	6	15
20-34	4006	3.1	18	1	1	2	3	5	8	21
35-49	2624	4.3	26	1	1	3	4	9	14	28
50-64	2287	5.5	46	1	2	3	6	12	18	37
55+	998	9.2	122	1	2	5	11	22	30	55
GRAND TOTAL	**12091**	**4.3**	**35**	**1**	**1**	**2**	**4**	**9**	**14**	**31**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	2.9	13	<1	1	2	3	4	8	23
20-34	206	2.7	4	1	1	2	3	4	5	13
35-49	294	3.1	23	1	1	2	3	4	7	23
50-64	776	2.9	8	1	2	2	3	4	5	11
65+	367	3.2	3	2	2	3	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	36	3.6	8	1	1	3	4	9	13	99+
20-34	102	6.1	123	1	2	3	6	13	19	72
35-49	160	5.7	47	1	2	3	6	13	17	44
50-64	412	4.8	20	2	2	3	5	10	13	24
65+	210	5.6	60	2	2	4	6	10	14	61
TOT. SINGLE DX	1724	2.9	9	1	1	2	3	5	6	12
" MULTIPLE DX	920	5.3	45	2	2	3	6	11	14	36
TOTAL 0-19 YRS	117	3.1	11	1	1	2	3	5	10	49
20-34	308	3.8	46	1	1	2	4	6	11	22
35-49	454	4.0	33	1	1	2	4	8	12	31
50-64	1188	3.5	13	1	2	3	4	6	9	17
65+	577	4.1	25	2	2	3	4	7	10	22
GRAND TOTAL	**2644**	**3.8**	**23**	**1**	**2**	**3**	**4**	**6**	**10**	**22**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	989	2.4	5	1	1	2	3	4	6	12
20-34	1543	2.6	11	1	1	2	3	4	6	11
35-49	630	2.6	6	1	1	2	3	5	6	9
50-64	443	2.8	4	1	1	2	3	5	7	10
65+	91	3.3	7	1	1	2	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	646	3.0	14	1	1	2	3	6	8	14
20-34	939	3.4	13	1	1	2	4	6	9	22
35-49	418	3.8	21	1	1	2	4	7	10	22
50-64	319	3.8	17	1	1	3	4	7	10	25
65+	119	7.2	132	1	1	3	8	14	28	63
TOT. SINGLE DX	3696	2.6	8	1	1	2	3	5	6	11
" MULTIPLE DX	2441	3.6	22	1	1	2	4	7	10	24
TOTAL 0-19 YRS	1635	2.6	9	1	1	2	3	5	6	14
20-34	2482	2.9	12	1	1	2	3	5	7	13
35-49	1048	3.1	13	1	1	2	3	5	7	18
50-64	762	3.2	9	1	1	2	4	6	8	14
65+	210	5.5	81	1	1	3	5	11	18	40
GRAND TOTAL	6137	3.0	13	1	1	2	3	5	7	17

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	486	2.9	7	1	1	2	4	5	7	14
20-34	837	3.5	10	1	1	3	4	6	7	14
35-49	721	4.0	20	1	2	3	5	7	9	18
50-64	812	4.7	17	1	2	4	6	8	11	24
65+	219	5.9	26	1	2	5	8	12	16	26
2. MULTIPLE DX										
0-19 YRS	275	4.9	43	1	1	3	5	10	14	38
20-34	497	5.9	78	1	1	3	6	12	18	54
35-49	460	6.1	52	1	2	4	7	13	19	35
50-64	584	7.0	69	2	2	5	8	13	20	39
65+	255	9.4	83	2	2	7	12	18	26	47
TOT. SINGLE DX	3075	4.0	15	1	1	3	5	7	10	20
" MULTIPLE DX	2071	6.6	67	1	2	4	7	14	20	43
TOTAL 0-19 YRS	761	3.6	21	1	1	3	4	7	10	26
20-34	1334	4.4	37	1	1	3	5	7	11	39
35-49	1181	4.8	33	1	2	3	5	9	12	28
50-64	1396	5.7	40	2	2	4	6	10	14	32
65+	474	7.8	60	2	2	6	10	16	20	41
GRAND TOTAL	5146	5.0	38	1	1	3	6	9	14	31

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1101	4.2	23	1	2	3	5	7	9	18
20-34	947	4.5	18	1	2	4	5	8	9	17
35-49	490	4.6	30	1	2	4	5	7	10	17
50-64	354	5.3	19	2	2	4	6	9	13	24
65+	108	8.3	78	1	2	6	9	13	20	54
2. MULTIPLE DX										
0-19 YRS	683	5.0	30	1	2	4	6	9	11	35
20-34	503	6.3	60	1	2	4	7	11	16	49
35-49	233	7.8	85	2	2	5	9	15	21	51
50-64	261	8.0	75	2	2	6	9	15	23	65
65+	125	12.1	143	2	2	8	15	30	37	58
TOT. SINGLE DX	3000	4.6	25	1	2	4	5	8	10	21
" MULTIPLE DX	1805	6.7	63	1	2	5	7	12	19	51
TOTAL 0-19 YRS	1784	4.5	26	1	2	4	5	8	10	22
20-34	1450	5.1	33	1	2	4	6	9	11	31
35-49	723	5.6	50	1	2	4	6	9	13	34
50-64	615	6.4	45	2	2	5	7	11	18	36
65+	233	10.3	116	2	2	7	11	22	34	58
GRAND TOTAL	4805	5.4	40	1	2	4	6	9	13	36

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	244	3.0	15	1	1	2	3	5	10	29
20-34	427	2.7	7	1	1	2	3	5	7	15
35-49	263	4.0	46	1	1	2	4	8	11	37
50-64	227	4.2	49	1	1	2	4	8	13	40
65+	86	4.7	40	1	1	2	4	12	20	31
2. MULTIPLE DX										
0-19 YRS	141	5.4	47	1	1	3	6	12	26	43
20-34	280	5.7	72	1	1	3	5	13	18	37
35-49	197	6.3	93	1	1	3	6	15	24	66
50-64	222	6.4	112	1	1	3	6	14	27	56
65+	127	8.3	108	1	1	4	9	21	32	48
TOT. SINGLE DX	1247	3.4	27	1	1	2	3	6	10	29
" MULTIPLE DX	967	6.3	87	1	1	3	6	15	25	50
TOTAL 0-19 YRS	385	3.9	28	1	1	2	4	7	15	34
20-34	707	3.8	35	1	1	2	4	7	13	28
35-49	460	5.0	67	1	1	2	5	10	18	51
50-64	449	5.3	81	1	1	3	5	10	18	45
65+	213	6.8	83	1	1	3	7	19	28	47
GRAND TOTAL	2214	4.7	55	1	1	2	4	10	17	39

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	6.3	53	<1	1	3	6	20	23	27
20-34	31	8.5	67	2	2	6	10	20	29	37
35-49	16	6.1	22	2	2	5	8	10	18	21
50-64	11	5.9	15	1	1	7	9	11	11	11
65+	13	11.0	74	1	3	8	17	24	29	30
2. MULTIPLE DX										
0-19 YRS	7	16.7	360	1	1	13	26	48	53	53
20-34	28	11.7	299	2	3	6	14	24	34	92
35-49	26	18.0	576	1	2	9	20	56	77	93
50-64	29	22.7	547	2	3	13	33	60	76	94
65+	26	27.1	621	2	3	18	41	81	85	99+
TOT. SINGLE DX	95	7.6	52	1	2	5	9	18	23	34
" MULTIPLE DX	116	19.6	514	2	2	10	28	57	80	96
TOTAL 0-19 YRS	31	8.6	133	1	1	3	12	24	29	53
20-34	59	10.0	177	2	2	6	11	22	29	87
35-49	42	13.5	393	1	2	6	11	39	63	93
50-64	40	18.1	454	2	2	9	24	47	68	94
65+	39	21.7	491	1	3	15	32	67	81	99+
GRAND TOTAL	**211**	**14.2**	**341**	**1**	**2**	**7**	**17**	**37**	**57**	**93**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	5.0	38	1	1	3	5	8	19	35
20-34	101	5.8	38	2	2	4	6	11	21	34
35-49	69	7.1	65	2	2	5	7	16	21	48
50-64	93	9.6	124	1	2	5	10	27	38	47
65+	156	9.7	107	2	3	6	12	21	29	59
2. MULTIPLE DX										
0-19 YRS	64	8.8	160	1	2	5	10	16	26	82
20-34	121	12.2	148	2	2	8	16	28	35	63
35-49	193	15.7	222	2	3	12	21	34	48	95
50-64	523	21.7	307	3	4	17	31	46	57	91
65+	862	23.1	296	4	5	19	32	46	59	90
TOT. SINGLE DX	505	7.7	82	1	2	5	8	19	27	43
" MULTIPLE DX	1763	20.6	291	3	4	16	29	44	56	90
TOTAL 0-19 YRS	150	6.6	93	1	1	4	7	14	19	48
20-34	222	9.3	108	2	2	5	11	25	31	54
35-49	262	13.5	194	2	2	9	18	29	44	89
50-64	616	19.8	298	3	3	15	29	43	55	90
65+	1018	21.0	290	3	4	17	30	44	56	88
GRAND TOTAL	**2268**	**17.7**	**273**	**2**	**3**	**12**	**26**	**40**	**51**	**88**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	21.3	332	8	8	15	26	53	56	56
20-34	16	14.4	51	5	7	14	17	23	30	33
35-49	12	23.3	600	7	8	15	18	68	85	88
50-64	43	22.7	216	7	11	18	27	39	58	79
65+	69	28.5	296	9	12	25	35	58	73	97
2. MULTIPLE DX										
0-19 YRS	12	34.7	509	6	7	36	54	80	96	99+
20-34	56	26.8	297	6	8	26	39	49	71	98
35-49	126	28.9	311	8	10	26	42	63	92	99+
50-64	403	34.1	363	11	14	30	47	70	91	99+
65+	1181	33.1	326	12	14	29	43	61	77	99+
TOT. SINGLE DX	146	24.5	284	8	9	19	30	52	63	88
" MULTIPLE DX	1778	32.9	335	11	13	29	44	64	80	99+
TOTAL 0-19 YRS	18	30.2	469	6	7	30	53	68	89	99+
20-34	72	24.1	268	6	8	19	34	46	61	95
35-49	138	28.4	335	8	10	25	41	63	90	99+
50-64	446	33.0	360	11	13	29	46	68	88	99+
65+	1250	32.9	325	12	14	29	43	61	77	99+
GRAND TOTAL	**1924**	**32.2**	**336**	**10**	**13**	**29**	**43**	**63**	**80**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	17.9	154	3	4	19	26	35	39	39
20-34	4	13.0	12	10	10	12	15	18	18	18
35-49	13	17.3	84	6	8	16	20	30	38	40
50-64	25	31.2	427	10	11	27	35	80	92	99+
65+	103	22.9	263	8	9	19	27	41	51	91
2. MULTIPLE DX										
0-19 YRS	12	19.3	209	6	7	17	38	59	92	99+
20-34	33	31.1	514	6	8	28	57	86	99+	99+
35-49	45	29.6	452	8	9	24	43	93	99+	99+
50-64	264	31.6	345	9	12	28	40	68	79	99+
65+	1301	28.8	293	9	12	25	37	57	72	99+
TOT. SINGLE DX	154	23.2	275	7	9	20	28	41	62	96
" MULTIPLE DX	1655	29.3	310	9	11	25	38	58	77	99+
TOTAL 0-19 YRS	21	18.7	177	5	6	17	30	43	69	99+
20-34	37	29.2	490	6	9	25	53	82	99+	99+
35-49	58	26.9	394	8	9	21	41	78	99+	99+
50-64	289	31.6	351	9	12	28	40	68	84	99+
65+	1404	28.4	293	9	11	24	37	56	71	99+
GRAND TOTAL	**1809**	**28.8**	**310**	**9**	**11**	**25**	**37**	**58**	**76**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	14.9	193	4	5	11	17	29	52	57
20-34	9	9.3	100	3	3	5	10	27	33	33
35-49	11	23.1	659	2	3	18	44	87	98	99+
50-64	14	22.1	428	8	9	13	30	87	97	99+
65+	16	29.8	513	6	8	21	36	59	82	92
2. MULTIPLE DX										
0-19 YRS	15	23.1	453	3	5	16	29	56	75	81
20-34	27	34.0	555	7	8	34	62	90	99+	99+
35-49	32	29.3	604	5	7	24	41	75	96	99+
50-64	132	32.3	441	8	11	25	43	66	83	99+
65+	202	33.9	360	11	14	30	42	63	75	96
TOT. SINGLE DX	63	20.9	419	3	4	14	30	57	88	99+
" MULTIPLE DX	408	32.6	422	8	11	28	42	66	81	99+
TOTAL 0-19 YRS	28	19.3	338	4	5	13	24	49	59	81
20-34	36	27.8	553	4	5	24	55	78	99+	99+
35-49	43	27.7	610	3	5	24	41	81	97	99+
50-64	146	31.3	446	8	10	25	42	67	85	99+
65+	218	33.6	370	11	14	30	41	63	76	96
GRAND TOTAL	471	31.0	437	6	9	27	41	66	82	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	4.8	48	1	1	2	6	11	16	39
20-34	32	10.5	197	1	1	6	12	21	53	62
35-49	20	11.5	334	1	2	6	11	30	61	77
50-64	11	5.5	13	1	2	4	8	11	13	13
65+	7	3.4	4	2	2	2	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	22	8.6	116	<1	1	5	10	19	34	48
20-34	23	5.6	30	1	1	5	7	13	18	24
35-49	15	6.7	60	<1	1	4	10	18	25	28
50-64	16	13.4	317	<1	1	6	17	49	54	55
65+	6	11.3	91	<1	<1	10	19	24	25	25
TOT. SINGLE DX	122	7.4	134	1	1	4	7	14	25	66
" MULTIPLE DX	82	8.6	121	<1	1	5	10	23	30	54
TOTAL 0-19 YRS	74	6.0	70	1	1	3	7	15	23	46
20-34	55	8.4	131	1	1	6	10	16	23	62
35-49	35	9.4	217	1	1	5	11	18	41	77
50-64	27	10.2	204	1	1	5	10	32	52	55
65+	13	7.1	57	<1	1	4	9	20	24	25
GRAND TOTAL	204	7.9	129	1	1	4	8	16	28	59

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	3.8	56	1	1	2	3	6	8	50
20-34	177	3.8	20	1	1	2	4	6	11	28
35-49	112	3.9	21	1	1	2	4	8	15	24
50-64	106	4.7	24	1	1	3	5	10	15	26
65+	52	10.5	88	2	2	8	13	22	31	46
2. MULTIPLE DX										
0-19 YRS	48	7.2	186	1	2	3	6	16	27	88
20-34	96	8.8	181	1	1	4	9	22	43	70
35-49	90	8.2	104	1	2	5	9	18	29	57
50-64	142	14.9	253	2	2	9	19	44	58	99+
65+	145	20.9	281	4	5	16	28	44	54	81
TOT. SINGLE DX	541	4.6	37	1	1	3	5	10	17	30
" MULTIPLE DX	521	13.6	243	1	2	8	18	35	50	81
TOTAL 0-19 YRS	142	4.9	102	1	1	2	4	8	18	67
20-34	273	5.6	82	1	1	3	5	12	21	49
35-49	202	5.8	62	1	1	3	6	14	23	44
50-64	248	10.5	181	1	2	5	14	28	46	72
65+	197	18.2	251	2	4	13	24	40	51	79
GRAND TOTAL	1062	9.0	158	1	1	4	10	24	36	65

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.0	374	2	2	3	22	41	41	41
20-34	14	6.1	91	1	2	3	5	17	33	37
35-49	10	11.2	183	2	2	8	10	31	48	48
50-64	10	7.9	21	2	2	7	9	15	18	18
65+	11	13.1	55	4	5	13	18	24	27	27
2. MULTIPLE DX										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	8	12.1	240	2	2	5	15	38	48	48
35-49	3	11.3	82	3	3	15	60	99+	99+	99+
50-64	12	14.9	98	2	2	16	21	28	33	34
65+	16	22.9	333	5	6	17	38	62	88	99+
TOT. SINGLE DX	49	9.6	106	2	2	6	12	21	37	48
" MULTIPLE DX	41	16.8	227	2	3	15	24	49	77	99+
TOTAL 0-19 YRS	6	9.7	238	2	2	3	6	37	41	41
20-34	22	8.3	146	1	2	3	5	22	41	48
35-49	13	11.2	151	2	2	9	15	53	90	99+
50-64	22	11.7	73	2	2	9	18	24	29	34
65+	27	18.9	237	4	6	15	26	50	68	99+
GRAND TOTAL	90	12.8	172	2	2	8	18	36	48	99+

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1374	2.2	2	1	1	2	2	3	4	9
20-34	4924	2.4	5	1	1	2	3	3	4	10
35-49	7136	2.6	4	1	2	2	3	4	5	11
50-64	3529	3.2	10	1	2	2	3	5	8	16
65+	1495	4.4	24	2	2	3	5	9	13	24
2. MULTIPLE DX										
0-19 YRS	265	3.6	21	1	1	2	4	7	9	32
20-34	2063	3.9	14	1	2	3	4	8	11	21
35-49	4247	4.3	21	1	2	3	5	9	13	23
50-64	3103	5.6	41	2	2	3	6	12	17	33
65+	2205	8.7	74	2	2	5	12	19	26	42
TOT. SINGLE DX	18458	2.8	7	1	1	2	3	4	6	14
" MULTIPLE DX	11883	5.4	38	1	2	3	6	12	17	31
TOTAL 0-19 YRS	1639	2.5	5	1	1	2	3	4	5	12
20-34	6987	2.9	8	1	1	2	3	4	7	15
35-49	11383	3.3	11	1	2	2	3	5	9	18
50-64	6632	4.3	26	1	2	3	4	9	13	26
65+	3700	6.9	58	2	2	4	9	16	22	38
GRAND TOTAL	30341	3.8	21	1	2	2	4	8	12	24

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	179	2.7	6	1	1	2	3	4	6	13
20-34	177	3.2	5	1	1	3	4	6	7	13
35-49	204	5.0	16	2	2	4	7	9	12	21
50-64	221	5.9	24	2	2	4	7	11	15	28
65+	374	8.2	27	2	3	8	10	14	17	31
2. MULTIPLE DX										
0-19 YRS	25	3.6	5	1	2	3	4	9	9	9
20-34	59	7.0	31	1	2	5	9	16	19	26
35-49	174	7.3	82	2	2	6	8	12	18	67
50-64	272	9.9	74	2	3	7	12	21	31	51
65+	662	12.2	72	3	4	10	15	22	28	47
TOT. SINGLE DX	1155	5.6	22	2	2	4	8	11	14	24
" MULTIPLE DX	1192	10.5	75	2	3	8	13	20	27	47
TOTAL 0-19 YRS	204	2.8	6	1	1	2	3	5	6	12
20-34	236	4.2	14	1	2	3	5	7	13	20
35-49	378	6.1	48	2	2	5	7	10	13	24
50-64	493	8.1	55	2	2	6	10	16	23	42
65+	1036	10.8	59	2	4	9	13	19	26	43
GRAND TOTAL	2347	8.1	55	2	2	6	10	16	21	37

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	3.4	3	2	2	3	5	6	6	6
20-34	195	8.7	8	5	6	8	10	12	14	18
35-49	936	8.9	14	5	6	8	10	13	15	22
50-64	1546	9.6	20	5	6	9	11	14	16	25
65+	1288	10.2	18	5	6	9	12	15	17	25
2. MULTIPLE DX										
0-19 YRS	6	9.3	7	5	5	9	11	13	13	13
20-34	147	10.0	24	5	5	9	12	17	22	31
35-49	975	10.4	25	5	6	9	12	16	20	30
50-64	1865	11.5	38	5	6	10	13	18	23	37
65+	2113	13.5	60	6	7	11	16	22	29	45
TOT. SINGLE DX	3973	9.6	17	5	6	9	11	14	16	24
" MULTIPLE DX	5106	12.1	46	6	6	10	14	19	25	41
TOTAL 0-19 YRS	14	5.9	14	2	2	5	9	11	13	13
20-34	342	9.3	15	5	6	8	11	14	17	27
35-49	1911	9.7	20	5	6	9	11	14	17	27
50-64	3411	10.6	30	5	6	9	12	17	20	34
65+	3401	12.3	46	6	7	10	14	19	25	41
GRAND TOTAL	9079	11.0	35	5	6	9	13	17	21	37

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	479	3.5	3	1	2	3	4	6	7	11
20-34	1482	3.4	5	<1	1	3	4	6	7	13
35-49	982	4.1	15	1	1	3	5	7	9	14
50-64	388	4.3	7	1	2	4	5	7	10	15
65+	92	4.9	14	2	2	4	5	9	11	23
2. MULTIPLE DX										
0-19 YRS	152	4.3	11	2	2	4	5	7	11	14
20-34	710	5.0	19	1	2	4	6	8	12	28
35-49	828	5.4	23	1	2	4	6	10	13	28
50-64	426	6.5	38	2	2	5	7	11	15	36
65+	125	8.6	61	2	3	6	10	19	27	39
TOT. SINGLE DX	3423	3.7	8	1	1	3	5	6	8	13
" MULTIPLE DX	2241	5.6	27	1	2	4	6	10	13	30
TOTAL 0-19 YRS	631	3.7	5	1	2	3	4	6	7	12
20-34	2192	3.9	10	1	1	3	5	7	8	16
35-49	1810	4.7	19	1	1	4	6	8	10	22
50-64	814	5.4	25	2	2	4	6	9	13	28
65+	217	7.0	44	2	2	5	8	13	22	35
GRAND TOTAL	**5664**	**4.5**	**17**	**1**	**1**	**4**	**5**	**8**	**10**	**20**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1829	4.5	6	2	2	4	5	7	8	14
20-34	3256	4.5	8	2	2	4	5	7	9	13
35-49	441	4.6	7	2	2	4	6	8	9	14
50-64	120	4.9	8	2	2	4	6	8	9	18
65+	30	5.8	46	1	2	4	5	13	17	36
2. MULTIPLE DX										
0-19 YRS	231	5.9	29	2	3	4	7	9	14	29
20-34	581	5.7	20	2	3	5	7	10	13	20
35-49	172	7.2	62	2	3	6	9	13	15	23
50-64	95	7.5	63	2	3	6	8	15	18	51
65+	42	13.8	245	2	4	10	16	24	47	91
TOT. SINGLE DX	5676	4.5	8	2	2	4	5	7	9	13
" MULTIPLE DX	1121	6.4	43	2	3	5	7	12	15	27
TOTAL 0-19 YRS	2060	4.6	9	2	2	4	5	7	9	15
20-34	3837	4.7	10	2	2	4	5	8	10	15
35-49	613	5.4	24	2	2	4	6	9	12	18
50-64	215	6.1	34	2	2	5	7	11	15	23
65+	72	10.5	176	2	2	6	12	18	35	82
GRAND TOTAL	**6797**	**4.8**	**14**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2932	2.7	14	<1	1	2	3	5	7	18
20-34	2987	3.7	25	1	1	2	4	7	10	24
35-49	2261	3.9	23	1	1	3	4	8	12	23
50-64	2119	4.5	33	1	1	3	5	9	14	31
65+	1187	5.9	46	1	1	3	7	13	20	36
2. MULTIPLE DX										
0-19 YRS	1089	5.4	59	1	1	3	6	11	18	48
20-34	2244	7.6	82	1	2	4	9	18	28	62
35-49	2918	8.8	102	1	2	6	11	19	27	56
50-64	3835	9.4	92	2	2	6	12	20	27	54
65+	3812	11.5	111	2	3	9	15	24	32	57
TOT. SINGLE DX	11486	3.9	26	1	1	2	4	8	12	26
" MULTIPLE DX	13898	9.2	98	1	2	6	12	20	28	56
TOTAL 0-19 YRS	4021	3.4	27	<1	1	2	3	6	10	30
20-34	5231	5.4	53	1	1	3	6	12	19	41
35-49	5179	6.7	73	1	2	4	8	14	21	45
50-64	5954	7.6	76	1	2	5	10	17	24	46
65+	4999	10.2	102	2	2	7	13	22	29	54
GRAND TOTAL	**25384**	**6.8**	**73**	**1**	**1**	**4**	**8**	**16**	**23**	**46**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3349	4.7	39	1	1	3	5	10	15	33
20-34	3266	5.2	37	1	1	3	6	11	16	34
35-49	1685	6.1	48	1	1	4	7	13	18	41
50-64	1361	7.4	74	1	1	5	9	16	24	48
65+	1004	10.3	136	1	2	6	13	24	34	62
2. MULTIPLE DX										
0-19 YRS	4801	6.3	90	1	1	3	7	14	23	58
20-34	6212	7.2	106	1	1	4	8	17	28	69
35-49	3315	9.9	143	1	1	6	12	24	36	69
50-64	3538	12.6	189	1	2	8	16	30	44	95
65+	4559	16.4	254	2	3	11	22	38	52	90
TOT. SINGLE DX	10665	5.9	56	1	1	4	7	13	19	43
" MULTIPLE DX	22425	10.1	166	1	1	6	12	26	38	76
TOTAL 0-19 YRS	8150	5.7	69	1	1	3	6	12	20	49
20-34	9478	6.5	83	1	1	4	7	15	23	58
35-49	5000	8.6	115	1	1	5	10	20	30	62
50-64	4899	11.1	162	1	2	7	14	27	38	83
65+	5563	15.3	238	2	2	10	21	36	49	88
GRAND TOTAL	**33090**	**8.8**	**134**	**1**	**1**	**5**	**10**	**22**	**33**	**68**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	628	8.7	115	1	1	5	11	20	29	56
20-34	625	7.9	81	1	1	5	10	19	29	41
35-49	375	9.7	113	1	1	6	12	25	36	71
50-64	352	12.2	168	1	2	8	17	29	38	61
65+	293	18.2	222	2	3	15	25	36	44	71
2. MULTIPLE DX										
0-19 YRS	497	17.8	242	2	2	14	26	40	49	76
20-34	590	18.3	293	2	2	13	27	42	57	87
35-49	422	20.9	290	2	3	17	29	45	57	77
50-64	558	22.4	300	2	4	19	32	46	60	93
65+	786	28.6	320	5	8	26	39	56	65	99+
TOT. SINGLE DX	2273	10.4	138	1	1	6	14	26	35	62
" MULTIPLE DX	2853	22.3	310	2	3	19	32	47	60	89
TOTAL 0-19 YRS	1125	12.7	192	1	2	8	18	31	41	65
20-34	1215	13.0	211	1	2	8	18	33	43	81
35-49	797	15.6	238	1	2	10	22	38	49	75
50-64	910	18.5	273	2	2	14	27	41	52	90
65+	1079	25.8	315	3	6	23	35	52	63	97
GRAND TOTAL	**5126**	**17.0**	**269**	**1**	**2**	**12**	**25**	**40**	**52**	**84**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	226	5.3	90	1	1	2	5	14	23	62
20-34	296	7.2	137	1	1	3	7	20	28	60
35-49	139	7.7	130	1	1	3	9	20	28	48
50-64	110	9.0	214	1	1	4	8	22	44	76
65+	54	11.6	130	1	2	6	19	29	37	42
2. MULTIPLE DX										
0-19 YRS	110	8.5	123	1	1	4	10	23	38	49
20-34	186	15.1	405	1	2	5	23	53	77	99+
35-49	128	15.9	324	1	2	9	27	50	71	99+
50-64	141	16.3	334	2	2	9	28	46	80	99+
65+	108	22.8	428	2	3	20	32	60	80	99+
TOT. SINGLE DX	825	7.3	135	1	1	3	7	20	30	63
" MULTIPLE DX	673	15.7	347	1	2	8	26	48	70	99+
TOTAL 0-19 YRS	336	6.3	103	1	1	2	6	16	30	55
20-34	482	10.3	254	1	1	3	12	31	52	98
35-49	267	11.6	239	1	1	5	16	32	53	99+
50-64	251	13.1	294	1	2	5	19	41	57	99+
65+	162	19.1	355	1	2	14	28	48	67	99+
GRAND TOTAL	**1498**	**11.1**	**247**	**1**	**1**	**4**	**14**	**33**	**52**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1282	2.7	10	<1	1	2	3	4	6	13
20-34	982	3.3	14	1	1	2	4	6	8	14
35-49	633	4.0	15	1	1	3	4	7	11	24
50-64	707	3.3	6	1	1	3	4	6	7	12
65+	267	3.9	23	1	1	3	4	6	9	40
2. MULTIPLE DX										
0-19 YRS	602	4.8	41	1	1	3	5	9	16	36
20-34	770	5.4	35	1	2	4	6	10	15	36
35-49	862	6.8	56	1	2	5	8	13	20	40
50-64	1112	6.5	46	1	2	4	7	13	18	38
65+	735	10.5	106	2	2	8	14	21	31	62
TOT. SINGLE DX	3871	3.3	12	1	1	2	4	6	8	16
" MULTIPLE DX	4081	6.8	59	1	2	4	8	15	20	42
TOTAL 0-19 YRS	1884	3.4	21	1	1	2	3	6	9	27
20-34	1752	4.3	24	1	1	3	5	8	12	29
35-49	1495	5.6	40	1	2	4	6	11	16	34
50-64	1819	5.3	32	1	2	4	6	10	15	31
65+	1002	8.8	92	1	2	5	11	19	27	58
GRAND TOTAL	**7952**	**5.1**	**40**	**1**	**1**	**3**	**6**	**11**	**16**	**35**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	6.5	128	1	1	3	6	19	45	99+
20-34	166	8.2	172	1	2	4	9	17	24	83
35-49	150	6.7	47	1	2	4	8	14	24	33
50-64	127	7.0	65	1	1	5	9	17	20	44
65+	54	8.9	48	2	3	7	11	17	22	38
2. MULTIPLE DX										
0-19 YRS	71	11.4	331	1	2	5	14	22	68	99
20-34	231	7.6	49	2	2	6	9	17	22	99+
35-49	206	9.4	68	3	3	7	11	18	24	61
50-64	271	10.9	117	2	3	7	13	23	32	56
65+	273	12.3	103	3	4	9	16	25	37	72
TOT. SINGLE DX	576	7.4	98	1	1	4	8	16	22	69
" MULTIPLE DX	1052	10.3	106	2	3	7	12	21	30	78
TOTAL 0-19 YRS	150	8.8	228	1	1	4	8	22	52	99+
20-34	397	7.9	100	1	2	5	9	17	23	86
35-49	356	8.3	61	2	2	7	10	17	24	43
50-64	398	9.6	104	1	2	7	12	20	30	54
65+	327	11.8	95	3	4	9	15	24	34	58
GRAND TOTAL	**1628**	**9.2**	**105**	**1**	**2**	**6**	**11**	**20**	**28**	**75**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	443	6.3	47	1	2	4	9	13	16	27
20-34	4952	7.0	33	1	2	5	10	15	18	26
35-49	6254	7.2	35	2	2	5	10	15	18	27
50-64	3318	7.4	42	2	2	5	10	15	19	29
65+	626	8.7	52	2	2	7	12	18	23	34
2. MULTIPLE DX										
0-19 YRS	232	8.5	50	2	2	6	12	18	23	37
20-34	2683	9.3	54	2	2	8	12	18	23	37
35-49	4340	9.7	53	2	2	8	13	19	23	34
50-64	3766	10.5	75	2	2	9	14	21	26	45
65+	1517	13.7	105	2	3	12	18	27	33	48
TOT. SINGLE DX	15593	7.2	37	2	2	5	10	15	18	27
" MULTIPLE DX	12538	10.4	68	2	2	9	14	20	25	41
TOTAL 0-19 YRS	675	7.1	49	1	2	5	10	15	19	35
20-34	7635	7.8	41	2	2	6	11	16	20	30
35-49	10594	8.2	44	2	2	7	11	17	21	30
50-64	7084	9.1	62	2	2	7	12	18	24	39
65+	2143	12.3	95	2	3	10	16	25	31	46
GRAND TOTAL	**28131**	**8.6**	**53**	**2**	**2**	**7**	**12**	**17**	**22**	**35**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	170	5.5	16	2	2	4	7	11	14	19
20-34	620	6.6	38	2	2	5	8	13	18	32
35-49	716	6.2	27	2	2	5	8	12	17	27
50-64	1207	6.7	53	2	2	5	8	12	18	42
65+	883	6.7	43	2	2	5	8	14	19	34
2. MULTIPLE DX										
0-19 YRS	175	11.3	157	2	2	7	14	25	31	69
20-34	532	10.3	117	2	2	7	12	21	30	80
35-49	996	10.3	95	2	3	8	12	21	28	54
50-64	2830	10.5	104	2	2	8	12	21	29	53
65+	2735	11.6	119	2	3	9	14	24	34	57
TOT. SINGLE DX	3596	6.5	41	2	2	5	8	13	18	33
" MULTIPLE DX	7268	10.9	111	2	3	8	13	22	30	57
TOTAL 0-19 YRS	345	8.5	96	2	2	6	10	17	25	59
20-34	1152	8.3	78	2	2	6	10	17	24	53
35-49	1712	8.6	71	2	2	6	11	18	24	44
50-64	4037	9.3	92	2	2	7	11	19	26	52
65+	3618	10.4	105	2	2	7	13	22	30	53
GRAND TOTAL	**10864**	**9.5**	**92**	**2**	**2**	**7**	**12**	**19**	**27**	**52**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.3		2	2	2	3	3	3	3
20-34	49	4.1	9	2	2	3	5	10	11	13
35-49	389	4.0	13	2	2	3	4	8	10	21
50-64	593	4.1	25	2	2	3	4	9	12	19
65+	97	5.3	19	2	2	3	8	12	14	21
2. MULTIPLE DX										
0-19 YRS	12	4.4	13	2	2	3	6	9	13	14
20-34	95	5.9	22	2	2	4	9	12	14	23
35-49	986	5.2	31	2	2	3	7	11	15	24
50-64	1982	6.0	35	2	2	4	8	13	17	28
65+	567	7.7	45	2	2	6	10	16	23	33
TOT. SINGLE DX	1137	4.2	20	2	2	3	5	9	12	19
" MULTIPLE DX	3642	6.0	36	2	2	4	8	13	17	29
TOTAL 0-19 YRS	21	3.5	8	2	2	2	4	7	10	14
20-34	144	5.3	18	2	2	3	8	11	13	19
35-49	1375	4.8	26	2	2	3	6	10	14	23
50-64	2575	5.6	34	2	2	3	7	12	16	26
65+	664	7.3	42	2	2	5	10	15	21	32
GRAND TOTAL	**4779**	**5.6**	**33**	**2**	**2**	**3**	**7**	**12**	**16**	**27**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	310	5.5	24	1	1	4	8	12	13	21
20-34	1315	6.5	30	1	2	5	9	13	17	24
35-49	1580	6.4	29	1	2	5	9	13	17	27
50-64	2245	6.0	34	1	2	4	8	13	17	29
65+	1504	6.4	34	1	2	4	9	14	18	28
2. MULTIPLE DX										
0-19 YRS	242	8.1	55	1	2	6	10	16	26	56
20-34	1370	8.9	75	2	2	7	12	17	21	44
35-49	2635	9.0	65	2	2	7	12	18	23	40
50-64	5633	8.8	66	2	2	7	12	18	23	42
65+	5860	10.8	84	2	2	9	14	22	29	47
TOT. SINGLE DX	6954	6.2	32	1	2	4	9	13	17	28
" MULTIPLE DX	15740	9.6	74	2	2	8	13	19	25	45
TOTAL 0-19 YRS	552	6.7	40	1	2	5	9	13	17	37
20-34	2685	7.7	54	1	2	6	10	15	19	35
35-49	4215	8.1	53	2	2	6	11	17	21	36
50-64	7878	8.0	59	2	2	6	11	17	22	39
65+	7364	9.9	77	2	2	8	13	20	27	46
GRAND TOTAL	22694	8.6	63	2	2	7	11	18	23	41

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	915	4.6	27	1	1	3	5	9	12	32
20-34	1501	5.4	34	1	1	4	7	11	14	27
35-49	1325	6.3	38	1	2	5	8	13	16	27
50-64	1370	6.7	35	1	2	5	9	14	18	30
65+	934	7.7	52	2	2	6	10	15	20	36
2. MULTIPLE DX										
0-19 YRS	1125	6.4	52	1	1	5	8	13	19	43
20-34	2158	7.6	61	1	2	6	10	15	20	42
35-49	2638	9.2	70	2	2	7	12	19	25	42
50-64	4082	10.3	86	2	2	8	13	21	27	50
65+	4706	12.3	116	2	3	9	15	25	34	58
TOT. SINGLE DX	6045	6.1	38	1	2	4	8	13	17	31
" MULTIPLE DX	14709	10.0	90	2	2	8	13	21	28	52
TOTAL 0-19 YRS	2040	5.6	42	1	1	4	7	11	16	34
20-34	3659	6.7	51	1	2	5	8	13	18	38
35-49	3963	8.3	61	2	2	6	10	17	22	41
50-64	5452	9.4	76	2	2	7	12	19	25	46
65+	5640	11.5	108	2	2	9	15	24	32	57
GRAND TOTAL	20754	8.9	78	1	2	6	11	19	25	47

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	207	10.7	132	1	1	5	16	28	33	56
20-34	470	7.7	63	1	2	5	10	16	21	43
35-49	544	7.0	37	2	2	5	9	15	19	30
50-64	681	6.6	52	2	2	5	8	13	18	26
65+	180	8.4	86	2	2	6	10	17	22	52
2. MULTIPLE DX										
0-19 YRS	215	17.5	364	2	2	9	30	49	75	99+
20-34	479	13.0	196	2	2	9	16	28	46	81
35-49	588	11.5	104	2	3	9	15	23	31	60
50-64	627	13.1	204	2	3	9	15	26	41	87
65+	427	17.8	211	3	5	14	24	38	46	91
TOT. SINGLE DX	2082	7.5	63	1	2	5	9	16	22	41
" MULTIPLE DX	2336	13.9	199	2	3	10	18	31	44	83
TOTAL 0-19 YRS	422	14.2	261	1	2	8	22	40	54	99+
20-34	949	10.4	137	1	2	7	13	22	34	60
35-49	1132	9.3	77	2	2	7	12	19	25	47
50-64	1308	9.7	135	2	2	6	11	20	26	75
65+	607	15.0	192	2	3	11	20	33	43	81
GRAND TOTAL	4418	10.9	145	2	2	7	13	24	35	73

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the operation groups except those consisting solely of UHDDS Class 2-4 procedures** (512, 516, 533, 540, 589, 629, 647, 657, 659, 741, 752, 759, 761, 762, and 763). Also shown is the corresponding rate per 10,000 operated discharges and the rate per 10,000 days of care.

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 1979

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
501	Incision, excision of skull, brain, and cerebral meninges	7,614	14.0	161	42.1
502	Craniotomy and craniectomy	5,941	10.9	133	34.9
503	Cranioplasty	2,695	4.9	27	7.1
504	Ventricular shunt, extracranial	2,030	3.7	43	11.3
505	Miscellaneous operations on brain and cerebral meninges	3,081	5.7	48	12.5
506	Exploration and decompression of spinal canal structures	13,306	24.4	220	57.7
507	Operations on spinal cord structures, except exploration	4,386	8.0	64	16.9
508	Excision or destruction of lesion of cranial or peripheral nerve	12,071	22.1	54	14.3
509	Miscellaneous operations on cranial and other peripheral nerves	39,244	72.0	142	37.2
510	Sympathectomy	3,333	6.1	53	13.8
511	Miscellaneous operations on sympathetic nerves and ganglia	1,457	2.7	14	3.6
513	Thyroidectomy	22,470	41.2	133	34.9

---

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

**Additional information regarding UHDDS classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
514	Operations on parathyroid and thyroid, except thyroidectomy	5,306	9.7	35	9.3
515	Operations on endocrine glands, except parathyroid and thyroid	1,656	3.0	25	6.5
517	Excision or destruction of lesion or tissue of eyelid	5,564	10.2	19	5.1
518	Miscellaneous operations on eyelid	17,407	31.9	57	15.0
519	Operations on lacrimal system	2,547	4.7	8	2.1
520	Operations on conjunctiva	995	1.8	3	0.8
521	Corneal transplant	3,007	5.5	17	4.4
522	Miscellaneous operations on cornea	4,992	9.2	17	4.5
523	Operations for regulation of intraocular pressure	5,303	9.7	25	6.5
524	Other operations on iris, ciliary body, sclera and anterior chamber	6,374	11.7	28	7.5
525	Intracapsular extraction of lens	113,615	208.5	466	122.1
526	Other lens extraction	25,066	46.0	76	20.0
527	Miscellaneous operations on lens	5,911	10.8	19	5.0
528	Repair of retina	12,277	22.5	70	18.5
529	Miscellaneous operations on retina, choroid, and vitreous	3,279	6.0	17	4.5
530	Resection and recession of ocular muscle	18,068	33.2	36	9.3
531	Miscellaneous operations on ocular muscle	197	0.4	1	0.3
532	Operations on orbit and eyeball	5,635	10.3	28	7.4
534	Operations on external ear	8,412	15.4	34	8.8
535	Stapes mobilization and stapedectomy	8,458	15.5	24	6.2
536	Tympanoplasty	17,728	32.5	44	11.5
537	Myringotomy	35,008	64.2	59	15.3

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
538	Mastoidectomy	7,841	14.4	29	7.5
539	Miscellaneous operations on middle ear and inner ear	5,923	10.9	18	4.8
541	Submucous resection of nasal septum	17,319	31.8	55	14.3
542	Rhinoplasty	40,900	75.0	122	31.9
543	Other incision, excision of nose	12,486	22.9	47	12.4
544	Miscellaneous operations on nose	15,441	28.3	58	15.1
545	Radical maxillary antrotomy	5,722	10.5	25	6.5
546	Miscellaneous operations on accessory sinus	6,409	11.8	32	8.3
547	Tooth extraction	59,096	108.4	173	45.3
548	Tooth restoration and orthodontia	3,526	6.5	7	1.7
549	Operations on teeth and gums except extraction and restoration	6,264	11.5	21	5.4
550	Operations on salivary glands and ducts	10,198	18.7	49	12.9
551	Palatoplasty	1,831	3.4	9	2.2
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	30.0	88	23.2
553	Tonsillectomy without adenoidectomy	69,380	127.3	152	39.9
554	Tonsillectomy with adenoidectomy	108,131	198.4	202	53.0
555	Adenoidectomy without tonsillectomy	24,021	44.1	38	9.9
556	Operations on pharynx except tonsillectomy and adenoidectomy	8,165	15.0	37	9.7
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	1.0	3	0.8

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
558	Excision of lesion of larynx	14,765	27.1	47	12.3
559	Partial laryngectomy and local excision of lesion of trachea	1,265	2.3	15	3.9
560	Complete laryngectomy	1,416	2.6	33	8.5
561	Permanent tracheostomy	419	0.8	12	3.1
562	Operations on larynx and trachea except excision and permanent tracheostomy	3,956	7.3	98	25.8
563	Incision and local excision or destruction of lesion of bronchus	22,645	41.5	269	70.5
564	Bronchial resection and miscellaneous operations on bronchus	86	0.2	1	0.2
565	Local excision or destruction of lesion or tissue of lung	12,835	23.5	200	52.5
566	Lobectomy and complete pneumonectomy	6,207	11.4	118	31.0
567	Bronchoscopy (using natural orifice)	30,893	56.7	338	88.7
568	Miscellaneous operations on lung	2,194	4.0	26	6.7
569	Thoracotomy	17,013	31.2	213	55.7
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	22.0	148	38.7
571	Open heart operations	7,425	13.6	136	35.6
572	Direct heart revascularization	29,906	54.9	456	119.7
573	Cardiac catheterization	78,519	144.1	397	104.2
574	Pacemaker insertion, replacement, removal, and repair	39,291	72.1	473	124.2
575	Miscellaneous operations on heart	2,517	4.6	39	10.2
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	9,081	16.7	79	20.6

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
577	Ligation and stripping of varicose veins	20,415	37.5	126	33.1
578	Systemic shunt or graft bypass	21,233	39.0	362	95.0
579	Extracorporeal circulation	227	0.4	4	1.0
580	Hemodialysis	9,382	17.2	70	18.3
581	Other operations on blood vessels	60,735	111.4	886	232.2
582	Incision, excision of lymphatic structures	22,787	41.8	191	50.0
583	Radical excision of lymph nodes	3,891	7.1	45	11.8
584	Miscellaneous operations on lymphatic system	39	0.1	1	0.1
585	Bone marrow transplant	50	0.1	<1	0.1
586	Miscellaneous operations on spleen and bone marrow	42,542	78.1	570	149.4
587	Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	2,122	3.9	35	9.3
588	Operations on esophagus	13,465	24.7	138	36.1
590	Gastrotomy, pyloromyotomy	2,815	5.2	20	5.4
591	Gastrostomy	2,411	4.4	63	16.6
592	Local excision or destruction of lesion or tissue of stomach	21,760	39.9	228	59.9
593	Partial gastrectomy	9,563	17.5	182	47.7
594	Total gastrectomy	945	1.7	25	6.5
595	Vagotomy	4,696	8.6	74	19.5
596	Miscellaneous operations on stomach	14,098	25.9	201	52.8
597	Local excision or destruction of intestinal lesion or tissue	27,341	50.2	239	62.7
598	Resection of small intestine	6,179	11.3	124	32.4
599	Colectomy	37,973	69.7	730	191.4
600	Other incision, resection of intestine	3,067	5.6	62	16.3

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
601	Intestinal anastomosis or repair	14,012	25.7	198	52.0
602	Ileostomy, colostomy, and other enterostomy	5,388	9.9	128	33.5
603	Appendectomy	87,962	161.4	512	134.3
604	Incidental appendectomy	1,590	2.9	11	2.8
605	Operations on appendix except appendectomy	688	1.3	8	2.1
606	Local excision or destruction of lesion or tissue of rectum	14,487	26.6	118	31.0
607	Other incision of rectum and incision or excision of perirectal tissue	5,181	9.5	29	7.5
608	Proctectomy	8,363	15.3	175	45.8
609	Miscellaneous operations on intestine	13,831	25.4	142	37.2
610	Incision or excision of anal fistula	10,033	18.4	49	12.8
611	Local excision or destruction of lesion or tissue of anus	10,031	18.4	50	13.0
612	Hemorrhoidectomy	47,961	88.0	306	80.1
613	Miscellaneous operations on anus	9,626	17.7	55	14.4
614	Incision of liver	863	1.6	12	3.2
615	Miscellaneous operations on liver	22,326	41.0	262	68.8
616	Cholecystectomy	140,005	256.9	1,561	409.4
617	Operations on biliary tract and gallbladder except cholecystectomy	7,257	13.3	135	35.5
618	Operations on pancreas	4,608	8.5	81	21.3
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	28.2	158	41.5
620	Unilateral repair of inguinal hernia	137,871	253.0	684	179.4
621	Bilateral repair of inguinal hernia	22,664	41.6	120	31.5

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
622 Unilateral or bilateral repair of femoral hernia	5,585	10.2	40	10.5
623 Repair of umbilical hernia	14,806	27.2	74	19.4
624 Repair of other hernia of anterior abdominal wall	24,376	44.7	198	51.8
625 Repair of diaphragmatic and other hernia	5,044	9.3	62	16.3
626 Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	28.6	182	47.7
627 Laparotomy	25,030	45.9	337	88.3
628 Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	49.3	97	25.5
630 Miscellaneous operations on abdominal wall and peritoneum	20,241	37.1	255	66.9
631 Complete nephrectomy	8,006	14.7	132	34.7
632 Miscellaneous operations on kidney	16,221	29.8	210	55.1
633 Ureterotomy	10,683	19.6	122	32.0
634 Ureteral diversion	3,166	5.8	47	12.3
635 Miscellaneous operations on ureter	12,769	23.4	81	21.3
636 Cystoscopy and urethroscopy	141,843	260.3	934	244.8
637 Transurethral excision or destruction of bladder lesion	32,751	60.1	217	57.0
638 Miscellaneous operations on bladder	18,098	33.2	204	53.6
639 Urethral meatotomy	5,110	9.4	15	3.8
640 Excision of urethral lesion, repair of urethra	10,151	18.6	62	16.2
641 Urethral dilation	30,079	55.2	170	44.7
642 Miscellaneous operations on urethra	9,781	17.9	51	13.4
643 Urethral suspension	8,306	15.2	86	22.4
644 Other repair of stress incontinence	1,614	3.0	16	4.3
645 Ureteral catheterization	1,396	2.6	10	2.7

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	317	3.7	38	1	1	2	4	7	12	34
20-34	322	4.5	34	<1	1	2	5	10	14	22
35-49	197	6.5	45	1	1	3	9	15	19	30
50-64	195	7.8	75	1	2	5	10	17	27	39
65+	172	12.3	157	1	2	8	17	27	36	84
2. MULTIPLE DX										
0-19 YRS	461	7.6	147	1	1	4	7	22	36	99+
20-34	681	7.4	93	1	2	5	9	18	26	99+
35-49	619	10.0	120	1	2	7	12	21	30	70
50-64	807	12.6	152	2	3	9	16	27	36	75
65+	1030	14.8	145	2	4	12	18	31	41	61
TOT. SINGLE DX	1203	6.3	69	1	1	3	8	15	21	41
" MULTIPLE DX	3598	11.1	141	1	2	8	15	25	35	79
TOTAL 0-19 YRS	778	6.0	106	1	1	3	6	12	30	91
20-34	1003	6.4	75	1	1	4	8	15	22	99
35-49	816	9.1	104	1	2	6	12	20	27	58
50-64	1002	11.7	140	2	2	8	15	25	34	72
65+	1202	14.4	147	2	3	11	18	30	41	63
GRAND TOTAL	**4801**	**9.9**	**127**	**1**	**1**	**6**	**13**	**23**	**32**	**70**

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
646	Miscellaneous operations on urinary tract	705	1.3	9	2.4
648	Transurethral prostatectomy	82,823	152.0	876	229.8
649	Other prostatectomy	10,238	18.8	155	40.5
650	Miscellaneous operations on prostate and seminal vesicles	12,943	23.7	82	21.5
651	Operations on scrotum and tunica vaginalis	5,065	9.3	27	7.1
652	Orchiectomy	9,069	16.6	69	18.1
653	Orchiopexy	7,181	13.2	24	6.2
654	Miscellaneous operations on testis	2,776	5.1	10	2.6
655	Interruption of vas deferens	3,735	6.9	11	2.8
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	33.2	68	17.7
658	Miscellaneous operations on penis	4,208	7.7	24	6.3
660	Local excision or destruction of ovarian lesion or tissue	17,425	32.0	121	31.8
661	Unilateral oophorectomy or salpingo-oophorectomy	20,844	38.2	159	41.6
662	Bilateral oophorectomy or salpingo-oophorectomy	8,553	15.7	81	21.3
663	Miscellaneous operations on ovary	3,642	6.7	19	5.1
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	95.2	93	24.3
665	Other bilateral tubal interruption or salpingectomy	51,366	94.2	173	45.3
666	Miscellaneous operations on fallopian tube	18,027	33.1	96	25.2
667	Conization of cervix	13,499	24.8	40	10.5
668	Other excision or destruction of lesion or tissue of cervix	19,493	35.8	71	18.6
669	Repair and plastic operations on cervix	4,705	8.6	16	4.3

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
670	Hysterotomy and excision of lesion of uterus	5,403	9.9	31	8.0
671	Abdominal hysterectomy	144,448	265.0	1,231	322.7
672	Vaginal hysterectomy	57,045	104.7	438	114.9
673	Radical hysterectomy and pelvic evisceration	912	1.7	15	3.8
674	Dilation and curettage of uterus for termination of pregnancy	11,850	21.7	23	6.0
675	Other dilation and curettage	286,436	525.5	733	192.3
676	Aspiration curettage for termination of pregnancy	28,280	51.9	43	11.3
677	Other aspiration curettage	9,517	17.5	18	4.7
678	Repair and plastic operations on supporting structures of uterus	1,215	2.2	8	2.1
679	Miscellaneous operations on uterus, cervix, and supporting structures	3,774	6.9	15	3.9
680	Plastic repair of cystocele and rectocele	17,230	31.6	149	39.0
681	Other colporrhaphy	3,619	6.6	22	5.7
682	Miscellaneous operations on vagina	10,230	18.8	59	15.5
683	Incision and excision of lesion of vulva and perineum	15,252	28.0	52	13.7
684	Vulvectomy	1,015	1.9	13	3.4
685	Miscellaneous operations on vulva and perineum	1,644	3.0	7	1.8
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	358	0.7	2	0.4
687	Low forceps with and without episiotomy	190,746	350.0	682	178.9
688	Breech extraction	7,345	13.5	26	6.8
689	Other extraction procedures to assist delivery	28,341	52.0	106	27.7
690	Other procedures to assist delivery	154,551	283.6	547	143.4
691	Low cervical cesarean section	156,857	287.8	1,015	266.3

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
692	Other cesarean section	14,796	27.1	96	25.2
693	Other abdominal operation to remove embryo or fetus	394	0.7	3	0.7
694	Intra-amniotic injection for abortion	7,926	14.5	15	4.0
695	Diagnostic amniocentesis	2,860	5.2	10	2.6
696	Intrauterine procedures on fetus and amnion	25,683	47.1	73	19.1
697	Miscellaneous obstetric procedures	80,867	148.4	260	68.2
698	Excision of facial bone	2,197	4.0	15	4.0
699	Repair and plastic operations on facial bones	5,344	9.8	25	6.6
700	Closed reduction of maxillofacial fractures	6,602	12.1	33	8.7
701	Open reduction of maxillofacial fractures	9,445	17.3	62	16.2
702	Miscellaneous maxillofacial surgery	701	1.3	4	1.1
703	Incision and division of bones except facial	15,752	28.9	110	29.0
704	Bunionectomy	28,865	53.0	152	39.9
705	Excision of bone except facial	49,716	91.2	381	99.9
706	Repair and plastic operation on bone except facial	11,962	21.9	137	36.0
707	Removal of internal fixation device	25,368	46.5	141	36.8
708	Closed reduction of fracture of femur with internal fixation	8,009	14.7	170	44.7
709	Open reduction of fracture of femur with internal fixation	35,967	66.0	762	199.7
710	Reduction of fracture of femur without internal fixation	4,118	7.6	84	22.2

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	20.5	89	23.4
712	Open reduction of fracture with internal fixation, except maxillofacial and femur	50,669	93.0	412	108.0
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	57,596	105.7	329	86.2
714	Closed reduction of dislocation	10,233	18.8	68	17.8
715	Open reduction of dislocation	6,165	11.3	47	12.3
716	Arthrotomy and division of joint capsule	22,126	40.6	155	40.7
717	Excision of intervertebral disc	56,462	103.6	745	195.4
718	Excision of semilunar cartilage of knee joint	53,197	97.6	282	73.8
719	Miscellaneous excisions of joint structures	33,240	61.0	149	39.1
720	Spinal fusion	8,067	14.8	124	32.6
721	Arthrodesis and stabilization of joint	9,956	18.3	67	17.5
722	Total hip replacement	18,543	34.0	358	93.8
723	Other arthroplasty of hip	19,118	35.1	401	105.2
724	Arthroplasty of knee	24,536	45.0	306	80.3
725	Repair of other joint	22,732	41.7	114	29.9
726	Incision and division of muscle, tendon, fascia and bursa	13,540	24.8	68	17.9
727	Excision of lesion of muscle, tendon, fascia, and bursa	30,754	56.4	122	32.0
728	Division and resection of muscle, tendon, and fascia of hand	6,838	12.5	24	6.2

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
729	Repair and plastic operations on hand	15,127	27.8	44	11.4
730	Resection and suture of muscle, tendon, and fascia, except hand	13,682	25.1	65	17.1
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	23.3	66	17.3
732	Amputation of fingers and thumb	5,389	9.9	25	6.6
733	Amputation of hand, forearm, and upper arm	530	1.0	7	1.9
734	Amputation of toes	6,297	11.6	114	29.9
735	Below-knee amputation	5,458	10.0	169	44.3
736	Above-knee amputation	5,104	9.4	139	36.5
737	Other amputation of lower extremity	1,561	2.9	46	12.1
738	Reattachment of extremity	562	1.0	4	1.1
739	Revision of amputation stump	2,803	5.1	24	6.4
740	Miscellaneous operations on musculoskeletal system	247	0.5	3	0.8
742	Local excision or destruction of lesion of breast	84,844	155.7	299	78.4
743	Simple mastectomy	6,209	11.4	46	12.0
744	Extended simple mastectomy and radical mastectomy	25,311	46.4	257	67.4
745	Miscellaneous operations on breast	17,263	31.7	70	18.4
746	Incision and excision of pilonidal cyst or sinus	18,219	33.4	82	21.5
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	122.9	410	107.5
748	Other incision, excision, and suture of skin	88,934	163.2	776	203.4
749	Free skin grafts	13,963	25.6	226	59.4
750	Pedicle graft of skin	4,249	7.8	46	12.2
751	Miscellaneous operations on skin and subcutaneous tissue	20,805	38.2	95	24.8

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
753	Encephalography and ventriculography	3,750	6.9	32	8.5
754	Myelography	77,762	142.7	596	156.2
755	Cerebral arteriography	27,834	51.1	233	61.2
756	Coronary arteriography	10,145	18.6	51	13.3
757	Other arteriography and phlebography	57,821	106.1	466	122.2
758	Other radiography and special diagnostic procedures	48,009	88.1	427	111.9
760	Special therapies and rehabilitation	10,114	18.6	109	28.7
764	Miscellaneous diagnostic and therapeutic procedures	12,932	23.7	121	31.7
	All patients in operation groups	5,450,222	10,000.0	38,133	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to operation group. The operation groups are listed in their rank order for the U.S. as a whole. Groups consisting solely of UHDDS Class 2-4 procedures are excluded (see explanation for Table 1), as are patients who died, patients admitted from other short-term hospitals, patients tranferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)	All Hospitals Number of Patients (2)	Rank (3)	Rank by Region North-east (4)	North Central (5)	South (6)	West (7)
675 Other dilation and curettage	286,436	1	1	1	1	1
687 Low forceps with and without episiotomy	190,746	2	4	2	2	4
691 Low cervical cesarean section	156,857	3	3	5	5	3
690 Other procedures to assist delivery	154,551	4	6	3	8	2
671 Abdominal hysterectomy	144,448	5	9	7	3	5
636 Cystoscopy and urethroscopy	141,843	6	8	4	4	20
616 Cholecystectomy	140,005	7	7	6	6	7
620 Unilateral repair of inguinal hernia	137,871	8	2	8	7	6
525 Intracapsular extraction of lens	113,615	9	5	10	10	8
554 Tonsillectomy with adenoidectomy	108,131	10	13	9	9	12
748 Other incision, excision, and suture of skin	88,934	11	11	13	12	14
603 Appendectomy	87,962	12	15	12	13	9
742 Local excision or destruction of lesion of breast	84,844	13	12	15	11	23

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
648	Transurethral prostatectomy	82,823	14	14	16	14	15
697	Miscellaneous obstetric procedures	80,867	15	18	11	23	11
573	Cardiac catheterization	78,519	16	21	14	17	13
754	Myelography	77,762	17	24	18	15	10
553	Tonsillectomy without adenoidectomy	69,380	18	19	17	19	18
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	19	16	19	18	32
581	Other operations on blood vessels	60,735	20	22	24	24	16
547	Tooth extraction	59,096	21	10	22	26	82
757	Other arteriography	57,821	22	23	21	27	24
713	Other reduction of fracture without internal fixation, except maxillofacial	57,596	23	20	20	29	26
672	Vaginal hysterectomy	57,045	24	48	28	16	21
717	Excision of intervertebral disc	56,462	25	34	27	20	22
718	Excision of semilunar cartilage of knee joint	53,197	26	33	26	31	17
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	27	28	25	21	41
665	Other bilateral tubal interruption or salpingectomy	51,366	28	29	29	22	37

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
712 Open reduction of fracture with internal fixation, except maxillofacial	50,669	29	38	30	30	19
705 Excision of bone except facial	49,716	30	32	31	32	25
758 Other radiography and special diagnostic procedures	48,009	31	35	23	28	39
612 Hemorrhoidectomy	47,961	32	30	32	25	36
586 Miscellaneous operations on spleen and bone marrow	42,542	33	26	34	34	38
542 Rhinoplasty	40,900	34	31	35	33	27
574 Pacemaker insertion, replacement, removal, and repair	39,291	35	25	41	37	31
509 Miscellaneous operations on cranial and other peripheral nerves	39,244	36	43	33	45	28
599 Colectomy	37,973	37	27	38	42	33
709 Open reduction of fracture of femur with internal fixation	35,967	38	39	40	39	34
573 Myringotomy	35,008	39	37	45	36	44
719 Miscellaneous excisions of joint structures	33,240	40	46	42	49	29
637 Transurethral excision or destruction of bladder lesion	32,751	41	36	43	50	43
567 Bronchoscopy (using natural orifice)	30,893	42	44	47	35	56
727 Excision of lesion of muscle, tendon, fascia, and bursa	30,754	43	47	44	40	53

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
641 Urethral dilation	30,079	44	65	36	38	99
572 Direct heart revascularization	29,906	45	97	48	41	30
704 Bunionectomy	28,865	46	60	37	67	47
689 Other extraction procedures to assist delivery	28,341	47	58	51	46	46
676 Aspiration curettage for termination of pregnancy	28,280	48	17	66	100	84
755 Cerebral arteriography	27,834	49	80	49	47	42
597 Local excision or destruction of intestinal lesion or tissue	27,341	50	42	50	52	68
628 Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	51	59	46	53	55
696 Intrauterine procedures on fetus and amnion	25,683	52	70	39	96	50
707 Removal of internal fixation device	25,368	53	55	52	63	48
744 Extended simple mastectomy and radical mastectomy	25,311	54	45	58	56	52
526 Other lens extraction	25,066	55	74	72	44	40
627 Laparotomy	25,030	56	67	55	48	54
724 Arthroplasty of knee	24,536	57	91	53	65	35
624 Repair of other hernia of anterior abdominal wall	24,376	58	51	56	54	57
555 Adenoidectomy without tonsillectomy	24,021	59	64	60	43	93
582 Incision, excision of lymphatic structures	22,787	60	54	62	55	70
725 Repair of other joint	22,732	61	81	54	82	45

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
621	Bilateral repair of inguinal hernia	22,664	62	62	59	59	61
563	Incision and local excision or destruction of lesion of bronchus	22,645	63	52	63	60	65
513	Thyroidectomy	22,470	64	68	68	51	63
615	Miscellaneous operations on liver	22,326	65	49	65	64	60
716	Arthrotomy and division of joint capsule	22,126	66	85	61	66	49
592	Local excision or destruction of lesion or tissue of stomach	21,760	67	61	57	68	72
578	Systemic shunt or graft bypass	21,233	68	50	79	62	58
661	Unilateral oophorectomy or salpingo-oophorectomy	20,844	69	82	69	57	62
751	Miscellaneous operations on skin and subcutaneous tissue	20,805	70	69	67	58	73
577	Ligation and stripping of varicose veins	20,415	71	56	64	78	76
630	Miscellaneous operations on abdominal wall and peritoneum	20,241	72	86	71	61	66
668	Other excision or destruction of lesion or tissue of cervix	19,493	73	40	74	85	151

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
723	Other arthroplasty of hip	19,118	74	75	76	69	69
722	Total hip replacement	18,543	75	96	73	97	51
746	Incision and excision of pilonidal cyst or sinus	18,219	76	57	81	80	108
638	Miscellaneous operations on bladder	18,098	77	73	77	79	79
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	78	72	75	86	78
530	Resection and recession of ocular muscle	18,068	79	78	80	75	77
666	Miscellaneous operations on fallopian tube	18,027	80	83	84	77	64
536	Tympanoplasty	17,728	81	106	78	74	67
660	Local excision or destruction of ovarian lesion or tissue	17,425	82	71	83	87	83
518	Miscellaneous operations on eyelid	17,407	83	53	100	89	85
541	Submucous resection of nasal septum	17,319	84	41	85	132	111
745	Miscellaneous operations on breast	17,263	85	94	96	70	59
680	Plastic repair of cystocele and rectocele	17,230	86	89	82	76	91
569	Thoracotomy	17,013	87	92	89	71	71

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
552 Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	88	84	91	83	95
632 Miscellaneous operations on kidney	16,221	89	90	97	73	90
703 Incision and division of bones except facial	15,752	90	111	70	117	94
626 Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	91	88	94	92	96
544 Miscellaneous operations on nose	15,441	92	76	99	106	89
619 Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	93	77	92	81	145
683 Incision and excision of lesion of vulva and perineum	15,252	94	79	93	88	131
729 Repair and plastic operations on hand	15,127	95	109	87	109	74
623 Repair of umbilical hernia	14,806	96	101	95	84	114
692 Other cesarean section	14,796	97	120	88	93	98
558 Excision of lesion of larynx	14,765	98	66	104	101	106

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
606 Local excision or destruction of lesion or tissue of rectum	14,487	99	87	90	108	127
596 Miscellaneous operations on stomach	14,098	100	135	86	110	87
601 Intestinal anastomosis or repair	14,012	101	95	106	113	86
749 Free skin grafts	13,963	102	116	103	91	100
609 Miscellaneous operations on intestine	13,831	103	117	98	90	128
730 Resection and suture of muscle, tendon, and fascia, except hand	13,682	104	110	102	115	81
726 Incision and division of muscle, tendon, fascia and bursa	13,540	105	103	111	107	88
667 Conization of cervix	13,499	106	108	101	94	123
588 Operations on esophagus	13,465	107	102	105	99	113
506 Exploration and decompression of spinal canal structures	13,306	108	123	113	103	80
650 Miscellaneous operations on prostate and seminal vesicles	12,943	109	105	118	102	102
764 Miscellaneous diagnostic and therapeutic procedures	12,932	110	104	108	98	129

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
565 Local excision or destruction of lesion or tissue of lung	12,835	111	107	115	114	101
635 Miscellaneous operations on ureter	12,769	112	130	116	72	135
731 Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	113	113	107	119	92
543 Other incision, excision of nose	12,486	114	98	112	118	118
528 Repair of retina	12,277	115	93	135	116	75
508 Excision or destruction of lesion of cranial or peripheral nerve	12,071	116	150	114	112	97
570 Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	117	100	123	111	115
706 Repair and plastic operation on bone except facial	11,962	118	128	109	121	103
674 Dilation and curettage of uterus for termination of pregnancy	11,850	119	63	150	122	109
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	120	112	121	128	107
633 Ureterotomy	10,683	121	134	128	95	133
649 Other prostatectomy	10,238	122	99	138	133	125

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
714 Closed reduction of dislocation	10,233	123	126	119	142	119
682 Miscellaneous operations on vagina	10,230	124	127	120	130	142
550 Operations on salivary glands and ducts	10,198	125	121	126	131	120
640 Excision of urethral lesion, repair of urethra	10,151	126	132	122	120	143
756 Coronary arteriography	10,145	127	215	110	105	156
760 Special therapies and rehabilitation	10,114	128	144	117	136	134
610 Incision or excision of anal fistula	10,033	129	122	132	127	116
611 Local excision or destruction of lesion or tissue of anus	10,031	130	125	125	123	140
721 Arthrodesis and stabilization of joint	9,956	131	138	124	139	110
642 Miscellaneous operations on urethra	9,781	132	166	130	104	136
613 Miscellaneous operations on anus	9,626	133	118	133	137	132
593 Partial gastrectomy	9,563	134	124	136	125	126
677 Other aspiration curettage	9,517	135	115	143	135	121
701 Open reduction of maxillofacial fractures	9,445	136	152	127	134	112
580 Hemodialysis	9,382	137	129	141	144	105
576 Other diagnostic and therapeutic procedures on larynx, trachea	9,081	138	119	145	124	160

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
652 Orchiectomy	9,069	139	133	131	138	137
662 Bilateral oophorectomy or salpingo-oophorectomy	8,553	140	176	140	129	124
535 Stapes mobilization and stapedectomy	8,458	141	139	137	145	138
534 Operations on external ear	8,412	142	131	142	140	153
608 Proctectomy	8,363	143	114	144	155	150
643 Urethral suspension	8,306	144	169	129	147	130
556 Operations on pharynx except tonsillectomy and adenoidectomy	8,165	145	147	139	146	141
720 Spinal fusion	8,067	146	178	148	150	104
708 Closed reduction of fracture of femur with internal fixation	8,009	147	148	134	148	147
631 Complete nephrectomy	8,006	148	143	146	143	148
694 Intra-amniotic injection for abortion	7,926	149	145	162	126	144
538 Mastoidectomy	7,841	150	140	151	141	154
501 Incision, excision of skull, brain, and cerebral meninges	7,614	151	161	153	151	117
571 Open heart operations	7,425	152	160	155	154	122
688 Breech extraction	7,345	153	136	147	149	174
617 Operations on biliary tract and gallbladder except cholecystectomy	7,257	154	141	149	162	162
653 Orchiopexy	7,181	155	142	152	167	155
728 Division and resection of muscle, tendon, and fascia of hand	6,838	156	154	154	177	149

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
700 Closed reduction of maxillofacial fractures	6,602	157	151	156	170	164
546 Miscellaneous operations on accessory sinus	6,409	158	162	159	159	163
524 Other operations on iris, ciliary body, sclera and anterior chamber	6,374	159	146	176	164	158
734 Amputation of toes	6,297	160	153	161	157	177
549 Operations on teeth and gums except extraction and restoration	6,264	161	156	164	158	167
743 Simple mastectomy	6,209	162	159	158	160	178
566 Lobectomy and complete pneumonectomy	6,207	163	173	165	156	161
598 Resection of small intestine	6,179	164	163	160	178	159
715 Open reduction of dislocation	6,165	165	175	157	176	157
502 Craniotomy and craniectomy	5,941	166	180	173	166	152
539 Miscellaneous operations on middle ear and inner ear	5,923	167	172	175	175	146
527 Miscellaneous operations on lens	5,911	168	191	185	152	139
545 Radical maxillary antrotomy	5,722	169	170	180	163	166
532 Operations on orbit and eyeball	5,635	170	174	177	165	170
622 Unilateral or bilateral repair of femoral hernia	5,585	171	157	168	184	171

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
517 Excision or destruction of lesion or tissue of eyelid	5,564	172	137	183	174	201
735 Below-knee amputation	5,458	173	164	174	173	186
670 Hysterotomy and excision of lesion of uterus	5,403	174	155	167	182	190
732 Amputation of fingers and thumb	5,389	175	184	163	183	175
602 Ileostomy, colostomy, and other enterostomy	5,388	176	149	171	190	180
699 Repair and plastic operations on facial bones	5,344	177	198	172	169	165
514 Operations on parathyroid and thyroid, except thyroidectomy	5,306	178	171	182	180	176
523 Operations for regulation of intraocular pressure	5,303	179	158	189	179	173
607 Other incision of rectum and incision or excision of perirectal tissue	5,181	180	186	178	153	192
639 Urethral meatotomy	5,110	181	183	170	168	206
736 Above-knee amputation	5,104	182	179	179	161	203
651 Operations on scrotum and tunica vaginalis	5,065	183	177	166	187	182
625 Repair of diaphragmatic and other hernia	5,044	184	195	187	171	168

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
522 Miscellaneous operations on cornea	4,992	185	168	195	172	183
669 Repair and plastic operations on cervix	4,705	186	181	169	192	198
595 Vagotomy	4,696	187	208	184	181	169
618 Operations on pancreas	4,608	188	167	186	189	191
507 Operations on spinal cord structures, except exploration	4,386	189	202	181	196	172
750 Pedicle graft of skin	4,249	190	194	193	188	179
658 Miscellaneous operations on penis	4,208	191	189	192	186	195
710 Reduction of fracture of femur without internal fixation	4,118	192	188	191	191	194
562 Operations on larynx and trachea except excision and permanent tracheostomy	3,956	193	187	197	193	187
583 Radical excision of lymph nodes	3,891	194	182	198	198	184
679 Miscellaneous operations on uterus, cervix, and supporting structures	3,774	195	193	190	201	202
753 Encephalography and ventriculography	3,750	196	203	188	206	185
655 Interruption of vas deferens	3,735	197	192	194	185	223
663 Miscellaneous operations on ovary	3,642	198	200	196	199	200

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
681 Other colporrhaphy	3,619	199	199	299	194	189
548 Tooth restoration and orthodontia	3,526	200	201	199	195	196
510 Sympathectomy	3,333	201	185	207	197	208
529 Miscellaneous operations on retina, choroid, and vitreous	3,279	202	197	209	203	181
634 Ureteral diversion	3,166	203	207	203	202	193
505 Miscellaneous operations on brain and cerebral meninges	3,081	204	209	206	200	197
600 Other incision, resection of intestine	3,067	205	196	201	208	205
521 Corneal transplant	3,007	206	190	214	205	199
695 Diagnostic amniocentesis	2,860	207	165	213	218	217
590 Gastrotomy, pyloromyotomy	2,815	208	211	202	210	210
739 Revision of amputation stump	2,803	209	210	204	204	212
654 Miscellaneous operations on testis	2,776	210	205	205	209	214
503 Cranioplasty	2,695	211	216	212	211	188
519 Operations on lacrimal system	2,547	212	204	215	213	204
575 Miscellaneous operations on heart	2,517	213	219	211	212	209
591 Gastrostomy	2,411	214	206	210	215	220
698 Excision of facial bone	2,197	215	212	218	207	222
568 Miscellaneous operations on lung	2,194	216	214	219	214	213

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
587 Other diagnostic and therapeutic procedures on vessels, lymphatic	2,122	217	222	208	229	207
504 Ventricular shunt, extracranial	2,030	218	217	217	220	211
551 Palatoplasty	1,831	219	223	221	216	216
515 Operations on endocrine glands, except parathyroid and thyroid	1,656	220	224	224	221	218
685 Miscellaneous operations on vulva and perineum	1,644	221	225	222	217	221
644 Other repair of stress incontinence	1,614	222	235	216	227	215
604 Incidental appendectomy	1,590	223	228	223	219	219
737 Other amputation of lower extremity	1,561	224	213	227	223	224
511 Miscellaneous operations on sympathetic nerves and ganglia	1,457	225	230	220	224	225
560 Complete laryngectomy	1,416	226	218	228	222	230
645 Ureteral catheterization	1,396	227	221	226	225	226
559 Partial laryngectomy and local excision of lesion of trachea	1,265	228	220	229	228	228
678 Repair and plastic operations on supporting structures of uterus	1,215	229	232	225	226	229
684 Vulvectomy	1,015	230	229	231	230	235
520 Operations on conjunctiva	995	231	226	233	231	231
594 Total gastrectomy	945	232	227	232	233	232

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
673 Radical hysterectomy and pelvic evisceration	912	233	231	230	232	237
614 Incision of liver	863	234	233	234	235	227
646 Miscellaneous operations on urinary tract	705	235	234	235	237	239
702 Miscellaneous maxillofacial surgery	701	236	241	236	234	236
605 Operations on appendix except appendectomy	688	237	237	237	236	233
738 Reattachment of extremity	562	238	240	240	241	234
557 Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	239	236	239	239	241
733 Amputation of hand, forearm, and upper arm	530	240	243	238	238	238
561 Permanent tracheostomy	419	241	242	241	240	242
693 Other abdominal operation to remove embryo or fetus	394	242	239	242	242	240
686 Miscellaneous diagnostic and therapeutic procedures on female genital system	358	243	238	243	243	243
740 Miscellaneous operations on musculoskeletal system	247	244	246	245	244	244
579 Extracorporeal circulation	227	245	244	244	246	246

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
531 Miscellaneous operations on ocular muscle	197	246	245	246	245	245
564 Bronchial resection and miscellaneous operations on bronchus	86	247	247	247	247	247
585 Bone marrow transplant	50	248	249	248	248	248
584 Miscellaneous operations on lymphatic system	39	249	248	249	249	249
All patients in operation groups	5,450,222					

Table 3

Ranking of *ICD-9-CM* Operation Groups by Days of Care
U.S. PAS Hospitals, 1979

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
616	Cholecystectomy	1,561	1	1	1	1	1
671	Abdominal hysterectomy	1,231	2	3	2	2	2
691	Low cervical cesarean section	1,015	3	2	4	4	4
636	Cystoscopy and urethroscopy	934	4	5	3	3	20
581	Other operations on blood vessels	886	5	8	7	5	3
648	Transurethral prostatectomy	876	6	4	5	6	7
748	Other incision, excision, and suture of skin	776	7	9	8	9	8
709	Open reduction of fracture of femur with internal fixation	762	8	7	10	11	6
717	Excision of intervertebral disc	745	9	15	9	8	5
675	Other dilation and curettage	733	10	10	6	10	28
599	Colectomy	730	11	6	13	14	9
620	Unilateral repair of inguinal hernia	684	12	11	11	13	12
687	Low forceps with and without episiotomy	682	13	16	12	7	17
754	Myelography	596	14	21	15	12	11
586	Miscellaneous operations on spleen and bone marrow	570	15	12	16	17	19
690	Other procedures to assist delivery	547	16	17	14	19	14
603	Appendectomy	512	17	19	17	18	13

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
574	Pacemaker insertion, replacement, removal, and repair	473	18	13	24	21	21
757	Other arteriography and phlebography	466	19	18	18	22	27
525	Intracapsular extraction of lens	466	20	14	22	24	23
572	Direct heart revascularization	456	21	41	20	16	10
672	Vaginal hysterectomy	438	22	47	25	15	18
758	Other radiography and special diagnostic procedures	427	23	22	19	23	32
712	Open reduction of fracture with internal fixation, except maxillofacial	412	24	25	26	26	16
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	410	25	24	23	20	38
723	Other arthroplasty of hip	401	26	23	27	27	26
573	Cardiac catheterization	397	27	37	21	28	25
705	Excision of bone except facial	381	28	26	28	31	22
578	Systemic shunt or graft bypass	362	29	20	36	33	30
722	Total hip replacement	358	30	31	29	35	15
567	Bronchoscopy (using natural orifice)	338	31	28	34	25	37
627	Laparotomy	337	32	33	31	30	31
713	Other reduction of fracture without internal fixation, except maxillofacial	329	33	27	30	34	33

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
724	Arthroplasty of knee	306	34	55	32	37	24
612	Hemorrhoidectomy	306	35	42	35	29	41
742	Local excision or destruction of lesion of breast	299	36	32	37	32	56
718	Excision of semilunar cartilage of knee joint	282	37	43	38	40	29
563	Incision and local excision or destruction of lesion of bronchus	269	38	29	39	38	46
615	Miscellaneous operations on liver	262	39	30	41	41	45
697	Miscellaneous obstetric procedures	260	40	53	33	51	36
744	Extended simple mastectomy and radical mastectomy	257	41	34	42	43	40
630	Miscellaneous operations on abdominal wall and peritoneum	255	42	45	44	36	34
597	Local excision or destruction of intestinal lesion or tissue	239	43	35	43	49	59
755	Cerebral arteriography	233	44	65	40	42	48
592	Local excision or destruction of lesion or tissue of stomach	228	45	38	45	55	55
749	Free skin grafts	226	46	58	47	39	44
506	Exploration and decompression of spinal canal structures	220	47	61	50	47	35

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
637	Transurethral excision or destruction of bladder lesion	217	48	36	49	59	57
569	Thoracotomy	213	49	57	52	46	42
632	Miscellaneous operations on kidney	210	50	51	55	45	50
638	Miscellaneous operations on bladder	204	51	44	51	57	60
554	Tonsillectomy with adenoidectomy	202	52	83	46	44	58
596	Miscellaneous operations on stomach	201	53	71	48	56	39
565	Local excision or destruction of lesion or tissue of lung	200	54	50	57	52	53
601	Intestinal anastomosis or repair	198	55	49	59	60	43
624	Repair of other hernia of anterior abdominal wall	198	56	56	54	53	65
582	Incision, excision of lymphatic structures	191	57	48	56	58	76
593	Partial gastrectomy	182	58	59	72	54	54
626	Incision, excision of abdominal wall and peritoneum except laparotomy	182	59	54	63	62	62
608	Proctectomy	175	60	39	66	79	67
665	Other bilateral tubal interruption or salpingectomy	173	61	74	61	48	87
547	Tooth extraction	173	62	40	60	64	139
641	Urethral dilation	170	63	82	53	50	113

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
708 Closed reduction of fracture of femur with internal fixation	170	64	64	62	72	64
735 Below-knee amputation	169	65	52	69	63	77
501 Incision, excision of skull, brain, and cerebral meninges	161	66	75	75	73	47
661 Unilateral oophorectomy or salpingo-oophorectomy	159	67	78	70	61	66
619 Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	158	68	60	67	68	115
716 Arthrotomy and division of joint capsule	155	69	79	73	76	51
649 Other prostatectomy	155	70	46	90	75	74
553 Tonsillectomy without adenoidectomy	152	71	91	65	74	69
704 Bunionectomy	152	72	87	58	95	70
719 Miscellaneous excisions of joint structures	149	73	81	71	80	61
680 Plastic repair of cystocele and rectocele	149	74	80	68	67	82
570 Operations on chest wall, pleura, and mediastinum except thoracotomy	148	75	63	83	71	78

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
609	Miscellaneous operations on intestine	142	76	86	74	70	98
509	Miscellaneous operations on cranial and other peripheral nerves	142	77	103	64	89	71
707	Removal of internal fixation device	141	78	70	77	86	72
736	Above-knee amputation	139	79	67	79	65	109
588	Operations on esophagus	138	80	73	78	78	83
706	Repair and plastic operation on bone except facial	137	81	85	76	87	73
571	Open heart operations	136	82	89	88	88	52
617	Operations on biliary tract and gallbladder except cholecystectomy	135	83	66	81	90	79
513	Thyroidectomy	133	84	93	87	69	84
502	Craniotomy and craniectomy	133	85	88	99	77	63
631	Complete hephrectomy	132	86	76	86	81	81
602	Ileostomy, colostomy, and other enterostomy	128	87	62	96	106	88
577	Ligation and stripping of varicose veins	126	88	68	84	92	105
720	Spinal fusion	124	89	112	100	96	49
598	Resection of small intestine	124	90	84	93	98	75
727	Excision of lesion of muscle, tendon, fascia, and bursa	122	91	97	80	82	104
633	Ureterotomy	122	92	98	103	66	89
542	Rhinoplasty	122	93	90	98	85	80

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
660 Local excision or destruction of ovarian lesion or tissue	121	94	77	94	94	93
764 Miscellaneous diagnostic and therapeutic procedures	121	95	92	95	84	95
621 Bilateral repair of inguinal hernia	120	96	95	82	97	86
566 Lobectomy and complete pneumonectomy	118	97	94	101	83	85
606 Local excision or destruction of lesion or tissue of rectum	118	98	72	89	104	120
734 Amputation of toes	114	99	69	107	93	110
725 Repair of other joint	114	100	114	91	111	68
703 Incision and division of bones except facial	110	101	107	85	108	91
760 Special therapies and rehabilitation	109	102	109	92	103	100
689 Other extraction procedures to assist delivery	106	103	110	102	99	94
562 Operations on larynx and trachea except excision and permanent tracheostomy	98	104	96	113	100	99
628 Laparoscopy (excluding that for destruction of fallopian tubes)	97	105	119	97	112	121
666 Miscellaneous operations on fallopian tube	96	106	113	109	109	92

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
692 Other cesarean section	96	107	127	104	105	106
751 Miscellaneous operations on skin and subcutaneous tissue	95	108	118	106	102	126
664 Bilateral endoscopic destruction or occlusion of fallopian tubes	93	109	126	108	91	147
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	89	110	106	114	113	102
552 Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	88	111	104	111	114	117
643 Urethral suspension	86	112	138	110	116	101
710 Reduction of fracture of femur without internal fixation	84	113	108	116	118	114
650 Miscellaneous operations on prostate and seminal vesicles	82	114	105	120	115	130
746 Incision and excision of pilonidal cyst or sinus	82	115	99	112	123	152
662 Bilateral oophorectomy or salpingo-oophorectomy	81	116	148	115	107	103
618 Operations on pancreas	81	117	111	118	120	122

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
635	Miscellaneous operations on ureter	81	118	133	117	101	131
576	Other diagnostic and therapeutic procedures on larynx, trachea	79	119	102	124	122	129
526	Other lens extraction	76	120	137	135	110	96
595	Vagotomy	74	121	155	121	117	107
623	Repair of umbilical hernia	74	122	124	119	121	144
696	Intrauterine procedures on fetus and amnion	73	123	164	105	162	119
668	Other excision or destruction of lesion or tissue of cervix	71	124	100	122	131	173
528	Repair of retina	70	125	115	156	129	90
745	Miscellaneous operations on breast	70	126	144	134	124	108
580	Hemodialysis	70	127	117	140	138	97
652	Orchiectomy	69	128	125	127	126	137
726	Incision and division of muscle, tendon, fascia and bursa	68	129	136	132	130	112
714	Closed reduction of dislocation	68	130	128	125	140	127
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	68	131	129	123	132	140
721	Arthrodesis and stabilization of joint	67	132	139	129	133	116

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
731 Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	66	133	130	128	139	123
730 Resection and suture of muscle, tendon, and fascia, except hand	65	134	140	130	136	118
507 Operations on spinal cord structures, except exploration	64	135	141	131	146	111
591 Gastrostomy	63	136	121	133	145	153
625 Repair of diaphragmatic and other hernia	62	137	161	144	119	128
600 Other incision, resection of intestine	62	138	122	143	137	136
701 Open reduction of maxillofacial fractures	62	139	156	138	128	125
640 Excision of urethral lesion, repair of urethra	62	140	143	136	125	156
662 Miscellaneous operations on vagina	59	141	142	137	141	146
537 Myringotomy	59	142	149	141	134	134
544 Miscellaneous operations on nose	58	143	134	139	153	138
518 Miscellaneous operations on eyelid	57	144	123	149	148	142
613 Miscellaneous operations on anus	55	145	132	147	150	143

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
541 Submucous resection of nasal septum	55	146	101	146	178	172
508 Excision or destruction of lesion of cranial or peripheral nerve	54	147	172	145	142	124
510 Sympathectomy	53	148	120	165	147	160
683 Incision and excision of lesion of vulva and perineum	52	149	147	142	143	178
642 Miscellaneous operations on urethra	51	150	176	150	127	157
756 Coronary arteriography	51	151	220	126	135	171
611 Local excision or destruction of lesion or tissue of anus	50	152	159	148	144	162
550 Operations on salivary glands and ducts	49	153	146	155	154	155
610 Incision or excision of anal fistula	49	154	153	159	151	151
505 Miscellaneous operations on brain and cerebral meninges	48	155	162	164	152	133
543 Other incision, excision of nose	47	156	150	151	156	163
715 Open reduction of dislocation	47	157	152	153	164	148
634 Ureteral diversion	47	158	158	158	159	141
558 Excision of lesion of larynx	47	159	135	157	163	170
750 Pedicle graft of skin	46	160	163	163	155	132
737 Other amputation of lower extremity	46	161	131	171	157	159
743 Simple mastectomy	46	162	154	152	161	169

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
583	Radical excision of lymph nodes	45	163	145	166	165	154
536	Tympanoplasty	44	164	182	160	158	145
729	Repair and plastic operations on hand	44	165	173	154	166	149
504	Ventricular shunt, extracranial	43	166	157	167	174	135
676	Aspiration curettage for termination of pregnancy	43	167	116	175	188	184
667	Conization of cervix	40	168	169	162	160	191
622	Unilateral or bilateral repair of femoral hernia	40	169	151	168	176	164
575	Miscellaneous operations on heart	39	170	178	169	167	158
555	Adenoidectomy without tonsillectomy	38	171	184	172	149	190
556	Operations on pharynx except tonsillectomy and adenoidectomy	37	172	165	173	170	166
530	Resection and recession of ocular muscle	36	173	175	174	172	165
514	Operations on parathyroid and thyroid, except thyroidectomy	35	174	166	178	168	167
587	Other diagnostic and therapeutic procedures on vessels, lymphatic	35	175	188	161	212	150
534	Operations on external ear	34	176	180	176	171	180

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
700 Closed reduction of maxillofacial fractures	33	177	168	177	177	182
560 Complete laryngectomy	33	178	160	183	173	199
753 Encephalography and ventriculography	32	179	183	170	201	168
546 Miscellaneous operations on accessory sinus	32	180	181	179	175	179
670 Hysterotomy and excision of lesion of uterus	31	181	167	180	181	196
607 Other incision of rectum and incision or excision of perirectal tissue	29	182	189	185	169	203
538 Mastoidectomy	29	183	179	188	180	183
524 Other operations on iris, ciliary body, sclera and anterior chamber	28	184	170	195	184	175
532 Operations on orbit and eyeball	28	185	187	186	179	185
651 Operations on scrotum and tunica vaginalis	27	186	185	181	190	206
503 Cranioplasty	27	187	202	191	186	161
688 Breech extraction	26	188	186	182	193	212
568 Miscellaneous operations on lung	26	189	190	196	185	181
732 Amputation of fingers and thumb	25	190	203	184	189	186
699 Repair and plastic operations on facial bones	25	191	209	193	183	174
523 Operations for regulation of intraocular pressure	25	192	174	202	191	195

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
594	Total gastrectomy	25	193	171	203	198	192
545	Radical maxillary antrotomy	25	194	195	199	182	197
515	Operations on endocrine glands, except parathyroid and thyroid	25	195	197	194	192	177
739	Revision of amputation stump	24	196	194	189	196	200
658	Miscellaneous operations on penis	24	197	198	192	187	202
728	Division and resection of muscle, tendon, and fascia of hand	24	198	200	187	207	188
535	Stapes mobilzation and stapedectomy	24	199	193	197	195	194
653	Orchiopexy	24	200	191	190	200	201
674	Dilation and curettage of uterus for termination of pregnancy	23	201	177	215	197	187
681	Other colporrhaphy	22	202	205	201	194	198
549	Operations on teeth and gums except extraction and restoration	21	203	199	205	206	207
590	Gastrotomy, pyloromyotomy	20	204	207	198	205	209
663	Miscellaneous operations on ovary	19	205	211	204	209	208
517	Excision or destruction of lesion or tissue of eyelid	19	206	192	207	204	219
527	Miscellaneous operations on lens	19	207	222	209	203	176

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
539	Miscellaneous operations on middle ear and inner ear	18	208	212	212	210	189
677	Other aspiration curettage	18	209	204	214	211	210
529	Miscellaneous operations on retina, choroid, and vitreous	17	210	206	217	214	193
522	Miscellaneous operations on cornea	17	211	208	216	202	213
521	Corneal transplant	17	212	196	221	215	205
644	Other repair of stress incontinence	16	213	232	200	219	204
669	Repair and plastic operations on cervix	16	214	210	206	216	223
694	Intra-amniotic injection for abortion	15	215	214	223	199	216
698	Excision of facial bone	15	216	216	220	208	217
679	Miscellaneous operations on uterus, cervix, and supporting structures	15	217	217	211	222	214
559	Partial laryngectomy and local excision of lesion of trachea	15	218	201	218	217	228
673	Radical hysterectomy and pelvic evisceration	15	219	213	213	218	224
639	Urethral meatotomy	15	220	224	210	213	233

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
511 Miscellaneous operations on sympathetic nerves and ganglia	14	221	226	208	225	218
684 Vulvectomy	13	222	215	219	220	227
614 Incision of liver	12	223	218	224	226	211
561 Permanent tracheostomy	12	224	223	226	223	215
604 Incidental appendectomy	11	225	230	225	224	221
655 Interruption of vas deferens	11	226	228	222	221	240
645 Ureteral catheterization	10	227	219	229	229	226
695 Diagnostic amniocentesis	10	228	221	228	232	229
654 Miscellaneous operations on testis	10	229	227	227	227	230
646 Miscellaneous operations on urinary tract	9	230	225	230	230	231
551 Palatoplasty	9	231	231	234	231	220
519 Operations on lacrimal system	8	232	229	236	234	225
678 Repair and plastic operations on supporting structures of uterus	8	233	235	231	228	234
605 Operations on appendix except appendectomy	8	234	233	233	236	222
733 Amputation of hand, forearm, and upper arm	7	235	238	232	233	237
685 Miscellaneous operations on vulva and perineum	7	236	236	235	235	236

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
548	Tooth restoration and orthodontia	7	237	234	237	237	232
738	Reattachment of extremity	4	238	239	239	241	235
702	Miscellaneous maxillofacial surgery	4	239	243	240	238	238
579	Extracorporeal circulation	4	240	237	238	244	239
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	3	241	241	242	239	244
520	Operations on conjunctiva	3	242	240	243	240	242
740	Miscellaneous operations on musculoskeletal system	3	243	245	241	242	241
693	Other abdominal operation to remove embryo or fetus	3	244	242	244	243	243
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	2	245	244	245	245	246
531	Miscellaneous operations on ocular muscle	1	246	246	246	247	245
564	Bronchial resection and miscellaneous operations on bronchus	1	247	248	247	246	247

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
584 Miscellaneous operations on lymphatic system	1	248	247	249	248	248
585 Bone marrow transplant	0	249	249	248	249	249
All operation groups	38,133					

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 3 Procedures: Tabular List and Alphabetic Index. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the ICD-9-CM List B operation group to which each operation belongs

Group Number	Title
	Abdominal wall, *see also Hernia*
627	Exploratory laparotomy
626	Excision
626	Incision
	Adenoid
554	Adenoidectomy with tonsillectomy
555	Adenoidectomy without tonsillectomy
556	Other
	Amputation, *see Extremity*
	Angiography
756	Cardiac
	Anus
611	Excision of lesion or tissue
612	Hemorrhoidectomy
613	Other
	Appendix
603	Appendectomy
605	Other
	Arteriography
757	Aorta
755	Head
756	Heart
755	Neck
757	Other
	Artery, *see Blood vessels*
617	Biliary tract, except cholecystectomy
	Bladder
637	Excision of lesion or tissue, transurethral
	Blood vessels
578	Bypass graft
572	Heart
577	Ligation and stripping, veins
578	Systemic shunt
	Bone, except facial, *see also Extremity*
705	Biopsy
703	Division

OPERATION INDEX (continued)

Group Number	Title
	Bone, except facial (continued)
705	Excision
703	Incision
707	Removal of internal fixation device
706	Repair
713	Reduction, closed
713	Reduction, open
	Bone, facial
698	Biopsy
703	Division
698	Excision
702	Incision
699	Repair
700	Reduction, closed
701	Reduction, open
	Bone marrow
585	Transplant
586	Other
	Brain
501	Excision
501	Incision
504	Ventricular shunt
	Breast
742	Biopsy
741	Complete mastectomy
742	Excision, lesion
745	Mastotomy
742	Partial mastectomy
744	Radical mastectomy
567	Bronchoscopy
	Bronchus
563	Excision of lesion or tissue
762	Removal of foreign body with incision
564	Resection
704	Bunionectomy
	Bursa, *see Muscle*
	Cartilage
716	Division

OPERATION INDEX (continued)

Group Number	Title
	Cartilage (continued)
717	Excision of intervertebral cartilage
718	Excision of semilunar cartilage of knee
	Cataract extraction
525	Intracapsular
526	Other
579	Circulation, extracorporeal
619	Colonoscopy, transabdominal
420	Conjunctiva
521	Corneal transplant
682	Culdoscopy
664	For ligation of fallopian tubes
636	Cystoscopy
629	Dialysis, peritoneal
	Ear
534	External
537	Myringotomy
536	Stapedectomy
535	Stapes mobilization
539	Tympanotomy
536	Tympanoplasty
753	Encephalography
515	Endocrine, except parathyroid, thyroid, and gonads
656	Epididymis
589	Esophagoscopy
	Extremity
	Amputation
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
732	Thumb
734	Toe
733	Upper arm

OPERATION INDEX (continued)

Group Number	Title
	Extremity (continued)
738	Reattachment
739	Revision of amputation
532	Eyelid, excision of lesion or tissue
	Fallopian tube
665	Excision, bilateral
665	Endoscopic approach
665	Ligation, bilateral
665	Endoscopic approach
662	Salpingo-oophorectomy, bilateral
661	Salpingo-oophorectomy, unilateral
666	Other
	Fascia, *see Muscle*
	Gallbladder
616	Cholecystectomy
589	Gastroscopy
596	Gastroscopy, surgical
	Graft, *see site*
	Gums
549	Alveoloplasty
549	Excision of lesion or tissue
549	Gingivectomy
549	Incision
	Hand, *see also Extremity*
728	Division of muscle, tendon, and fascia
	Heart
573	Catheterization
575	Massage, open
574	Pacemaker insertion or replacement
	Hernia repair
625	Diaphragmatic
624	Epigastric
622	Femoral, bilateral
624	Incisional
621	Inguinal, bilateral
620	Inguinal, unilateral

OPERATION INDEX (continued)

Group Number	Title
	Hernia repair (continued)
623	Umbilical
624	Ventral
	Hysterectomy, *see Uterus*
	Intestine, *see also Hernia*
601	Anastomosis
599	Colectomy
602	Colostomy
602	Enterostomy
597	Excision of lesion or tissue
600	Exteriorization
602	Ileostomy
600	Incision
601	Repair
599	Resection of large intestine
598	Resection of small intestine
	Joint, *see also Extremity*
741	Arthrocentesis
721	Arthrodesis, except spine
720	Spinal fusion
723	Arthroplasty of hip, except total replacement
722	Total hip replacement
716	Arthrotomy
716	Division of capsule
719	Excision, except intervertebral cartilage and cartilage of knee
741	Injection
717	Laminectomy with disc excision
718	Meniscectomy, knee
714	Reduction, dislocation, closed
715	Reduction, dislocation, open
725	Repair, except hip arthroplasty
724	Stabilization
	Kidney
631	Complete nephrectomy
	Larynx
558	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Larynx (continued)
562	Laryngotomy, permanent
559	Partial laryngectomy
560	Total laryngectomy
	Lens
526	Extraction, except intracapsular
525	Intracapsular extraction
716	Ligament, division
	Liver
614	Incision, including percutaneous
	Lung
566	Lobectomy
566	Pneumonectomy
	Lymph nodes
582	Excision, except radical
583	Excision, radical
582	Incision
584	Other
538	Mastoidectomy
	Meninges, cerebral
501	Excision
501	Incision
	Muscle, *see also Extremity*
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
728	Resection, hand
730	Suture, except hand
729	Suture, hand
	Muscle, ocular
530	Recession
530	Resection
754	Myelography
	Nerve, peripheral
508	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Nerve, peripheral (continued)
595	Vagotomy
	Nerve, sympathetic
510	Sympathectomy
	Nose
543	Excision, except submucous resection
541	Submucous resection, nasal septum
543	Incision
542	Rhinoplasty
	Obstetrical procedures
677	Curettage, aspiration
675	D & C
	Delivery, assisted
688	Breech extraction
692	Cesarean section, except low cervical
691	Cesarean section, low cervical
690	Episiotomy
689	Low forceps
	Intrauterine procedures
695	Amniocentesis
690	Intra-amniotic injection
696	Intrauterine transfusion
697	Removal of retained placenta, manual
697	Repair of laceration
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
697	Other
	Oral cavity, except salivary glands
557	Frenotomy
551	Palatoplasty
	Ovary
660	Excision of lesion or tissue
662	Oophorectomy, bilateral
661	Oophorectomy, unilateral
663	Other

OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	Prostatectomy, transurethral
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

OPERATION INDEX (continued)

Group Number	Title
	Skin
747	Excision, except pilonidal sinus
746	Excision of pilonidal sinus
	Graft
749	Free
750	Pedicle
748	Incision, except pilonidal sinus
746	Incision of pilonidal sinus
751	Plastic, except lip
552	Plastic, lip
748	Suture
	Skull
503	Cranioplasty
502	Craniotomy
501	Excision
501	Puncture
	Spinal cord
506	Exploration
	Stomach
593	Complete gastrectomy
592	Excision of lesion or tissue
591	Gastrostomy
590	Gastrotomy
593	Partial gastrectomy
590	Pyloromyotomy
596	Pyloroplasty
595	Vagotomy
	Tendon
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
727	Resection, hand
730	Suture, except hand
729	Suture, hand
	Testes
652	Orchiectomy
654	Other

OPERATION INDEX (continued)

Group Number	Title
570	Thoracoscopy, transpleural
	Thorax
576	Thoracentesis
	Thyroid
513	Thyroidectomy
514	Other
	Tongue
557	Frenotomy
557	Tongue-tie operation
	Tonsils
554	Tonsillectomy with adenoidectomy
555	Tonsillectomy without adenoidectomy
556	Other
	Tooth
548	Extraction
547	Restoration
549	Root resection
	Trachea
559	Excision of lesion or tissue
562	Permanent tracheostomy
563	Tracheotomy
	Ureter
645	Catheterization
634	Diversion
633	Ureterotomy
635	Other
	Urethra
641	Dilation
640	Excision of lesion or tissue
639	Meatotomy
640	Repair
642	Other
636	Urethroscopy
	Uterus, *see also Obstetrical procedures*
677	Aspiration curettage
670	Biopsy
667	Conization of cervix
675	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Uterus (continued)
668	Excision of cervix, except conization
668	Excision of lesion or tissue
673	Exenteration, pelvic
678	Hysteropexy
670	Hysterotomy, except to terminate pregnancy
671	Hysterectomy, abdominal, except radical
673	Hysterectomy, radical
672	Hysterectomy, vaginal, except radical
670	Myomectomy
679	Repair
678	Repair of supporting structures
	Vagina, except obstetrical
681	Colporrhaphy, except for cystocele and rectocele
680	Cystocele repair
680	Rectocele repair
682	Other
	Vas deferens
655	Interruption
656	Other
	Vein, *see Blood vessels*
757	Venography
	Ventricles, cerebral
505	Shunt
753	Ventriculography
	Vertebra
717	Excision, intervertebral disc
720	Fusion
506	Laminectomy, exploratory
	Other (grouped with other bone operations)
	Vulva, except obstetrical
683	Excision of lesion or tissue
683	Incision
684	Vulvectomy
685	Other